

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**2. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Physical activity</b>			
High Schools	103	45	37 - 52
Middle Schools	166	47	41 - 54
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>282</b>	<b>47</b>	<b>42 - 52</b>
<b>b. Nutrition</b>			
High Schools	102	43	36 - 51
Middle Schools	164	43	37 - 50
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>279</b>	<b>44</b>	<b>39 - 49</b>
<b>c. Tobacco-use prevention</b>			
High Schools	101	47	39 - 56
Middle Schools	166	36	30 - 43
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>280</b>	<b>41</b>	<b>36 - 46</b>
<b>d. Asthma</b>			
High Schools	101	31	24 - 38
Middle Schools	160	28	22 - 35
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>274</b>	<b>29</b>	<b>25 - 34</b>

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**3. Percentage of schools that have a copy of district's wellness policy.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>Yes</b>			
High Schools	104	87	82 - 91
Middle Schools	165	86	81 - 90
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>283</b>	<b>86</b>	<b>82 - 89</b>
<b>No</b>			
High Schools	104	11	7 - 16
Middle Schools	165	12	8 - 16
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>283</b>	<b>11</b>	<b>9 - 15</b>
<b>District does not have wellness policy</b>			
High Schools	104	2	1 - 6
Middle Schools	165	2	1 - 5
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>283</b>	<b>3</b>	<b>1 - 5</b>

NA=Not available  
N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	106	90	85 - 94
Middle Schools	169	98	95 - 99
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>289</b>	<b>94</b>	<b>92 - 96</b>

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	105	51	44 - 58
Middle Schools	170	63	57 - 69
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>289</b>	<b>58</b>	<b>54 - 63</b>

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. School administration</b>			
High Schools	54	93	83 - 97
Middle Schools	100	95	90 - 98
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>162</b>	<b>94</b>	<b>90 - 97</b>
<b>b. Health education teachers</b>			
High Schools	54	98	91 - 100
Middle Schools	100	89	83 - 93
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>161</b>	<b>93</b>	<b>89 - 95</b>
<b>c. Physical education teachers</b>			
High Schools	54	96	88 - 99
Middle Schools	100	93	87 - 96
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>161</b>	<b>94</b>	<b>91 - 97</b>
<b>d. Mental health or social services staff</b>			
High Schools	53	66	55 - 76
Middle Schools	98	57	49 - 64
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>157</b>	<b>60</b>	<b>53 - 66</b>
<b>e. Nutrition or food service staff</b>			
High Schools	52	54	43 - 65
Middle Schools	97	60	53 - 67
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>156</b>	<b>57</b>	<b>51 - 63</b>
<b>f. Health services staff (e.g., school nurse)</b>			
High Schools	53	83	74 - 89
Middle Schools	99	80	73 - 86
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>159</b>	<b>81</b>	<b>76 - 85</b>

\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>g. Maintenance and transportation staff</b>			
High Schools	51	23	15 - 34
Middle Schools	97	23	16 - 31
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>154</b>	<b>23</b>	<b>17 - 29</b>
<b>h. Student body</b>			
High Schools	50	58	46 - 70
Middle Schools	95	26	20 - 35
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>151</b>	<b>38</b>	<b>32 - 45</b>
<b>i. Parents or families of students</b>			
High Schools	49	55	43 - 67
Middle Schools	98	54	46 - 62
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>153</b>	<b>55</b>	<b>49 - 62</b>
<b>j. Community</b>			
High Schools	49	47	35 - 59
Middle Schools	97	52	44 - 59
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>151</b>	<b>50</b>	<b>43 - 56</b>
<b>k. Local health departments, agencies, or organizations</b>			
High Schools	53	59	48 - 68
Middle Schools	96	45	37 - 54
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>155</b>	<b>49</b>	<b>43 - 55</b>
<b>l. Faith-based organizations</b>			
High Schools	50	14	8 - 24
Middle Schools	97	18	12 - 26
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>152</b>	<b>16</b>	<b>11 - 22</b>

\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>m. Businesses</b>			
High Schools	51	14	8 - 24
Middle Schools	97	21	15 - 28
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>153</b>	<b>18</b>	<b>13 - 23</b>
<b>n. Local government</b>			
High Schools	50	20	12 - 32
Middle Schools	98	16	10 - 23
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>153</b>	<b>17</b>	<b>12 - 23</b>

\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**7. Percentage of schools that require school staff to receive professional development on HIV, STD, or pregnancy prevention issues and resources for the following groups.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Ethnic/racial minority youth at high risk</b>			
High Schools	105	38	31 - 45
Middle Schools	171	43	37 - 50
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>290</b>	<b>41</b>	<b>36 - 46</b>
<b>b. Youth who participate in drop-out prevention, alternative education, or GED programs</b>			
High Schools	103	46	38 - 55
Middle Schools	170	42	36 - 49
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>286</b>	<b>44</b>	<b>39 - 49</b>

NA=Not available

N=Unweighted number of observations



**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**8. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	98	27	21 - 34
Middle Schools	162	8	5 - 12
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>274</b>	<b>15</b>	<b>12 - 19</b>

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**9. Percentage of schools that have adopted a policy that addresses each of the following issues for students or staff with HIV infection or AIDS.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Attendance of students with HIV infection</b>			
High Schools	103	54	46 - 62
Middle Schools	171	60	53 - 66
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>286</b>	<b>57</b>	<b>52 - 61</b>
<b>b. Procedures to protect HIV-infected students and staff from discrimination</b>			
High Schools	103	61	53 - 68
Middle Schools	170	65	59 - 72
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>285</b>	<b>63</b>	<b>58 - 68</b>
<b>c. Maintaining confidentiality of HIV-infected students and staff</b>			
High Schools	104	70	62 - 77
Middle Schools	171	73	67 - 79
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>287</b>	<b>71</b>	<b>66 - 75</b>
<b>d. Worksite safety</b>			
High Schools	104	76	69 - 82
Middle Schools	171	82	76 - 86
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>287</b>	<b>79</b>	<b>74 - 83</b>
<b>e. Confidential counseling for HIV-infected students</b>			
High Schools	104	57	49 - 65
Middle Schools	171	60	53 - 66
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>287</b>	<b>57</b>	<b>52 - 62</b>
<b>f. Communication of the policy to students, school staff, and parents</b>			
High Schools	104	54	46 - 61
Middle Schools	170	56	50 - 62
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>285</b>	<b>54</b>	<b>49 - 59</b>

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**9. Percentage of schools that have adopted a policy that addresses each of the following issues for students or staff with HIV infection or AIDS.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>g. Adequate training about HIV infection for school staff</b>			
High Schools	104	59	52 - 66
Middle Schools	170	66	59 - 72
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>286</b>	<b>63</b>	<b>58 - 68</b>
<b>h. Procedures for implementing the policy</b>			
High Schools	104	58	51 - 66
Middle Schools	169	61	54 - 68
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>285</b>	<b>60</b>	<b>55 - 64</b>

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**10. Percentage of schools that require all staff who teach health education topics to be certified, licensed, or endorsed by the state in health education.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Yes</b>			
High Schools	104	91	85 - 95
Middle Schools	171	83	77 - 87
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>287</b>	<b>85</b>	<b>82 - 88</b>
<b>b. No</b>			
High Schools	104	9	5 - 15
Middle Schools	171	14	10 - 18
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>287</b>	<b>12</b>	<b>9 - 16</b>
<b>c. Not applicable</b>			
High Schools	104	0	NA
Middle Schools	171	4	2 - 7
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>287</b>	<b>2</b>	<b>1 - 5</b>

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**11. Percentage of schools that require physical education for students in any of grades 6 through 12.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	103	92	87 - 95
Middle Schools	173	98	95 - 99
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>290</b>	<b>96</b>	<b>93 - 97</b>

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**12. Percentage of all schools that taught a required physical education course in each of the following grades.\***

	N	Percent	95% Confidence Interval
<b>a. Sixth grade</b>			
High Schools	NA	NA	NA
Middle Schools	165	98	95 - 99
Junior/Senior High Schools	13	92	66 - 99
<b>All Schools</b>	<b>178</b>	<b>98</b>	<b>94 - 99</b>
<b>b. Seventh grade</b>			
High Schools	NA	NA	NA
Middle Schools	171	98	94 - 99
Junior/Senior High Schools	13	92	66 - 99
<b>All Schools</b>	<b>184</b>	<b>97</b>	<b>94 - 99</b>
<b>c. Eighth grade</b>			
High Schools	NA	NA	NA
Middle Schools	171	98	94 - 99
Junior/Senior High Schools	13	92	66 - 99
<b>All Schools</b>	<b>184</b>	<b>97</b>	<b>94 - 99</b>
<b>d. Ninth grade</b>			
High Schools	99	91	85 - 94
Middle Schools	NA	NA	NA
Junior/Senior High Schools	13	84	57 - 96
<b>All Schools</b>	<b>116</b>	<b>88</b>	<b>82 - 92</b>
<b>e. Tenth grade</b>			
High Schools	87	23	16 - 32
Middle Schools	NA	NA	NA
Junior/Senior High Schools	13	31	12 - 58
<b>All Schools</b>	<b>100</b>	<b>24</b>	<b>17 - 32</b>
<b>f. Eleventh grade</b>			
High Schools	85	14	9 - 21
Middle Schools	NA	NA	NA
Junior/Senior High Schools	11	9	2 - 35
<b>All Schools</b>	<b>96</b>	<b>13</b>	<b>9 - 20</b>
<b>g. Twelfth grade</b>			
High Schools	85	13	8 - 21
Middle Schools	NA	NA	NA
Junior/Senior High Schools	11	9	2 - 35
<b>All Schools</b>	<b>96</b>	<b>12</b>	<b>8 - 20</b>

\*Among schools with students in that grade.  
NA=Not available  
N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**13. Percentage of schools in which students can be exempted from taking a required physical education course for one grading period or longer for any of the following reasons.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Enrollment in other courses</b>			
High Schools	93	25	18 - 33
Middle Schools	167	12	8 - 17
Junior/Senior High Schools	12	25	8 - 56
<b>All Schools</b>	<b>272</b>	<b>17</b>	<b>14 - 21</b>
<b>b. Participation in school sports</b>			
High Schools	93	3	1 - 8
Middle Schools	163	2	1 - 5
Junior/Senior High Schools	12	8	1 - 37
<b>All Schools</b>	<b>268</b>	<b>3</b>	<b>1 - 5</b>
<b>c. Participation in other school activities</b>			
High Schools	93	12	7 - 18
Middle Schools	164	12	9 - 16
Junior/Senior High Schools	12	25	9 - 53
<b>All Schools</b>	<b>269</b>	<b>13</b>	<b>10 - 16</b>
<b>d. Participation in community sports activities</b>			
High Schools	93	0	NA
Middle Schools	164	0	NA
Junior/Senior High Schools	12	0	NA
<b>All Schools</b>	<b>269</b>	<b>0</b>	<b>NA</b>
<b>e. Religious reasons</b>			
High Schools	90	25	18 - 34
Middle Schools	162	34	29 - 40
Junior/Senior High Schools	12	25	8 - 56
<b>All Schools</b>	<b>264</b>	<b>31</b>	<b>26 - 35</b>
<b>f. Long-term physical or medical disability</b>			
High Schools	92	81	73 - 88
Middle Schools	164	73	68 - 78
Junior/Senior High Schools	12	66	37 - 87
<b>All Schools</b>	<b>268</b>	<b>76</b>	<b>71 - 80</b>
<b>g. Cognitive disability</b>			
High Schools	93	33	25 - 42
Middle Schools	163	17	13 - 23
Junior/Senior High Schools	12	8	1 - 37
<b>All Schools</b>	<b>268</b>	<b>23</b>	<b>19 - 27</b>

\*Among those schools that require physical education for students in any of grades 6 through 12.

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**13. Percentage of schools in which students can be exempted from taking a required physical education course for one grading period or longer for any of the following reasons.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>h. High physical fitness competency test score</b>			
High Schools	93	1	0 - 5
Middle Schools	164	0	NA
Junior/Senior High Schools	12	0	NA
<b>All Schools</b>	<b>269</b>	<b>0</b>	<b>0 - 2</b>
<b>i. Participation in vocational training</b>			
High Schools	93	3	1 - 8
Middle Schools	164	4	2 - 8
Junior/Senior High Schools	12	0	NA
<b>All Schools</b>	<b>269</b>	<b>4</b>	<b>2 - 6</b>
<b>j. Participation in community service activities</b>			
High Schools	93	1	0 - 5
Middle Schools	164	1	0 - 4
Junior/Senior High Schools	12	0	NA
<b>All Schools</b>	<b>269</b>	<b>1</b>	<b>0 - 3</b>

\*Among those schools that require physical education for students in any of grades 6 through 12.

NA=Not available

N=Unweighted number of observations



**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**14. Percentage of schools in which all staff who teach physical education are certified, licensed, or endorsed by the state in physical education.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Yes</b>			
High Schools	105	99	95 - 100
Middle Schools	174	94	90 - 97
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>293</b>	<b>96</b>	<b>93 - 97</b>
<b>b. No</b>			
High Schools	105	1	0 - 5
Middle Schools	174	5	3 - 9
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>293</b>	<b>4</b>	<b>2 - 6</b>
<b>c. Not Applicable</b>			
High Schools	105	0	NA
Middle Schools	174	1	0 - 3
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>293</b>	<b>0</b>	<b>0 - 2</b>

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**15. Percentage of schools in which physical education teachers or specialists received professional development on physical education during the past two years.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	105	94	90 - 97
Middle Schools	174	92	87 - 95
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>293</b>	<b>92</b>	<b>90 - 95</b>

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**16. Percentage of schools that provide those who teach physical education with the following materials.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Goals, objectives, and expected outcomes for physical education</b>			
High Schools	105	99	95 - 100
Middle Schools	173	100	NA
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>291</b>	<b>99</b>	<b>98 - 100</b>
<b>b. A chart describing the annual scope and sequence of instruction for physical education</b>			
High Schools	105	79	72 - 85
Middle Schools	170	88	84 - 92
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>288</b>	<b>83</b>	<b>79 - 86</b>
<b>c. Plans for how to assess student performance in physical education</b>			
High Schools	105	82	75 - 87
Middle Schools	171	89	85 - 92
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>289</b>	<b>85</b>	<b>82 - 88</b>
<b>d. A written physical education curriculum</b>			
High Schools	105	97	93 - 99
Middle Schools	171	94	90 - 96
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>289</b>	<b>95</b>	<b>92 - 97</b>

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**17. Percentage of schools that offer opportunities for all students to participate in intramural activities or physical activity clubs.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	95	50	43 - 58
Middle Schools	166	77	72 - 81
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>275</b>	<b>65</b>	<b>61 - 69</b>

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**18. Percentage of schools that have adopted a policy prohibiting tobacco use.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	102	100	NA
Middle Schools	169	98	95 - 99
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>285</b>	<b>98</b>	<b>96 - 99</b>

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**19 (Students). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Cigarettes</b>			
High Schools	101	100	NA
Middle Schools	160	98	95 - 99
Junior/Senior High Schools	14	86	63 - 96
<b>All Schools</b>	<b>275</b>	<b>98</b>	<b>96 - 99</b>
<b>b. Smokeless tobacco</b>			
High Schools	101	100	NA
Middle Schools	160	98	95 - 99
Junior/Senior High Schools	14	86	63 - 96
<b>All Schools</b>	<b>275</b>	<b>98</b>	<b>96 - 99</b>
<b>c. Cigars</b>			
High Schools	101	99	95 - 100
Middle Schools	160	98	95 - 99
Junior/Senior High Schools	14	86	63 - 96
<b>All Schools</b>	<b>275</b>	<b>98</b>	<b>96 - 99</b>
<b>d. Pipes</b>			
High Schools	101	99	95 - 100
Middle Schools	160	98	95 - 99
Junior/Senior High Schools	14	86	63 - 96
<b>All Schools</b>	<b>275</b>	<b>98</b>	<b>96 - 99</b>

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**19 (Faculty/Staff). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Cigarettes</b>			
High Schools	100	99	95 - 100
Middle Schools	159	96	92 - 98
Junior/Senior High Schools	14	79	54 - 92
<b>All Schools</b>	<b>273</b>	<b>96</b>	<b>93 - 98</b>
<b>b. Smokeless tobacco</b>			
High Schools	100	99	95 - 100
Middle Schools	159	95	91 - 97
Junior/Senior High Schools	14	79	54 - 92
<b>All Schools</b>	<b>273</b>	<b>96</b>	<b>93 - 97</b>
<b>c. Cigars</b>			
High Schools	100	98	94 - 99
Middle Schools	157	96	92 - 98
Junior/Senior High Schools	14	79	54 - 92
<b>All Schools</b>	<b>271</b>	<b>96</b>	<b>93 - 97</b>
<b>d. Pipes</b>			
High Schools	100	98	94 - 99
Middle Schools	158	96	92 - 98
Junior/Senior High Schools	14	79	54 - 92
<b>All Schools</b>	<b>272</b>	<b>96</b>	<b>93 - 97</b>

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**19 (Visitors). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Cigarettes</b>			
High Schools	100	98	94 - 99
Middle Schools	159	93	89 - 96
Junior/Senior High Schools	14	72	46 - 88
<b>All Schools</b>	<b>273</b>	<b>94</b>	<b>91 - 96</b>
<b>b. Smokeless tobacco</b>			
High Schools	100	96	91 - 98
Middle Schools	159	92	87 - 95
Junior/Senior High Schools	14	72	46 - 88
<b>All Schools</b>	<b>273</b>	<b>92</b>	<b>89 - 95</b>
<b>c. Cigars</b>			
High Schools	100	97	92 - 99
Middle Schools	158	93	88 - 95
Junior/Senior High Schools	14	72	46 - 88
<b>All Schools</b>	<b>272</b>	<b>93</b>	<b>90 - 95</b>
<b>d. Pipes</b>			
High Schools	100	97	92 - 99
Middle Schools	159	93	88 - 96
Junior/Senior High Schools	14	72	46 - 88
<b>All Schools</b>	<b>273</b>	<b>93</b>	<b>90 - 95</b>

NA=Not available

N=Unweighted number of observations



**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**20 (Students). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. During school hours</b>			
High Schools	101	100	NA
Middle Schools	161	98	95 - 99
Junior/Senior High Schools	13	85	61 - 95
<b>All Schools</b>	<b>275</b>	<b>98</b>	<b>96 - 99</b>
<b>b. During non-school hours</b>			
High Schools	101	100	NA
Middle Schools	157	96	93 - 98
Junior/Senior High Schools	12	75	47 - 91
<b>All Schools</b>	<b>270</b>	<b>97</b>	<b>95 - 98</b>

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**20 (Faculty/Staff). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. During school hours</b>			
High Schools	101	98	94 - 99
Middle Schools	159	91	86 - 94
Junior/Senior High Schools	13	77	51 - 92
<b>All Schools</b>	<b>273</b>	<b>93</b>	<b>90 - 95</b>
<b>b. During non-school hours</b>			
High Schools	100	98	94 - 99
Middle Schools	156	85	80 - 89
Junior/Senior High Schools	12	58	35 - 78
<b>All Schools</b>	<b>268</b>	<b>89</b>	<b>86 - 92</b>

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**20 (Visitors). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. During school hours</b>			
High Schools	101	98	94 - 99
Middle Schools	159	93	89 - 95
Junior/Senior High Schools	13	69	42 - 88
<b>All Schools</b>	<b>273</b>	<b>94</b>	<b>91 - 96</b>
<b>b. During non-school hours</b>			
High Schools	100	96	91 - 98
Middle Schools	155	87	82 - 90
Junior/Senior High Schools	12	58	35 - 78
<b>All Schools</b>	<b>267</b>	<b>89</b>	<b>86 - 92</b>

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**21 (Students). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. In school buildings</b>			
High Schools	101	100	NA
Middle Schools	160	98	95 - 99
Junior/Senior High Schools	13	85	61 - 95
<b>All Schools</b>	<b>274</b>	<b>98</b>	<b>96 - 99</b>
<b>b. Outside on school grounds, including parking lots and playing fields</b>			
High Schools	101	100	NA
Middle Schools	160	98	95 - 99
Junior/Senior High Schools	13	85	61 - 95
<b>All Schools</b>	<b>274</b>	<b>98</b>	<b>96 - 99</b>
<b>c. On school buses or other vehicles used to transport students</b>			
High Schools	101	100	NA
Middle Schools	160	98	95 - 99
Junior/Senior High Schools	13	85	61 - 95
<b>All Schools</b>	<b>274</b>	<b>98</b>	<b>96 - 99</b>
<b>d. At off-campus, school-sponsored events</b>			
High Schools	100	94	90 - 96
Middle Schools	160	97	93 - 98
Junior/Senior High Schools	12	84	58 - 95
<b>All Schools</b>	<b>272</b>	<b>95</b>	<b>92 - 97</b>

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**21 (Faculty/Staff). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. In school buildings</b>			
High Schools	101	100	NA
Middle Schools	159	97	94 - 99
Junior/Senior High Schools	13	77	51 - 92
<b>All Schools</b>	<b>273</b>	<b>97</b>	<b>95 - 99</b>
<b>b. Outside on school grounds, including parking lots and playing fields</b>			
High Schools	100	98	94 - 99
Middle Schools	158	92	87 - 95
Junior/Senior High Schools	13	69	42 - 88
<b>All Schools</b>	<b>271</b>	<b>93</b>	<b>90 - 95</b>
<b>c. On school buses or other vehicles used to transport students</b>			
High Schools	101	100	NA
Middle Schools	159	97	94 - 99
Junior/Senior High Schools	13	77	51 - 92
<b>All Schools</b>	<b>273</b>	<b>97</b>	<b>95 - 99</b>
<b>d. At off-campus, school-sponsored events</b>			
High Schools	100	86	80 - 90
Middle Schools	157	86	80 - 90
Junior/Senior High Schools	12	75	47 - 91
<b>All Schools</b>	<b>269</b>	<b>85</b>	<b>81 - 88</b>

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**21 (Visitors). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. In school buildings</b>			
High Schools	101	98	94 - 99
Middle Schools	159	97	93 - 99
Junior/Senior High Schools	13	77	51 - 92
<b>All Schools</b>	<b>273</b>	<b>96</b>	<b>94 - 98</b>
<b>b. Outside on school grounds, including parking lots and playing fields</b>			
High Schools	100	93	87 - 96
Middle Schools	158	92	87 - 94
Junior/Senior High Schools	13	69	42 - 88
<b>All Schools</b>	<b>271</b>	<b>91</b>	<b>88 - 93</b>
<b>c. On school buses or other vehicles used to transport students</b>			
High Schools	101	98	94 - 99
Middle Schools	159	96	92 - 98
Junior/Senior High Schools	13	77	51 - 92
<b>All Schools</b>	<b>273</b>	<b>96</b>	<b>93 - 97</b>
<b>d. At off-campus, school-sponsored events</b>			
High Schools	98	68	61 - 75
Middle Schools	158	76	70 - 82
Junior/Senior High Schools	12	59	35 - 79
<b>All Schools</b>	<b>268</b>	<b>72</b>	<b>68 - 77</b>

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**21N. Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits use of cigarettes, smokeless tobacco, cigars, and pipes by students, faculty/staff, and visitors; during school hours and during non-school hours; in school buildings, outside on school grounds, on school buses or other vehicles used to transport students, and at off-campus, school-sponsored events.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	99	66	58 - 73
Middle Schools	153	68	62 - 74
Junior/Senior High Schools	12	50	32 - 69
<b>All Schools</b>	<b>264</b>	<b>66</b>	<b>61 - 71</b>

\*Responses to question 19 (a, b, c, and d), question 20 (a and b), and question 21 (a, b, c, and d) are all "yes."  
 NA=Not available  
 N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**22. Percentage of schools that have procedures to inform each of the following groups about the tobacco-use prevention policy that prohibits their use of tobacco.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Students</b>			
High Schools	101	100	NA
Middle Schools	157	100	NA
Junior/Senior High Schools	11	100	NA
<b>All Schools</b>	<b>269</b>	<b>100</b>	<b>NA</b>
<b>b. Faculty and staff</b>			
High Schools	101	100	NA
Middle Schools	157	99	96 - 100
Junior/Senior High Schools	11	100	NA
<b>All Schools</b>	<b>269</b>	<b>100</b>	<b>98 - 100</b>
<b>c. Visitors</b>			
High Schools	100	99	95 - 100
Middle Schools	154	96	92 - 98
Junior/Senior High Schools	10	90	58 - 98
<b>All Schools</b>	<b>264</b>	<b>97</b>	<b>94 - 98</b>

\*Among those schools that have adopted a policy prohibiting tobacco use.

NA=Not available

N=Unweighted number of observations



**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**23. Percentage of schools that have a tobacco-use prevention policy that includes guidelines on what actions the school should take when students are caught smoking cigarettes.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	101	96	91 - 98
Middle Schools	158	99	95 - 100
Junior/Senior High Schools	11	91	61 - 98
<b>All Schools</b>	<b>270</b>	<b>97</b>	<b>95 - 99</b>

\*Among those schools that have adopted a policy prohibiting tobacco use.  
NA=Not available  
N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**24. Percentage of schools in which the following person is responsible for enforcing the tobacco-use prevention policy.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. No single individual is responsible</b>			
High Schools	90	60	52 - 68
Middle Schools	142	50	43 - 57
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>240</b>	<b>54</b>	<b>49 - 59</b>
<b>b. Principal</b>			
High Schools	90	31	24 - 40
Middle Schools	142	45	38 - 52
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>240</b>	<b>39</b>	<b>34 - 45</b>
<b>c. Assistant principal</b>			
High Schools	90	9	5 - 14
Middle Schools	142	4	2 - 7
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>240</b>	<b>6</b>	<b>4 - 8</b>
<b>d. Other school administrator</b>			
High Schools	90	0	NA
Middle Schools	142	0	NA
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>240</b>	<b>0</b>	<b>NA</b>
<b>e. Other school faculty or staff member</b>			
High Schools	90	0	NA
Middle Schools	142	1	0 - 5
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>240</b>	<b>1</b>	<b>0 - 3</b>

\*Among those schools that have adopted a policy prohibiting tobacco use.

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**25. Percentage of schools in which the following help determine what actions are taken when students are caught smoking cigarettes.**

	N	Percent	95% Confidence Interval
<b>a. Zero tolerance</b>			
High Schools	106	81	73 - 87
Middle Schools	177	78	73 - 83
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>297</b>	<b>79</b>	<b>75 - 83</b>
<b>b. Effect or severity of the violation</b>			
High Schools	106	26	20 - 34
Middle Schools	177	22	17 - 28
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>297</b>	<b>23</b>	<b>19 - 28</b>
<b>c. Grade level of student</b>			
High Schools	106	5	2 - 10
Middle Schools	177	10	6 - 15
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>297</b>	<b>8</b>	<b>5 - 11</b>
<b>d. Repeat offender status</b>			
High Schools	106	44	37 - 52
Middle Schools	177	27	22 - 33
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>297</b>	<b>33</b>	<b>29 - 38</b>
<b>e. None of these</b>			
High Schools	106	0	NA
Middle Schools	177	2	1 - 5
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>297</b>	<b>2</b>	<b>1 - 3</b>

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**26 (Never). Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.**

	N	Percent	95% Confidence Interval
<b>a. Parents or guardians are notified</b>			
High Schools	106	0	NA
Middle Schools	177	0	NA
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>297</b>	<b>0</b>	<b>NA</b>
<b>b. Referred to a school counselor</b>			
High Schools	104	8	4 - 14
Middle Schools	176	2	1 - 4
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>294</b>	<b>5</b>	<b>4 - 8</b>
<b>c. Referred to a school administrator</b>			
High Schools	106	0	NA
Middle Schools	177	0	NA
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>297</b>	<b>0</b>	<b>NA</b>
<b>d. Encouraged, but not required, to participate in an assistance, education, or cessation program</b>			
High Schools	104	19	14 - 26
Middle Schools	170	22	17 - 28
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>288</b>	<b>22</b>	<b>18 - 26</b>
<b>e. Required to participate in an assistance, education, or cessation program</b>			
High Schools	105	33	27 - 41
Middle Schools	170	33	27 - 39
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>289</b>	<b>34</b>	<b>30 - 38</b>
<b>f. Referred to legal authorities</b>			
High Schools	104	57	49 - 65
Middle Schools	168	54	47 - 60
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>286</b>	<b>55</b>	<b>50 - 60</b>

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**26 (Never). Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.**

	N	Percent	95% Confidence Interval
<b>g. Placed in detention</b>			
High Schools	102	24	18 - 31
Middle Schools	167	23	18 - 29
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>281</b>	<b>23</b>	<b>19 - 28</b>
<b>h. Not allowed to participate in extra-curricular activities or interscholastic sports</b>			
High Schools	103	23	18 - 28
Middle Schools	174	24	19 - 29
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>291</b>	<b>23</b>	<b>19 - 26</b>
<b>i. Given in-school suspension</b>			
High Schools	103	13	8 - 20
Middle Schools	173	11	7 - 15
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>290</b>	<b>12</b>	<b>9 - 16</b>
<b>j. Suspended from school</b>			
High Schools	102	6	3 - 10
Middle Schools	173	5	3 - 8
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>287</b>	<b>5</b>	<b>4 - 8</b>
<b>k. Expelled from school</b>			
High Schools	104	83	76 - 88
Middle Schools	175	76	70 - 81
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>293</b>	<b>78</b>	<b>74 - 82</b>
<b>l. Reassigned to an alternative school</b>			
High Schools	104	58	51 - 64
Middle Schools	175	64	57 - 70
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>293</b>	<b>63</b>	<b>58 - 67</b>

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**26 (Rarely). Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.**

	N	Percent	95% Confidence Interval
<b>a. Parents or guardians are notified</b>			
High Schools	106	0	NA
Middle Schools	177	0	NA
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>297</b>	<b>0</b>	<b>NA</b>
<b>b. Referred to a school counselor</b>			
High Schools	104	27	21 - 34
Middle Schools	176	12	9 - 17
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>294</b>	<b>19</b>	<b>15 - 23</b>
<b>c. Referred to a school administrator</b>			
High Schools	106	0	NA
Middle Schools	177	0	NA
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>297</b>	<b>0</b>	<b>NA</b>
<b>d. Encouraged, but not required, to participate in an assistance, education, or cessation program</b>			
High Schools	104	20	14 - 27
Middle Schools	170	16	13 - 21
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>288</b>	<b>18</b>	<b>14 - 22</b>
<b>e. Required to participate in an assistance, education, or cessation program</b>			
High Schools	105	16	11 - 23
Middle Schools	170	19	14 - 24
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>289</b>	<b>18</b>	<b>15 - 22</b>
<b>f. Referred to legal authorities</b>			
High Schools	104	25	19 - 32
Middle Schools	168	27	22 - 33
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>286</b>	<b>26</b>	<b>22 - 30</b>

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**26 (Rarely). Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.**

	N	Percent	95% Confidence Interval
<b>g. Placed in detention</b>			
High Schools	102	10	6 - 16
Middle Schools	167	9	6 - 13
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>281</b>	<b>9</b>	<b>6 - 12</b>
<b>h. Not allowed to participate in extra-curricular activities or interscholastic sports</b>			
High Schools	103	22	17 - 29
Middle Schools	174	18	14 - 24
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>291</b>	<b>19</b>	<b>15 - 23</b>
<b>i. Given in-school suspension</b>			
High Schools	103	10	6 - 16
Middle Schools	173	8	5 - 12
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>290</b>	<b>9</b>	<b>6 - 12</b>
<b>j. Suspended from school</b>			
High Schools	102	16	11 - 23
Middle Schools	173	14	11 - 19
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>287</b>	<b>15</b>	<b>12 - 18</b>
<b>k. Expelled from school</b>			
High Schools	104	12	8 - 19
Middle Schools	175	14	10 - 19
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>293</b>	<b>13</b>	<b>10 - 17</b>
<b>l. Reassigned to an alternative school</b>			
High Schools	104	28	21 - 35
Middle Schools	175	25	20 - 31
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>293</b>	<b>25</b>	<b>21 - 30</b>

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**26 (Sometimes). Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.**

	N	Percent	95% Confidence Interval
<b>a. Parents or guardians are notified</b>			
High Schools	106	8	5 - 15
Middle Schools	177	0	NA
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>297</b>	<b>4</b>	<b>2 - 6</b>
<b>b. Referred to a school counselor</b>			
High Schools	104	43	36 - 51
Middle Schools	176	43	37 - 50
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>294</b>	<b>43</b>	<b>38 - 48</b>
<b>c. Referred to a school administrator</b>			
High Schools	106	0	NA
Middle Schools	177	1	0 - 4
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>297</b>	<b>1</b>	<b>0 - 2</b>
<b>d. Encouraged, but not required, to participate in an assistance, education, or cessation program</b>			
High Schools	104	33	26 - 41
Middle Schools	170	36	30 - 42
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>288</b>	<b>33</b>	<b>29 - 38</b>
<b>e. Required to participate in an assistance, education, or cessation program</b>			
High Schools	105	24	17 - 32
Middle Schools	170	23	18 - 28
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>289</b>	<b>23</b>	<b>19 - 27</b>
<b>f. Referred to legal authorities</b>			
High Schools	104	12	8 - 18
Middle Schools	168	12	9 - 17
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>286</b>	<b>12</b>	<b>9 - 16</b>

NA=Not available

N=Unweighted number of observations



**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**26 (Sometimes). Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.**

	N	Percent	95% Confidence Interval
<b>g. Placed in detention</b>			
High Schools	102	38	31 - 46
Middle Schools	167	48	41 - 55
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>281</b>	<b>44</b>	<b>39 - 49</b>
<b>h. Not allowed to participate in extra-curricular activities or interscholastic sports</b>			
High Schools	103	43	35 - 51
Middle Schools	174	38	32 - 44
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>291</b>	<b>40</b>	<b>35 - 45</b>
<b>i. Given in-school suspension</b>			
High Schools	103	54	46 - 62
Middle Schools	173	54	48 - 60
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>290</b>	<b>54</b>	<b>49 - 59</b>
<b>j. Suspended from school</b>			
High Schools	102	56	48 - 63
Middle Schools	173	57	51 - 63
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>287</b>	<b>56</b>	<b>52 - 61</b>
<b>k. Expelled from school</b>			
High Schools	104	2	1 - 6
Middle Schools	175	8	5 - 12
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>293</b>	<b>6</b>	<b>5 - 9</b>
<b>l. Reassigned to an alternative school</b>			
High Schools	104	12	8 - 19
Middle Schools	175	11	8 - 16
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>293</b>	<b>11</b>	<b>9 - 15</b>

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**26 (Always). Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Parents or guardians are notified</b>			
High Schools	106	92	85 - 95
Middle Schools	177	100	NA
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>297</b>	<b>96</b>	<b>94 - 98</b>
<b>b. Referred to a school counselor</b>			
High Schools	104	22	16 - 29
Middle Schools	176	42	36 - 48
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>294</b>	<b>33</b>	<b>29 - 37</b>
<b>c. Referred to a school administrator</b>			
High Schools	106	100	NA
Middle Schools	177	99	96 - 100
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>297</b>	<b>99</b>	<b>98 - 100</b>
<b>d. Encouraged, but not required, to participate in an assistance, education, or cessation program</b>			
High Schools	104	28	21 - 36
Middle Schools	170	26	21 - 32
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>288</b>	<b>27</b>	<b>23 - 31</b>
<b>e. Required to participate in an assistance, education, or cessation program</b>			
High Schools	105	27	21 - 33
Middle Schools	170	26	20 - 32
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>289</b>	<b>25</b>	<b>21 - 29</b>
<b>f. Referred to legal authorities</b>			
High Schools	104	6	3 - 11
Middle Schools	168	7	4 - 11
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>286</b>	<b>7</b>	<b>5 - 10</b>

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**26 (Always). Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.**

	N	Percent	95% Confidence Interval
<b>g. Placed in detention</b>			
High Schools	102	28	23 - 35
Middle Schools	167	20	15 - 27
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>281</b>	<b>24</b>	<b>20 - 28</b>
<b>h. Not allowed to participate in extra-curricular activities or interscholastic sports</b>			
High Schools	103	13	8 - 20
Middle Schools	174	21	16 - 26
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>291</b>	<b>18</b>	<b>15 - 23</b>
<b>i. Given in-school suspension</b>			
High Schools	103	23	17 - 31
Middle Schools	173	27	21 - 34
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>290</b>	<b>25</b>	<b>21 - 30</b>
<b>j. Suspended from school</b>			
High Schools	102	23	16 - 30
Middle Schools	173	24	19 - 29
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>287</b>	<b>24</b>	<b>20 - 28</b>
<b>k. Expelled from school</b>			
High Schools	104	3	1 - 7
Middle Schools	175	2	1 - 5
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>293</b>	<b>2</b>	<b>1 - 4</b>
<b>l. Reassigned to an alternative school</b>			
High Schools	104	2	1 - 6
Middle Schools	175	0	NA
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>293</b>	<b>1</b>	<b>0 - 2</b>

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**27. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	106	93	88 - 96
Middle Schools	174	87	82 - 91
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>294</b>	<b>88</b>	<b>84 - 91</b>

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**28. Percentage of schools that did the following activities during the past two years.**

	N	Percent	95% Confidence Interval
<b>a. Gathered and shared information with students and families about mass-media messages or community-based tobacco-use prevention efforts</b>			
High Schools	106	55	48 - 62
Middle Schools	175	57	50 - 63
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>295</b>	<b>56</b>	<b>51 - 61</b>
<b>b. Worked with local agencies or organizations to plan and implement events or programs intended to reduce tobacco use</b>			
High Schools	106	64	56 - 71
Middle Schools	175	52	46 - 58
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>295</b>	<b>57</b>	<b>53 - 62</b>

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**29. Percentage of schools that provide tobacco cessation services for each of the following groups.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Faculty and staff</b>			
High Schools	105	43	35 - 51
Middle Schools	177	43	37 - 49
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>296</b>	<b>42</b>	<b>37 - 47</b>
<b>b. Students</b>			
High Schools	105	56	48 - 64
Middle Schools	173	46	39 - 52
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>292</b>	<b>48</b>	<b>43 - 53</b>

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**30. Percentage of schools that have arrangements with any organization or health care professionals not on school property to provide tobacco cessation services for each of the following groups.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Faculty and staff</b>			
High Schools	105	59	52 - 65
Middle Schools	173	48	41 - 54
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>292</b>	<b>51</b>	<b>46 - 55</b>
<b>b. Students</b>			
High Schools	104	55	46 - 63
Middle Schools	171	45	38 - 51
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>289</b>	<b>47</b>	<b>42 - 52</b>

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**31. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruit or non-fried vegetables at school celebrations when foods or beverages are offered.**

	N	Percent	95% Confidence Interval
<b>a. Foods or beverages are not offered at school celebrations</b>			
High Schools	106	2	1 - 6
Middle Schools	173	0	NA
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>293</b>	<b>1</b>	<b>0 - 2</b>
<b>b. Never</b>			
High Schools	106	3	1 - 7
Middle Schools	173	2	1 - 4
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>293</b>	<b>2</b>	<b>1 - 4</b>
<b>c. Rarely</b>			
High Schools	106	7	4 - 11
Middle Schools	173	14	10 - 19
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>293</b>	<b>10</b>	<b>8 - 14</b>
<b>d. Sometimes</b>			
High Schools	106	57	50 - 64
Middle Schools	173	47	41 - 53
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>293</b>	<b>50</b>	<b>46 - 55</b>
<b>e. Always or almost always</b>			
High Schools	106	31	24 - 39
Middle Schools	173	37	32 - 43
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>293</b>	<b>37</b>	<b>32 - 41</b>

NA=Not available

N=Unweighted number of observations



**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**32. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	106	91	85 - 95
Middle Schools	171	57	51 - 63
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>291</b>	<b>71</b>	<b>67 - 75</b>

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**33. Percentage of all schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.**

	N	Percent	95% Confidence Interval
<b>a. Chocolate candy</b>			
High Schools	104	42	35 - 49
Middle Schools	170	21	16 - 27
Junior/Senior High Schools	14	21	7 - 48
<b>All Schools</b>	<b>288</b>	<b>29</b>	<b>25 - 33</b>
<b>b. Other kinds of candy</b>			
High Schools	105	47	40 - 53
Middle Schools	170	27	21 - 33
Junior/Senior High Schools	14	21	7 - 48
<b>All Schools</b>	<b>289</b>	<b>34</b>	<b>30 - 39</b>
<b>c. Salty snacks that are not low in fat, such as regular potato chips</b>			
High Schools	105	61	54 - 68
Middle Schools	170	33	27 - 39
Junior/Senior High Schools	14	50	27 - 73
<b>All Schools</b>	<b>289</b>	<b>45</b>	<b>40 - 49</b>
<b>d. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat</b>			
High Schools	104	56	49 - 63
Middle Schools	169	28	23 - 34
Junior/Senior High Schools	14	57	35 - 77
<b>All Schools</b>	<b>287</b>	<b>40</b>	<b>36 - 45</b>
<b>e. Ice cream or frozen yogurt that is not low in fat</b>			
High Schools	104	19	14 - 25
Middle Schools	170	22	17 - 28
Junior/Senior High Schools	14	28	12 - 54
<b>All Schools</b>	<b>288</b>	<b>21</b>	<b>18 - 25</b>
<b>f. 2% or whole milk (plain or flavored)</b>			
High Schools	103	43	36 - 51
Middle Schools	168	28	22 - 34
Junior/Senior High Schools	14	36	16 - 62
<b>All Schools</b>	<b>285</b>	<b>34</b>	<b>30 - 39</b>

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**33. Percentage of all schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.**

	N	Percent	95% Confidence Interval
<b>g. Water ices or frozen slushes that do not contain juice</b>			
High Schools	104	24	18 - 31
Middle Schools	169	16	12 - 21
Junior/Senior High Schools	14	21	8 - 46
<b>All Schools</b>	<b>287</b>	<b>19</b>	<b>16 - 23</b>
<b>h. Soda pop or fruit drinks that are not 100% juice</b>			
High Schools	104	59	51 - 66
Middle Schools	169	31	26 - 37
Junior/Senior High Schools	14	36	16 - 62
<b>All Schools</b>	<b>287</b>	<b>42</b>	<b>38 - 46</b>
<b>i. Sports drinks, such as Gatorade</b>			
High Schools	105	84	77 - 89
Middle Schools	169	46	39 - 52
Junior/Senior High Schools	14	57	34 - 76
<b>All Schools</b>	<b>288</b>	<b>61</b>	<b>56 - 65</b>
<b>j. Foods or beverages containing caffeine</b>			
High Schools	104	67	60 - 74
Middle Schools	168	25	21 - 31
Junior/Senior High Schools	14	29	11 - 57
<b>All Schools</b>	<b>286</b>	<b>42</b>	<b>37 - 46</b>
<b>k. Fruits (not fruit juice)</b>			
High Schools	104	45	37 - 54
Middle Schools	169	26	20 - 32
Junior/Senior High Schools	13	46	22 - 72
<b>All Schools</b>	<b>286</b>	<b>34</b>	<b>29 - 39</b>
<b>l. Non-fried vegetables (not vegetable juice)</b>			
High Schools	104	37	30 - 46
Middle Schools	169	21	16 - 27
Junior/Senior High Schools	14	7	1 - 29
<b>All Schools</b>	<b>287</b>	<b>27</b>	<b>22 - 31</b>

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**34. Percentage of all schools that limit the package or serving size of any individual food and beverage items sold in vending machines or at the school store, canteen, or snack bar.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	104	50	41 - 58
Middle Schools	167	37	30 - 43
Junior/Senior High Schools	14	36	20 - 56
<b>All Schools</b>	<b>285</b>	<b>42</b>	<b>37 - 47</b>

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**35. Percentage of schools that have done any of the following activities during this school year.**

	N	Percent	95% Confidence Interval
<b>a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages</b>			
High Schools	104	7	4 - 12
Middle Schools	170	6	4 - 10
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>288</b>	<b>8</b>	<b>6 - 11</b>
<b>b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating</b>			
High Schools	104	40	33 - 48
Middle Schools	169	29	24 - 34
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>287</b>	<b>34</b>	<b>30 - 39</b>
<b>c. Provided information to students or families on the nutrition and caloric content of foods available</b>			
High Schools	103	49	42 - 57
Middle Schools	168	51	45 - 58
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>285</b>	<b>49</b>	<b>45 - 54</b>
<b>d. Conducted taste tests to determine food preferences for nutritious items</b>			
High Schools	104	16	11 - 23
Middle Schools	168	18	14 - 24
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>286</b>	<b>17</b>	<b>14 - 21</b>
<b>e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics</b>			
High Schools	104	25	19 - 32
Middle Schools	168	14	10 - 20
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>286</b>	<b>18</b>	<b>15 - 22</b>

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**36. Percentage of schools that promote candy, meals from fast food restaurants, or soft drinks to students through the distribution of products, such as t-shirts, hats, and book covers.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	104	2	1 - 6
Middle Schools	168	5	3 - 9
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>286</b>	<b>3</b>	<b>2 - 6</b>

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**37. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. In the school building</b>			
High Schools	105	58	49 - 66
Middle Schools	171	75	69 - 80
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>290</b>	<b>69</b>	<b>64 - 73</b>
<b>b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus</b>			
High Schools	104	34	27 - 41
Middle Schools	171	60	53 - 67
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>289</b>	<b>50</b>	<b>45 - 55</b>
<b>c. On school buses or other vehicles used to transport students</b>			
High Schools	105	73	65 - 81
Middle Schools	170	79	74 - 84
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>289</b>	<b>77</b>	<b>72 - 81</b>
<b>d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)</b>			
High Schools	104	38	32 - 45
Middle Schools	169	71	64 - 76
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>287</b>	<b>57</b>	<b>53 - 62</b>

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**38. Percentage of schools that have a full-time registered nurse who provides health services to students.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	106	37	30 - 44
Middle Schools	177	24	19 - 30
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>297</b>	<b>28</b>	<b>24 - 33</b>



**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**39. Percentage of schools in which each of the following sources of school health information are used to identify students diagnosed with chronic health conditions such as asthma.**

	N	Percent	95% Confidence Interval
<b>a. This school does not identify students diagnosed with chronic health conditions such as asthma</b>			
High Schools	104	0	NA
Middle Schools	174	1	0 - 3
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>292</b>	<b>1</b>	<b>0 - 2</b>
<b>b. Student emergency cards</b>			
High Schools	104	68	61 - 75
Middle Schools	174	84	79 - 88
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>292</b>	<b>77</b>	<b>73 - 81</b>
<b>c. Medication records</b>			
High Schools	104	78	71 - 84
Middle Schools	174	88	83 - 92
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>292</b>	<b>84</b>	<b>80 - 87</b>
<b>d. Health room visit information</b>			
High Schools	105	42	34 - 50
Middle Schools	176	49	43 - 54
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>295</b>	<b>45</b>	<b>40 - 50</b>
<b>e. Emergency care plans</b>			
High Schools	105	66	57 - 74
Middle Schools	175	80	74 - 85
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>294</b>	<b>74</b>	<b>69 - 78</b>
<b>f. Physical exam records</b>			
High Schools	105	34	27 - 42
Middle Schools	176	49	43 - 55
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>295</b>	<b>42</b>	<b>38 - 47</b>

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**39. Percentage of schools in which each of the following sources of school health information are used to identify students diagnosed with chronic health conditions such as asthma.**

	N	Percent	95% Confidence Interval
<b>g. Notes from parents</b>			
High Schools	104	87	81 - 91
Middle Schools	174	87	83 - 91
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>292</b>	<b>87</b>	<b>84 - 90</b>
<b>h. Other</b>			
High Schools	105	16	11 - 23
Middle Schools	177	22	18 - 27
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>296</b>	<b>20</b>	<b>17 - 24</b>

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**40. Percentage of schools that have an asthma action plan on file for all, most, some, or no students with known asthma.**

	N	Percent	95% Confidence Interval
<b>a. School has no students with known asthma</b>			
High Schools	104	2	1 - 6
Middle Schools	176	0	NA
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>294</b>	<b>1</b>	<b>1 - 3</b>
<b>b. All students with known asthma have an asthma action plan on file</b>			
High Schools	104	70	62 - 77
Middle Schools	176	72	66 - 77
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>294</b>	<b>71</b>	<b>66 - 75</b>
<b>c. Most students with known asthma have an asthma action plan on file</b>			
High Schools	104	18	13 - 25
Middle Schools	176	17	12 - 22
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>294</b>	<b>18</b>	<b>15 - 22</b>
<b>d. Some students with known asthma have an asthma action plan on file</b>			
High Schools	104	8	4 - 13
Middle Schools	176	8	5 - 12
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>294</b>	<b>7</b>	<b>5 - 10</b>
<b>e. No students with known asthma have an asthma action plan on file</b>			
High Schools	104	2	1 - 6
Middle Schools	176	4	2 - 6
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>294</b>	<b>3</b>	<b>2 - 5</b>

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**41. Percentage of schools that use each of the following types of information to identify students with poorly controlled asthma.**

	N	Percent	95% Confidence Interval
<b>a. School does not identify students with poorly controlled asthma</b>			
High Schools	104	4	2 - 9
Middle Schools	175	9	6 - 13
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>293</b>	<b>8</b>	<b>5 - 11</b>
<b>b. Frequent absences from school</b>			
High Schools	105	45	37 - 52
Middle Schools	175	52	46 - 58
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>294</b>	<b>48</b>	<b>43 - 53</b>
<b>c. Frequent visits to the school health office due to asthma</b>			
High Schools	105	66	59 - 73
Middle Schools	175	69	63 - 75
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>294</b>	<b>67</b>	<b>62 - 71</b>
<b>d. Frequent asthma symptoms at school</b>			
High Schools	105	73	65 - 80
Middle Schools	175	72	66 - 78
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>294</b>	<b>71</b>	<b>66 - 75</b>
<b>e. Frequent non-participation in physical education class due to asthma</b>			
High Schools	105	47	39 - 56
Middle Schools	175	46	40 - 53
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>294</b>	<b>45</b>	<b>40 - 49</b>
<b>f. Students sent home early due to asthma</b>			
High Schools	104	56	48 - 64
Middle Schools	176	50	43 - 56
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>294</b>	<b>50</b>	<b>46 - 55</b>

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**41. Percentage of schools that use each of the following types of information to identify students with poorly controlled asthma.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>g. Calls from school to 911, or other local emergency numbers, due to asthma</b>			
High Schools	105	42	35 - 49
Middle Schools	176	32	26 - 38
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>295</b>	<b>34</b>	<b>30 - 39</b>

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**42. Percentage of schools that provide each of the following services for students with poorly controlled asthma.**

	N	Percent	95% Confidence Interval
<b>a. Providing referrals to primary healthcare clinicians or child health insurance programs</b>			
High Schools	99	63	55 - 69
Middle Schools	160	71	64 - 77
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>271</b>	<b>66</b>	<b>61 - 71</b>
<b>b. Ensuring an appropriate written asthma action plan is obtained</b>			
High Schools	99	85	77 - 90
Middle Schools	165	91	87 - 94
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>277</b>	<b>88</b>	<b>84 - 91</b>
<b>c. Ensuring access to and appropriate use of asthma medications, spacers, and peak flow meters at school</b>			
High Schools	97	83	77 - 88
Middle Schools	162	86	80 - 90
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>272</b>	<b>83</b>	<b>79 - 87</b>
<b>d. Offering asthma education for the student with asthma and his/her family</b>			
High Schools	99	54	46 - 62
Middle Schools	161	72	65 - 77
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>273</b>	<b>63</b>	<b>58 - 68</b>
<b>e. Minimizing asthma triggers in the school environment</b>			
High Schools	96	70	63 - 76
Middle Schools	160	79	73 - 84
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>269</b>	<b>75</b>	<b>70 - 79</b>
<b>f. Addressing social and emotional issues related to asthma</b>			
High Schools	94	47	39 - 54
Middle Schools	155	61	54 - 67
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>262</b>	<b>55</b>	<b>49 - 60</b>

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**42. Percentage of schools that provide each of the following services for students with poorly controlled asthma.**

	N	Percent	95% Confidence Interval
<b>g. Providing additional psychosocial counseling or support services as needed</b>			
High Schools	93	42	33 - 51
Middle Schools	156	62	56 - 69
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>262</b>	<b>53</b>	<b>48 - 58</b>
<b>h. Ensuring access to safe, enjoyable physical education and activity opportunities</b>			
High Schools	98	92	87 - 95
Middle Schools	158	96	92 - 98
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>269</b>	<b>94</b>	<b>91 - 96</b>
<b>i. Ensuring access to preventive medications before physical activity</b>			
High Schools	98	86	80 - 90
Middle Schools	159	90	85 - 93
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>270</b>	<b>88</b>	<b>85 - 91</b>

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**43. Percentage of schools that have a designated and secure storage location for medications, including quick-relief asthma medications.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	104	93	89 - 96
Middle Schools	175	98	95 - 99
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>293</b>	<b>96</b>	<b>94 - 98</b>



**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**44. Percentage of schools with a designated and secure storage location for medications that is accessible at all times by the school nurse or her designee.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	96	100	NA
Middle Schools	166	100	NA
Junior/Senior High Schools	14	100	NA
<b>All Schools</b>	<b>276</b>	<b>100</b>	<b>NA</b>

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**45. Percentage of schools in which school staff members are required to receive training on recognizing and responding to severe asthma symptoms more than once per year, once per year, or less than once per year.**

	N	Percent	95% Confidence Interval
<b>a. More than once per year</b>			
High Schools	104	7	4 - 12
Middle Schools	170	4	2 - 7
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>288</b>	<b>5</b>	<b>3 - 8</b>
<b>b. Once per year</b>			
High Schools	104	59	51 - 66
Middle Schools	170	67	61 - 73
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>288</b>	<b>63</b>	<b>58 - 68</b>
<b>c. Less than once per year</b>			
High Schools	104	11	6 - 17
Middle Schools	170	8	5 - 13
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>288</b>	<b>9</b>	<b>6 - 12</b>
<b>d. No such requirement</b>			
High Schools	104	24	18 - 31
Middle Schools	170	21	16 - 27
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>288</b>	<b>23</b>	<b>19 - 27</b>

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**46. Percentage of schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
High Schools	105	83	75 - 89
Middle Schools	174	82	77 - 87
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>293</b>	<b>82</b>	<b>78 - 86</b>

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**47. Percentage of schools that have procedures to inform each of the following groups about the policy permitting students to carry and self-administer asthma medications.\***

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. Students</b>			
High Schools	87	97	91 - 99
Middle Schools	142	96	92 - 98
Junior/Senior High Schools	10	80	50 - 94
<b>All Schools</b>	<b>239</b>	<b>96</b>	<b>93 - 97</b>
<b>b. Parents/families</b>			
High Schools	86	93	87 - 96
Middle Schools	142	95	91 - 97
Junior/Senior High Schools	10	80	50 - 94
<b>All Schools</b>	<b>238</b>	<b>94</b>	<b>90 - 96</b>

\*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.  
NA=Not available  
N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**48. Percentage of schools that have the following person responsible for implementing the policy permitting students to carry and self-administer asthma medication.\***

	N	Percent	95% Confidence Interval
<b>a. No single individual is responsible</b>			
High Schools	76	33	24 - 43
Middle Schools	123	23	17 - 30
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>204</b>	<b>28</b>	<b>23 - 34</b>
<b>b. Principal</b>			
High Schools	76	14	9 - 23
Middle Schools	123	14	10 - 21
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>204</b>	<b>15</b>	<b>11 - 19</b>
<b>c. Assistant principal</b>			
High Schools	76	0	NA
Middle Schools	123	0	NA
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>204</b>	<b>0</b>	<b>NA</b>
<b>d. School nurse</b>			
High Schools	76	50	41 - 60
Middle Schools	123	52	44 - 60
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>204</b>	<b>51</b>	<b>45 - 57</b>
<b>e. Other school faculty or staff member</b>			
High Schools	76	3	1 - 8
Middle Schools	123	10	6 - 16
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>204</b>	<b>7</b>	<b>5 - 11</b>

\*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**49. Percentage of schools in which students' families helped develop or implement policies and programs related to the following topics during the past two years.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. HIV, STD, or teen pregnancy prevention</b>			
High Schools	104	17	12 - 24
Middle Schools	172	17	13 - 22
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>290</b>	<b>17</b>	<b>14 - 21</b>
<b>b. Tobacco-use prevention</b>			
High Schools	105	39	32 - 46
Middle Schools	172	28	23 - 35
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>290</b>	<b>34</b>	<b>29 - 38</b>
<b>c. Physical activity</b>			
High Schools	103	23	17 - 32
Middle Schools	172	33	27 - 39
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>289</b>	<b>31</b>	<b>26 - 35</b>
<b>d. Nutrition and healthy eating</b>			
High Schools	104	40	31 - 48
Middle Schools	172	33	28 - 38
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>290</b>	<b>36</b>	<b>31 - 41</b>
<b>e. Asthma</b>			
High Schools	103	19	14 - 26
Middle Schools	172	20	15 - 26
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>289</b>	<b>20</b>	<b>17 - 25</b>

NA=Not available

N=Unweighted number of observations

**North Carolina  
2008 School Health Profiles Report  
Weighted Principal Survey Results**

**50. Percentage of schools in which community members helped develop or implement policies and programs related to the following topics during the past two years.**

	<b>N</b>	<b>Percent</b>	<b>95% Confidence Interval</b>
<b>a. HIV, STD, or teen pregnancy prevention</b>			
High Schools	105	34	27 - 43
Middle Schools	171	24	19 - 30
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>290</b>	<b>28</b>	<b>24 - 33</b>
<b>b. Tobacco-use prevention</b>			
High Schools	105	51	44 - 59
Middle Schools	171	41	34 - 47
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>290</b>	<b>45</b>	<b>40 - 50</b>
<b>c. Physical activity</b>			
High Schools	105	37	29 - 45
Middle Schools	171	39	33 - 46
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>290</b>	<b>39</b>	<b>34 - 44</b>
<b>d. Nutrition and healthy eating</b>			
High Schools	105	47	39 - 55
Middle Schools	171	43	37 - 50
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>290</b>	<b>44</b>	<b>39 - 49</b>
<b>e. Asthma</b>			
High Schools	104	27	20 - 35
Middle Schools	171	30	24 - 37
Junior/Senior High Schools	NA	NA	NA
<b>All Schools</b>	<b>289</b>	<b>28</b>	<b>24 - 33</b>

NA=Not available

N=Unweighted number of observations