

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Physical activity	33.6	26.8 - 41.2	113	55.6	48.4 - 62.6	149	43.5	29.9 - 58.2	28	45.4	40.6 - 50.3	290
b. Nutrition	27.5	20.9 - 35.2	113	46.6	38.9 - 54.5	148	36.7	23.3 - 52.5	28	37.8	32.9 - 43.0	289
c. Tobacco-use prevention	34.6	27.8 - 42.2	114	48.0	41.4 - 54.6	148	51.0	32.5 - 69.2	28	42.9	38.1 - 47.8	290
d. Asthma	19.6	14.1 - 26.7	113	34.4	27.6 - 41.8	148	29.7	16.8 - 46.9	27	27.9	23.5 - 32.7	288
e. Injury and violence prevention	29.1	22.7 - 36.3	113	43.3	36.4 - 50.4	148	49.1	34.0 - 64.4	27	38.1	33.5 - 43.0	288

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Health education	47.4	39.5 - 55.4	111	38.3	31.8 - 45.2	154	34.3	20.2 - 51.9	27	41.4	36.6 - 46.4	292
b. Physical education and physical activity	45.2	38.3 - 52.3	112	43.3	36.3 - 50.6	154	41.4	25.0 - 59.9	27	43.9	39.0 - 48.8	293
c. Nutrition services and foods and beverages available at school	40.7	32.8 - 49.1	112	26.0	20.4 - 32.4	154	31.7	16.5 - 52.0	26	32.4	27.8 - 37.4	292
d. Health services	46.6	39.0 - 54.4	112	33.3	26.7 - 40.7	153	34.3	18.4 - 54.7	27	38.7	33.8 - 43.9	292
e. Mental health and social services	36.5	29.6 - 44.0	110	36.0	29.5 - 42.9	153	34.9	18.6 - 55.7	26	36.1	31.4 - 41.1	289
f. Healthy and safe school environment	78.9	71.3 - 84.8	113	80.5	74.5 - 85.3	155	69.1	51.1 - 82.6	28	78.6	74.2 - 82.5	296
g. Family and community involvement	75.8	67.9 - 82.2	113	82.4	76.5 - 87.1	155	71.0	50.8 - 85.3	27	78.6	74.0 - 82.6	295
h. Faculty and staff health promotion	41.3	32.7 - 50.4	111	32.0	26.0 - 38.6	156	43.0	26.4 - 61.4	26	36.8	31.8 - 42.0	293

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
48.2	40.8 - 55.6	113	42.2	35.2 - 49.5	151	38.2	23.6 - 55.3	26	44.2	39.3 - 49.2	290

*Among schools that engaged in an improvement planning process during the past year.
 N = Unweighted number of observations

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
80.2	72.8 - 86.0	116	79.3	74.0 - 83.8	158	77.4	58.9 - 89.1	27	79.5	75.3 - 83.1	301

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
51.5	43.5 - 59.5	116	53.1	46.3 - 59.7	158	58.7	42.6 - 73.1	27	53.0	48.1 - 57.9	301

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. School administrators	88.1	78.7 - 93.7	59	88.9	80.8 - 93.8	79	86.1	59.2 - 96.3	14	88.3	82.8 - 92.2	152
b. Health education teachers	92.1	82.6 - 96.6	59	89.9	82.3 - 94.4	79	84.9	56.5 - 96.1	13	90.3	85.0 - 93.8	151
c. Physical education teachers	88.8	79.1 - 94.3	59	92.3	85.0 - 96.2	78	78.4	63.4 - 88.4	14	89.5	84.5 - 92.9	151
d. Other classroom teachers	74.6	65.1 - 82.2	58	75.3	65.6 - 83.0	77	61.6	38.6 - 80.4	13	73.7	67.3 - 79.2	148
e. Mental health or social services staff (e.g., school counselors)	78.9	67.8 - 86.9	56	77.9	68.5 - 85.1	77	64.6	42.4 - 81.9	14	76.9	70.4 - 82.3	147
f. Nutrition or food service staff	40.9	30.7 - 51.9	56	44.6	34.9 - 54.8	76	31.6	12.3 - 60.5	13	41.8	34.9 - 49.1	145
g. Health services staff (e.g., school nurse)	75.4	63.6 - 84.2	58	75.1	65.7 - 82.6	77	51.8	27.1 - 75.7	13	72.9	66.0 - 78.9	148
h. Maintenance and transportation staff	17.1	10.5 - 26.7	56	20.8	13.7 - 30.4	76	23.4	8.3 - 50.6	13	19.6	14.5 - 25.9	145
i. Technology staff	26.7	18.5 - 36.8	56	35.6	26.9 - 45.3	76	15.1	4.5 - 40.4	13	30.0	24.2 - 36.5	145
j. Library/media center staff	29.2	20.6 - 39.7	56	34.8	26.2 - 44.4	77	15.1	4.5 - 40.4	13	30.6	24.7 - 37.2	146
k. Student body	47.0	37.3 - 56.9	57	33.9	25.5 - 43.4	76	31.6	12.3 - 60.5	13	38.9	32.6 - 45.7	146
l. Parents or families of students	52.0	40.4 - 63.4	57	67.4	57.7 - 75.8	77	31.6	13.6 - 57.6	13	57.7	50.6 - 64.5	147

*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

N = Unweighted number of observations

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
m. Community members	44.3	32.8 - 56.5	56	49.2	40.2 - 58.3	77	15.1	4.5 - 40.4	13	43.9	37.2 - 50.8	146
n. Local health departments, agencies, or organizations	43.1	31.6 - 55.5	56	45.9	36.8 - 55.3	76	29.2	12.2 - 55.0	14	43.0	36.1 - 50.2	146
o. Faith-based organizations	14.7	7.8 - 25.8	56	14.3	9.1 - 21.8	76	0.0	†	13	13.0	9.0 - 18.5	145
p. Businesses	15.4	8.7 - 25.9	56	15.9	9.9 - 24.5	76	0.0	†	13	14.1	9.8 - 19.9	145
q. Local government agencies	22.7	14.1 - 34.6	56	21.4	14.4 - 30.4	75	6.8	1.1 - 31.9	13	20.4	15.2 - 26.9	144

*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

7. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Identified student health needs based on a review of relevant data	79.1	68.1 - 87.1	58	66.9	56.6 - 75.8	78	64.6	42.9 - 81.5	14	71.5	64.6 - 77.5	150
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	76.3	65.4 - 84.5	58	72.8	63.5 - 80.4	77	72.3	43.8 - 89.7	14	74.1	67.4 - 79.9	149
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	49.5	38.8 - 60.2	56	67.0	56.0 - 76.4	75	27.8	12.6 - 50.6	14	55.8	48.6 - 62.7	145
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	82.2	73.1 - 88.6	57	82.0	73.2 - 88.4	78	66.0	36.9 - 86.6	14	80.4	74.2 - 85.4	149
e. Reviewed health-related curricula or instructional materials	78.6	67.5 - 86.7	59	79.0	70.1 - 85.8	77	64.6	42.9 - 81.5	14	77.3	70.9 - 82.6	150

*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

N = Unweighted number of observations

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

8. Percentage of schools that have adopted a policy that addresses each of the following issues on HIV infection or AIDS.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Attendance of students with HIV infection	51.3	43.0 - 59.4	111	50.3	43.4 - 57.2	153	43.6	25.9 - 63.0	28	49.9	44.8 - 55.1	292
b. Procedures to protect HIV-infected students and staff from discrimination	63.4	55.0 - 71.1	112	57.9	50.9 - 64.6	155	60.9	39.9 - 78.5	28	60.4	55.1 - 65.5	295
c. Maintaining confidentiality of HIV-infected students and staff	69.8	61.3 - 77.2	113	64.7	58.1 - 70.8	154	67.7	47.3 - 83.0	28	67.1	62.0 - 71.8	295
d. Worksite safety (i.e., universal precautions for all school staff)	79.2	70.9 - 85.7	114	78.0	72.2 - 82.8	155	78.2	63.6 - 88.1	28	78.5	74.0 - 82.4	297
e. Confidential counseling for HIV-infected students	63.4	54.5 - 71.6	112	51.5	44.9 - 58.1	155	53.4	33.6 - 72.2	28	56.4	51.1 - 61.6	295
f. Communication of the policy to students, school staff, and parents	61.2	51.9 - 69.6	111	53.0	45.6 - 60.4	153	57.1	37.8 - 74.5	28	56.7	51.1 - 62.1	292
g. Adequate training about HIV infection for school staff	68.3	60.7 - 75.1	112	61.1	54.2 - 67.7	154	54.8	36.8 - 71.6	28	63.3	58.3 - 68.0	294
h. Procedures for implementing the policy	60.7	52.1 - 68.6	111	54.9	47.4 - 62.2	153	54.1	34.5 - 72.5	28	57.1	51.6 - 62.4	292

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

9. Percentage of schools that require any school staff to receive professional development on HIV, STD, or pregnancy prevention issues and resources for the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Ethnic/racial minority youth at high risk (e.g., black, Hispanic, or American Indian youth)	25.8	19.8 - 32.7	117	31.3	25.2 - 38.2	158	26.3	14.6 - 42.8	27	28.6	24.4 - 33.2	302
b. Youth who participate in drop-out prevention, alternative education, or GED programs	30.9	25.2 - 37.3	116	25.7	20.3 - 32.1	158	37.9	21.9 - 57.1	27	29.1	25.0 - 33.5	301

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

10. Percentage of schools that have a student-level club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence Interval	N		95% Confidence Interval	N		95% Confidence Interval	N		95% Confidence Interval	N
Percent			Percent			Percent			Percent		
32.2	25.6 - 39.6	114	7.6	4.6 - 12.3	155	11.4	4.3 - 27.0	24	17.9	14.7 - 21.8	293

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

11. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	63.1	54.8 - 70.7	118	46.1	39.6 - 52.7	159	53.3	41.3 - 64.9	26	53.7	48.9 - 58.4	303
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	88.0	81.3 - 92.5	119	82.9	76.8 - 87.7	159	92.0	75.5 - 97.7	26	85.9	81.9 - 89.1	304
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	51.2	43.8 - 58.6	118	47.5	40.5 - 54.6	158	67.3	53.6 - 78.6	25	50.9	46.1 - 55.7	301
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	46.4	38.2 - 54.7	118	36.2	29.9 - 43.2	157	57.3	36.6 - 75.8	26	42.4	37.4 - 47.7	301
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	50.4	42.3 - 58.4	118	38.7	32.0 - 45.9	157	56.6	38.6 - 73.0	26	45.2	40.2 - 50.4	301

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

12. Percentage of schools that require physical education for students in any of grades 6 through 12.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
99.2	95.7 - 99.9	119	95.5	91.5 - 97.6	159	92.3	76.4 - 97.8	27	96.7	94.3 - 98.1	305

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

13. Percentage of schools that taught a required physical education course in each of the following grades.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Sixth grade	§	§	§	93.7	89.4 - 96.3	145	90.9	72.5 - 97.5	23	93.2	89.1 - 95.9	168
b. Seventh grade	§	§	§	94.1	89.7 - 96.7	155	87.7	69.6 - 95.7	24	93.1	88.8 - 95.8	179
c. Eighth grade	§	§	§	94.0	89.5 - 96.6	152	87.7	69.6 - 95.7	24	93.0	88.6 - 95.7	176
d. Ninth grade	93.7	89.1 - 96.4	111	-	-	9	88.0	70.4 - 95.7	26	88.5	83.4 - 92.1	146
e. Tenth grade	17.5	12.3 - 24.4	101	§	§	§	19.7	10.8 - 33.3	21	17.9	13.2 - 23.9	122
f. Eleventh grade	12.9	7.8 - 20.5	97	§	§	§	14.8	8.7 - 24.0	21	13.3	8.9 - 19.4	118
g. Twelfth grade	12.1	7.1 - 19.7	94	§	§	§	10.4	8.7 - 12.3	20	11.7	7.6 - 17.7	114

*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

N = Unweighted number of observations

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

14. Percentage of schools in which physical education teachers or specialists received professional development on physical education during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
86.1	79.3 - 91.0	115	94.0	90.6 - 96.3	157	92.7	77.5 - 97.9	26	90.8	87.5 - 93.2	298

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

15. Percentage of schools in which those who teach physical education are provided with the following materials.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Goals, objectives, and expected outcomes for physical education	97.9	93.1 - 99.4	115	97.5	94.1 - 98.9	160	96.1	80.9 - 99.3	27	97.5	95.2 - 98.7	302
b. A chart describing the annual scope and sequence of instruction for physical education	78.5	71.0 - 84.5	111	82.4	76.3 - 87.2	159	88.4	80.0 - 93.6	27	81.5	77.4 - 85.1	297
c. Plans for how to assess student performance in physical education	80.7	73.7 - 86.2	113	86.7	81.0 - 91.0	159	88.0	70.4 - 95.7	26	84.5	80.4 - 87.8	298
d. A written physical education curriculum	90.9	85.8 - 94.3	114	89.1	84.3 - 92.6	159	92.3	76.4 - 97.8	27	90.1	87.0 - 92.6	300

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

16. Percentage of schools in which students participate in physical activity breaks in classrooms during the school day outside of physical education.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
23.7	17.3 - 31.6	118	72.3	66.0 - 77.8	160	76.7	57.7 - 88.8	26	53.2	48.7 - 57.6	304

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

17. Percentage of schools that offer opportunities for all students to participate in intramural sports programs or physical activity clubs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
53.3	45.2 - 61.2	117	58.6	51.6 - 65.2	160	35.4	22.6 - 50.6	26	54.2	49.2 - 59.1	303

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

18. Percentage of schools that offer interscholastic sports to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
81.7	75.9 - 86.3	117	84.4	78.7 - 88.9	157	42.7	26.8 - 60.3	26	79.2	75.2 - 82.7	300

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

19. Percentage of schools that have a joint use agreement for shared use of school or community physical activity facilities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
70.2	62.3 - 77.0	115	77.5	71.2 - 82.7	157	47.7	30.0 - 66.0	27	71.5	66.7 - 75.8	299

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

20. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
100.0	†	119	97.5	94.1 - 98.9	160	100.0	†	28	98.7	97.1 - 99.5	307

† Confidence intervals not applicable for 0 percent or 100 percent.
 N = Unweighted number of observations

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

21. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	100.0	†	112	96.1	92.3 - 98.1	156	100.0	†	25	98.0	96.1 - 99.0	293
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	100.0	†	112	96.1	92.3 - 98.1	156	100.0	†	25	98.0	96.1 - 99.0	293
c. Cigars	99.2	95.5 - 99.8	112	96.1	92.3 - 98.1	156	100.0	†	25	97.7	95.6 - 98.8	293
d. Pipes	99.2	95.5 - 99.8	111	96.1	92.3 - 98.1	156	100.0	†	25	97.7	95.6 - 98.8	292

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

21. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Cigarettes	99.2	95.5 - 99.8	112	96.1	92.2 - 98.1	154	100.0	†	25	97.7	95.6 - 98.8	291
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	99.2	95.5 - 99.8	112	96.1	92.2 - 98.1	154	100.0	†	25	97.7	95.6 - 98.8	291
c. Cigars	98.3	94.4 - 99.5	111	96.1	92.2 - 98.1	154	100.0	†	25	97.3	95.2 - 98.5	290
d. Pipes	98.3	94.4 - 99.5	111	96.1	92.2 - 98.1	154	100.0	†	25	97.3	95.2 - 98.5	290

† Confidence intervals not applicable for 0 percent or 100 percent.
 N = Unweighted number of observations

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

21. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Cigarettes	98.1	93.6 - 99.4	111	95.5	91.5 - 97.6	155	100.0	†	25	96.9	94.6 - 98.3	291
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	98.1	93.6 - 99.4	111	94.9	90.7 - 97.2	155	100.0	†	25	96.6	94.2 - 98.0	291
c. Cigars	97.2	92.6 - 99.0	111	95.5	91.5 - 97.6	155	100.0	†	25	96.6	94.2 - 98.0	291
d. Pipes	97.1	92.4 - 99.0	109	95.5	91.5 - 97.6	155	100.0	†	25	96.6	94.1 - 98.0	289

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

22. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. During school hours	100.0	†	113	97.4	94.0 - 98.9	156	100.0	†	25	98.7	96.9 - 99.4	294
b. During non-school hours	97.2	92.7 - 99.0	112	94.8	91.3 - 96.9	156	100.0	†	25	96.3	94.1 - 97.7	293

† Confidence intervals not applicable for 0 percent or 100 percent.
 N = Unweighted number of observations

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

22. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. During school hours	100.0	†	112	97.4	94.0 - 98.9	156	100.0	†	25	98.7	96.9 - 99.4	293
b. During non-school hours	97.2	92.6 - 99.0	111	94.8	91.3 - 96.9	156	100.0	†	25	96.2	94.0 - 97.6	292

† Confidence intervals not applicable for 0 percent or 100 percent.
 N = Unweighted number of observations

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

22. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. During school hours	99.2	95.5 - 99.8	112	97.4	94.0 - 98.9	156	100.0	†	25	98.3	96.5 - 99.2	293
b. During non-school hours	96.1	90.9 - 98.4	111	94.8	91.3 - 96.9	156	100.0	†	25	95.8	93.4 - 97.3	292

† Confidence intervals not applicable for 0 percent or 100 percent.
 N = Unweighted number of observations

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

23. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	100.0	†	113	97.4	94.0 - 98.9	156	100.0	†	25	98.7	96.9 - 99.4	294
b. Outside on school grounds, including parking lots and playing fields	100.0	†	113	97.4	94.0 - 98.9	156	100.0	†	25	98.7	96.9 - 99.4	294
c. On school buses or other vehicles used to transport students	100.0	†	113	97.4	94.0 - 98.9	156	100.0	†	25	98.7	96.9 - 99.4	294
d. At off-campus, school-sponsored events	96.6	92.2 - 98.6	112	94.1	90.4 - 96.4	155	92.4	76.5 - 97.8	25	94.9	92.4 - 96.6	292

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

23. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	
a. In school buildings	100.0	†	111	97.4	94.0 - 98.9	156	100.0	†	25	98.7	96.9 - 99.4	292
b. Outside on school grounds, including parking lots and playing fields	100.0	†	111	97.4	94.0 - 98.9	156	100.0	†	25	98.7	96.9 - 99.4	292
c. On school buses or other vehicles used to transport students	100.0	†	111	97.4	93.9 - 98.9	155	100.0	†	25	98.7	96.9 - 99.4	291
d. At off-campus, school-sponsored events	94.8	89.8 - 97.5	110	92.1	87.8 - 94.9	153	92.4	76.5 - 97.8	25	93.2	90.3 - 95.3	288

† Confidence intervals not applicable for 0 percent or 100 percent.
 N = Unweighted number of observations

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

23. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. In school buildings	100.0	†	109	97.4	93.9 - 98.9	155	100.0	†	25	98.7	96.9 - 99.4	289
b. Outside on school grounds, including parking lots and playing fields	98.9	94.1 - 99.8	109	96.7	94.1 - 98.2	155	100.0	†	25	97.9	96.2 - 98.8	289
c. On school buses or other vehicles used to transport students	100.0	†	109	96.0	93.0 - 97.7	154	100.0	†	25	98.0	96.4 - 98.8	288
d. At off-campus, school-sponsored events	84.4	77.9 - 89.2	107	78.3	71.8 - 83.7	153	88.2	70.8 - 95.9	25	81.7	77.4 - 85.3	285

† Confidence intervals not applicable for 0 percent or 100 percent.
 N = Unweighted number of observations

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

24. Percentage of schools that have procedures to inform each of the following groups about the tobacco-use prevention policy that prohibits their use of tobacco.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Students	98.9	94.2 - 99.8	111	100.0	†	152	100.0	†	23	99.6	97.6 - 99.9	286
b. Faculty and staff	98.9	94.2 - 99.8	111	99.3	96.3 - 99.9	152	100.0	†	24	99.2	97.4 - 99.8	287
c. Visitors	94.3	88.7 - 97.2	109	94.8	90.6 - 97.1	151	95.6	79.9 - 99.2	24	94.7	91.8 - 96.6	284

*Among those schools that have adopted a policy prohibiting tobacco use.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

25. Percentage of schools that have a tobacco-use prevention policy that includes guidelines on what actions the school should take when students are caught smoking cigarettes.*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
95.5	90.5 - 97.9	111	96.7	93.0 - 98.5	152	91.3	74.6 - 97.4	24	95.7	93.0 - 97.4	287

*Among those schools that have adopted a policy prohibiting tobacco use.
 N = Unweighted number of observations

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

26. Percentage of schools in which the following person is responsible for enforcing the tobacco-use prevention policy.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. No single individual is responsible	57.4	48.9 - 65.5	105	59.5	52.6 - 66.0	141	46.0	29.9 - 63.0	23	57.3	52.2 - 62.3	269
b. Principal	28.5	22.2 - 35.8	105	34.9	28.3 - 42.1	141	45.7	29.2 - 63.1	23	33.4	28.8 - 38.3	269
c. Assistant principal	12.3	7.6 - 19.3	105	1.5	0.4 - 4.8	141	8.3	2.3 - 25.5	23	6.5	4.3 - 9.8	269
d. Other school administrator	1.8	0.5 - 5.9	105	0.0	†	141	0.0	†	23	0.7	0.2 - 2.4	269
e. Other school faculty or staff member	0.0	†	105	4.1	2.0 - 8.2	141	0.0	†	23	2.1	1.0 - 4.1	269

*Among those schools that have adopted a policy prohibiting tobacco use.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

27. Percentage of schools in which the following criteria help determine what actions are taken when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Zero tolerance	81.9	75.1 - 87.1	117	79.4	73.5 - 84.2	157	76.7	56.7 - 89.2	26	80.1	75.8 - 83.8	300
b. Effect or severity of the violation	64.7	55.8 - 72.7	113	70.1	63.5 - 76.1	153	75.3	55.0 - 88.4	23	68.4	63.3 - 73.1	289
c. Grade level of student	25.0	19.0 - 32.1	113	46.6	39.5 - 53.9	151	66.2	47.9 - 80.8	23	39.6	34.9 - 44.4	287
d. Repeat offender status	78.3	71.7 - 83.7	113	83.7	77.6 - 88.4	152	83.6	64.3 - 93.5	23	81.5	77.3 - 85.0	288

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

28. (Never) Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Parents or guardians are notified	0.0	†	119	2.0	0.7 - 5.3	156	3.9	0.7 - 19.3	27	1.4	0.6 - 3.2	302
b. Referred to a school counselor	6.7	3.6 - 12.1	117	7.9	4.8 - 12.7	155	3.9	0.7 - 19.3	27	7.0	4.8 - 10.1	299
c. Referred to a school administrator	0.8	0.1 - 4.3	118	2.0	0.7 - 5.3	155	4.0	0.7 - 19.8	26	1.7	0.8 - 3.7	299
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	16.7	11.5 - 23.7	117	20.4	15.3 - 26.7	152	24.4	13.7 - 39.6	27	19.3	15.6 - 23.6	296
e. Required to participate in an assistance, education, or cessation program	36.7	30.0 - 44.1	118	30.9	24.6 - 38.0	149	50.7	29.7 - 71.5	26	35.4	30.6 - 40.4	293
f. Referred to legal authorities	53.6	45.5 - 61.6	116	35.7	29.4 - 42.6	152	63.1	47.6 - 76.3	25	45.8	40.9 - 50.7	293
g. Placed in detention	24.0	17.8 - 31.5	117	22.6	17.3 - 28.8	151	36.1	20.5 - 55.5	26	24.5	20.4 - 29.2	294
h. Not allowed to participate in extra-curricular activities or interscholastic sports	22.3	16.6 - 29.2	118	15.4	10.8 - 21.4	151	44.5	27.6 - 62.8	25	21.1	17.3 - 25.4	294
i. Given in-school suspension	13.3	8.8 - 19.6	115	16.2	11.5 - 22.2	150	30.6	16.7 - 49.4	26	16.5	13.0 - 20.7	291
j. Suspended from school	14.1	9.3 - 20.8	117	11.4	7.7 - 16.6	151	7.8	2.2 - 23.8	27	12.1	9.2 - 15.9	295
k. Expelled from school	71.8	63.2 - 79.0	118	72.5	65.6 - 78.5	152	84.7	66.7 - 93.8	26	73.4	68.4 - 77.9	296
l. Reassigned to an alternative school	54.3	46.9 - 61.6	117	64.5	57.4 - 71.0	151	63.9	43.4 - 80.3	25	60.2	55.2 - 65.0	293

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

28. (Rarely) Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Parents or guardians are notified	0.0	†	119	0.0	†	156	0.0	†	27	0.0	†	302
b. Referred to a school counselor	27.4	20.7 - 35.3	117	8.4	5.2 - 13.4	155	14.8	8.2 - 25.4	27	16.8	13.5 - 20.8	299
c. Referred to a school administrator	0.0	†	118	0.0	†	155	0.0	†	26	0.0	†	299
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	20.6	14.8 - 28.0	117	21.1	15.6 - 27.9	152	14.8	8.0 - 25.8	27	20.3	16.4 - 24.7	296
e. Required to participate in an assistance, education, or cessation program	14.3	9.5 - 20.9	118	24.3	18.6 - 31.0	149	23.4	10.9 - 43.3	26	20.0	16.2 - 24.5	293
f. Referred to legal authorities	26.1	19.3 - 34.3	116	32.1	25.8 - 39.2	152	8.4	2.4 - 25.5	25	27.3	22.9 - 32.2	293
g. Placed in detention	8.2	4.8 - 13.6	117	9.2	6.0 - 13.8	151	3.3	0.6 - 16.5	26	8.2	5.9 - 11.2	294
h. Not allowed to participate in extra-curricular activities or interscholastic sports	24.6	18.9 - 31.4	118	11.1	7.3 - 16.7	151	20.1	8.7 - 39.9	25	17.6	14.2 - 21.7	294
i. Given in-school suspension	14.4	9.3 - 21.7	115	8.6	5.4 - 13.6	150	4.0	0.7 - 19.8	26	10.5	7.7 - 14.3	291
j. Suspended from school	23.3	16.5 - 31.9	117	15.9	11.9 - 20.9	151	18.7	8.2 - 37.2	27	19.2	15.4 - 23.7	295
k. Expelled from school	21.9	15.6 - 29.9	118	20.3	15.2 - 26.4	152	11.3	4.0 - 28.1	26	20.1	16.2 - 24.5	296
l. Reassigned to an alternative school	35.5	29.2 - 42.5	117	26.8	21.3 - 33.2	151	27.7	14.3 - 46.9	25	30.5	26.4 - 35.0	293

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

28. (Sometimes) Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Parents or guardians are notified	14.4	9.8 - 20.6	119	2.6	1.1 - 6.1	156	11.7	6.5 - 20.1	27	8.4	6.1 - 11.3	302
b. Referred to a school counselor	43.6	36.8 - 50.6	117	54.8	47.7 - 61.7	155	59.4	45.9 - 71.5	27	50.7	46.1 - 55.3	299
c. Referred to a school administrator	7.1	3.8 - 12.8	118	3.3	1.5 - 7.0	155	0.0	†	26	4.5	2.8 - 7.2	299
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	36.9	29.8 - 44.7	117	30.2	24.3 - 36.8	152	45.3	30.8 - 60.6	27	34.5	30.0 - 39.2	296
e. Required to participate in an assistance, education, or cessation program	22.1	16.3 - 29.2	118	22.6	17.2 - 29.1	149	8.0	2.3 - 24.5	26	20.9	17.1 - 25.3	293
f. Referred to legal authorities	13.5	9.2 - 19.4	116	21.7	16.3 - 28.4	152	25.1	14.0 - 40.9	25	18.7	15.1 - 22.9	293
g. Placed in detention	41.6	34.2 - 49.3	117	38.5	32.2 - 45.2	151	49.2	31.0 - 67.7	26	40.8	36.1 - 45.8	294
h. Not allowed to participate in extra-curricular activities or interscholastic sports	42.8	35.5 - 50.4	118	54.9	48.3 - 61.4	151	27.7	15.7 - 44.1	25	47.2	42.6 - 51.9	294
i. Given in-school suspension	53.0	44.9 - 61.0	115	45.3	38.2 - 52.6	150	54.0	38.4 - 68.8	26	49.4	44.3 - 54.5	291
j. Suspended from school	45.1	37.3 - 53.1	117	45.0	38.5 - 51.6	151	44.5	28.9 - 61.3	27	45.0	40.1 - 49.9	295
k. Expelled from school	4.7	2.1 - 9.9	118	5.2	2.9 - 9.4	152	4.0	0.7 - 19.8	26	4.9	3.1 - 7.7	296
l. Reassigned to an alternative school	7.7	4.3 - 13.4	117	8.0	4.8 - 12.9	151	8.4	2.4 - 25.5	25	7.9	5.5 - 11.2	293

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

28. (Always) Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Parents or guardians are notified	85.6	79.4 - 90.2	119	95.4	92.1 - 97.3	156	84.4	72.6 - 91.8	27	90.3	87.2 - 92.6	302
b. Referred to a school counselor	22.3	16.2 - 29.8	117	28.9	23.2 - 35.4	155	21.9	12.6 - 35.3	27	25.5	21.5 - 30.0	299
c. Referred to a school administrator	92.1	86.2 - 95.6	118	94.7	90.4 - 97.1	155	96.0	80.2 - 99.3	26	93.8	90.7 - 95.9	299
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	25.7	19.6 - 33.1	117	28.3	22.1 - 35.4	152	15.6	8.2 - 27.4	27	25.9	21.8 - 30.5	296
e. Required to participate in an assistance, education, or cessation program	26.9	20.8 - 34.1	118	22.2	16.8 - 28.8	149	17.9	8.3 - 34.3	26	23.7	19.8 - 28.2	293
f. Referred to legal authorities	6.7	3.6 - 12.1	116	10.4	7.0 - 15.3	152	3.4	0.6 - 17.1	25	8.2	5.9 - 11.3	293
g. Placed in detention	26.2	20.4 - 32.9	117	29.8	23.7 - 36.7	151	11.3	4.1 - 27.5	26	26.4	22.4 - 30.9	294
h. Not allowed to participate in extra-curricular activities or interscholastic sports	10.3	6.2 - 16.6	118	18.5	14.0 - 24.1	151	7.6	2.2 - 23.5	25	14.0	11.0 - 17.7	294
i. Given in-school suspension	19.2	13.7 - 26.2	115	29.9	23.8 - 36.7	150	11.3	4.1 - 27.5	26	23.6	19.7 - 28.1	291
j. Suspended from school	17.5	11.9 - 25.0	117	27.7	22.1 - 34.1	151	29.0	16.0 - 46.7	27	23.7	19.6 - 28.2	295
k. Expelled from school	1.6	0.5 - 5.2	118	2.0	0.7 - 5.3	152	0.0	†	26	1.6	0.8 - 3.5	296
l. Reassigned to an alternative school	2.4	0.9 - 6.4	117	0.7	0.1 - 3.7	151	0.0	†	25	1.3	0.6 - 3.1	293

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

29. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
93.3	87.5 - 96.6	115	88.6	83.5 - 92.2	160	96.0	80.0 - 99.3	26	91.2	87.9 - 93.7	301

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

30. Percentage of schools that provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Faculty and staff	32.6	25.8 - 40.1	117	35.5	29.7 - 41.7	158	27.9	14.3 - 47.4	28	33.5	29.1 - 38.1	303
b. Students	37.8	30.4 - 45.9	116	34.6	28.8 - 40.9	156	32.3	18.6 - 50.0	28	35.7	31.1 - 40.4	300

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

31. Percentage of schools that have arrangements with any organizations or health care professionals not on school property to provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Faculty and staff	50.9	43.3 - 58.5	117	53.5	46.9 - 60.0	159	46.0	28.7 - 64.2	28	51.7	46.8 - 56.5	304
b. Students	48.8	40.8 - 56.8	117	44.4	37.8 - 51.1	155	47.7	31.5 - 64.5	27	46.5	41.6 - 51.5	299

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

32. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruit or non-fried vegetables at school celebrations when foods or beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Foods or beverages are not offered at school celebrations	5.3	2.6 - 10.5	117	4.4	2.3 - 8.3	160	3.9	0.7 - 19.3	27	4.7	3.0 - 7.4	304
b. Never	0.8	0.1 - 4.3	117	0.6	0.1 - 3.5	160	3.2	0.6 - 16.2	27	1.0	0.4 - 2.6	304
c. Rarely	9.6	5.6 - 15.7	117	14.8	10.5 - 20.5	160	3.2	0.6 - 16.0	27	11.5	8.7 - 15.1	304
d. Sometimes	48.1	41.4 - 54.9	117	48.3	41.4 - 55.3	160	48.4	32.2 - 64.9	27	48.2	43.5 - 53.0	304
e. Always or almost always	36.2	30.1 - 42.9	117	31.8	25.8 - 38.5	160	41.4	26.9 - 57.5	27	34.5	30.3 - 39.1	304

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

33. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
77.2	70.4 - 82.9	118	48.8	42.1 - 55.5	159	37.1	26.8 - 48.6	28	59.0	54.6 - 63.2	305

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

34. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Chocolate candy	42.7	34.3 - 51.5	115	15.0	10.7 - 20.8	157	12.9	5.3 - 28.4	28	25.8	21.6 - 30.5	300
b. Other kinds of candy	46.4	38.3 - 54.8	116	18.9	14.2 - 24.8	157	12.9	5.3 - 28.4	28	29.3	25.1 - 33.9	301
c. Salty snacks that are not low in fat (e.g., regular potato chips)	58.5	50.6 - 66.1	116	23.3	18.4 - 29.1	157	27.2	17.2 - 40.2	28	37.8	33.6 - 42.2	301
d. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	53.4	44.7 - 61.8	115	22.8	18.0 - 28.4	157	12.9	6.6 - 23.5	28	33.9	29.6 - 38.4	300
e. Ice cream or frozen yogurt that is not low in fat	20.5	14.8 - 27.7	115	17.2	12.4 - 23.4	157	9.8	3.5 - 24.6	28	17.7	14.2 - 21.9	300
f. 2% or whole milk (plain or flavored)	37.8	30.5 - 45.6	116	23.8	18.0 - 30.7	155	10.5	6.4 - 17.0	28	28.0	23.8 - 32.6	299
g. Water ices or frozen slushes that do not contain juice	16.8	11.8 - 23.3	115	13.3	9.3 - 18.7	157	3.7	0.7 - 18.6	28	13.7	10.7 - 17.3	300
h. Soda pop or fruit drinks that are not 100% juice	47.4	38.9 - 56.2	114	19.1	14.1 - 25.2	157	17.2	8.8 - 30.7	27	30.1	25.7 - 34.9	298
i. Sports drinks (e.g., Gatorade)	66.9	59.4 - 73.6	115	30.9	25.3 - 37.1	157	22.8	14.1 - 34.8	28	44.3	40.2 - 48.6	300
j. Foods or beverages containing caffeine	50.8	42.5 - 59.0	115	17.2	12.7 - 22.8	156	13.6	5.5 - 29.7	28	30.2	26.0 - 34.7	299
k. Fruits (not fruit juice)	35.0	27.5 - 43.2	116	23.7	18.0 - 30.5	156	13.6	7.8 - 22.7	28	27.1	22.9 - 31.8	300
l. Non-fried vegetables (not vegetable juice)	29.6	23.0 - 37.1	116	17.9	13.2 - 23.8	157	6.1	1.8 - 19.0	28	21.3	17.6 - 25.5	301

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

35. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	12.8	8.1 - 19.6	117	13.5	9.4 - 19.0	157	11.2	4.0 - 27.7	28	13.0	9.9 - 16.8	302
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	30.5	23.7 - 38.4	117	29.7	23.2 - 37.0	156	37.2	23.1 - 53.8	27	30.8	26.2 - 35.8	300
c. Provided information to students or families on the nutrition and caloric content of foods available	46.5	38.2 - 54.9	116	44.3	37.6 - 51.3	158	50.3	33.9 - 66.7	28	45.8	40.8 - 51.0	302
d. Conducted taste tests to determine food preferences for nutritious items	18.8	13.3 - 25.9	115	20.9	15.7 - 27.2	157	12.9	5.2 - 28.5	28	19.2	15.5 - 23.5	300
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	13.8	9.8 - 19.1	116	16.0	11.5 - 22.0	155	18.1	9.8 - 30.9	28	15.4	12.3 - 19.0	299
f. Served locally or regionally grown foods in the cafeteria or classrooms	26.8	20.4 - 34.4	116	36.5	30.0 - 43.5	156	32.4	18.2 - 50.7	28	32.2	27.6 - 37.1	300
g. Planted a school food or vegetable garden	13.4	8.9 - 19.8	117	18.8	13.6 - 25.3	153	35.4	22.3 - 51.1	28	18.4	14.8 - 22.6	298
h. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	63.1	55.4 - 70.1	117	53.3	46.1 - 60.4	157	45.3	28.4 - 63.3	28	56.4	51.3 - 61.3	302

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

35. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
i. Used attractive displays for fruits and vegetables in the cafeteria	50.0	43.5 - 56.6	117	48.5	42.0 - 55.2	158	52.7	42.0 - 63.2	28	49.6	45.2 - 53.9	303
j. Offered a self-serve salad bar to students	19.2	13.9 - 25.9	116	15.1	10.9 - 20.6	158	14.3	5.8 - 31.1	28	16.7	13.4 - 20.6	302
k. Labeled healthful foods with appealing names (e.g., crunchy carrots)	28.2	21.0 - 36.8	115	32.7	26.8 - 39.3	158	32.9	22.4 - 45.5	27	30.9	26.5 - 35.7	300

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

36. Percentage of schools that promote candy, meals from fast food restaurants, or soft drinks through the distribution of products, such as t-shirts, hats, and book covers to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
6.4	3.3 - 12.1	115	1.3	0.4 - 4.3	154	0.0	†	26	3.3	1.8 - 5.7	295

† Confidence intervals not applicable for 0 percent or 100 percent.
 N = Unweighted number of observations

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

37. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. In the school building	56.5	48.1 - 64.6	116	70.9	64.6 - 76.6	156	78.9	65.1 - 88.3	28	66.0	61.2 - 70.5	300
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	32.4	25.1 - 40.8	116	53.2	46.6 - 59.8	156	75.2	60.0 - 86.0	28	47.2	42.5 - 52.0	300
c. On school buses or other vehicles used to transport students	64.4	56.0 - 72.0	117	79.4	73.2 - 84.4	156	78.2	63.7 - 88.0	28	73.2	68.5 - 77.4	301
d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)	42.3	34.3 - 50.7	117	67.0	60.0 - 73.4	156	68.4	51.1 - 81.8	28	57.2	52.1 - 62.1	301

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

38. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Yes, in all locations	69.5	61.6 - 76.4	115	42.5	36.9 - 48.4	156	34.3	20.2 - 51.9	27	52.5	48.0 - 56.9	298
b. Yes, in certain locations	25.6	19.0 - 33.5	115	49.9	43.7 - 56.1	156	54.7	40.3 - 68.5	27	40.6	36.2 - 45.2	298
c. No	4.9	2.8 - 8.5	115	7.6	4.6 - 12.2	156	10.9	3.9 - 27.3	27	6.8	4.8 - 9.7	298

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

39. Percentage of schools that offer a free source of drinking water in the cafeteria during meal times.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
95.3	90.0 - 97.8	112	85.6	80.3 - 89.6	154	84.4	67.3 - 93.5	27	89.3	85.8 - 92.0	293

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

40. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
32.6	26.5 - 39.4	117	24.3	18.6 - 30.9	157	25.9	13.8 - 43.2	27	27.8	23.7 - 32.3	301

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

41. Percentage of schools that have an asthma action plan on file for all, most, some, or no students with known asthma.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. This school has no students with known asthma	0.0	†	117	1.3	0.4 - 4.2	157	8.1	2.3 - 24.7	26	1.4	0.6 - 3.3	300
b. All students with known asthma have an asthma action plan on file	67.6	59.5 - 74.7	117	73.9	67.3 - 79.5	157	80.5	61.4 - 91.5	26	72.0	67.2 - 76.3	300
c. Most students with known asthma have an asthma action plan on file	21.4	15.6 - 28.8	117	22.4	17.1 - 28.8	157	11.4	4.0 - 28.3	26	20.9	17.1 - 25.3	300
d. Some students with known asthma have an asthma action plan on file	9.9	6.0 - 16.0	117	2.5	1.3 - 4.6	157	0.0	†	26	5.3	3.5 - 7.8	300
e. No students with known asthma have an asthma action plan on file	1.0	0.2 - 5.5	117	0.0	†	157	0.0	†	26	0.4	0.1 - 2.3	300

† Confidence intervals not applicable for 0 percent or 100 percent.
N = Unweighted number of observations

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

42. Percentage of schools that use each of the following events to identify students with poorly controlled asthma.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. This school does not identify students with poorly controlled asthma	20.7	15.1 - 27.6	111	10.2	7.2 - 14.3	148	12.1	4.5 - 28.9	26	14.6	11.6 - 18.2	285
b. Frequent absences from school	45.8	37.8 - 53.9	111	58.7	51.6 - 65.5	148	33.4	17.3 - 54.7	26	50.9	45.7 - 56.0	285
c. Frequent visits to the school health office due to asthma	62.2	53.5 - 70.2	111	77.5	72.3 - 82.0	148	72.4	53.5 - 85.7	26	70.8	66.1 - 75.1	285
d. Frequent asthma symptoms at school	65.5	58.1 - 72.2	111	77.0	70.4 - 82.5	148	72.4	52.6 - 86.2	26	71.9	67.2 - 76.1	285
e. Frequent non-participation in physical education class due to asthma	42.7	35.5 - 50.3	111	58.0	50.7 - 64.9	148	65.1	48.3 - 78.8	26	52.5	47.6 - 57.4	285
f. Students sent home early due to asthma	43.0	35.5 - 50.8	111	60.8	53.7 - 67.5	148	46.3	30.7 - 62.7	26	52.1	47.1 - 57.0	285
g. Calls from school to 911, or other local emergency numbers, due to asthma	34.0	26.7 - 42.2	111	45.9	39.6 - 52.2	148	34.2	21.2 - 50.0	26	39.9	35.3 - 44.6	285

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

43. Percentage of schools that provide each of the following services for students with poorly controlled asthma.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Providing referrals to primary health care clinicians or child health insurance programs	75.2	67.7 - 81.5	114	72.0	65.5 - 77.6	146	70.3	50.8 - 84.4	27	73.1	68.4 - 77.4	287
b. Ensuring an appropriate written asthma action plan is obtained	89.9	84.3 - 93.6	115	93.2	89.2 - 95.8	150	88.3	72.2 - 95.7	27	91.3	88.2 - 93.7	292
c. Ensuring access to and appropriate use of asthma medications, spacers, and peak flow meters at school	86.1	79.6 - 90.8	115	92.6	87.7 - 95.6	149	96.1	81.8 - 99.3	27	90.3	86.8 - 92.9	291
d. Offering asthma education for students with asthma	70.0	61.6 - 77.3	115	76.6	71.2 - 81.3	149	59.4	40.4 - 76.0	27	72.1	67.3 - 76.4	291
e. Minimizing asthma triggers in the school environment	69.8	61.5 - 77.0	115	85.1	79.3 - 89.4	148	75.0	56.4 - 87.4	27	77.7	73.1 - 81.8	290
f. Addressing social and emotional issues related to asthma	55.2	47.1 - 63.1	114	61.7	55.0 - 68.1	149	55.5	38.3 - 71.5	27	58.4	53.4 - 63.3	290
g. Providing additional psychosocial counseling or support services as needed	55.7	47.6 - 63.5	113	62.5	55.7 - 68.9	149	58.7	40.2 - 75.0	27	59.3	54.3 - 64.2	289
h. Ensuring access to safe, enjoyable physical education and activity opportunities	81.3	74.1 - 86.8	115	94.6	90.3 - 97.1	149	88.3	72.2 - 95.7	27	88.5	84.8 - 91.4	291
i. Ensuring access to preventive medications before physical activity	79.1	71.6 - 85.0	115	92.7	87.9 - 95.7	149	88.3	72.2 - 95.7	27	86.6	82.7 - 89.8	291

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

44. Percentage of schools in which school staff members are required to receive training on recognizing and responding to severe asthma symptoms more than once per year, once per year, or less than once per year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. More than once per year	3.5	1.5 - 8.1	116	2.0	0.7 - 5.3	155	0.0	†	27	2.4	1.3 - 4.6	298
b. Once per year	53.0	44.6 - 61.2	116	60.7	53.7 - 67.2	155	61.8	43.7 - 77.2	27	57.7	52.5 - 62.7	298
c. Less than once per year	8.4	4.8 - 14.2	116	6.4	3.7 - 10.9	155	0.0	†	27	6.6	4.5 - 9.6	298
d. No such requirement	35.1	28.2 - 42.8	116	30.9	24.5 - 38.0	155	38.2	22.8 - 56.3	27	33.3	28.7 - 38.3	298

† Confidence intervals not applicable for 0 percent or 100 percent.
 N = Unweighted number of observations

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

45. Percentage of schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
81.7	75.1 - 86.8	118	80.8	74.6 - 85.8	153	62.6	46.9 - 76.0	27	79.3	75.1 - 83.0	298

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

46. Percentage of schools that have procedures to inform each of the following groups about the policy permitting students to carry and self-administer asthma medications.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Students	95.6	89.7 - 98.1	91	95.1	90.4 - 97.6	122	100.0	†	16	95.7	92.7 - 97.5	229
b. Parents and families	91.5	84.8 - 95.4	92	96.9	92.8 - 98.7	122	100.0	†	16	94.9	91.7 - 96.9	230

*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

47. Percentage of schools that have the following person responsible for implementing the policy permitting students to carry and self-administer asthma medications.*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. No single individual is responsible	20.7	14.7 - 28.3	89	24.4	18.1 - 31.9	110	15.3	4.0 - 43.9	14	22.1	17.7 - 27.2	213
b. Principal	11.8	7.4 - 18.2	89	7.4	4.0 - 13.2	110	7.6	1.4 - 31.8	14	9.3	6.5 - 13.2	213
c. Assistant principal	0.0	†	89	0.0	†	110	0.0	†	14	0.0	†	213
d. School nurse	64.0	55.2 - 72.0	89	63.7	55.3 - 71.4	110	63.2	36.1 - 84.0	14	63.8	57.9 - 69.4	213
e. Other school faculty or staff member	3.5	1.3 - 9.1	89	4.6	2.2 - 9.5	110	13.9	4.1 - 37.9	14	4.8	2.8 - 8.1	213

*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

48. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. HIV counseling and testing	3.2	1.4 - 7.4	118	2.5	1.1 - 5.8	160	0.0	†	27	2.5	1.4 - 4.6	305
b. STD testing and treatment	3.2	1.4 - 7.4	118	1.8	0.7 - 4.9	160	0.0	†	27	2.2	1.2 - 4.2	305
c. Pregnancy testing	3.2	1.4 - 7.4	118	5.0	2.7 - 9.0	160	0.0	†	27	3.8	2.3 - 6.1	305
d. Provision of condoms	1.6	0.5 - 5.3	117	1.3	0.4 - 4.1	159	0.0	†	27	1.3	0.5 - 3.0	303
e. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	0.8	0.1 - 4.4	117	1.3	0.4 - 4.1	159	0.0	†	27	1.0	0.4 - 2.5	303
f. Prenatal care	8.1	5.0 - 13.0	117	3.1	1.4 - 6.6	160	4.0	0.8 - 18.8	26	5.2	3.5 - 7.7	303
g. Human papillomavirus (HPV) vaccine administration	2.9	1.1 - 7.6	117	3.7	1.9 - 7.4	160	0.0	†	27	3.0	1.7 - 5.3	304

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

49. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. HIV counseling and testing	49.7	41.4 - 57.9	118	47.4	41.4 - 53.6	157	45.6	28.5 - 63.8	26	48.2	43.3 - 53.1	301
b. STD testing and treatment	51.0	42.4 - 59.6	118	48.8	42.7 - 54.9	157	48.9	30.7 - 67.5	26	49.7	44.7 - 54.7	301
c. Pregnancy testing	60.5	52.0 - 68.5	118	50.9	44.5 - 57.3	158	53.0	33.1 - 71.9	26	55.0	49.9 - 60.0	302
d. Provision of condoms	37.3	29.9 - 45.4	118	33.6	28.5 - 39.2	157	30.2	17.0 - 47.8	26	34.8	30.5 - 39.3	301
e. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	39.6	31.9 - 47.8	117	33.6	28.5 - 39.2	157	30.2	17.0 - 47.8	26	35.7	31.4 - 40.3	300
f. Prenatal care	60.3	51.9 - 68.1	118	47.3	41.0 - 53.8	158	57.8	37.1 - 76.0	26	53.6	48.6 - 58.6	302
g. Human papillomavirus (HPV) vaccine administration	44.8	36.3 - 53.5	118	43.9	37.7 - 50.3	157	49.7	31.0 - 68.5	26	44.8	39.8 - 50.0	301

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

50. Percentage of schools in which students' families helped develop or implement policies and programs related to HIV, STD, or teen pregnancy prevention during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
14.0	9.1 - 20.8	117	13.8	10.1 - 18.6	160	3.9	0.7 - 19.3	27	12.9	10.0 - 16.4	304

NORTH CAROLINA
2012 School Health Profiles Report
Weighted Principal Survey Results

51. Percentage of schools in which community members helped develop or implement policies and programs related to HIV, STD, or teen pregnancy prevention during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
22.9	16.6 - 30.7	117	20.7	15.7 - 26.8	160	14.2	7.1 - 26.4	27	20.9	17.2 - 25.3	304