

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

|  | High Schools |                         |     | Middle Schools |                         |    | Junior/Senior High Schools |                         |    | All Schools |                         |     |
|--|--------------|-------------------------|-----|----------------|-------------------------|----|----------------------------|-------------------------|----|-------------|-------------------------|-----|
|  | Percent      | 95% Confidence Interval | N   | Percent        | 95% Confidence Interval | N  | Percent                    | 95% Confidence Interval | N  | Percent     | 95% Confidence Interval | N   |
| a. Physical activity                       | 37.6         | 31.2 - 44.5             | 157 | 51.4           | 41.4 - 61.2             | 74 | -                          | -                       | 10 | 42.7        | 37.2 - 48.3             | 241 |
| b. Nutrition                               | 39.0         | 32.4 - 46.0             | 154 | 45.3           | 35.8 - 55.2             | 75 | -                          | -                       | 10 | 41.8        | 36.5 - 47.4             | 239 |
| c. Tobacco-use prevention                  | 40.6         | 34.3 - 47.3             | 155 | 37.3           | 28.2 - 47.5             | 75 | -                          | -                       | 10 | 40.9        | 35.6 - 46.3             | 240 |
| d. Asthma                                  | 27.9         | 22.1 - 34.6             | 154 | 29.7           | 21.7 - 39.3             | 74 | -                          | -                       | 10 | 29.4        | 24.6 - 34.7             | 238 |
| e. Injury and violence prevention          | 36.6         | 30.4 - 43.2             | 153 | 37.3           | 27.8 - 48.0             | 75 | -                          | -                       | 10 | 37.8        | 32.6 - 43.4             | 238 |
| f. HIV, STD, and teen pregnancy prevention | 34.6         | 28.5 - 41.4             | 153 | 25.7           | 18.5 - 34.5             | 74 | -                          | -                       | 10 | 32.1        | 27.2 - 37.4             | 237 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

|   | High Schools |                         |     | Middle Schools |                         |    | Junior/Senior High Schools |                         |   | All Schools |                         |     |
|---|--------------|-------------------------|-----|----------------|-------------------------|----|----------------------------|-------------------------|---|-------------|-------------------------|-----|
|   | Percent      | 95% Confidence Interval | N   | Percent        | 95% Confidence Interval | N  | Percent                    | 95% Confidence Interval | N | Percent     | 95% Confidence Interval | N   |
| a. Health education   | 36.9         | 30.8 - 43.5             | 149 | 32.4           | 24.1 - 42.1             | 74 | -                          | -                       | 9 | 36.2        | 31.3 - 41.5             | 232 |
| b. Physical education   | 31.5         | 26.2 - 37.5             | 149 | 36.5           | 27.8 - 46.2             | 74 | -                          | -                       | 9 | 34.0        | 29.4 - 38.9             | 232 |
| c. Physical activity  | 30.2         | 24.7 - 36.3             | 149 | 43.8           | 34.0 - 54.2             | 73 | -                          | -                       | 9 | 35.0        | 30.1 - 40.1             | 231 |
| d. School meal programs   | 15.5         | 11.4 - 20.9             | 148 | 13.7           | 8.1 - 22.3              | 73 | -                          | -                       | 9 | 15.2        | 11.8 - 19.4             | 230 |
| e. Foods and beverages available at school outside the school meal programs | 20.9         | 15.9 - 27.0             | 148 | 12.3           | 7.1 - 20.6              | 73 | -                          | -                       | 9 | 19.2        | 15.3 - 23.8             | 230 |
| f. Health services  | 31.3         | 25.8 - 37.4             | 147 | 19.2           | 12.4 - 28.5             | 73 | -                          | -                       | 9 | 27.6        | 23.3 - 32.4             | 229 |
| g. Mental health and social services  | 34.7         | 28.8 - 41.2             | 144 | 31.1           | 22.9 - 40.7             | 74 | -                          | -                       | 9 | 33.5        | 28.7 - 38.7             | 227 |
| h. Healthy and safe school environment                                      | 84.8         | 79.9 - 88.6             | 151 | 82.4           | 75.8 - 87.6             | 74 | -                          | -                       | 9 | 83.8        | 80.1 - 86.9             | 234 |
| i. Family and community involvement   | 86.1         | 81.5 - 89.7             | 151 | 86.3           | 77.7 - 91.9             | 73 | -                          | -                       | 9 | 85.8        | 82.0 - 88.9             | 233 |
| j. Faculty and staff health promotion                                       | 32.0         | 26.0 - 38.6             | 147 | 24.7           | 17.4 - 33.7             | 73 | -                          | -                       | 9 | 29.3        | 24.6 - 34.5             | 229 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.\*

| High Schools |                         |     | Middle Schools |                         |    | Junior/Senior High Schools |                         |   | All Schools |                         |     |
|--------------|-------------------------|-----|----------------|-------------------------|----|----------------------------|-------------------------|---|-------------|-------------------------|-----|
| Percent      | 95% Confidence Interval |     | Percent        | 95% Confidence Interval |    | Percent                    | 95% Confidence Interval |   | Percent     | 95% Confidence Interval |     |
|              | Interval                | N   |                | Interval                | N  |                            | Interval                | N |             | Interval                | N   |
| 44.0         | 38.0 - 50.2             | 150 | 55.6           | 46.4 - 64.3             | 72 | -                          | -                       | 9 | 48.0        | 43.1 - 52.9             | 231 |

\*Among schools that engaged in an improvement planning process during the past year.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

| <b>High Schools</b> |                         |     | <b>Middle Schools</b> |                         |    | <b>Junior/Senior High Schools</b> |                         |   | <b>All Schools</b> |                         |     |
|---------------------|-------------------------|-----|-----------------------|-------------------------|----|-----------------------------------|-------------------------|---|--------------------|-------------------------|-----|
| Percent             | 95% Confidence Interval | N   | Percent               | 95% Confidence Interval | N  | Percent                           | 95% Confidence Interval | N | Percent            | 95% Confidence Interval | N   |
| 79.5                | 74.1 - 84.0             | 156 | 83.6                  | 76.2 - 89.0             | 73 | -                                 | -                       | 9 | 80.6               | 76.4 - 84.3             | 238 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

| <b>High Schools</b> |                         |     | <b>Middle Schools</b> |                         |    | <b>Junior/Senior High Schools</b> |                         |   | <b>All Schools</b> |                         |     |
|---------------------|-------------------------|-----|-----------------------|-------------------------|----|-----------------------------------|-------------------------|---|--------------------|-------------------------|-----|
| Percent             | 95% Confidence Interval | N   | Percent               | 95% Confidence Interval | N  | Percent                           | 95% Confidence Interval | N | Percent            | 95% Confidence Interval | N   |
| 47.4                | 41.0 - 53.8             | 154 | 56.2                  | 46.6 - 65.3             | 73 | -                                 | -                       | 9 | 50.4               | 45.0 - 55.7             | 236 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\*

|   | High Schools |                         |    | Middle Schools |                         |    | Junior/Senior High Schools |                         |   | All Schools |                         |     |
|---|--------------|-------------------------|----|----------------|-------------------------|----|----------------------------|-------------------------|---|-------------|-------------------------|-----|
|   | Percent      | 95% Confidence Interval | N  | Percent        | 95% Confidence Interval | N  | Percent                    | 95% Confidence Interval | N | Percent     | 95% Confidence Interval | N   |
| a. School administrators  | 85.9         | 77.4 - 91.6             | 71 | 94.7           | 84.8 - 98.3             | 38 | -                          | -                       | 5 | 89.4        | 83.6 - 93.3             | 114 |
| b. Health education teachers  | 88.6         | 80.4 - 93.6             | 70 | 90.0           | 78.4 - 95.7             | 40 | -                          | -                       | 5 | 88.7        | 82.6 - 92.8             | 115 |
| c. Physical education teachers                                      | 87.3         | 79.1 - 92.6             | 71 | 92.5           | 81.8 - 97.1             | 40 | -                          | -                       | 5 | 89.6        | 83.7 - 93.5             | 116 |
| d. Other classroom teachers   | 77.5         | 67.9 - 84.8             | 71 | 80.0           | 66.9 - 88.8             | 40 | -                          | -                       | 5 | 79.3        | 72.0 - 85.1             | 116 |
| e. Mental health or social services staff (e.g., school counselors) | 100.0        | †                       | 72 | 100.0          | †                       | 39 | -                          | -                       | 5 | 100.0       | †                       | 116 |
| f. Nutrition or food service staff                                  | 40.0         | 30.6 - 50.2             | 70 | 40.5           | 28.3 - 54.0             | 37 | -                          | -                       | 5 | 42.0        | 34.4 - 50.0             | 112 |
| g. Health services staff (e.g., school nurse)                       | 73.6         | 63.9 - 81.4             | 72 | 76.3           | 61.6 - 86.6             | 38 | -                          | -                       | 5 | 75.6        | 68.1 - 81.9             | 115 |
| h. Maintenance and transportation staff                             | 26.8         | 18.9 - 36.4             | 71 | 13.5           | 6.4 - 26.3              | 37 | -                          | -                       | 5 | 24.0        | 17.9 - 31.3             | 113 |
| i. Technology staff   | 33.8         | 25.1 - 43.7             | 71 | 26.3           | 17.1 - 38.2             | 38 | -                          | -                       | 5 | 29.9        | 23.4 - 37.2             | 114 |
| j. Library/media center staff                                       | 40.8         | 31.2 - 51.3             | 71 | 31.6           | 23.3 - 41.3             | 38 | -                          | -                       | 5 | 36.0        | 29.2 - 43.4             | 114 |
| k. Student body   | 55.6         | 46.1 - 64.6             | 72 | 28.9           | 18.1 - 42.8             | 38 | -                          | -                       | 5 | 46.3        | 39.0 - 53.7             | 115 |
| l. Parents or families of students                                  | 58.6         | 48.3 - 68.1             | 70 | 46.2           | 33.3 - 59.5             | 39 | -                          | -                       | 5 | 54.5        | 46.7 - 62.1             | 114 |

\*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\*

|   | High Schools |                         |    | Middle Schools |                         |    | Junior/Senior High Schools |                         |   | All Schools |                         |     |
|---|--------------|-------------------------|----|----------------|-------------------------|----|----------------------------|-------------------------|---|-------------|-------------------------|-----|
|   | Percent      | 95% Confidence Interval | N  | Percent        | 95% Confidence Interval | N  | Percent                    | 95% Confidence Interval | N | Percent     | 95% Confidence Interval | N   |
| m. Community members                                    | 44.3         | 34.4 - 54.6             | 70 | 36.8           | 24.2 - 51.5             | 38 | -                          | -                       | 5 | 42.5        | 34.8 - 50.7             | 113 |
| n. Local health departments, agencies, or organizations | 40.8         | 31.5 - 50.9             | 71 | 43.2           | 30.3 - 57.2             | 37 | -                          | -                       | 5 | 42.5        | 34.9 - 50.4             | 113 |
| o. Faith-based organizations                            | 18.3         | 11.7 - 27.6             | 71 | 18.4           | 10.2 - 31.0             | 38 | -                          | -                       | 5 | 18.4        | 13.0 - 25.4             | 114 |
| p. Businesses   | 30.0         | 21.2 - 40.6             | 70 | 21.1           | 12.0 - 34.3             | 38 | -                          | -                       | 5 | 26.6        | 20.0 - 34.4             | 113 |
| q. Local government agencies                            | 31.4         | 22.5 - 42.0             | 70 | 30.6           | 19.7 - 44.0             | 36 | -                          | -                       | 5 | 31.5        | 24.5 - 39.5             | 111 |

\*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

7. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.\*

|  | High Schools |                         |    | Middle Schools |                         |    | Junior/Senior High Schools |                         |   | All Schools |                         |     |
|--|--------------|-------------------------|----|----------------|-------------------------|----|----------------------------|-------------------------|---|-------------|-------------------------|-----|
|  | Percent      | 95% Confidence Interval | N  | Percent        | 95% Confidence Interval | N  | Percent                    | 95% Confidence Interval | N | Percent     | 95% Confidence Interval | N   |
| a. Identified student health needs based on a review of relevant data  | 70.4         | 60.7 - 78.6             | 71 | 89.7           | 78.3 - 95.5             | 39 | -                          | -                       | 5 | 78.1        | 71.2 - 83.8             | 115 |
| b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team  | 66.2         | 56.0 - 75.1             | 71 | 85.0           | 75.2 - 91.4             | 40 | -                          | -                       | 5 | 74.0        | 66.6 - 80.3             | 116 |
| c. Sought funding or leveraged resources to support health and safety priorities for students and staff  | 46.5         | 36.6 - 56.7             | 71 | 60.0           | 47.7 - 71.1             | 40 | -                          | -                       | 5 | 51.6        | 44.0 - 59.1             | 116 |
| d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members | 78.9         | 70.5 - 85.4             | 71 | 87.5           | 76.0 - 93.9             | 40 | -                          | -                       | 5 | 82.7        | 76.4 - 87.6             | 116 |
| e. Reviewed health-related curricula or instructional materials  | 83.1         | 74.2 - 89.4             | 71 | 80.0           | 66.5 - 89.0             | 40 | -                          | -                       | 5 | 81.9        | 74.9 - 87.3             | 116 |
| f. Assessed the availability of physical activity opportunities for students   | 74.3         | 64.7 - 82.0             | 70 | 77.5           | 63.4 - 87.2             | 40 | -                          | -                       | 5 | 76.5        | 69.0 - 82.7             | 115 |

\*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations



**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

8. Percentage of schools that have any clubs that give students opportunities to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

| <b>High Schools</b> |                         |     | <b>Middle Schools</b> |                         |    | <b>Junior/Senior High Schools</b> |                         |   | <b>All Schools</b> |                         |     |
|---------------------|-------------------------|-----|-----------------------|-------------------------|----|-----------------------------------|-------------------------|---|--------------------|-------------------------|-----|
| Percent             | 95% Confidence Interval |     | Percent               | 95% Confidence Interval |    | Percent                           | 95% Confidence Interval |   | Percent            | 95% Confidence Interval |     |
|                     | Interval                | N   |                       | Interval                | N  |                                   | Interval                | N |                    | Interval                | N   |
| 75.7                | 69.8 - 80.7             | 152 | 59.2                  | 49.8 - 67.9             | 71 | -                                 | -                       | 8 | 70.7               | 65.8 - 75.1             | 231 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
 N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

9. Percentage of schools that offer each of the following activities for students to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

|   | High Schools |                |     | Middle Schools |                |    | Junior/Senior High Schools |                |   | All Schools |                |     |
|---|--------------|----------------|-----|----------------|----------------|----|----------------------------|----------------|---|-------------|----------------|-----|
|   | Percent      | 95% Confidence |     | Percent        | 95% Confidence |    | Percent                    | 95% Confidence |   | Percent     | 95% Confidence |     |
|   |              | Interval       | N   |                | Interval       | N  |                            | Interval       | N |             | Interval       | N   |
| a. Lessons in class   | 81.9         | 76.5 - 86.2    | 149 | 87.1           | 79.5 - 92.2    | 70 | -                          | -              | 8 | 83.7        | 79.6 - 87.0    | 227 |
| b. Special events sponsored by the school or community organizations (e.g., multicultural week, family night) | 78.3         | 71.9 - 83.6    | 143 | 68.6           | 58.6 - 77.1    | 70 | -                          | -              | 8 | 75.2        | 70.2 - 79.6    | 221 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

10. Percentage of schools that have adopted a policy that addresses each of the following issues on HIV infection or AIDS.

|  | High Schools |                         |     | Middle Schools |                         |    | Junior/Senior High Schools |                         |   | All Schools |                         |     |
|--|--------------|-------------------------|-----|----------------|-------------------------|----|----------------------------|-------------------------|---|-------------|-------------------------|-----|
|  | Percent      | 95% Confidence Interval | N   | Percent        | 95% Confidence Interval | N  | Percent                    | 95% Confidence Interval | N | Percent     | 95% Confidence Interval | N   |
| a. Attendance of students with HIV infection                                 | 54.1         | 46.7 - 61.3             | 146 | 41.4           | 32.5 - 50.9             | 70 | -                          | -                       | 8 | 48.3        | 42.7 - 53.9             | 224 |
| b. Procedures to protect HIV-infected students and staff from discrimination | 65.1         | 58.1 - 71.5             | 146 | 48.6           | 38.7 - 58.6             | 70 | -                          | -                       | 8 | 58.1        | 52.5 - 63.6             | 224 |
| c. Maintaining confidentiality of HIV-infected students and staff            | 69.7         | 62.8 - 75.7             | 145 | 52.2           | 41.7 - 62.4             | 69 | -                          | -                       | 8 | 62.7        | 57.1 - 68.0             | 222 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

11. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

| <b>High Schools</b> |                         |     | <b>Middle Schools</b> |                         |    | <b>Junior/Senior High Schools</b> |                         |   | <b>All Schools</b> |                         |     |
|---------------------|-------------------------|-----|-----------------------|-------------------------|----|-----------------------------------|-------------------------|---|--------------------|-------------------------|-----|
| Percent             | 95% Confidence Interval | N   | Percent               | 95% Confidence Interval | N  | Percent                           | 95% Confidence Interval | N | Percent            | 95% Confidence Interval | N   |
| 44.4                | 38.0 - 50.9             | 142 | 8.8                   | 4.4 - 16.8              | 68 | -                                 | -                       | 8 | 32.8               | 28.2 - 37.7             | 218 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

12. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

|  | High Schools |                         |     | Middle Schools |                         |    | Junior/Senior High Schools |                         |   | All Schools |                         |     |
|--|--------------|-------------------------|-----|----------------|-------------------------|----|----------------------------|-------------------------|---|-------------|-------------------------|-----|
|  | Percent      | 95% Confidence Interval | N   | Percent        | 95% Confidence Interval | N  | Percent                    | 95% Confidence Interval | N | Percent     | 95% Confidence Interval | N   |
| a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff | 77.6         | 71.4 - 82.8             | 143 | 54.5           | 45.8 - 63.0             | 66 | -                          | -                       | 8 | 70.2        | 65.3 - 74.7             | 217 |
| b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity  | 95.1         | 91.1 - 97.4             | 144 | 91.2           | 83.2 - 95.6             | 68 | -                          | -                       | 8 | 94.1        | 90.8 - 96.3             | 220 |
| c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity                           | 63.9         | 57.0 - 70.3             | 144 | 44.8           | 35.5 - 54.5             | 67 | -                          | -                       | 8 | 59.0        | 53.6 - 64.2             | 219 |
| d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth                              | 49.3         | 42.8 - 55.9             | 144 | 41.8           | 31.8 - 52.5             | 67 | -                          | -                       | 8 | 47.1        | 41.7 - 52.6             | 219 |
| e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth   | 56.6         | 49.6 - 63.4             | 143 | 42.4           | 32.1 - 53.4             | 66 | -                          | -                       | 8 | 52.6        | 47.0 - 58.2             | 217 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

13. Percentage of schools in which staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression.

| <b>High Schools</b> |                               |     | <b>Middle Schools</b> |                               |    | <b>Junior/Senior High Schools</b> |                               |   | <b>All Schools</b> |                               |     |
|---------------------|-------------------------------|-----|-----------------------|-------------------------------|----|-----------------------------------|-------------------------------|---|--------------------|-------------------------------|-----|
|                     | 95%<br>Confidence<br>Interval | N   |                       | 95%<br>Confidence<br>Interval | N  |                                   | 95%<br>Confidence<br>Interval | N |                    | 95%<br>Confidence<br>Interval | N   |
| Percent             |                               |     | Percent               |                               |    | Percent                           |                               |   | Percent            |                               |     |
| 85.9                | 80.7 - 89.9                   | 142 | 89.9                  | 81.8 - 94.6                   | 69 | -                                 | -                             | 8 | 87.2               | 83.1 - 90.4                   | 219 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

14. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

| <b>High Schools</b> |                         |     | <b>Middle Schools</b> |                         |    | <b>Junior/Senior High Schools</b> |                         |   | <b>All Schools</b> |                         |     |
|---------------------|-------------------------|-----|-----------------------|-------------------------|----|-----------------------------------|-------------------------|---|--------------------|-------------------------|-----|
| Percent             | 95% Confidence Interval | N   | Percent               | 95% Confidence Interval | N  | Percent                           | 95% Confidence Interval | N | Percent            | 95% Confidence Interval | N   |
| 93.7                | 89.3 - 96.3             | 142 | 94.2                  | 87.3 - 97.5             | 69 | -                                 | -                       | 8 | 93.6               | 90.2 - 95.9             | 219 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
 N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

15. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

| <b>High Schools</b> |                         |     | <b>Middle Schools</b> |                         |    | <b>Junior/Senior High Schools</b> |                         |   | <b>All Schools</b> |                         |     |
|---------------------|-------------------------|-----|-----------------------|-------------------------|----|-----------------------------------|-------------------------|---|--------------------|-------------------------|-----|
| Percent             | 95% Confidence Interval | N   | Percent               | 95% Confidence Interval | N  | Percent                           | 95% Confidence Interval | N | Percent            | 95% Confidence Interval | N   |
| 95.0                | 90.9 - 97.3             | 141 | 85.5                  | 76.4 - 91.5             | 69 | -                                 | -                       | 8 | 91.8               | 88.1 - 94.5             | 218 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations



**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

16. Percentage of schools that taught a required physical education course in each of the following grades.\*

|                   | High Schools |                         |     | Middle Schools |                         |    | Junior/Senior High Schools |                         |   | All Schools |                         |     |
|-------------------|--------------|-------------------------|-----|----------------|-------------------------|----|----------------------------|-------------------------|---|-------------|-------------------------|-----|
|                   | Percent      | 95% Confidence Interval | N   | Percent        | 95% Confidence Interval | N  | Percent                    | 95% Confidence Interval | N | Percent     | 95% Confidence Interval | N   |
| a. Sixth grade    | §            | §                       | §   | 100.0          | †                       | 57 | -                          | -                       | 6 | 100.0       | †                       | 63  |
| b. Seventh grade  | §            | §                       | §   | 100.0          | †                       | 64 | -                          | -                       | 8 | 98.6        | 92.9 - 99.7             | 72  |
| c. Eighth grade   | §            | §                       | §   | 100.0          | †                       | 65 | -                          | -                       | 8 | 98.6        | 93.0 - 99.7             | 73  |
| d. Ninth grade    | 97.0         | 93.4 - 98.7             | 134 | -              | -                       | 1  | -                          | -                       | 8 | 97.2        | 93.8 - 98.8             | 143 |
| e. Tenth grade    | 28.6         | 22.4 - 35.6             | 119 | §              | §                       | §  | -                          | -                       | 6 | 27.2        | 21.3 - 34.1             | 125 |
| f. Eleventh grade | 17.1         | 12.0 - 23.7             | 117 | §              | §                       | §  | -                          | -                       | 6 | 16.3        | 11.4 - 22.6             | 123 |
| g. Twelfth grade  | 16.7         | 11.6 - 23.3             | 114 | §              | §                       | §  | -                          | -                       | 6 | 15.8        | 11.0 - 22.2             | 120 |

\*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

17. Percentage of schools in which physical education teachers or specialists received professional development on physical education or physical activity during the past year.

| <b>High Schools</b> |                         |     | <b>Middle Schools</b> |                         |    | <b>Junior/Senior High Schools</b> |                         |   | <b>All Schools</b> |                         |     |
|---------------------|-------------------------|-----|-----------------------|-------------------------|----|-----------------------------------|-------------------------|---|--------------------|-------------------------|-----|
| Percent             | 95% Confidence Interval | N   | Percent               | 95% Confidence Interval | N  | Percent                           | 95% Confidence Interval | N | Percent            | 95% Confidence Interval | N   |
| 87.1                | 83.1 - 90.4             | 140 | 98.4                  | 92.3 - 99.7             | 64 | -                                 | -                       | 8 | 90.5               | 87.5 - 92.9             | 212 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

18. Percentage of schools that provide those who teach physical education with the following materials.

|  | High Schools |                         |     | Middle Schools |                         |    | Junior/Senior High Schools |                         |   | All Schools |                         |     |
|--|--------------|-------------------------|-----|----------------|-------------------------|----|----------------------------|-------------------------|---|-------------|-------------------------|-----|
|  | Percent      | 95% Confidence Interval | N   | Percent        | 95% Confidence Interval | N  | Percent                    | 95% Confidence Interval | N | Percent     | 95% Confidence Interval | N   |
| a. Goals, objectives, and expected outcomes for physical education   | 93.5         | 90.4 - 95.7             | 139 | 100.0          | †                       | 67 | -                          | -                       | 8 | 95.8        | 93.7 - 97.2             | 214 |
| b. A chart describing the annual scope and sequence of instruction for physical education                  | 79.7         | 73.7 - 84.6             | 138 | 83.6           | 76.2 - 89.0             | 67 | -                          | -                       | 8 | 81.7        | 77.2 - 85.4             | 213 |
| c. Plans for how to assess student performance in physical education                                       | 87.8         | 82.5 - 91.6             | 139 | 94.0           | 86.8 - 97.4             | 67 | -                          | -                       | 8 | 89.7        | 85.8 - 92.6             | 214 |
| d. A written physical education curriculum   | 89.9         | 85.0 - 93.3             | 138 | 92.5           | 85.0 - 96.4             | 67 | -                          | -                       | 8 | 90.6        | 86.8 - 93.4             | 213 |
| e. Resources for fitness testing   | 89.9         | 85.0 - 93.3             | 138 | 93.9           | 86.8 - 97.3             | 66 | -                          | -                       | 8 | 91.0        | 87.3 - 93.7             | 212 |
| f. Physical activity monitoring devices, such as pedometers or heart rate monitors, for physical education | 71.0         | 64.4 - 76.9             | 138 | 76.1           | 67.6 - 83.0             | 67 | -                          | -                       | 8 | 72.7        | 67.7 - 77.3             | 213 |

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

19. Percentage of schools in which students participate in physical activity breaks in classrooms during the school day outside of physical education.

| <b>High Schools</b> |                         |     | <b>Middle Schools</b> |                         |    | <b>Junior/Senior High Schools</b> |                         |   | <b>All Schools</b> |                         |     |
|---------------------|-------------------------|-----|-----------------------|-------------------------|----|-----------------------------------|-------------------------|---|--------------------|-------------------------|-----|
| Percent             | 95% Confidence Interval | N   | Percent               | 95% Confidence Interval | N  | Percent                           | 95% Confidence Interval | N | Percent            | 95% Confidence Interval | N   |
| 26.6                | 21.0 - 33.1             | 139 | 64.2                  | 53.7 - 73.5             | 67 | -                                 | -                       | 8 | 40.0               | 34.9 - 45.3             | 214 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
 N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

20. Percentage of schools that offer opportunities for all students to participate in intramural sports programs or physical activity clubs.

| <b>High Schools</b> |                         |     | <b>Middle Schools</b> |                         |    | <b>Junior/Senior High Schools</b> |                         |   | <b>All Schools</b> |                         |     |
|---------------------|-------------------------|-----|-----------------------|-------------------------|----|-----------------------------------|-------------------------|---|--------------------|-------------------------|-----|
| Percent             | 95% Confidence Interval | N   | Percent               | 95% Confidence Interval | N  | Percent                           | 95% Confidence Interval | N | Percent            | 95% Confidence Interval | N   |
| 54.7                | 47.8 - 61.4             | 139 | 62.7                  | 52.6 - 71.8             | 67 | -                                 | -                       | 8 | 57.9               | 52.4 - 63.2             | 214 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
 N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

21. Percentage of schools that offer interscholastic sports to students.

| <b>High Schools</b> |                         |     | <b>Middle Schools</b> |                         |    | <b>Junior/Senior High Schools</b> |                         |   | <b>All Schools</b> |                         |     |
|---------------------|-------------------------|-----|-----------------------|-------------------------|----|-----------------------------------|-------------------------|---|--------------------|-------------------------|-----|
| Percent             | 95% Confidence Interval | N   | Percent               | 95% Confidence Interval | N  | Percent                           | 95% Confidence Interval | N | Percent            | 95% Confidence Interval | N   |
| 72.1                | 66.1 - 77.5             | 140 | 85.1                  | 76.7 - 90.8             | 67 | -                                 | -                       | 8 | 76.2               | 71.5 - 80.3             | 215 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

22. Percentage of schools that offer opportunities for students to participate in physical activity before the school day through organized physical activities or access to facilities or equipment for physical activity.

| <b>High Schools</b> |                         |     | <b>Middle Schools</b> |                         |    | <b>Junior/Senior High Schools</b> |                         |   | <b>All Schools</b> |                         |     |
|---------------------|-------------------------|-----|-----------------------|-------------------------|----|-----------------------------------|-------------------------|---|--------------------|-------------------------|-----|
| Percent             | 95% Confidence Interval | N   | Percent               | 95% Confidence Interval | N  | Percent                           | 95% Confidence Interval | N | Percent            | 95% Confidence Interval | N   |
| 33.1                | 27.3 - 39.4             | 136 | 22.7                  | 15.2 - 32.6             | 66 | -                                 | -                       | 8 | 29.6               | 24.9 - 34.8             | 210 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

23. Percentage of schools that prohibit staff from excluding students from physical education or physical activity to punish them for bad behavior or failure to complete class work in another class.

| <b>High Schools</b> |                         |     | <b>Middle Schools</b> |                         |    | <b>Junior/Senior High Schools</b> |                         |   | <b>All Schools</b> |                         |     |
|---------------------|-------------------------|-----|-----------------------|-------------------------|----|-----------------------------------|-------------------------|---|--------------------|-------------------------|-----|
| Percent             | 95% Confidence Interval | N   | Percent               | 95% Confidence Interval | N  | Percent                           | 95% Confidence Interval | N | Percent            | 95% Confidence Interval | N   |
| 69.6                | 62.7 - 75.6             | 138 | 70.8                  | 58.7 - 80.5             | 65 | -                                 | -                       | 8 | 70.6               | 64.9 - 75.8             | 211 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
 N = Unweighted number of observations



**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

24. Percentage of schools that have a joint use agreement for shared use of school or community physical activity facilities.

| <b>High Schools</b> |                         |     | <b>Middle Schools</b> |                         |    | <b>Junior/Senior High Schools</b> |                         |   | <b>All Schools</b> |                         |     |
|---------------------|-------------------------|-----|-----------------------|-------------------------|----|-----------------------------------|-------------------------|---|--------------------|-------------------------|-----|
| Percent             | 95% Confidence Interval | N   | Percent               | 95% Confidence Interval | N  | Percent                           | 95% Confidence Interval | N | Percent            | 95% Confidence Interval | N   |
| 75.5                | 69.5 - 80.7             | 139 | 78.8                  | 71.0 - 84.9             | 66 | -                                 | -                       | 8 | 77.0               | 72.3 - 81.1             | 213 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
 N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

25. Percentage of schools that have adopted a policy prohibiting tobacco use.

| <b>High Schools</b> |                         |     | <b>Middle Schools</b> |                         |    | <b>Junior/Senior High Schools</b> |                         |   | <b>All Schools</b> |                         |     |
|---------------------|-------------------------|-----|-----------------------|-------------------------|----|-----------------------------------|-------------------------|---|--------------------|-------------------------|-----|
| Percent             | 95% Confidence Interval | N   | Percent               | 95% Confidence Interval | N  | Percent                           | 95% Confidence Interval | N | Percent            | 95% Confidence Interval | N   |
| 99.3                | 96.3 - 99.9             | 138 | 97.0                  | 90.8 - 99.1             | 67 | -                                 | -                       | 8 | 98.6               | 96.4 - 99.5             | 213 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
 N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

26. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

|   | High Schools |                |     | Middle Schools |                |    | Junior/Senior High Schools |                |   | All Schools |                |     |
|---|--------------|----------------|-----|----------------|----------------|----|----------------------------|----------------|---|-------------|----------------|-----|
|   | Percent      | 95% Confidence |     | Percent        | 95% Confidence |    | Percent                    | 95% Confidence |   | Percent     | 95% Confidence |     |
|   |              | Interval       | N   |                | Interval       | N  |                            | Interval       | N |             | Interval       | N   |
| a. Cigarettes   | 97.8         | 94.3 - 99.1    | 134 | 95.4           | 88.4 - 98.2    | 65 | -                          | -              | 8 | 97.1        | 94.4 - 98.5    | 207 |
| b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip) | 96.3         | 92.3 - 98.2    | 134 | 93.8           | 86.2 - 97.3    | 64 | -                          | -              | 8 | 95.2        | 91.9 - 97.1    | 206 |
| c. Cigars   | 97.8         | 94.3 - 99.1    | 134 | 92.2           | 84.2 - 96.3    | 64 | -                          | -              | 7 | 96.1        | 93.2 - 97.8    | 205 |
| d. Pipes  | 97.7         | 94.3 - 99.1    | 133 | 95.4           | 88.4 - 98.2    | 65 | -                          | -              | 8 | 97.1        | 94.4 - 98.5    | 206 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

26. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

|   | High Schools |                         |     | Middle Schools |                         |    | Junior/Senior High Schools |                         |   | All Schools |                         |     |
|---|--------------|-------------------------|-----|----------------|-------------------------|----|----------------------------|-------------------------|---|-------------|-------------------------|-----|
|   | Percent      | 95% Confidence Interval | N   | Percent        | 95% Confidence Interval | N  | Percent                    | 95% Confidence Interval | N | Percent     | 95% Confidence Interval | N   |
| a. Cigarettes   | 97.8         | 94.3 - 99.1             | 134 | 93.8           | 86.4 - 97.3             | 65 | -                          | -                       | 8 | 96.6        | 93.8 - 98.2             | 207 |
| b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip) | 97.7         | 94.3 - 99.1             | 133 | 95.4           | 88.4 - 98.2             | 65 | -                          | -                       | 8 | 97.1        | 94.4 - 98.5             | 206 |
| c. Cigars   | 97.0         | 93.3 - 98.7             | 133 | 92.1           | 83.9 - 96.3             | 63 | -                          | -                       | 8 | 95.6        | 92.5 - 97.5             | 204 |
| d. Pipes  | 97.8         | 94.3 - 99.1             | 134 | 93.8           | 86.4 - 97.3             | 65 | -                          | -                       | 8 | 96.6        | 93.8 - 98.2             | 207 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

26. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

|   | High Schools |                         |     | Middle Schools |                         |    | Junior/Senior High Schools |                         |   | All Schools |                         |     |
|---|--------------|-------------------------|-----|----------------|-------------------------|----|----------------------------|-------------------------|---|-------------|-------------------------|-----|
|   | Percent      | 95% Confidence Interval | N   | Percent        | 95% Confidence Interval | N  | Percent                    | 95% Confidence Interval | N | Percent     | 95% Confidence Interval | N   |
| a. Cigarettes   | 97.7         | 94.3 - 99.1             | 133 | 93.8           | 86.2 - 97.3             | 64 | -                          | -                       | 8 | 96.6        | 93.8 - 98.2             | 205 |
| b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip) | 97.8         | 94.3 - 99.1             | 134 | 93.8           | 86.4 - 97.3             | 65 | -                          | -                       | 8 | 96.6        | 93.8 - 98.2             | 207 |
| c. Cigars   | 97.8         | 94.3 - 99.1             | 134 | 96.9           | 90.5 - 99.0             | 65 | -                          | -                       | 8 | 97.6        | 95.0 - 98.8             | 207 |
| d. Pipes  | 97.0         | 93.3 - 98.7             | 133 | 93.8           | 86.4 - 97.3             | 65 | -                          | -                       | 8 | 96.1        | 93.2 - 97.9             | 206 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

27. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

|                            | High Schools |                         |     | Middle Schools |                         |    | Junior/Senior High Schools |                         |   | All Schools |                         |     |
|----------------------------|--------------|-------------------------|-----|----------------|-------------------------|----|----------------------------|-------------------------|---|-------------|-------------------------|-----|
|                            | Percent      | 95% Confidence Interval | N   | Percent        | 95% Confidence Interval | N  | Percent                    | 95% Confidence Interval | N | Percent     | 95% Confidence Interval | N   |
| a. During school hours     | 99.2         | 96.2 - 99.9             | 132 | 96.9           | 90.5 - 99.0             | 65 | -                          | -                       | 8 | 98.6        | 96.3 - 99.4             | 205 |
| b. During non-school hours | 91.6         | 87.1 - 94.6             | 131 | 87.3           | 78.1 - 93.0             | 63 | -                          | -                       | 8 | 90.1        | 86.2 - 93.0             | 202 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

27. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

|                            | High Schools |                         |     | Middle Schools |                         |    | Junior/Senior High Schools |                         |   | All Schools |                         |     |
|----------------------------|--------------|-------------------------|-----|----------------|-------------------------|----|----------------------------|-------------------------|---|-------------|-------------------------|-----|
|                            | Percent      | 95% Confidence Interval | N   | Percent        | 95% Confidence Interval | N  | Percent                    | 95% Confidence Interval | N | Percent     | 95% Confidence Interval | N   |
| a. During school hours     | 91.6         | 87.1 - 94.6             | 131 | 87.5           | 78.2 - 93.2             | 64 | -                          | -                       | 8 | 90.2        | 86.2 - 93.1             | 203 |
| b. During non-school hours | 98.5         | 95.2 - 99.5             | 132 | 96.9           | 90.5 - 99.0             | 65 | -                          | -                       | 8 | 98.1        | 95.6 - 99.1             | 205 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

27. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

|                            | High Schools |                         |     | Middle Schools |                         |    | Junior/Senior High Schools |                         |   | All Schools |                         |     |
|----------------------------|--------------|-------------------------|-----|----------------|-------------------------|----|----------------------------|-------------------------|---|-------------|-------------------------|-----|
|                            | Percent      | 95% Confidence Interval | N   | Percent        | 95% Confidence Interval | N  | Percent                    | 95% Confidence Interval | N | Percent     | 95% Confidence Interval | N   |
| a. During school hours     | 98.5         | 95.2 - 99.5             | 132 | 95.4           | 88.4 - 98.2             | 65 | -                          | -                       | 8 | 97.6        | 95.0 - 98.8             | 205 |
| b. During non-school hours | 90.7         | 85.9 - 94.0             | 129 | 87.3           | 78.1 - 93.0             | 63 | -                          | -                       | 8 | 89.5        | 85.7 - 92.4             | 200 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations



**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

28. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

|   | High Schools |                         |     | Middle Schools |                         |    | Junior/Senior High Schools |                         |   | All Schools |                         |     |
|---|--------------|-------------------------|-----|----------------|-------------------------|----|----------------------------|-------------------------|---|-------------|-------------------------|-----|
|   | Percent      | 95% Confidence Interval | N   | Percent        | 95% Confidence Interval | N  | Percent                    | 95% Confidence Interval | N | Percent     | 95% Confidence Interval | N   |
| a. In school buildings  | 99.2         | 96.2 - 99.9             | 133 | 96.9           | 90.5 - 99.0             | 65 | -                          | -                       | 8 | 98.6        | 96.3 - 99.4             | 206 |
| b. Outside on school grounds, including parking lots and playing fields | 98.5         | 95.3 - 99.5             | 133 | 95.4           | 88.4 - 98.2             | 65 | -                          | -                       | 8 | 97.6        | 95.0 - 98.8             | 206 |
| c. On school buses or other vehicles used to transport students         | 99.2         | 96.2 - 99.9             | 133 | 95.4           | 88.4 - 98.2             | 65 | -                          | -                       | 8 | 98.1        | 95.7 - 99.2             | 206 |
| d. At off-campus, school-sponsored events                               | 97.7         | 94.3 - 99.1             | 133 | 96.9           | 90.5 - 99.0             | 65 | -                          | -                       | 8 | 97.6        | 95.0 - 98.8             | 206 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

28. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

|   | High Schools |                         |     | Middle Schools |                         |    | Junior/Senior High Schools |                         |   | All Schools |                         |     |
|---|--------------|-------------------------|-----|----------------|-------------------------|----|----------------------------|-------------------------|---|-------------|-------------------------|-----|
|   | Percent      | 95% Confidence Interval | N   | Percent        | 95% Confidence Interval | N  | Percent                    | 95% Confidence Interval | N | Percent     | 95% Confidence Interval | N   |
| a. In school buildings  | 98.5         | 95.3 - 99.5             | 133 | 96.9           | 90.5 - 99.0             | 65 | -                          | -                       | 8 | 98.1        | 95.7 - 99.2             | 206 |
| b. Outside on school grounds, including parking lots and playing fields | 99.2         | 96.2 - 99.9             | 133 | 96.9           | 90.5 - 99.0             | 65 | -                          | -                       | 8 | 98.6        | 96.3 - 99.4             | 206 |
| c. On school buses or other vehicles used to transport students         | 98.5         | 95.2 - 99.5             | 131 | 90.6           | 84.0 - 94.7             | 64 | -                          | -                       | 8 | 96.1        | 93.6 - 97.7             | 203 |
| d. At off-campus, school-sponsored events                               | 99.2         | 96.2 - 99.9             | 133 | 96.9           | 90.4 - 99.0             | 64 | -                          | -                       | 8 | 98.6        | 96.3 - 99.4             | 205 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

28. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

|   | High Schools |                         |     | Middle Schools |                         |    | Junior/Senior High Schools |                         |   | All Schools |                         |     |
|---|--------------|-------------------------|-----|----------------|-------------------------|----|----------------------------|-------------------------|---|-------------|-------------------------|-----|
|   | Percent      | 95% Confidence Interval | N   | Percent        | 95% Confidence Interval | N  | Percent                    | 95% Confidence Interval | N | Percent     | 95% Confidence Interval | N   |
| a. In school buildings  | 99.2         | 96.2 - 99.9             | 133 | 96.9           | 90.4 - 99.0             | 64 | -                          | -                       | 8 | 98.6        | 96.3 - 99.4             | 205 |
| b. Outside on school grounds, including parking lots and playing fields | 98.5         | 95.3 - 99.5             | 133 | 96.9           | 90.5 - 99.0             | 65 | -                          | -                       | 8 | 98.1        | 95.7 - 99.2             | 206 |
| c. On school buses or other vehicles used to transport students         | 99.2         | 96.2 - 99.9             | 133 | 96.9           | 90.5 - 99.0             | 65 | -                          | -                       | 8 | 98.6        | 96.3 - 99.4             | 206 |
| d. At off-campus, school-sponsored events                               | 95.5         | 91.2 - 97.7             | 132 | 79.7           | 71.2 - 86.2             | 64 | -                          | -                       | 7 | 90.7        | 87.2 - 93.4             | 203 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

28N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.\*

| High Schools |                         |     | Middle Schools |                         |    | Junior/Senior High Schools |                         |   | All Schools |                         |     |
|--------------|-------------------------|-----|----------------|-------------------------|----|----------------------------|-------------------------|---|-------------|-------------------------|-----|
| Percent      | 95% Confidence Interval |     | Percent        | 95% Confidence Interval |    | Percent                    | 95% Confidence Interval |   | Percent     | 95% Confidence Interval |     |
|              | Interval                | N   |                | Interval                | N  |                            | Interval                | N |             | Interval                | N   |
| 82.1         | 75.4 - 87.3             | 123 | 69.0           | 58.1 - 78.1             | 58 | -                          | -                       | 8 | 77.3        | 71.9 - 82.0             | 189 |

\*Responses to question 26 (a, b, c, and d), question 27 (a and b), and question 28 (a, b, c, and d) are all "yes."

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

29. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

| <b>High Schools</b> |                         |     | <b>Middle Schools</b> |                         |    | <b>Junior/Senior High Schools</b> |                         |   | <b>All Schools</b> |                         |     |
|---------------------|-------------------------|-----|-----------------------|-------------------------|----|-----------------------------------|-------------------------|---|--------------------|-------------------------|-----|
| Percent             | 95% Confidence Interval | N   | Percent               | 95% Confidence Interval | N  | Percent                           | 95% Confidence Interval | N | Percent            | 95% Confidence Interval | N   |
| 94.0                | 89.5 - 96.7             | 134 | 98.5                  | 92.4 - 99.7             | 65 | -                                 | -                       | 8 | 95.6               | 92.5 - 97.5             | 207 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
 N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

30. Percentage of schools that provide tobacco cessation services for each of the following groups.

|                      | High Schools |                         |     | Middle Schools |                         |    | Junior/Senior High Schools |                         |   | All Schools |                         |     |
|----------------------|--------------|-------------------------|-----|----------------|-------------------------|----|----------------------------|-------------------------|---|-------------|-------------------------|-----|
|                      | Percent      | 95% Confidence Interval | N   | Percent        | 95% Confidence Interval | N  | Percent                    | 95% Confidence Interval | N | Percent     | 95% Confidence Interval | N   |
| a. Faculty and staff | 37.0         | 30.2 - 44.5             | 135 | 52.2           | 43.9 - 60.5             | 67 | -                          | -                       | 8 | 41.8        | 36.6 - 47.2             | 210 |
| b. Students          | 44.6         | 38.1 - 51.3             | 130 | 48.4           | 39.0 - 57.8             | 62 | -                          | -                       | 8 | 45.5        | 40.2 - 50.8             | 200 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

31. Percentage of schools that have arrangements with any organizations or health care professionals not on school property to provide tobacco cessation services for each of the following groups.

|                      | High Schools |                         |     | Middle Schools |                         |    | Junior/Senior High Schools |                         |   | All Schools |                         |     |
|----------------------|--------------|-------------------------|-----|----------------|-------------------------|----|----------------------------|-------------------------|---|-------------|-------------------------|-----|
|                      | Percent      | 95% Confidence Interval |     | Percent        | 95% Confidence Interval |    | Percent                    | 95% Confidence Interval |   | Percent     | 95% Confidence Interval |     |
|                      |              | Interval                | N   |                | Interval                | N  |                            | Interval                | N |             | Interval                | N   |
| a. Faculty and staff | 47.8         | 40.2 - 55.4             | 134 | 57.6           | 47.0 - 67.5             | 66 | -                          | -                       | 8 | 50.4        | 44.5 - 56.3             | 208 |
| b. Students          | 51.5         | 44.2 - 58.8             | 132 | 49.2           | 39.7 - 58.7             | 61 | -                          | -                       | 8 | 50.3        | 44.6 - 55.9             | 201 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

32. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruit or non-fried vegetables at school celebrations when foods or beverages are offered.

|  | High Schools |                         |     | Middle Schools |                         |    | Junior/Senior High Schools |                         |   | All Schools |                         |     |
|--|--------------|-------------------------|-----|----------------|-------------------------|----|----------------------------|-------------------------|---|-------------|-------------------------|-----|
|  | Percent      | 95% Confidence Interval | N   | Percent        | 95% Confidence Interval | N  | Percent                    | 95% Confidence Interval | N | Percent     | 95% Confidence Interval | N   |
| a. Foods or beverages are not offered at school celebrations | 6.6          | 3.8 - 11.2              | 136 | 9.2            | 4.6 - 17.6              | 65 | -                          | -                       | 8 | 7.2         | 4.7 - 10.8              | 209 |
| b. Never   | 1.5          | 0.5 - 4.6               | 136 | 1.5            | 0.3 - 7.6               | 65 | -                          | -                       | 8 | 1.4         | 0.6 - 3.6               | 209 |
| c. Rarely  | 8.8          | 5.5 - 13.9              | 136 | 7.7            | 3.7 - 15.4              | 65 | -                          | -                       | 8 | 8.1         | 5.5 - 11.9              | 209 |
| d. Sometimes   | 52.9         | 45.6 - 60.2             | 136 | 53.8           | 42.3 - 65.0             | 65 | -                          | -                       | 8 | 52.1        | 46.1 - 58.1             | 209 |
| e. Always or almost always                                   | 30.1         | 24.1 - 37.0             | 136 | 27.7           | 18.4 - 39.3             | 65 | -                          | -                       | 8 | 31.1        | 26.0 - 36.8             | 209 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations



**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

33. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

| <b>High Schools</b> |                         |     | <b>Middle Schools</b> |                         |    | <b>Junior/Senior High Schools</b> |                         |   | <b>All Schools</b> |                         |     |
|---------------------|-------------------------|-----|-----------------------|-------------------------|----|-----------------------------------|-------------------------|---|--------------------|-------------------------|-----|
| Percent             | 95% Confidence Interval | N   | Percent               | 95% Confidence Interval | N  | Percent                           | 95% Confidence Interval | N | Percent            | 95% Confidence Interval | N   |
| 74.5                | 67.8 - 80.1             | 137 | 38.8                  | 30.1 - 48.3             | 67 | -                                 | -                       | 8 | 63.0               | 57.8 - 67.9             | 212 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
 N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

34. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

|   | High Schools |                         |     | Middle Schools |                         |    | Junior/Senior High Schools |                         |   | All Schools |                         |     |
|---|--------------|-------------------------|-----|----------------|-------------------------|----|----------------------------|-------------------------|---|-------------|-------------------------|-----|
|   | Percent      | 95% Confidence Interval | N   | Percent        | 95% Confidence Interval | N  | Percent                    | 95% Confidence Interval | N | Percent     | 95% Confidence Interval | N   |
| a. Chocolate candy  | 37.0         | 30.3 - 44.3             | 135 | 7.6            | 3.6 - 15.4              | 66 | -                          | -                       | 8 | 26.5        | 21.9 - 31.6             | 209 |
| b. Other kinds of candy   | 41.0         | 34.3 - 48.2             | 134 | 12.3           | 7.3 - 20.0              | 65 | -                          | -                       | 8 | 30.6        | 25.9 - 35.8             | 207 |
| c. Salty snacks that are not low in fat (e.g., regular potato chips)                | 47.8         | 41.2 - 54.5             | 136 | 16.7           | 10.4 - 25.6             | 66 | -                          | -                       | 8 | 36.9        | 32.1 - 41.9             | 210 |
| d. Low sodium or “no added salt” pretzels, crackers, or chips                       | 55.9         | 48.7 - 62.8             | 136 | 27.3           | 19.0 - 37.5             | 66 | -                          | -                       | 8 | 46.9        | 41.3 - 52.4             | 210 |
| e. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat | 49.6         | 43.4 - 55.9             | 135 | 16.7           | 11.0 - 24.4             | 66 | -                          | -                       | 8 | 38.5        | 34.0 - 43.2             | 209 |
| f. Ice cream or frozen yogurt that is not low in fat                                | 21.5         | 16.2 - 27.9             | 135 | 12.1           | 6.6 - 21.1              | 66 | -                          | -                       | 8 | 18.2        | 14.3 - 23.0             | 209 |
| g. 2% or whole milk (plain or flavored)   | 31.6         | 25.7 - 38.1             | 133 | 21.2           | 14.3 - 30.3             | 66 | -                          | -                       | 8 | 28.1        | 23.5 - 33.2             | 207 |
| h. Nonfat or 1% (low-fat) milk (plain)  | 34.1         | 27.9 - 40.8             | 135 | 21.2           | 14.3 - 30.3             | 66 | -                          | -                       | 8 | 29.7        | 25.0 - 35.0             | 209 |
| i. Water ices or frozen slushes that do not contain juice                           | 18.2         | 13.6 - 23.9             | 132 | 4.5            | 2.6 - 7.8               | 66 | -                          | -                       | 8 | 14.2        | 10.9 - 18.2             | 206 |
| j. Soda pop or fruit drinks that are not 100% juice                                 | 48.5         | 41.2 - 55.9             | 136 | 10.6           | 5.6 - 19.2              | 66 | -                          | -                       | 8 | 35.0        | 29.9 - 40.5             | 210 |
| k. Sports drinks (e.g., Gatorade)   | 61.8         | 54.6 - 68.5             | 136 | 21.2           | 14.3 - 30.3             | 66 | -                          | -                       | 8 | 48.4        | 43.0 - 53.7             | 210 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

34. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

|   | High Schools |                         |     | Middle Schools |                         |    | Junior/Senior High Schools |                         |   | All Schools |                         |     |
|---|--------------|-------------------------|-----|----------------|-------------------------|----|----------------------------|-------------------------|---|-------------|-------------------------|-----|
|   | Percent      | 95% Confidence Interval | N   | Percent        | 95% Confidence Interval | N  | Percent                    | 95% Confidence Interval | N | Percent     | 95% Confidence Interval | N   |
| l. Energy drinks (e.g., Red Bull, Monster)    | 8.1          | 5.2 - 12.6              | 135 | 1.5            | 0.3 - 7.6               | 65 | -                          | -                       | 8 | 5.8         | 3.8 - 8.9               | 208 |
| m. Bottled water                              | 69.9         | 62.6 - 76.2             | 136 | 36.4           | 27.2 - 46.6             | 66 | -                          | -                       | 8 | 58.8        | 53.3 - 64.1             | 210 |
| n. 100% fruit or vegetable juice              | 52.6         | 45.4 - 59.7             | 135 | 31.8           | 23.6 - 41.4             | 66 | -                          | -                       | 8 | 46.1        | 40.6 - 51.7             | 209 |
| o. Foods or beverages containing caffeine     | 42.6         | 35.5 - 50.1             | 136 | 9.1            | 4.6 - 17.3              | 66 | -                          | -                       | 7 | 30.8        | 25.9 - 36.3             | 209 |
| p. Fruits (not fruit juice)                   | 37.0         | 30.4 - 44.2             | 135 | 16.7           | 10.5 - 25.4             | 66 | -                          | -                       | 8 | 29.3        | 24.4 - 34.7             | 209 |
| q. Non-fried vegetables (not vegetable juice) | 31.1         | 25.4 - 37.4             | 135 | 12.1           | 7.2 - 19.7              | 66 | -                          | -                       | 8 | 24.0        | 19.9 - 28.7             | 209 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

35. Percentage of schools that have done any of the following activities during the current school year.

|   | High Schools |                         |     | Middle Schools |                         |    | Junior/Senior High Schools |                         |   | All Schools |                         |     |
|---|--------------|-------------------------|-----|----------------|-------------------------|----|----------------------------|-------------------------|---|-------------|-------------------------|-----|
|   | Percent      | 95% Confidence Interval | N   | Percent        | 95% Confidence Interval | N  | Percent                    | 95% Confidence Interval | N | Percent     | 95% Confidence Interval | N   |
| a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages                    | 9.9          | 6.3 - 15.2              | 131 | 13.8           | 8.0 - 23.0              | 65 | -                          | -                       | 8 | 10.8        | 7.6 - 15.0              | 204 |
| b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating    | 34.8         | 28.6 - 41.7             | 132 | 36.4           | 27.1 - 46.8             | 66 | -                          | -                       | 8 | 36.4        | 31.2 - 41.9             | 206 |
| c. Provided information to students or families on the nutrition and caloric content of foods available                                       | 43.2         | 36.1 - 50.5             | 132 | 45.5           | 35.2 - 56.1             | 66 | -                          | -                       | 8 | 44.7        | 38.8 - 50.6             | 206 |
| d. Conducted taste tests to determine food preferences for nutritious items   | 23.5         | 18.0 - 30.1             | 132 | 27.3           | 18.8 - 37.8             | 66 | -                          | -                       | 8 | 24.7        | 20.0 - 30.2             | 206 |
| e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics | 19.1         | 13.8 - 25.7             | 131 | 19.7           | 12.9 - 29.0             | 66 | -                          | -                       | 8 | 20.0        | 15.7 - 25.1             | 205 |
| f. Served locally or regionally grown foods in the cafeteria or classrooms  | 29.0         | 23.1 - 35.7             | 131 | 25.8           | 17.9 - 35.6             | 66 | -                          | -                       | 8 | 28.3        | 23.5 - 33.6             | 205 |
| g. Planted a school food or vegetable garden  | 23.5         | 17.9 - 30.2             | 132 | 24.2           | 16.2 - 34.6             | 66 | -                          | -                       | 8 | 24.8        | 20.0 - 30.3             | 206 |
| h. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access   | 62.6         | 55.0 - 69.6             | 131 | 61.5           | 50.0 - 71.9             | 65 | -                          | -                       | 8 | 62.3        | 56.0 - 68.1             | 204 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

35. Percentage of schools that have done any of the following activities during the current school year.

|   | High Schools |                         |     | Middle Schools |                         |    | Junior/Senior High Schools |                         |   | All Schools |                         |     |
|---|--------------|-------------------------|-----|----------------|-------------------------|----|----------------------------|-------------------------|---|-------------|-------------------------|-----|
|   | Percent      | 95% Confidence Interval | N   | Percent        | 95% Confidence Interval | N  | Percent                    | 95% Confidence Interval | N | Percent     | 95% Confidence Interval | N   |
| i. Used attractive displays for fruits and vegetables in the cafeteria  | 53.0         | 45.6 - 60.3             | 132 | 65.2           | 54.5 - 74.5             | 66 | -                          | -                       | 8 | 57.2        | 51.2 - 63.0             | 206 |
| j. Offered a self-serve salad bar to students   | 19.7         | 14.4 - 26.4             | 132 | 15.4           | 9.1 - 24.9              | 65 | -                          | -                       | 7 | 17.7        | 13.5 - 22.8             | 204 |
| k. Labeled healthful foods with appealing names (e.g., crunchy carrots)   | 28.8         | 22.9 - 35.5             | 132 | 39.4           | 29.5 - 50.3             | 66 | -                          | -                       | 7 | 33.1        | 28.0 - 38.6             | 205 |
| l. Encouraged students to drink plain water   | 64.9         | 57.9 - 71.3             | 131 | 80.3           | 71.9 - 86.7             | 66 | -                          | -                       | 8 | 69.7        | 64.5 - 74.4             | 205 |
| m. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance | 31.1         | 24.6 - 38.3             | 132 | 30.3           | 22.0 - 40.2             | 66 | -                          | -                       | 8 | 31.1        | 25.9 - 36.8             | 206 |
| n. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes           | 30.5         | 24.8 - 36.9             | 131 | 36.9           | 28.7 - 46.0             | 65 | -                          | -                       | 8 | 33.8        | 29.1 - 38.9             | 204 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

36. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

|   | High Schools |                         |     | Middle Schools |                         |    | Junior/Senior High Schools |                         |   | All Schools |                         |     |
|---|--------------|-------------------------|-----|----------------|-------------------------|----|----------------------------|-------------------------|---|-------------|-------------------------|-----|
|   | Percent      | 95% Confidence Interval | N   | Percent        | 95% Confidence Interval | N  | Percent                    | 95% Confidence Interval | N | Percent     | 95% Confidence Interval | N   |
| a. In the school building   | 69.4         | 62.6 - 75.4             | 134 | 60.6           | 51.2 - 69.3             | 66 | -                          | -                       | 8 | 67.4        | 62.1 - 72.3             | 208 |
| b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus           | 50.4         | 43.7 - 57.0             | 133 | 57.6           | 47.3 - 67.2             | 66 | -                          | -                       | 8 | 54.1        | 48.6 - 59.4             | 207 |
| c. On school buses or other vehicles used to transport students   | 79.7         | 73.4 - 84.8             | 133 | 69.2           | 59.5 - 77.5             | 65 | -                          | -                       | 8 | 77.3        | 72.3 - 81.6             | 206 |
| d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)                              | 61.7         | 54.2 - 68.6             | 133 | 63.6           | 53.4 - 72.8             | 66 | -                          | -                       | 8 | 63.3        | 57.5 - 68.7             | 207 |
| e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media) | 71.6         | 64.9 - 77.5             | 134 | 66.7           | 56.5 - 75.5             | 66 | -                          | -                       | 8 | 70.7        | 65.4 - 75.5             | 208 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

37. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

|                              | High Schools |                         |     | Middle Schools |                         |    | Junior/Senior High Schools |                         |   | All Schools |                         |     |
|------------------------------|--------------|-------------------------|-----|----------------|-------------------------|----|----------------------------|-------------------------|---|-------------|-------------------------|-----|
|                              | Percent      | 95% Confidence Interval | N   | Percent        | 95% Confidence Interval | N  | Percent                    | 95% Confidence Interval | N | Percent     | 95% Confidence Interval | N   |
| a. Yes, in all locations     | 67.9         | 60.9 - 74.2             | 134 | 47.7           | 38.1 - 57.5             | 65 | -                          | -                       | 8 | 61.5        | 55.9 - 66.8             | 207 |
| b. Yes, in certain locations | 27.6         | 21.8 - 34.3             | 134 | 38.5           | 29.8 - 47.9             | 65 | -                          | -                       | 8 | 30.8        | 26.0 - 36.2             | 207 |
| c. No                        | 4.5          | 2.3 - 8.6               | 134 | 13.8           | 7.9 - 23.2              | 65 | -                          | -                       | 8 | 7.7         | 5.1 - 11.4              | 207 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

37N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

| <b>High Schools</b> |                         |     | <b>Middle Schools</b> |                         |    | <b>Junior/Senior High Schools</b> |                         |   | <b>All Schools</b> |                         |     |
|---------------------|-------------------------|-----|-----------------------|-------------------------|----|-----------------------------------|-------------------------|---|--------------------|-------------------------|-----|
| Percent             | 95% Confidence Interval | N   | Percent               | 95% Confidence Interval | N  | Percent                           | 95% Confidence Interval | N | Percent            | 95% Confidence Interval | N   |
| 95.5                | 91.4 - 97.7             | 134 | 86.2                  | 76.8 - 92.1             | 65 | -                                 | -                       | 8 | 92.3               | 88.6 - 94.9             | 207 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations



**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

38. Percentage of schools that offer a free source of drinking water in the following locations.\*

|   | High Schools |                         |     | Middle Schools |                         |    | Junior/Senior High Schools |                         |   | All Schools |                         |     |
|---|--------------|-------------------------|-----|----------------|-------------------------|----|----------------------------|-------------------------|---|-------------|-------------------------|-----|
|   | Percent      | 95% Confidence Interval | N   | Percent        | 95% Confidence Interval | N  | Percent                    | 95% Confidence Interval | N | Percent     | 95% Confidence Interval | N   |
| a. Cafeteria during breakfast                             | 90.8         | 85.7 - 94.3             | 131 | 88.9           | 79.9 - 94.2             | 63 | -                          | -                       | 8 | 90.6        | 86.5 - 93.5             | 202 |
| b. Cafeteria during lunch                                 | 90.2         | 85.0 - 93.8             | 133 | 89.1           | 80.2 - 94.3             | 64 | -                          | -                       | 8 | 90.3        | 86.1 - 93.2             | 205 |
| c. Gymnasium or other indoor physical activity facilities | 96.1         | 92.0 - 98.1             | 127 | 96.9           | 90.5 - 99.0             | 65 | -                          | -                       | 8 | 96.5        | 93.6 - 98.1             | 200 |
| d. Outdoor physical activity facilities and sports fields | 79.5         | 72.5 - 85.1             | 127 | 75.4           | 65.2 - 83.4             | 61 | -                          | -                       | 7 | 78.5        | 73.0 - 83.2             | 195 |
| e. Hallways throughout the school                         | 94.9         | 90.7 - 97.2             | 136 | 100.0          | †                       | 66 | -                          | -                       | 8 | 96.6        | 93.9 - 98.2             | 210 |

\*Among schools with that location.

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

39. Percentage of schools that have a full-time registered nurse who provides health services to students.

| <b>High Schools</b> |                         |     | <b>Middle Schools</b> |                         |    | <b>Junior/Senior High Schools</b> |                         |   | <b>All Schools</b> |                         |     |
|---------------------|-------------------------|-----|-----------------------|-------------------------|----|-----------------------------------|-------------------------|---|--------------------|-------------------------|-----|
| Percent             | 95% Confidence Interval | N   | Percent               | 95% Confidence Interval | N  | Percent                           | 95% Confidence Interval | N | Percent            | 95% Confidence Interval | N   |
| 28.7                | 22.1 - 36.3             | 129 | 25.8                  | 18.0 - 35.4             | 66 | -                                 | -                       | 8 | 28.1               | 22.9 - 33.9             | 203 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

40. Percentage of schools that provide the following services to students.

|   | High Schools |                         |     | Middle Schools |                         |    | Junior/Senior High Schools |                         |   | All Schools |                         |     |
|---|--------------|-------------------------|-----|----------------|-------------------------|----|----------------------------|-------------------------|---|-------------|-------------------------|-----|
|   | Percent      | 95% Confidence Interval | N   | Percent        | 95% Confidence Interval | N  | Percent                    | 95% Confidence Interval | N | Percent     | 95% Confidence Interval | N   |
| a. HIV testing  | 2.2          | 0.9 - 5.6               | 134 | 1.5            | 0.3 - 7.6               | 65 | -                          | -                       | 8 | 1.9         | 0.9 - 4.3               | 207 |
| b. HIV treatment  | 2.2          | 0.9 - 5.6               | 134 | 0.0            | †                       | 65 | -                          | -                       | 8 | 1.5         | 0.6 - 3.7               | 207 |
| c. STD testing  | 3.0          | 1.3 - 6.6               | 134 | 3.0            | 1.0 - 9.2               | 66 | -                          | -                       | 8 | 2.9         | 1.5 - 5.5               | 208 |
| d. STD treatment  | 2.2          | 0.9 - 5.7               | 134 | 0.0            | †                       | 65 | -                          | -                       | 8 | 1.5         | 0.6 - 3.7               | 207 |
| e. Pregnancy testing  | 5.2          | 2.8 - 9.6               | 134 | 3.0            | 1.0 - 9.2               | 66 | -                          | -                       | 8 | 4.3         | 2.5 - 7.4               | 208 |
| f. Provision of condoms   | 3.7          | 1.8 - 7.6               | 134 | 0.0            | †                       | 65 | -                          | -                       | 8 | 2.4         | 1.2 - 5.0               | 207 |
| g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)   | 2.2          | 0.9 - 5.7               | 134 | 0.0            | †                       | 65 | -                          | -                       | 8 | 1.5         | 0.6 - 3.7               | 207 |
| h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD]) | 2.2          | 0.9 - 5.7               | 134 | 0.0            | †                       | 65 | -                          | -                       | 8 | 1.5         | 0.6 - 3.7               | 207 |
| i. Prenatal care  | 9.0          | 5.5 - 14.1              | 134 | 4.5            | 1.8 - 11.2              | 66 | -                          | -                       | 8 | 7.2         | 4.7 - 10.9              | 208 |
| j. Human papillomavirus (HPV) vaccine administration  | 3.0          | 1.3 - 6.8               | 132 | 3.1            | 1.0 - 9.3               | 65 | -                          | -                       | 8 | 3.4         | 1.8 - 6.3               | 205 |

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

41. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

|   | High Schools |                         |     | Middle Schools |                         |    | Junior/Senior High Schools |                         |   | All Schools |                         |     |
|---|--------------|-------------------------|-----|----------------|-------------------------|----|----------------------------|-------------------------|---|-------------|-------------------------|-----|
|   | Percent      | 95% Confidence Interval | N   | Percent        | 95% Confidence Interval | N  | Percent                    | 95% Confidence Interval | N | Percent     | 95% Confidence Interval | N   |
| a. HIV testing  | 57.6         | 50.5 - 64.3             | 132 | 33.8           | 25.9 - 42.9             | 65 | -                          | -                       | 8 | 51.4        | 46.1 - 56.6             | 205 |
| b. HIV treatment  | 55.3         | 48.2 - 62.2             | 132 | 32.3           | 24.1 - 41.8             | 65 | -                          | -                       | 8 | 48.9        | 43.6 - 54.3             | 205 |
| c. STD testing  | 59.1         | 52.0 - 65.8             | 132 | 33.8           | 25.3 - 43.7             | 65 | -                          | -                       | 8 | 52.4        | 47.0 - 57.7             | 205 |
| d. STD treatment  | 59.1         | 52.2 - 65.7             | 132 | 32.3           | 24.1 - 41.8             | 65 | -                          | -                       | 8 | 51.4        | 46.2 - 56.6             | 205 |
| e. Pregnancy testing  | 60.6         | 53.8 - 67.1             | 132 | 36.4           | 27.6 - 46.1             | 66 | -                          | -                       | 8 | 54.1        | 48.8 - 59.2             | 206 |
| f. Provision of condoms   | 41.2         | 34.1 - 48.7             | 131 | 26.2           | 19.0 - 34.9             | 65 | -                          | -                       | 8 | 37.9        | 32.6 - 43.4             | 204 |
| g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)   | 39.7         | 32.8 - 47.0             | 131 | 24.6           | 17.8 - 32.9             | 65 | -                          | -                       | 8 | 36.4        | 31.3 - 41.8             | 204 |
| h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD]) | 42.7         | 35.8 - 50.0             | 131 | 24.6           | 17.8 - 32.9             | 65 | -                          | -                       | 8 | 38.4        | 33.3 - 43.7             | 204 |
| i. Prenatal care  | 63.3         | 55.9 - 70.1             | 128 | 37.9           | 29.4 - 47.2             | 66 | -                          | -                       | 8 | 56.1        | 50.7 - 61.4             | 202 |
| j. Human papillomavirus (HPV) vaccine administration  | 51.2         | 43.2 - 59.0             | 129 | 31.3           | 23.2 - 40.6             | 64 | -                          | -                       | 8 | 45.9        | 40.1 - 51.8             | 201 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

42. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

| High Schools |                         |     | Middle Schools |                         |    | Junior/Senior High Schools |                         |   | All Schools |                         |     |
|--------------|-------------------------|-----|----------------|-------------------------|----|----------------------------|-------------------------|---|-------------|-------------------------|-----|
| Percent      | 95% Confidence Interval | N   | Percent        | 95% Confidence Interval | N  | Percent                    | 95% Confidence Interval | N | Percent     | 95% Confidence Interval | N   |
| 67.9         | 61.3 - 74.0             | 131 | 60.3           | 50.3 - 69.5             | 63 | -                          | -                       | 8 | 65.4        | 59.9 - 70.5             | 202 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

43. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

|                                     | High Schools |                         |     | Middle Schools |                         |    | Junior/Senior High Schools |                         |   | All Schools |                         |     |
|-------------------------------------|--------------|-------------------------|-----|----------------|-------------------------|----|----------------------------|-------------------------|---|-------------|-------------------------|-----|
|                                     | Percent      | 95% Confidence Interval | N   | Percent        | 95% Confidence Interval | N  | Percent                    | 95% Confidence Interval | N | Percent     | 95% Confidence Interval | N   |
| a. Asthma                           | 98.5         | 95.4 - 99.5             | 135 | 98.5           | 92.5 - 99.7             | 66 | -                          | -                       | 8 | 98.1        | 95.7 - 99.2             | 209 |
| b. Food allergies                   | 97.0         | 93.4 - 98.7             | 135 | 98.5           | 92.4 - 99.7             | 65 | -                          | -                       | 8 | 97.6        | 95.0 - 98.8             | 208 |
| c. Diabetes                         | 98.5         | 95.4 - 99.5             | 135 | 100.0          | †                       | 66 | -                          | -                       | 8 | 99.0        | 97.0 - 99.7             | 209 |
| d. Epilepsy or seizure disorder     | 98.5         | 95.4 - 99.5             | 135 | 100.0          | †                       | 65 | -                          | -                       | 8 | 99.0        | 97.0 - 99.7             | 208 |
| e. Obesity                          | 45.1         | 38.2 - 52.2             | 133 | 41.5           | 30.9 - 53.1             | 65 | -                          | -                       | 8 | 43.2        | 37.6 - 49.0             | 206 |
| f. Hypertension/high blood pressure | 79.3         | 73.1 - 84.3             | 135 | 72.7           | 62.8 - 80.8             | 66 | -                          | -                       | 8 | 76.6        | 71.5 - 81.0             | 209 |

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

44. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

|                                     | High Schools |                         |     | Middle Schools |                         |    | Junior/Senior High Schools |                         |   | All Schools |                         |     |
|-------------------------------------|--------------|-------------------------|-----|----------------|-------------------------|----|----------------------------|-------------------------|---|-------------|-------------------------|-----|
|                                     | Percent      | 95% Confidence Interval |     | Percent        | 95% Confidence Interval |    | Percent                    | 95% Confidence Interval |   | Percent     | 95% Confidence Interval |     |
|                                     |              | N                       |     |                | N                       |    |                            | N                       |   |             | N                       |     |
| a. Asthma                           | 61.4         | 54.0 - 68.3             | 132 | 60.0           | 49.3 - 69.8             | 65 | -                          | -                       | 7 | 62.3        | 56.4 - 67.8             | 204 |
| b. Food allergies                   | 59.1         | 51.7 - 66.1             | 132 | 57.6           | 47.2 - 67.3             | 66 | -                          | -                       | 7 | 60.0        | 54.2 - 65.6             | 205 |
| c. Diabetes                         | 61.4         | 54.0 - 68.3             | 132 | 60.0           | 49.3 - 69.8             | 65 | -                          | -                       | 7 | 62.3        | 56.4 - 67.8             | 204 |
| d. Epilepsy or seizure disorder     | 60.6         | 53.4 - 67.4             | 132 | 60.0           | 49.3 - 69.8             | 65 | -                          | -                       | 7 | 61.8        | 56.0 - 67.2             | 204 |
| e. Obesity                          | 51.1         | 44.0 - 58.2             | 131 | 49.2           | 39.0 - 59.6             | 65 | -                          | -                       | 7 | 50.8        | 45.0 - 56.5             | 203 |
| f. Hypertension/high blood pressure | 58.0         | 50.7 - 65.0             | 131 | 53.8           | 43.7 - 63.7             | 65 | -                          | -                       | 6 | 58.0        | 52.2 - 63.5             | 202 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

45. Percentage of schools that have done any of the following activities during the current school year.

|   | High Schools |                         |     | Middle Schools |                         |    | Junior/Senior High Schools |                         |   | All Schools |                         |     |
|---|--------------|-------------------------|-----|----------------|-------------------------|----|----------------------------|-------------------------|---|-------------|-------------------------|-----|
|   | Percent      | 95% Confidence Interval | N   | Percent        | 95% Confidence Interval | N  | Percent                    | 95% Confidence Interval | N | Percent     | 95% Confidence Interval | N   |
| a. Provided parents and families with information about how to communicate with their child about sex   | 23.3         | 18.0 - 29.6             | 133 | 26.2           | 18.0 - 36.3             | 65 | -                          | -                       | 8 | 23.8        | 19.3 - 28.9             | 206 |
| b. Provided parents with information about how to monitor their child (e.g., setting parental expectations, keeping track of their child, responding when their child breaks the rules) | 40.9         | 34.0 - 48.2             | 132 | 65.2           | 55.0 - 74.1             | 66 | -                          | -                       | 8 | 48.9        | 43.1 - 54.7             | 206 |
| c. Involved parents as school volunteers in the delivery of health education activities and services  | 25.0         | 19.5 - 31.4             | 132 | 19.7           | 13.3 - 28.2             | 66 | -                          | -                       | 8 | 23.8        | 19.5 - 28.8             | 206 |
| d. Linked parents and families to health services and programs in the community   | 72.2         | 66.0 - 77.6             | 133 | 80.3           | 70.8 - 87.2             | 66 | -                          | -                       | 8 | 75.3        | 70.4 - 79.7             | 207 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations



**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

46. Percentage of schools that use electronic, paper, or oral communication to inform parents about school health services and programs.

| <b>High Schools</b> |                         |     | <b>Middle Schools</b> |                         |    | <b>Junior/Senior High Schools</b> |                         |   | <b>All Schools</b> |                         |     |
|---------------------|-------------------------|-----|-----------------------|-------------------------|----|-----------------------------------|-------------------------|---|--------------------|-------------------------|-----|
| Percent             | 95% Confidence Interval | N   | Percent               | 95% Confidence Interval | N  | Percent                           | 95% Confidence Interval | N | Percent            | 95% Confidence Interval | N   |
| 72.9                | 66.3 - 78.7             | 133 | 80.3                  | 70.8 - 87.2             | 66 | -                                 | -                       | 8 | 75.8               | 70.6 - 80.4             | 207 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
 N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

47. Percentage of schools that participate in a program in which family or community members serve as role models to students or mentor students, such as the Big Brothers Big Sisters program.

| <b>High Schools</b> |                         |     | <b>Middle Schools</b> |                         |    | <b>Junior/Senior High Schools</b> |                         |   | <b>All Schools</b> |                         |     |
|---------------------|-------------------------|-----|-----------------------|-------------------------|----|-----------------------------------|-------------------------|---|--------------------|-------------------------|-----|
| Percent             | 95% Confidence Interval | N   | Percent               | 95% Confidence Interval | N  | Percent                           | 95% Confidence Interval | N | Percent            | 95% Confidence Interval | N   |
| 41.4                | 34.8 - 48.2             | 133 | 51.5                  | 42.6 - 60.3             | 66 | -                                 | -                       | 8 | 44.4               | 39.1 - 49.8             | 207 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

48. Percentage of schools that provide service-learning opportunities for students.

| <b>High Schools</b> |                         |     | <b>Middle Schools</b> |                         |    | <b>Junior/Senior High Schools</b> |                         |   | <b>All Schools</b> |                         |     |
|---------------------|-------------------------|-----|-----------------------|-------------------------|----|-----------------------------------|-------------------------|---|--------------------|-------------------------|-----|
| Percent             | 95% Confidence Interval | N   | Percent               | 95% Confidence Interval | N  | Percent                           | 95% Confidence Interval | N | Percent            | 95% Confidence Interval | N   |
| 84.2                | 78.1 - 88.9             | 133 | 57.6                  | 48.1 - 66.5             | 66 | -                                 | -                       | 8 | 75.5               | 70.6 - 79.9             | 207 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
 N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

49. Percentage of schools that provide peer tutoring opportunities for students.

| <b>High Schools</b> |                               |     | <b>Middle Schools</b> |                               |    | <b>Junior/Senior High Schools</b> |                               |   | <b>All Schools</b> |                               |     |
|---------------------|-------------------------------|-----|-----------------------|-------------------------------|----|-----------------------------------|-------------------------------|---|--------------------|-------------------------------|-----|
| Percent             | 95%<br>Confidence<br>Interval | N   | Percent               | 95%<br>Confidence<br>Interval | N  | Percent                           | 95%<br>Confidence<br>Interval | N | Percent            | 95%<br>Confidence<br>Interval | N   |
| 93.9                | 89.3 - 96.6                   | 132 | 68.2                  | 58.3 - 76.6                   | 66 | -                                 | -                             | 8 | 85.6               | 81.3 - 89.0                   | 206 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2014 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

50. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

| <b>High Schools</b> |                         |     | <b>Middle Schools</b> |                         |    | <b>Junior/Senior High Schools</b> |                         |   | <b>All Schools</b> |                         |     |
|---------------------|-------------------------|-----|-----------------------|-------------------------|----|-----------------------------------|-------------------------|---|--------------------|-------------------------|-----|
| Percent             | 95% Confidence Interval | N   | Percent               | 95% Confidence Interval | N  | Percent                           | 95% Confidence Interval | N | Percent            | 95% Confidence Interval | N   |
| 38.3                | 32.6 - 44.4             | 133 | 35.4                  | 25.9 - 46.2             | 65 | -                                 | -                       | 8 | 38.9               | 33.8 - 44.2             | 206 |

- Results are suppressed due to insufficient number of respondents in subgroup.  
N = Unweighted number of observations