

## NORTH CAROLINA

### 2016 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Physical activity	32.8	26.9 - 39.2	131	46.2	40.7 - 51.7	182	54.3	38.7 - 69.2	24	41.4	37.5 - 45.4	337
b. Nutrition	32.0	25.8 - 38.9	132	40.2	34.8 - 45.9	179	37.6	23.8 - 53.7	24	36.7	32.7 - 40.9	335
c. Tobacco-use prevention	33.7	27.2 - 41.0	131	38.4	33.1 - 44.1	177	49.6	32.0 - 67.3	24	37.4	33.2 - 41.7	332
d. Asthma	24.8	18.9 - 31.7	130	32.8	27.3 - 38.8	177	34.9	20.4 - 52.8	23	29.7	25.7 - 34.0	330
e. Injury and violence prevention	31.1	24.4 - 38.8	132	33.7	28.8 - 39.0	178	50.0	34.7 - 65.3	24	33.9	29.9 - 38.1	334
f. HIV, STD, and teen pregnancy prevention	28.0	22.3 - 34.5	132	27.1	22.1 - 32.8	177	41.9	25.2 - 60.7	24	28.6	24.8 - 32.7	333

## NORTH CAROLINA

### 2016 School Health Profiles Report Weighted Principal Survey Results

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Health education	25.0	18.7 - 32.6	129	33.4	27.9 - 39.3	180	29.3	16.1 - 47.2	24	29.7	25.7 - 34.2	333
b. Physical education	21.9	16.3 - 28.8	128	30.8	25.3 - 36.8	179	33.1	18.6 - 51.7	24	27.4	23.5 - 31.7	331
c. Physical activity	21.9	16.1 - 29.0	129	39.1	33.0 - 45.5	179	25.4	13.5 - 42.6	24	31.2	27.1 - 35.7	332
d. School meal programs	15.1	10.3 - 21.7	128	16.8	12.7 - 21.8	179	8.1	2.4 - 24.0	24	15.5	12.4 - 19.2	331
e. Foods and beverages available at school outside the school meal programs	14.3	9.6 - 20.8	128	18.5	13.9 - 24.1	179	12.0	4.4 - 28.7	24	16.3	13.1 - 20.3	331
f. Health services	24.5	18.0 - 32.4	128	27.1	21.7 - 33.4	177	24.9	12.1 - 44.4	24	25.9	21.8 - 30.6	329
g. Counseling, psychological, and social services	46.3	38.2 - 54.7	128	46.1	39.6 - 52.7	178	28.8	14.6 - 48.8	24	44.9	40.0 - 49.9	330
h. Physical environment	48.6	41.7 - 55.5	128	44.4	38.4 - 50.5	178	40.9	25.4 - 58.3	24	45.8	41.4 - 50.3	330
i. Social and emotional climate	66.0	59.2 - 72.1	129	69.8	63.4 - 75.6	179	57.6	43.4 - 70.6	24	67.4	63.0 - 71.5	332
j. Family engagement	75.9	68.9 - 81.7	128	73.3	67.6 - 78.4	180	70.4	57.3 - 80.8	24	74.1	70.0 - 77.8	332
k. Community involvement	81.4	75.5 - 86.1	129	74.4	68.1 - 79.9	180	78.9	64.7 - 88.5	24	77.5	73.4 - 81.2	333
l. Employee wellness	14.2	10.1 - 19.8	128	29.1	23.9 - 35.0	182	39.5	25.0 - 56.1	25	24.1	20.6 - 27.9	335

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.\*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
36.4	30.9 - 42.3	133	49.7	43.9 - 55.6	175	49.5	30.0 - 69.2	22	44.2	40.1 - 48.3	330

\*Among schools that engaged in an improvement planning process during the past year.  
 N = Unweighted number of observations

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
81.2	76.3 - 85.3	133	91.8	88.2 - 94.3	182	91.8	75.9 - 97.5	25	87.5	84.8 - 89.8	340

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
38.6	31.6 - 46.1	133	51.6	46.0 - 57.2	184	59.7	42.7 - 74.7	25	47.0	42.7 - 51.4	342

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

6. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Identified student health needs based on a review of relevant data	69.1	57.2 - 79.0	51	73.6	65.1 - 80.7	91	79.1	55.5 - 92.0	15	72.7	66.2 - 78.3	157
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	74.2	62.9 - 83.0	50	71.8	63.3 - 79.0	92	79.3	56.8 - 91.8	15	73.3	67.1 - 78.8	157
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	53.1	41.3 - 64.7	51	48.4	40.0 - 56.9	91	66.9	42.4 - 84.7	15	51.8	45.1 - 58.4	157
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	80.5	69.3 - 88.3	51	77.2	69.2 - 83.7	92	86.3	65.6 - 95.4	15	79.2	73.3 - 84.0	158
e. Reviewed health-related curricula or instructional materials	76.5	64.8 - 85.2	51	80.2	73.6 - 85.5	91	79.9	56.8 - 92.4	15	78.9	73.4 - 83.6	157
f. Assessed the availability of physical activity opportunities for students	70.0	58.2 - 79.7	50	85.9	78.6 - 91.0	92	80.1	57.9 - 92.2	15	80.1	74.2 - 84.9	157
g. Developed a written plan for implementing a Comprehensive School Physical Activity Program (a multi-component approach that provides opportunities for students to be physically active before, during, and after school)	28.0	18.8 - 39.6	51	31.9	24.9 - 39.8	91	20.7	8.5 - 42.3	15	29.5	24.1 - 35.6	157

\*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

N = Unweighted number of observations

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

7. Percentage of schools that have any clubs that give students opportunities to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
83.0	77.6 - 87.3	132	62.7	56.8 - 68.3	180	80.3	62.0 - 91.1	25	72.2	68.3 - 75.8	337

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

8. Percentage of schools that offer each of the following activities for students to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Lessons in class	85.7	80.3 - 89.8	132	87.1	82.6 - 90.6	178	91.8	75.9 - 97.5	25	86.9	83.7 - 89.5	335
b. Special events sponsored by the school or community organizations (e.g., multicultural week, family night)	82.6	76.8 - 87.1	129	69.0	63.2 - 74.2	174	74.0	56.3 - 86.3	23	74.9	71.0 - 78.4	326



**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

9. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
53.4	46.8 - 59.8	129	25.3	20.6 - 30.6	178	35.8	20.5 - 54.7	25	37.3	33.5 - 41.3	332

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

10. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	77.6	70.9 - 83.2	129	62.1	56.6 - 67.2	174	75.7	56.2 - 88.3	25	69.4	65.4 - 73.2	328
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	98.5	95.3 - 99.5	129	92.5	88.8 - 95.1	174	95.9	80.8 - 99.2	25	95.2	93.0 - 96.7	328
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	65.9	58.4 - 72.8	129	54.0	47.9 - 60.1	174	64.2	45.4 - 79.5	25	59.6	55.0 - 64.1	328
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	47.3	40.0 - 54.6	129	36.1	30.1 - 42.4	172	72.0	55.6 - 84.1	25	43.4	39.0 - 48.0	326
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	49.7	42.3 - 57.2	129	42.8	36.9 - 48.9	173	83.5	71.6 - 91.1	25	48.8	44.4 - 53.2	327

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

11. Percentage of schools in which staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
75.5	68.6 - 81.4	129	68.6	62.9 - 73.7	175	72.1	55.0 - 84.5	25	71.6	67.5 - 75.5	329

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

12. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
94.8	90.3 - 97.2	129	94.9	91.3 - 97.1	176	95.8	80.5 - 99.2	25	94.9	92.4 - 96.6	330

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

13. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
90.7	85.9 - 94.0	129	94.3	90.5 - 96.6	175	95.9	80.8 - 99.2	25	93.0	90.3 - 95.0	329

## NORTH CAROLINA

### 2016 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools that taught a required physical education course in each of the following grades.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Sixth grade	§	§	§	98.2	95.4 - 99.3	168	89.3	69.1 - 96.9	19	97.3	94.3 - 98.7	187
b. Seventh grade	§	§	§	98.2	95.5 - 99.3	170	90.3	72.9 - 97.0	20	97.4	94.6 - 98.7	190
c. Eighth grade	§	§	§	98.2	95.5 - 99.3	171	85.2	66.2 - 94.4	20	96.8	93.9 - 98.4	191
d. Ninth grade	96.6	92.4 - 98.5	119	-	-	4	100.0	†	23	97.2	93.8 - 98.8	146
e. Tenth grade	19.8	13.8 - 27.4	107	§	§	§	45.9	28.1 - 64.8	22	24.2	18.3 - 31.2	129
f. Eleventh grade	16.5	11.1 - 23.8	110	§	§	§	36.6	20.4 - 56.7	22	19.8	14.4 - 26.7	132
g. Twelfth grade	16.5	11.1 - 23.8	110	§	§	§	30.2	16.0 - 49.5	20	18.6	13.4 - 25.3	130

\*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

15. Percentage of schools in which physical education teachers or specialists received professional development on physical education or physical activity during the past year.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
75.5	69.2 - 80.9	126	89.3	85.2 - 92.4	178	84.0	66.3 - 93.3	25	83.5	80.1 - 86.4	329

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

16. Percentage of schools that provide those who teach physical education with the following materials.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Goals, objectives, and expected outcomes for physical education	95.2	91.8 - 97.3	127	98.3	95.7 - 99.3	177	100.0	†	25	97.2	95.5 - 98.3	329
b. A chart describing the annual scope and sequence of instruction for physical education	81.3	75.4 - 86.0	128	83.4	78.6 - 87.3	175	84.8	67.8 - 93.7	25	82.7	79.2 - 85.7	328
c. Plans for how to assess student performance in physical education	84.7	79.0 - 89.1	128	89.8	85.2 - 93.1	177	84.8	67.8 - 93.7	25	87.4	84.0 - 90.1	330
d. A written physical education curriculum	89.4	84.2 - 93.0	128	91.5	87.2 - 94.5	177	92.3	77.1 - 97.7	24	90.7	87.7 - 93.0	329
e. Resources for fitness testing	91.5	86.9 - 94.6	127	94.3	90.6 - 96.6	177	96.3	82.5 - 99.3	25	93.4	90.8 - 95.3	329
f. Physical activity monitoring devices, such as pedometers or heart rate monitors, for physical education	69.0	62.3 - 74.9	127	71.7	66.1 - 76.7	177	68.2	52.0 - 80.9	25	70.4	66.3 - 74.1	329

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations



**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

17. Percentage of schools in which students participate in physical activity breaks in classrooms during the school day outside of physical education.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
33.4	27.0 - 40.5	127	71.2	65.8 - 76.1	177	75.2	57.4 - 87.2	25	56.5	52.5 - 60.5	329

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

18. Percentage of schools that offer opportunities for all students to participate in intramural sports programs or physical activity clubs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
54.4	47.5 - 61.2	128	54.2	48.6 - 59.7	177	55.5	34.8 - 74.4	25	54.4	50.0 - 58.7	330

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

19. Percentage of schools that offer interscholastic sports to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
72.3	65.8 - 78.1	128	82.5	77.4 - 86.6	177	76.2	57.0 - 88.6	25	77.9	74.1 - 81.4	330

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

20. Percentage of schools that offer opportunities for students to participate in physical activity before the school day through organized physical activities or access to facilities or equipment for physical activity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
20.9	15.7 - 27.4	129	21.4	16.8 - 27.0	177	47.3	32.1 - 63.1	25	23.2	19.7 - 27.2	331

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

21. Percentage of schools that have a joint use agreement for shared use of school or community physical activity facilities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
64.2	56.9 - 70.9	129	74.6	68.8 - 79.6	173	67.9	50.5 - 81.5	25	69.9	65.5 - 73.9	327

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

22. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
99.2	95.9 - 99.8	129	97.2	94.1 - 98.6	176	96.3	82.5 - 99.3	25	97.9	96.1 - 98.9	330

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

23. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	99.2	95.9 - 99.8	128	96.0	92.6 - 97.8	174	96.3	82.5 - 99.3	25	97.3	95.3 - 98.4	327
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	99.2	95.9 - 99.8	127	95.9	92.5 - 97.8	173	96.3	82.5 - 99.3	25	97.3	95.3 - 98.4	325
c. Cigars	98.5	95.2 - 99.5	128	94.8	91.1 - 97.0	174	96.3	82.5 - 99.3	25	96.4	94.3 - 97.8	327
d. Pipes	98.5	95.2 - 99.5	128	94.8	91.1 - 97.0	173	96.3	82.5 - 99.3	25	96.4	94.2 - 97.8	326
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	97.7	94.0 - 99.1	127	92.5	88.7 - 95.1	174	88.9	73.4 - 95.9	25	94.3	91.9 - 96.0	326

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

23. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	99.2	95.9 - 99.8	128	96.6	93.3 - 98.3	174	96.3	82.5 - 99.3	25	97.6	95.7 - 98.7	327
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	99.2	95.9 - 99.8	128	96.0	92.6 - 97.8	174	96.3	82.5 - 99.3	25	97.3	95.3 - 98.4	327
c. Cigars	98.5	95.2 - 99.5	127	94.8	91.1 - 97.0	174	96.3	82.5 - 99.3	25	96.4	94.2 - 97.8	326
d. Pipes	98.5	95.2 - 99.5	127	94.8	91.1 - 97.0	174	96.3	82.5 - 99.3	25	96.4	94.2 - 97.8	326
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	97.6	94.0 - 99.1	127	91.4	87.3 - 94.2	174	84.8	67.9 - 93.6	25	93.4	90.8 - 95.3	326



**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

23. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	99.2	95.9 - 99.8	128	96.6	93.3 - 98.3	174	96.3	82.5 - 99.3	25	97.6	95.7 - 98.7	327
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	99.2	95.9 - 99.8	128	96.0	92.6 - 97.8	174	96.3	82.5 - 99.3	25	97.3	95.3 - 98.4	327
c. Cigars	98.5	95.2 - 99.5	128	94.8	91.1 - 97.0	174	96.3	82.5 - 99.3	25	96.4	94.3 - 97.8	327
d. Pipes	98.5	95.2 - 99.5	127	94.8	91.0 - 97.0	172	96.3	82.5 - 99.3	25	96.4	94.2 - 97.8	324
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	97.6	94.0 - 99.1	127	90.2	85.8 - 93.3	173	84.8	67.9 - 93.6	25	92.8	90.0 - 94.8	325

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

24. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	99.2	95.9 - 99.8	127	96.5	93.3 - 98.2	174	96.3	82.5 - 99.3	25	97.6	95.7 - 98.7	326
b. During non-school hours	91.4	86.6 - 94.5	128	88.1	83.9 - 91.3	168	88.5	79.9 - 93.7	25	89.5	86.7 - 91.7	321

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

24. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	98.5	95.2 - 99.5	128	96.5	93.3 - 98.2	174	96.3	82.5 - 99.3	25	97.3	95.4 - 98.4	327
b. During non-school hours	90.6	85.6 - 94.0	128	86.3	82.1 - 89.6	168	88.5	79.9 - 93.7	25	88.2	85.4 - 90.6	321

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

24. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. During school hours	99.2	95.9 - 99.8	128	96.0	92.6 - 97.8	174	92.2	77.0 - 97.7	25	97.0	94.9 - 98.2	327
b. During non-school hours	92.2	87.7 - 95.1	128	86.9	82.8 - 90.1	168	84.4	72.4 - 91.8	25	88.9	86.1 - 91.1	321

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

25. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	99.2	95.9 - 99.8	128	96.6	93.3 - 98.3	175	96.3	82.5 - 99.3	25	97.6	95.7 - 98.7	328
b. Outside on school grounds, including parking lots and playing fields	98.4	95.0 - 99.5	128	96.0	92.6 - 97.9	175	96.3	82.5 - 99.3	25	97.0	94.9 - 98.2	328
c. On school buses or other vehicles used to transport students	99.2	95.9 - 99.8	128	95.4	91.9 - 97.4	175	96.3	82.5 - 99.3	25	97.0	95.0 - 98.2	328
d. At off-campus, school-sponsored events	98.4	94.9 - 99.5	128	91.9	87.6 - 94.8	173	92.2	77.0 - 97.7	25	94.5	92.0 - 96.3	326

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

25. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	99.2	95.9 - 99.8	128	97.1	94.1 - 98.6	175	96.3	82.5 - 99.3	25	97.9	96.1 - 98.9	328
b. Outside on school grounds, including parking lots and playing fields	98.4	94.9 - 99.5	127	96.0	92.6 - 97.8	174	96.3	82.5 - 99.3	25	97.0	94.9 - 98.2	326
c. On school buses or other vehicles used to transport students	99.2	95.9 - 99.8	128	96.0	92.6 - 97.8	174	96.1	81.8 - 99.3	24	97.3	95.3 - 98.4	326
d. At off-campus, school-sponsored events	97.0	94.4 - 98.4	128	91.9	87.6 - 94.8	173	92.2	77.0 - 97.7	25	94.0	91.5 - 95.8	326

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

25. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. In school buildings	99.2	95.9 - 99.8	128	96.6	93.4 - 98.3	175	92.2	77.0 - 97.7	25	97.3	95.3 - 98.4	328
b. Outside on school grounds, including parking lots and playing fields	96.8	92.8 - 98.6	128	96.0	92.6 - 97.9	175	92.2	77.0 - 97.7	25	96.0	93.8 - 97.5	328
c. On school buses or other vehicles used to transport students	99.2	95.9 - 99.8	127	95.4	91.9 - 97.4	174	92.2	77.0 - 97.7	25	96.7	94.6 - 98.0	326
d. At off-campus, school-sponsored events	91.4	86.5 - 94.6	126	82.5	77.4 - 86.7	172	88.1	71.6 - 95.6	25	86.5	83.2 - 89.3	323

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

25N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.\*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
81.2	75.0 - 86.2	122	69.4	64.1 - 74.2	160	79.4	64.6 - 89.1	24	75.0	71.2 - 78.5	306

\*Responses to question 23 (a, b, c, and d), question 24 (a and b), and question 25 (a, b, c, and d) are all "yes."  
 N = Unweighted number of observations



**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

26. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
93.7	88.8 - 96.5	126	87.4	82.6 - 91.0	175	84.0	72.8 - 91.2	25	89.6	86.5 - 92.1	326

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

27. Percentage of schools that provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Faculty and staff	35.0	28.5 - 42.0	127	32.0	26.2 - 38.4	172	31.8	18.0 - 49.6	25	33.2	29.0 - 37.7	324
b. Students	39.7	32.7 - 47.1	124	37.2	32.1 - 42.6	172	44.5	29.2 - 61.0	25	38.8	34.7 - 43.0	321

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

28. Percentage of schools that have arrangements with any organization or health care professionals not on school property to provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Faculty and staff	45.0	37.6 - 52.6	127	42.5	36.1 - 49.0	172	48.6	31.7 - 65.9	25	43.9	39.3 - 48.7	324
b. Students	46.5	39.5 - 53.8	125	37.1	31.4 - 43.1	170	48.6	37.1 - 60.2	25	41.8	37.5 - 46.2	320

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

28N. Percentage of schools that provide tobacco-use cessation services to faculty, staff, and students through direct service at school or arrangements with providers not on school property.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
39.2	32.1 - 46.8	126	37.4	31.7 - 43.5	171	40.4	23.5 - 59.9	25	38.4	33.9 - 43.0	322

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

29. Percentage of schools that never, rarely, sometimes, or almost always or always offer fruits or non-fried vegetables at celebrations when foods and beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Foods or beverages are not offered at school celebrations	7.1	4.7 - 10.5	128	6.9	4.4 - 10.5	174	0.0	†	25	6.4	4.7 - 8.6	327
b. Never	0.8	0.2 - 4.1	128	5.2	3.4 - 7.7	174	0.0	†	25	3.0	2.0 - 4.5	327
c. Rarely	9.1	5.8 - 14.0	128	9.2	6.4 - 13.0	174	0.0	†	25	8.4	6.4 - 11.1	327
d. Sometimes	47.9	40.4 - 55.4	128	52.3	46.1 - 58.5	174	51.4	37.2 - 65.5	25	50.5	45.9 - 55.0	327
e. Always or almost always	35.2	28.1 - 42.9	128	26.5	21.3 - 32.4	174	48.6	34.5 - 62.8	25	31.7	27.5 - 36.1	327

† Confidence intervals not applicable for 0 percent or 100 percent.  
 N = Unweighted number of observations

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

29N. Percentage of schools that offer fruits or non-fried vegetables in vending machines or school stores, and almost always or always at celebrations when foods and beverages are offered.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
11.2	7.4 - 16.7	127	4.0	2.1 - 7.3	177	7.8	2.3 - 23.0	25	7.1	5.1 - 9.9	329

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

30. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
64.3	57.0 - 71.1	128	29.4	24.2 - 35.2	177	35.7	22.9 - 50.9	25	43.8	39.7 - 48.0	330

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Chocolate candy	19.8	14.1 - 27.0	127	4.5	2.5 - 8.0	177	15.6	6.5 - 32.9	25	11.4	8.7 - 14.9	329
b. Other kinds of candy	21.4	15.7 - 28.5	127	6.8	4.2 - 10.8	177	15.6	6.5 - 32.9	25	13.3	10.4 - 16.8	329
c. Salty snacks that are not low in fat (e.g., regular potato chips)	29.2	22.0 - 37.7	127	10.2	6.9 - 14.8	177	15.6	8.8 - 26.2	25	18.2	14.7 - 22.3	329
d. Low sodium or "no added salt" pretzels, crackers, or chips	47.7	40.6 - 54.8	127	20.9	16.1 - 26.7	177	27.5	15.6 - 43.7	25	32.0	28.0 - 36.3	329
e. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	30.4	23.6 - 38.1	126	11.9	8.3 - 16.7	177	19.7	10.9 - 32.9	25	19.8	16.3 - 23.8	328
f. Ice cream or frozen yogurt that is not low in fat	11.7	7.6 - 17.6	127	6.3	3.8 - 10.2	176	7.8	2.3 - 23.0	25	8.5	6.2 - 11.6	328
g. 2% or whole milk (plain or flavored)	19.9	14.4 - 26.8	127	12.5	8.7 - 17.6	176	16.0	6.7 - 33.7	25	15.7	12.5 - 19.6	328
h. Nonfat or 1% (low-fat) milk (plain)	32.1	25.9 - 39.1	126	11.9	8.5 - 16.3	177	16.0	6.7 - 33.7	25	20.2	16.9 - 23.9	328
i. Water ices or frozen slushes that do not contain juice	14.3	9.9 - 20.3	127	3.4	1.7 - 6.6	177	11.9	4.4 - 28.4	25	8.4	6.2 - 11.3	329
j. Soda pop or fruit drinks that are not 100% juice	30.3	24.0 - 37.4	126	7.9	5.5 - 11.3	177	15.6	6.5 - 32.9	25	17.3	14.3 - 20.8	328
k. Sports drinks (e.g., Gatorade)	45.6	39.2 - 52.2	126	14.7	10.6 - 20.0	177	23.8	13.3 - 38.8	25	27.6	24.1 - 31.5	328



**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

31. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
l. Energy drinks (e.g., Red Bull, Monster)	5.5	3.0 - 10.2	126	1.7	0.7 - 4.3	177	0.0	†	25	3.1	1.8 - 5.2	328
m. Bottled water	59.5	52.2 - 66.3	127	24.9	20.1 - 30.4	177	31.6	20.5 - 45.3	25	39.1	35.2 - 43.2	329
n. 100% fruit or vegetable juice	41.9	35.0 - 49.1	127	14.7	10.7 - 19.8	177	31.6	18.2 - 49.0	25	26.8	23.1 - 30.8	329
o. Foods or beverages containing caffeine	31.6	24.9 - 39.1	127	5.1	2.9 - 8.7	177	11.9	4.4 - 28.4	25	16.1	13.1 - 19.7	329
p. Fruits (not fruit juice)	28.7	22.8 - 35.4	127	10.2	7.0 - 14.5	177	16.0	6.7 - 33.7	25	18.0	14.9 - 21.6	329
q. Non-fried vegetables (not vegetable juice)	24.7	19.3 - 31.1	127	6.8	4.2 - 10.8	177	16.0	6.7 - 33.7	25	14.6	11.8 - 18.0	329

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

32. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	13.9	9.5 - 19.9	124	6.9	4.3 - 11.0	173	4.1	0.8 - 19.2	25	9.5	7.1 - 12.6	322
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	29.1	22.4 - 36.9	124	28.0	22.5 - 34.3	175	43.2	29.6 - 57.8	25	29.6	25.4 - 34.2	324
c. Provided information to students or families on the nutrition and caloric content of foods available	48.0	40.6 - 55.5	125	55.4	49.1 - 61.6	175	42.5	29.0 - 57.2	24	51.5	46.9 - 56.1	324
d. Conducted taste tests to determine food preferences for nutritious items	27.4	21.2 - 34.7	125	23.6	18.3 - 29.8	174	25.3	12.4 - 44.7	24	25.2	21.2 - 29.7	323
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	15.3	10.8 - 21.2	125	19.0	15.2 - 23.4	174	12.0	4.4 - 28.6	25	17.0	14.1 - 20.3	324
f. Served locally or regionally grown foods in the cafeteria or classrooms	30.5	24.5 - 37.3	124	39.2	32.8 - 46.0	171	68.0	50.5 - 81.6	25	38.0	33.6 - 42.6	320
g. Planted a school food or vegetable garden	33.1	27.4 - 39.4	124	36.2	30.2 - 42.8	174	56.8	39.2 - 72.7	25	36.6	32.4 - 41.0	323
h. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	61.6	53.9 - 68.9	125	56.9	51.0 - 62.5	174	57.2	40.8 - 72.1	25	58.8	54.3 - 63.2	324

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

32. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
i. Used attractive displays for fruits and vegetables in the cafeteria	50.6	43.1 - 58.1	125	54.6	49.1 - 60.0	174	57.3	42.5 - 71.0	25	53.2	48.9 - 57.5	324
j. Offered a self-serve salad bar to students	13.8	9.8 - 19.2	124	12.6	8.8 - 17.6	175	16.1	6.7 - 33.8	25	13.3	10.5 - 16.8	324
k. Labeled healthful foods with appealing names (e.g., crunchy carrots)	27.9	22.3 - 34.2	125	30.5	24.9 - 36.7	174	37.1	20.7 - 57.2	25	30.0	26.0 - 34.3	324
l. Encouraged students to drink plain water	64.4	57.2 - 71.1	124	78.6	73.1 - 83.3	173	88.1	71.6 - 95.6	25	73.8	69.6 - 77.5	322
m. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	40.5	32.8 - 48.6	125	30.6	25.4 - 36.5	173	44.5	28.1 - 62.1	25	35.6	31.2 - 40.3	323
n. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	45.2	38.0 - 52.6	125	42.0	36.4 - 47.8	174	60.5	41.2 - 77.0	25	44.7	40.3 - 49.2	324

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

33. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. In school buildings	65.7	58.5 - 72.1	125	69.0	63.1 - 74.3	174	62.3	45.6 - 76.6	23	67.2	62.8 - 71.2	322
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	45.0	37.8 - 52.5	124	61.3	55.0 - 67.2	173	57.9	43.4 - 71.1	23	54.6	50.0 - 59.0	320
c. On school buses or other vehicles used to transport students	75.0	67.5 - 81.3	123	67.8	61.6 - 73.5	174	74.9	58.7 - 86.3	23	71.2	66.7 - 75.3	320
d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)	55.2	48.0 - 62.3	125	60.7	54.0 - 67.0	173	64.8	48.5 - 78.3	22	58.8	54.1 - 63.3	320
e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	61.9	54.3 - 69.0	125	63.0	57.0 - 68.7	173	70.4	56.3 - 81.5	23	63.1	58.6 - 67.4	321

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

34. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Yes, in all locations	82.7	76.2 - 87.8	126	57.9	52.0 - 63.7	176	70.8	50.5 - 85.2	24	68.8	64.5 - 72.7	326
b. Yes, in certain locations	15.6	10.9 - 21.9	126	35.8	30.2 - 41.8	176	24.9	12.1 - 44.4	24	27.0	23.2 - 31.1	326
c. No	1.6	0.5 - 5.2	126	6.3	3.8 - 10.2	176	4.3	0.8 - 20.0	24	4.3	2.7 - 6.6	326

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

34N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
98.4	94.8 - 99.5	126	93.7	89.8 - 96.2	176	95.7	80.0 - 99.2	24	95.7	93.4 - 97.3	326

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

35. Percentage of schools that offer a free source of drinking water in the following locations.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cafeteria during breakfast	93.6	88.8 - 96.5	125	95.8	92.2 - 97.7	165	94.7	75.6 - 99.0	19	94.8	92.2 - 96.6	309
b. Cafeteria during lunch	93.6	88.8 - 96.5	125	97.0	93.7 - 98.6	165	94.7	75.6 - 99.0	19	95.4	92.9 - 97.1	309
c. Gymnasium or other indoor physical activity facilities	98.3	94.8 - 99.5	117	97.1	94.0 - 98.6	172	95.4	78.6 - 99.1	22	97.5	95.5 - 98.6	311
d. Outdoor physical activity facilities and sports fields	87.0	81.2 - 91.2	116	70.3	63.9 - 76.0	162	69.8	49.2 - 84.6	23	76.9	72.6 - 80.6	301
e. Hallways throughout the school	100.0	†	126	98.3	95.6 - 99.3	176	100.0	†	25	99.1	97.7 - 99.7	327

\*Among schools with that location.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

36. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
23.3	17.9 - 29.8	127	29.5	24.3 - 35.2	176	28.1	19.5 - 38.6	25	26.9	23.3 - 30.9	328



**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

37. Percentage of schools that have a part-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
80.6	74.4 - 85.5	126	67.0	61.5 - 72.2	176	52.3	35.3 - 68.7	25	71.2	67.3 - 74.9	327

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

38. Percentage of schools that have a school-based health center that offers health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
21.2	15.8 - 27.9	127	23.9	19.0 - 29.5	176	7.8	2.3 - 23.0	25	21.6	18.1 - 25.5	328

## NORTH CAROLINA

### 2016 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. HIV testing	3.3	1.4 - 7.2	127	0.6	0.1 - 2.9	177	0.0	†	25	1.6	0.8 - 3.3	329
b. HIV treatment (ongoing medical care for persons living with HIV)	3.3	1.4 - 7.3	125	0.6	0.1 - 2.9	176	0.0	†	25	1.6	0.8 - 3.3	326
c. STD testing	3.3	1.4 - 7.2	127	0.6	0.1 - 2.9	177	0.0	†	25	1.6	0.8 - 3.3	329
d. STD treatment	3.3	1.4 - 7.3	126	0.6	0.1 - 2.9	177	0.0	†	25	1.6	0.8 - 3.3	328
e. Pregnancy testing	4.1	2.0 - 8.3	127	1.1	0.4 - 3.6	177	0.0	†	23	2.2	1.2 - 4.1	327
f. Provision of condoms	1.6	0.5 - 5.1	127	0.6	0.1 - 2.9	176	0.0	†	25	0.9	0.4 - 2.4	328
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	1.6	0.5 - 5.1	127	0.6	0.1 - 2.9	177	0.0	†	25	0.9	0.4 - 2.4	329
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	1.6	0.5 - 5.1	127	0.6	0.1 - 2.9	177	0.0	†	25	0.9	0.4 - 2.4	329
i. Prenatal care	3.4	1.5 - 7.5	123	1.1	0.4 - 3.6	176	0.0	†	25	1.9	1.0 - 3.7	324
j. Human papillomavirus (HPV) vaccine administration	3.2	1.4 - 7.1	126	1.1	0.4 - 3.6	176	0.0	†	25	1.9	1.0 - 3.6	327

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. HIV testing	32.6	25.2 - 41.0	110	23.9	19.1 - 29.6	167	47.5	31.8 - 63.7	23	29.1	24.9 - 33.6	300
b. HIV treatment (ongoing medical care for persons living with HIV)	37.5	30.2 - 45.3	122	24.9	20.1 - 30.3	173	49.8	33.4 - 66.2	24	31.7	27.6 - 36.1	319
c. nPEP (non-occupational post-exposure prophylaxis for HIV--a short course of medication given within 72 hours of exposure to infectious bodily fluids from a person known to be HIV positive)	36.6	29.3 - 44.6	122	24.4	19.8 - 29.8	172	49.8	33.4 - 66.2	24	31.2	27.1 - 35.6	318
d. STD testing	35.5	27.8 - 44.0	107	25.1	20.1 - 30.9	167	47.5	31.8 - 63.7	23	30.7	26.5 - 35.3	297
e. STD treatment	34.5	27.0 - 42.8	110	25.1	20.1 - 31.0	167	47.5	31.8 - 63.7	23	30.4	26.2 - 35.0	300
f. Pregnancy testing	35.3	27.5 - 44.0	107	26.9	21.5 - 33.0	160	47.5	31.8 - 63.7	23	31.7	27.3 - 36.5	290
g. Provision of condoms	26.5	20.0 - 34.3	113	20.0	15.4 - 25.5	165	41.2	28.4 - 55.3	24	24.2	20.4 - 28.5	302

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

40. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
h. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	26.5	19.9 - 34.3	113	18.8	14.4 - 24.2	165	41.2	28.4 - 55.3	24	23.6	19.8 - 27.8	302
i. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	27.6	20.9 - 35.6	112	19.4	14.9 - 24.9	165	41.2	28.4 - 55.3	24	24.3	20.5 - 28.6	301
j. Prenatal care	37.7	29.8 - 46.3	103	22.5	17.7 - 28.3	164	45.5	31.0 - 60.9	24	30.0	25.8 - 34.6	291
k. Human papillomavirus (HPV) vaccine administration	36.6	29.5 - 44.4	122	25.6	20.7 - 31.2	172	45.5	30.9 - 60.9	24	31.5	27.4 - 35.8	318

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

41. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
67.8	60.1 - 74.6	126	70.8	64.9 - 76.0	171	68.0	53.3 - 79.8	25	69.3	64.9 - 73.4	322

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

42. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Asthma	99.2	95.9 - 99.8	127	97.7	94.9 - 99.0	175	100.0	†	25	98.5	96.9 - 99.3	327
b. Food allergies	98.4	94.9 - 99.5	127	98.3	95.6 - 99.3	174	100.0	†	25	98.5	96.8 - 99.3	326
c. Diabetes	99.2	95.9 - 99.8	127	98.9	96.4 - 99.6	175	100.0	†	25	99.1	97.6 - 99.6	327
d. Epilepsy or seizure disorder	98.5	95.2 - 99.5	127	98.9	96.4 - 99.6	175	100.0	†	25	98.8	97.3 - 99.5	327
e. Obesity	37.1	29.8 - 45.1	127	41.4	35.5 - 47.6	174	44.9	28.6 - 62.3	25	40.0	35.4 - 44.7	326
f. Hypertension/high blood pressure	73.9	67.0 - 79.8	126	71.3	65.7 - 76.2	174	72.4	52.6 - 86.2	25	72.4	68.2 - 76.2	325

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

43. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Asthma	56.7	48.5 - 64.5	121	51.7	45.2 - 58.2	172	64.1	44.4 - 80.0	25	54.7	49.7 - 59.5	318
b. Food allergies	56.4	48.0 - 64.4	120	50.6	44.1 - 57.1	172	64.1	44.4 - 80.0	25	53.9	48.9 - 58.8	317
c. Diabetes	56.3	48.0 - 64.2	120	52.0	45.5 - 58.5	171	64.1	44.4 - 80.0	25	54.7	49.7 - 59.5	316
d. Epilepsy or seizure disorder	56.4	48.0 - 64.4	120	50.0	43.5 - 56.4	172	64.1	44.4 - 80.0	25	53.6	48.6 - 58.5	317
e. Obesity	39.7	32.3 - 47.6	121	36.7	30.7 - 43.2	169	60.5	42.4 - 76.1	25	39.8	35.2 - 44.6	315
f. Hypertension/high blood pressure	51.0	43.3 - 58.7	121	45.6	39.4 - 52.0	171	64.1	44.4 - 80.0	25	49.2	44.5 - 54.0	317



**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

44. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are provided.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. This school does not provide any sexual or reproductive health services	80.5	73.6 - 86.0	119	77.5	71.8 - 82.3	169	78.5	63.0 - 88.7	23	78.8	74.7 - 82.3	311
b. Parental consent is required before any sexual or reproductive health services are provided	11.0	6.9 - 17.1	119	19.5	15.2 - 24.8	169	21.5	11.3 - 37.0	23	16.3	13.2 - 20.0	311
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about services provided only upon request	1.6	0.5 - 5.2	119	0.0	†	169	0.0	†	23	0.6	0.2 - 2.1	311
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the service provided	3.5	1.5 - 7.6	119	1.8	0.7 - 4.5	169	0.0	†	23	2.3	1.2 - 4.2	311
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all services provided	1.6	0.5 - 5.2	119	1.2	0.4 - 3.7	169	0.0	†	23	1.3	0.6 - 2.9	311
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any services provided	1.7	0.5 - 5.5	119	0.0	†	169	0.0	†	23	0.7	0.2 - 2.2	311

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

45. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are referred.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. This school does not refer any sexual or reproductive health services	59.8	50.6 - 68.3	99	71.0	64.6 - 76.6	155	48.0	30.8 - 65.7	23	64.9	59.9 - 69.6	277
b. Parental consent is required before any sexual or reproductive health services are referred	19.2	13.0 - 27.4	99	23.9	18.9 - 29.7	155	29.5	16.2 - 47.6	23	22.6	18.7 - 27.1	277
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about services referred only upon request	3.0	1.1 - 7.5	99	1.3	0.4 - 4.1	155	0.0	†	23	1.8	0.9 - 3.7	277
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the service referred	11.0	7.0 - 16.9	99	3.2	1.6 - 6.6	155	9.0	2.7 - 26.3	23	6.6	4.6 - 9.4	277
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all services referred	2.9	1.1 - 7.2	99	0.0	†	155	4.5	0.8 - 20.8	23	1.4	0.6 - 3.2	277
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any services referred	4.1	1.8 - 9.3	99	0.6	0.1 - 3.3	155	8.9	2.7 - 26.1	23	2.6	1.4 - 4.9	277

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

46. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Provided parents and families with information about how to communicate with their child about sex	14.8	10.2 - 21.1	123	24.7	19.9 - 30.3	166	31.3	17.7 - 49.1	25	21.3	17.8 - 25.2	314
b. Provided parents with information about how to monitor their child (e.g., setting parental expectations, keeping track of their child, responding when their child breaks the rules)	32.5	26.1 - 39.7	124	53.6	47.5 - 59.5	166	45.0	28.1 - 63.2	24	44.4	40.0 - 48.8	314
c. Involved parents as school volunteers in the delivery of health education activities and services	12.3	8.3 - 17.9	122	18.1	14.0 - 23.2	166	32.6	18.6 - 50.7	24	16.9	13.9 - 20.5	312
d. Linked parents and families to health services and programs in the community	52.5	44.9 - 59.9	122	69.0	63.1 - 74.4	168	70.7	51.7 - 84.5	24	62.5	58.0 - 66.9	314

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

47. Percentage of schools that use electronic, paper, or oral communication to inform parents about school health services and programs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
60.2	53.3 - 66.8	124	74.3	68.7 - 79.2	175	88.1	71.6 - 95.6	25	69.8	65.8 - 73.6	324

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

48. Percentage of schools that participate in a program in which family or community members serve as role models to students or mentor students, such as the Big Brothers Big Sisters program.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
41.3	34.7 - 48.3	126	44.8	38.5 - 51.3	174	32.0	16.7 - 52.5	25	42.4	37.9 - 47.0	325

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

49. Percentage of schools that provide service-learning opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
76.0	70.4 - 80.9	124	56.3	50.1 - 62.4	174	84.3	72.2 - 91.8	25	66.3	62.3 - 70.1	323

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

50. Percentage of schools that provide peer tutoring opportunities for students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
94.6	90.0 - 97.1	126	69.6	63.8 - 74.8	174	83.8	66.2 - 93.2	25	80.6	77.1 - 83.8	325

**NORTH CAROLINA**  
**2016 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

51. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
28.4	22.4 - 35.3	124	25.2	19.9 - 31.3	175	40.2	25.7 - 56.7	25	27.6	23.7 - 32.0	324