

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Physical education and physical activity	38.8	31.7 - 46.3	132	43.9	37.9 - 50.1	194	50.2	31.8 - 68.4	26	42.3	37.9 - 47.0	352
b. Nutrition	32.6	25.8 - 40.1	132	36.0	30.2 - 42.3	192	45.5	31.2 - 60.5	26	35.4	31.1 - 39.9	350
c. Tobacco-use prevention	36.9	29.6 - 44.8	132	30.6	25.3 - 36.4	191	27.6	15.3 - 44.5	25	32.9	28.7 - 37.4	348
d. Chronic health conditions (e.g., asthma, food allergies)	28.2	22.2 - 35.2	131	31.2	26.2 - 36.6	192	41.6	26.6 - 58.3	26	30.8	27.0 - 34.9	349
e. Unintentional injury and violence prevention (safety)	31.2	24.5 - 38.8	131	31.1	25.6 - 37.2	193	34.5	18.5 - 55.0	26	31.4	27.1 - 36.0	350
f. Sexual health, including HIV, other STD, and pregnancy prevention	33.7	26.7 - 41.5	131	28.3	23.6 - 33.4	192	31.9	16.5 - 52.6	25	30.7	26.6 - 35.0	348

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Health education	26.5	20.2 - 34.0	133	29.7	24.6 - 35.5	192	40.0	25.2 - 56.9	25	29.2	25.2 - 33.5	350
b. Physical education	22.9	16.9 - 30.2	133	29.9	24.8 - 35.5	191	44.0	29.9 - 59.2	25	28.1	24.3 - 32.3	349
c. Physical activity	18.8	13.4 - 25.8	133	36.0	30.3 - 42.0	192	39.6	27.4 - 53.2	25	29.4	25.5 - 33.6	350
d. School meal programs	13.5	9.3 - 19.2	132	14.6	11.0 - 19.1	192	23.8	15.8 - 34.2	25	14.8	12.1 - 18.0	349
e. Foods and beverages available at school outside the school meal programs	14.5	10.3 - 20.1	131	11.5	8.5 - 15.5	191	24.2	13.3 - 40.0	25	13.6	11.0 - 16.7	347
f. Health services	31.9	25.3 - 39.3	132	23.5	18.7 - 29.0	191	28.0	15.7 - 45.0	25	27.1	23.3 - 31.4	348
g. Counseling, psychological, and social services	60.2	53.0 - 66.9	133	54.2	48.2 - 60.1	192	47.6	28.2 - 67.8	25	56.1	51.6 - 60.5	350
h. Physical environment	46.7	40.3 - 53.2	133	42.9	37.2 - 48.9	191	59.5	41.2 - 75.4	25	45.6	41.4 - 49.9	349
i. Social and emotional climate	71.5	64.3 - 77.7	133	76.9	71.4 - 81.6	191	71.5	56.0 - 83.2	25	74.4	70.2 - 78.1	349
j. Family engagement	80.2	74.1 - 85.2	132	83.7	79.0 - 87.5	191	74.9	60.2 - 85.5	25	81.7	78.2 - 84.7	348
k. Community involvement	81.1	74.7 - 86.1	132	79.0	73.8 - 83.4	192	75.3	56.2 - 87.9	25	79.6	75.7 - 82.9	349
l. Employee wellness	27.8	21.7 - 34.9	132	23.8	18.8 - 29.6	192	35.8	22.4 - 51.9	25	26.2	22.4 - 30.5	349

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.\*

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
38.9	32.3 - 46.0	129	44.6	38.4 - 50.9	186	43.5	26.1 - 62.7	21	42.2	37.8 - 46.8	336

\*Among schools that engaged in an improvement planning process during the past year.  
 N = Unweighted number of observations

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

4. Percentage of schools that did the following activities during the past year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Reviewed district's local wellness policy	73.9	67.3 - 79.6	133	65.9	61.2 - 70.4	194	65.7	50.5 - 78.3	24	69.1	65.4 - 72.6	351
b. Helped revise district's local wellness policy	35.9	29.2 - 43.3	130	23.1	19.1 - 27.6	194	44.8	29.9 - 60.8	24	29.6	26.0 - 33.5	348
c. Communicated to school staff about district's local wellness policy	62.5	55.6 - 68.9	130	56.0	50.3 - 61.6	193	61.7	45.3 - 75.9	24	59.0	54.7 - 63.1	347
d. Communicated to parents and families about district's local wellness policy	49.3	42.0 - 56.6	130	46.1	40.5 - 51.7	193	57.6	40.1 - 73.4	24	48.1	43.8 - 52.5	347
e. Communicated to students about district's local wellness policy	52.8	45.7 - 59.8	131	46.7	41.1 - 52.3	191	53.4	35.1 - 70.9	24	49.6	45.3 - 53.9	346
f. Measured school's compliance with district's local wellness policy	52.3	45.8 - 58.7	132	44.2	38.3 - 50.3	191	45.3	30.0 - 61.5	24	47.5	43.2 - 51.8	347
g. Developed an action plan that describes steps to meet requirements of district's local wellness policy	34.1	27.8 - 41.0	132	30.4	25.6 - 35.7	191	40.7	27.3 - 55.7	24	32.6	28.8 - 36.6	347

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

5. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
80.1	73.3 - 85.5	133	88.2	83.7 - 91.5	193	79.3	60.0 - 90.7	25	84.3	80.7 - 87.4	351

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

6. Percentage of schools that have one or more than one group (e.g., a school health council, committee, team) that offers guidance on the development of policies or coordinates activities on health topics.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
47.4	40.2 - 54.7	133	41.1	35.8 - 46.6	193	46.6	33.8 - 59.8	25	44.0	39.8 - 48.2	351

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

7. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Identified student health needs based on a review of relevant data	73.0	63.2 - 80.9	63	79.6	71.5 - 85.8	79	91.8	67.7 - 98.3	12	77.7	71.9 - 82.5	154
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	75.8	66.2 - 83.3	63	65.7	57.2 - 73.2	79	75.0	49.7 - 90.1	12	70.7	64.8 - 76.0	154
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	50.4	41.9 - 58.9	63	50.6	41.4 - 59.8	79	81.7	50.8 - 95.1	11	52.7	46.5 - 58.8	153
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	83.8	74.2 - 90.3	63	79.5	70.5 - 86.3	79	91.4	63.0 - 98.5	12	82.2	76.3 - 87.0	154
e. Reviewed health-related curricula or instructional materials	68.8	57.8 - 78.1	63	87.5	79.5 - 92.6	79	91.8	64.3 - 98.6	12	79.8	73.7 - 84.8	154
f. Assessed the availability of physical activity opportunities for students	68.7	57.7 - 77.9	63	88.5	81.0 - 93.3	79	91.4	66.7 - 98.3	12	80.2	74.3 - 85.1	154
g. Developed a written plan for implementing a Comprehensive School Physical Activity Program (a multi-component approach that provides opportunities for students to be physically active before, during, and after school)	26.6	18.9 - 36.0	63	34.1	25.2 - 44.4	79	41.4	21.4 - 64.7	12	31.5	25.5 - 38.1	154

\*Among schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

N = Unweighted number of observations

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

8. Percentage of schools that have any clubs that give students opportunities to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
84.6	78.9 - 89.0	132	61.6	55.6 - 67.2	194	64.5	52.4 - 75.1	25	70.8	66.9 - 74.5	351



**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

9. Percentage of schools that offer each of the following activities for students to learn about people different from them, such as students with disabilities, homeless youth, or people from different cultures.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Lessons in class	87.3	81.8 - 91.4	133	91.1	86.8 - 94.1	191	80.5	66.7 - 89.5	25	88.8	85.7 - 91.3	349
b. Special events sponsored by the school or community organizations (e.g., multicultural week, family night)	82.6	76.0 - 87.6	128	72.8	67.2 - 77.7	190	64.1	48.0 - 77.5	25	76.0	72.0 - 79.5	343

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

10. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
62.8	56.0 - 69.1	130	22.7	18.1 - 28.1	191	43.8	32.9 - 55.5	25	40.0	36.2 - 43.9	346

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

11. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	86.6	80.9 - 90.8	131	64.9	59.2 - 70.2	189	67.6	49.2 - 81.9	25	73.7	69.9 - 77.3	345
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	98.5	95.4 - 99.6	131	90.7	86.4 - 93.7	190	92.2	76.8 - 97.7	25	93.9	91.4 - 95.7	346
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	70.4	62.8 - 77.0	131	62.3	56.0 - 68.2	190	67.6	49.2 - 81.9	25	65.9	61.3 - 70.2	346
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	54.8	47.5 - 61.9	131	36.0	30.6 - 41.8	190	64.7	50.2 - 76.9	25	45.6	41.4 - 49.8	346
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	63.2	56.2 - 69.6	131	46.0	40.4 - 51.6	190	76.4	57.9 - 88.3	25	55.0	50.8 - 59.1	346

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

12. Percentage of schools in which all staff received professional development on preventing, identifying, and responding to student bullying and sexual harassment, including electronic aggression, during the past year.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
79.9	74.1 - 84.7	133	80.7	75.9 - 84.8	191	71.5	51.0 - 85.8	25	79.7	76.1 - 82.9	349

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

13. Percentage of schools that have a designated staff member to whom students can confidentially report student bullying and sexual harassment, including electronic aggression.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
90.3	84.8 - 93.9	133	98.4	95.9 - 99.4	191	92.2	76.8 - 97.7	25	94.7	92.2 - 96.4	349

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

14. Percentage of schools that use electronic, paper, or oral communication to publicize and disseminate policies, rules, or regulations on bullying and sexual harassment, including electronic aggression.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
95.5	91.3 - 97.7	134	94.8	91.3 - 96.9	191	83.9	66.0 - 93.3	25	94.3	91.8 - 96.1	350

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

15. Percentage of schools that taught a required physical education course in each of the following grades.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Sixth grade	§	§	§	99.0	96.7 - 99.7	183	95.2	79.1 - 99.1	21	98.6	96.3 - 99.4	204
b. Seventh grade	§	§	§	98.0	95.4 - 99.1	189	90.9	73.2 - 97.3	22	97.2	94.6 - 98.6	211
c. Eighth grade	§	§	§	97.4	94.6 - 98.8	188	95.4	78.6 - 99.2	22	97.2	94.6 - 98.6	210
d. Ninth grade	95.6	91.6 - 97.8	129	-	-	4	100.0	†	26	96.4	93.0 - 98.2	159
e. Tenth grade	28.6	22.2 - 36.0	122	§	§	§	51.3	32.9 - 69.3	25	32.3	26.1 - 39.2	147
f. Eleventh grade	19.7	14.2 - 26.6	118	§	§	§	49.3	31.0 - 67.8	22	24.1	18.7 - 30.6	140
g. Twelfth grade	20.4	14.8 - 27.4	118	§	§	§	49.3	29.5 - 69.4	20	24.5	18.8 - 31.2	138

\*Among schools with students in that grade.

- Results are suppressed due to insufficient number of respondents in subgroup.

§ Grade is not applicable for type of school.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

16. Percentage of schools in which physical education teachers or specialists received professional development on physical education or physical activity during the past year.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
83.4	78.6 - 87.2	133	92.3	88.7 - 94.8	191	84.0	72.3 - 91.4	25	88.1	85.5 - 90.4	349



**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

17. Percentage of schools that provide those who teach physical education with the following materials.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Goals, objectives, and expected outcomes for physical education	92.7	89.1 - 95.1	131	97.5	94.7 - 98.8	191	96.0	81.1 - 99.3	25	95.5	93.5 - 96.8	347
b. A chart describing the annual scope and sequence of instruction for physical education	84.9	79.2 - 89.3	131	84.0	79.3 - 87.9	191	92.0	77.3 - 97.5	25	85.0	81.6 - 87.8	347
c. Plans for how to assess student performance in physical education	88.0	83.6 - 91.3	130	87.7	83.3 - 91.0	191	83.6	66.2 - 93.0	25	87.5	84.5 - 89.9	346
d. A written physical education curriculum	88.0	83.0 - 91.7	131	89.2	85.9 - 91.9	191	95.6	79.2 - 99.2	25	89.2	86.6 - 91.4	347
e. Resources for fitness testing	91.4	87.4 - 94.2	131	92.3	88.5 - 94.8	191	96.0	81.1 - 99.3	25	92.2	89.7 - 94.1	347
f. Physical activity monitoring devices, such as pedometers or heart rate monitors, for physical education	79.2	72.9 - 84.3	131	70.5	64.6 - 75.7	191	79.7	60.8 - 90.9	25	74.6	70.5 - 78.2	347

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

18. Percentage of schools in which students participate in physical activity breaks in classrooms during the school day outside of physical education.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
31.7	25.4 - 38.8	134	79.9	74.7 - 84.3	191	71.5	59.0 - 81.3	25	60.0	56.2 - 63.7	350

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

19. Percentage of schools that offer opportunities for all students to participate in intramural sports programs or physical activity clubs.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
57.7	51.4 - 63.8	134	68.2	62.1 - 73.8	191	64.3	43.1 - 81.0	25	63.7	59.4 - 67.8	350

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

20. Percentage of schools that offer interscholastic sports to students.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
66.6	60.9 - 71.9	134	79.8	74.6 - 84.1	191	76.4	57.9 - 88.3	25	74.2	70.6 - 77.6	350

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

21. Percentage of schools that offer opportunities for students to participate in physical activity through organized physical activities or access to facilities or equipment for physical activity during the following times.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Before the school day	36.3	30.0 - 43.0	132	15.6	11.9 - 20.1	181	31.9	16.9 - 51.9	22	25.2	21.7 - 29.0	335
b. After the school day	70.9	64.7 - 76.4	133	76.7	71.5 - 81.2	188	84.7	67.5 - 93.6	25	74.9	71.2 - 78.4	346

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

22. Percentage of schools that have a joint use agreement for shared use of the following school or community facilities.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Physical activity or sports facilities	75.2	69.0 - 80.5	133	75.6	70.3 - 80.2	191	71.9	52.5 - 85.6	25	75.2	71.3 - 78.7	349
b. Kitchen facilities and equipment	28.4	22.1 - 35.6	133	18.2	14.0 - 23.4	186	27.3	17.3 - 40.2	25	23.0	19.4 - 27.0	344

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

23. Percentage of schools that have adopted a policy prohibiting tobacco use.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
98.6	95.5 - 99.6	134	96.0	92.8 - 97.8	191	100.0	†	25	97.3	95.5 - 98.4	350

† Confidence intervals not applicable for 0 percent or 100 percent.  
 N = Unweighted number of observations

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

24. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	97.8	96.3 - 98.8	133	95.9	92.7 - 97.7	189	100.0	†	25	97.0	95.3 - 98.1	347
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	97.8	96.3 - 98.8	133	95.4	92.0 - 97.4	189	100.0	†	25	96.7	94.9 - 97.9	347
c. Cigars	94.2	91.3 - 96.2	133	94.8	91.4 - 97.0	189	96.0	81.1 - 99.3	25	94.7	92.6 - 96.2	347
d. Pipes	94.2	91.3 - 96.2	133	93.2	89.7 - 95.6	189	96.0	81.1 - 99.3	25	93.8	91.7 - 95.4	347
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	94.9	91.4 - 97.0	133	92.7	89.0 - 95.2	186	100.0	†	25	94.1	91.9 - 95.8	344

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations



**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

24. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cigarettes	97.2	95.0 - 98.4	133	94.4	90.8 - 96.6	189	100.0	†	25	95.9	93.9 - 97.2	347
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	97.2	95.0 - 98.4	133	93.8	90.1 - 96.2	189	100.0	†	25	95.6	93.6 - 97.0	347
c. Cigars	94.2	91.3 - 96.2	133	93.3	89.5 - 95.8	189	96.0	81.1 - 99.3	25	93.9	91.6 - 95.5	347
d. Pipes	94.2	91.2 - 96.2	131	92.2	88.5 - 94.8	189	96.0	81.1 - 99.3	25	93.3	91.0 - 95.0	345
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	94.9	91.4 - 97.0	132	90.4	86.3 - 93.4	185	100.0	†	25	92.9	90.5 - 94.8	342

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

24. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Cigarettes	97.2	95.0 - 98.4	133	93.9	90.2 - 96.2	189	100.0	†	25	95.6	93.6 - 97.0	347
b. Smokeless tobacco (e.g., chewing tobacco, snuff, dip, snus)	97.2	95.0 - 98.4	133	93.3	89.5 - 95.8	189	100.0	†	25	95.3	93.2 - 96.8	347
c. Cigars	94.2	91.3 - 96.2	133	93.3	89.5 - 95.8	189	96.0	81.1 - 99.3	25	93.9	91.6 - 95.6	347
d. Pipes	94.2	91.3 - 96.2	133	91.7	87.9 - 94.4	189	96.0	81.1 - 99.3	25	93.0	90.8 - 94.8	347
e. Electronic vapor products (e.g., e-cigarettes, vape pipes, hookah pens)	94.3	90.6 - 96.6	133	89.0	84.5 - 92.2	187	100.0	†	25	91.9	89.3 - 93.9	345

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

25. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	98.6	95.4 - 99.6	133	95.3	92.0 - 97.3	187	100.0	†	25	97.0	95.0 - 98.2	345
b. During non-school hours	89.6	84.9 - 92.9	133	87.2	82.5 - 90.9	185	100.0	†	25	89.1	86.1 - 91.5	343

† Confidence intervals not applicable for 0 percent or 100 percent.  
 N = Unweighted number of observations

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

25. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	97.9	94.6 - 99.2	133	93.8	90.0 - 96.2	187	100.0	†	25	95.9	93.7 - 97.3	345
b. During non-school hours	88.9	84.1 - 92.4	133	84.5	79.3 - 88.6	184	96.2	81.8 - 99.3	25	87.1	83.9 - 89.8	342

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

25. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. During school hours	97.9	94.6 - 99.2	133	93.8	90.0 - 96.2	187	100.0	†	25	95.9	93.7 - 97.3	345
b. During non-school hours	88.1	83.1 - 91.8	133	84.5	79.3 - 88.6	184	96.2	81.8 - 99.3	25	86.8	83.5 - 89.6	342

† Confidence intervals not applicable for 0 percent or 100 percent.  
 N = Unweighted number of observations

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

26. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	98.6	95.4 - 99.6	132	95.4	92.1 - 97.4	188	100.0	†	25	97.0	95.1 - 98.2	345
b. Outside on school grounds, including parking lots and playing fields	97.0	93.3 - 98.7	132	95.4	92.0 - 97.3	187	100.0	†	25	96.4	94.3 - 97.7	344
c. On school buses or other vehicles used to transport students	98.6	95.4 - 99.6	132	94.9	91.4 - 97.0	187	95.8	81.5 - 99.2	24	96.4	94.4 - 97.7	343
d. At off-campus, school-sponsored events	97.1	93.4 - 98.7	132	91.1	87.1 - 93.9	187	88.0	72.1 - 95.4	25	93.3	90.7 - 95.1	344

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

26. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	97.9	94.5 - 99.2	132	95.4	92.1 - 97.4	188	100.0	†	25	96.7	94.7 - 98.0	345
b. Outside on school grounds, including parking lots and playing fields	97.1	93.5 - 98.8	132	95.4	92.1 - 97.4	188	100.0	†	25	96.4	94.4 - 97.7	345
c. On school buses or other vehicles used to transport students	97.9	94.5 - 99.2	132	94.9	91.4 - 97.0	188	96.0	82.1 - 99.2	25	96.2	94.1 - 97.5	345
d. At off-campus, school-sponsored events	95.7	92.5 - 97.6	132	91.6	87.8 - 94.3	188	88.0	72.1 - 95.4	25	93.0	90.6 - 94.8	345

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

26. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In school buildings	97.8	94.5 - 99.2	131	94.9	91.4 - 97.0	188	100.0	†	25	96.4	94.4 - 97.8	344
b. Outside on school grounds, including parking lots and playing fields	96.3	92.4 - 98.3	132	94.9	91.4 - 97.0	188	100.0	†	25	95.8	93.6 - 97.3	345
c. On school buses or other vehicles used to transport students	97.8	94.5 - 99.2	131	94.4	90.8 - 96.6	188	96.0	82.1 - 99.2	25	95.9	93.7 - 97.3	344
d. At off-campus, school-sponsored events	93.6	89.6 - 96.1	132	86.7	82.2 - 90.3	187	88.0	72.1 - 95.4	25	89.6	86.7 - 91.9	344

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations



**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

26N. Percentage of schools that follow a policy that mandates a "tobacco-free environment." A "tobacco-free environment" is one that prohibits tobacco use by students, staff, and visitors in school buildings, at school functions, in school vehicles, on school grounds, and at off-site school events, applicable 24 hours a day and seven days a week.\*

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
81.1	75.2 - 85.8	129	72.7	66.7 - 77.9	182	83.6	66.2 - 92.9	24	76.8	72.9 - 80.4	335

\*Responses to question 24 (a, b, c, and d), question 25 (a and b), and question 26 (a, b, c, and d) are all "yes."  
 N = Unweighted number of observations

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

27. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
91.1	86.3 - 94.3	132	87.6	83.3 - 90.9	191	63.7	45.6 - 78.5	25	87.3	84.2 - 89.8	348

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

28. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruits or non-fried vegetables at celebrations when foods and beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Foods or beverages are not offered at school celebrations	8.2	5.4 - 12.2	131	4.7	2.7 - 8.1	191	4.0	0.7 - 18.9	25	6.0	4.3 - 8.3	347
b. Never	0.0	†	131	3.2	1.6 - 6.1	191	0.0	†	25	1.7	0.9 - 3.3	347
c. Rarely	11.4	7.4 - 17.2	131	15.8	11.9 - 20.8	191	8.4	2.5 - 24.9	25	13.5	10.7 - 17.0	347
d. Sometimes	41.2	34.8 - 47.8	131	45.6	39.8 - 51.6	191	56.4	38.7 - 72.7	25	44.6	40.4 - 48.9	347
e. Always or almost always	39.3	32.8 - 46.2	131	30.7	25.1 - 36.9	191	31.1	17.7 - 48.8	25	34.1	30.0 - 38.5	347

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

28N. Percentage of schools that offer fruits or non-fried vegetables in vending machines or school stores, and almost always or always at celebrations when foods and beverages are offered.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
13.2	9.0 - 18.9	132	5.2	3.1 - 8.4	191	3.8	0.7 - 18.2	25	8.2	6.1 - 11.0	348

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

29. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
61.8	55.6 - 67.7	132	26.2	21.8 - 31.2	191	45.2	30.0 - 61.4	25	41.7	38.1 - 45.5	348

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

30. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
a. Chocolate candy	15.1	10.7 - 20.8	132	5.3	3.1 - 8.8	190	20.5	9.2 - 39.7	25	10.3	7.9 - 13.3	347
b. Other kinds of candy	18.2	13.2 - 24.5	132	5.8	3.5 - 9.5	190	20.5	9.2 - 39.7	25	11.8	9.2 - 15.1	347
c. Salty snacks that are not low in fat (e.g., regular potato chips)	24.4	19.7 - 29.8	131	13.2	9.5 - 18.0	190	24.4	11.6 - 44.2	25	18.4	15.4 - 21.9	346
d. Low sodium or "no added salt" pretzels, crackers, or chips	44.4	38.0 - 50.9	132	20.0	16.0 - 24.8	190	32.8	18.9 - 50.6	25	30.7	27.1 - 34.5	347
e. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	23.4	18.4 - 29.2	132	10.6	7.8 - 14.3	190	24.4	11.6 - 44.2	25	16.7	13.9 - 19.9	347
f. Ice cream or frozen yogurt that is not low in fat	10.6	7.0 - 15.7	131	6.4	4.1 - 9.8	189	8.3	2.4 - 24.5	25	8.2	6.1 - 10.9	345
g. 2% or whole milk (plain or flavored)	22.2	17.0 - 28.5	132	9.5	6.7 - 13.2	190	20.7	9.3 - 40.0	25	15.4	12.5 - 18.7	347
h. Nonfat or 1% (low-fat) milk (plain)	29.9	24.2 - 36.3	132	13.2	9.7 - 17.7	190	8.4	2.5 - 24.9	25	19.5	16.4 - 23.0	347
i. Water ices or frozen slushes that do not contain juice	16.5	12.2 - 22.0	130	5.9	3.8 - 9.2	189	8.3	2.4 - 24.5	25	10.3	8.0 - 13.1	344
j. Soda pop or fruit drinks that are not 100% juice	30.1	24.0 - 37.0	130	6.8	4.7 - 9.7	190	12.7	4.6 - 30.4	25	16.4	13.6 - 19.7	345
k. Sports drinks (e.g., Gatorade)	43.5	37.4 - 49.9	132	12.0	8.9 - 16.1	190	41.2	27.5 - 56.5	25	26.7	23.5 - 30.2	347

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

30. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
l. Energy drinks (e.g., Red Bull, Monster)	9.5	6.0 - 14.9	132	0.5	0.1 - 2.6	189	0.0	†	25	4.1	2.6 - 6.3	346
m. Plain water, with or without carbonation (e.g., Dasani, Aquafina, Smart Water)	55.7	49.1 - 62.2	132	24.3	20.0 - 29.0	190	45.2	30.0 - 61.4	25	38.3	34.6 - 42.1	347
n. Calorie-free, flavored water, with or without carbonation (e.g., Dasani Flavors, Aquafina FlavorSplash)	43.7	37.7 - 50.0	132	8.9	5.9 - 13.2	190	37.0	22.2 - 54.7	25	24.8	21.6 - 28.3	347
o. 100% fruit or vegetable juice	32.0	26.5 - 38.0	132	14.3	10.6 - 19.0	189	29.0	17.0 - 44.8	25	22.4	19.2 - 25.9	346
p. Foods or beverages containing caffeine	25.3	19.9 - 31.5	131	3.7	2.0 - 6.9	190	8.3	2.4 - 24.5	25	12.6	10.1 - 15.6	346
q. Fruits (not fruit juice)	26.7	20.7 - 33.5	132	12.2	9.1 - 16.1	190	20.7	9.3 - 40.0	25	18.5	15.4 - 22.1	347
r. Non-fried vegetables (not vegetable juice)	24.4	18.9 - 31.0	132	8.5	5.7 - 12.4	190	11.8	4.3 - 28.4	25	15.1	12.2 - 18.4	347

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

31. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence		Percent	95% Confidence	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	12.5	8.4 - 18.3	128	11.5	8.1 - 16.0	186	11.7	4.5 - 27.1	25	11.9	9.3 - 15.2	339
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	35.6	29.3 - 42.6	129	23.8	18.8 - 29.5	188	40.2	25.9 - 56.4	25	29.7	25.8 - 33.9	342
c. Provided information to students or families on the nutrition and caloric content of foods available	52.5	45.4 - 59.6	129	48.3	42.2 - 54.6	188	56.0	41.2 - 69.8	25	50.6	46.1 - 55.0	342
d. Conducted taste tests to determine food preferences for nutritious items	27.4	20.8 - 35.2	129	33.1	27.9 - 38.8	189	39.3	25.6 - 54.9	25	31.3	27.3 - 35.7	343
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	19.5	14.2 - 26.2	129	14.3	10.7 - 18.8	188	15.7	6.5 - 33.1	25	16.4	13.4 - 20.0	342
f. Served locally or regionally grown foods in the cafeteria or classrooms	36.7	31.1 - 42.7	128	38.6	32.8 - 44.8	188	39.9	25.8 - 55.9	25	38.0	34.0 - 42.2	341
g. Planted a school food or vegetable garden	33.9	27.3 - 41.2	128	29.0	23.6 - 35.1	188	36.6	23.2 - 52.5	25	31.5	27.4 - 35.9	341
h. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	69.1	63.0 - 74.7	128	55.0	48.7 - 61.1	188	68.3	50.2 - 82.1	25	61.5	57.2 - 65.6	341



**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

31. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
i. Used attractive displays for fruits and vegetables in the cafeteria	57.1	50.4 - 63.5	128	57.2	51.2 - 63.0	188	45.8	27.3 - 65.5	24	56.4	52.0 - 60.6	340
j. Offered a self-serve salad bar to students	16.5	11.6 - 23.0	128	9.7	6.7 - 14.0	188	16.4	6.7 - 34.7	24	12.9	10.1 - 16.3	340
k. Labeled healthful foods with appealing names (e.g., crunchy carrots)	40.9	33.6 - 48.6	128	35.4	30.0 - 41.3	188	23.5	11.6 - 41.8	25	36.7	32.4 - 41.2	341
l. Encouraged students to drink plain water	67.7	60.5 - 74.1	129	73.3	68.2 - 77.8	188	72.1	51.9 - 86.1	25	71.0	66.9 - 74.8	342
m. Prohibited school staff from giving students food or food coupons as a reward for good behavior or good academic performance	36.5	29.2 - 44.5	129	34.7	29.4 - 40.5	189	39.7	23.2 - 59.1	25	35.8	31.5 - 40.4	343
n. Prohibited less nutritious foods and beverages (e.g., candy, baked goods) from being sold for fundraising purposes	43.3	36.1 - 50.8	128	34.4	28.7 - 40.5	189	47.6	31.9 - 63.7	25	38.8	34.5 - 43.4	342

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

32. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. In the school building	71.2	63.8 - 77.6	127	63.2	57.0 - 69.1	187	79.3	60.9 - 90.4	25	67.5	63.0 - 71.8	339
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	62.0	55.4 - 68.2	128	58.3	52.1 - 64.3	187	75.3	56.2 - 87.9	25	61.0	56.6 - 65.2	340
c. On school buses or other vehicles used to transport students	75.8	68.8 - 81.6	127	69.0	62.7 - 74.6	187	78.5	59.4 - 90.1	24	72.3	67.9 - 76.4	338
d. In school publications (e.g., newsletters, newspapers, web sites, other school publications)	62.3	54.3 - 69.8	127	61.9	55.4 - 68.0	186	75.3	56.2 - 87.9	25	63.1	58.2 - 67.6	338
e. In curricula or other educational materials (including assignment books, school supplies, book covers, and electronic media)	70.2	62.7 - 76.7	126	59.6	53.3 - 65.5	186	71.3	51.6 - 85.3	25	64.6	60.0 - 68.9	337

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

33. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Yes, in all locations	81.5	74.8 - 86.8	131	63.3	57.7 - 68.5	186	64.1	46.3 - 78.7	25	70.6	66.6 - 74.4	342
b. Yes, in certain locations	16.9	12.0 - 23.4	131	35.1	29.7 - 40.9	186	32.1	18.8 - 49.1	25	27.6	23.9 - 31.7	342
c. No	1.5	0.5 - 4.9	131	1.6	0.6 - 4.2	186	3.8	0.7 - 18.2	25	1.7	0.9 - 3.4	342

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

33N. Percentage of schools that permit students to have a drinking water bottle with them in either all locations or certain locations during the school day.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
98.5	95.1 - 99.5	131	98.4	95.8 - 99.4	186	96.2	81.8 - 99.3	25	98.3	96.6 - 99.1	342

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

34. Percentage of schools that offer a free source of drinking water in the following locations.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. Cafeteria during breakfast	93.7	88.8 - 96.5	123	96.4	93.1 - 98.2	166	94.7	75.6 - 99.0	21	95.2	92.6 - 96.9	310
b. Cafeteria during lunch	94.5	89.9 - 97.1	123	97.6	94.6 - 99.0	166	100.0	†	21	96.5	94.3 - 97.9	310
c. Gymnasium or other indoor physical activity facilities	95.2	90.7 - 97.5	116	96.7	93.5 - 98.3	181	91.3	74.5 - 97.4	23	95.7	93.4 - 97.3	320
d. Outdoor physical activity facilities or sports fields	87.2	81.1 - 91.5	113	70.5	63.6 - 76.5	169	83.2	70.7 - 91.0	23	77.9	73.6 - 81.7	305
e. Hallways throughout the school	97.8	96.2 - 98.7	129	99.4	97.2 - 99.9	186	100.0	†	25	98.8	97.9 - 99.3	340

\*Among schools with that location.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

35. Percentage of schools that have a full-time registered nurse who provides health services to students.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
28.2	22.3 - 34.8	131	22.5	18.0 - 27.6	189	19.7	8.9 - 38.3	25	24.5	21.0 - 28.4	345

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

36. Percentage of schools that have a part-time registered nurse who provides health services to students.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
70.1	62.9 - 76.4	129	69.5	64.0 - 74.5	189	60.0	40.3 - 76.9	25	69.0	64.8 - 73.0	343

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

37. Percentage of schools that have a school-based health center that offers health services to students.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
16.9	12.2 - 22.9	131	16.1	11.9 - 21.2	187	27.6	13.8 - 47.6	25	17.2	14.0 - 21.0	343



**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

38. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
a. HIV testing	1.5	0.5 - 4.8	131	1.1	0.3 - 3.5	188	3.8	0.7 - 18.2	25	1.5	0.7 - 3.0	344
b. HIV treatment (ongoing medical care for persons living with HIV)	1.5	0.5 - 4.8	131	1.1	0.3 - 3.5	188	0.0	†	25	1.2	0.5 - 2.7	344
c. STD testing	2.3	0.9 - 5.9	131	2.2	0.9 - 4.9	188	7.7	2.3 - 22.7	25	2.6	1.5 - 4.5	344
d. STD treatment	2.3	0.9 - 5.9	131	2.2	0.9 - 4.9	187	7.7	2.3 - 22.7	25	2.6	1.5 - 4.5	343
e. Pregnancy testing	3.9	1.8 - 7.9	130	2.2	0.9 - 4.9	187	7.7	2.3 - 22.7	25	3.2	2.0 - 5.3	342
f. Provision of condoms	0.0	†	131	0.0	†	188	4.0	0.7 - 19.0	24	0.3	0.1 - 1.4	343
g. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	0.0	†	131	0.0	†	187	0.0	†	25	0.0	†	343
h. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	0.8	0.2 - 4.1	131	0.0	†	188	3.8	0.7 - 18.2	25	0.6	0.2 - 1.9	344
i. Prenatal care	1.5	0.5 - 4.7	130	1.1	0.3 - 3.5	188	0.0	†	24	1.2	0.5 - 2.7	342

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

38. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	Interval
j. Human papillomavirus (HPV) vaccine administration	1.5	0.5 - 4.8	130	1.6	0.6 - 4.2	188	3.8	0.7 - 18.2	25	1.8	0.9 - 3.4	343
k. Assessment for alcohol or other drug use, abuse, or dependency	18.9	13.9 - 25.3	131	8.7	5.7 - 13.0	188	23.9	11.4 - 43.4	25	13.9	11.0 - 17.4	344
l. Daily medication administration for students with chronic health conditions (e.g., asthma, diabetes)	83.2	77.5 - 87.7	131	81.7	76.8 - 85.8	188	80.4	62.8 - 90.8	25	82.2	78.7 - 85.3	344
m. Stock rescue or "as needed" medication for any student experiencing a health emergency (e.g., asthma episode, severe allergic reaction)	68.9	61.4 - 75.5	131	76.5	71.4 - 80.9	187	80.4	62.8 - 90.8	25	73.7	69.7 - 77.4	343
n. Case management for students with chronic health conditions (e.g., asthma, diabetes)	72.2	65.7 - 77.8	131	76.0	70.6 - 80.7	188	68.4	51.7 - 81.4	25	73.9	70.0 - 77.5	344

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

39. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N	Interval		N	Interval		N	Interval		N	
a. HIV testing	39.2	31.9 - 46.9	110	17.4	13.2 - 22.5	169	65.5	53.2 - 76.0	23	29.3	25.5 - 33.5	302
b. HIV treatment (ongoing medical care for persons living with HIV)	45.2	38.5 - 52.1	127	23.1	18.6 - 28.2	183	68.3	57.4 - 77.4	25	35.2	31.5 - 39.1	335
c. nPEP (non-occupational post-exposure prophylaxis for HIV-- a short course of medication given within 72 hours of exposure to infectious bodily fluids from a person known to be HIV positive)	43.7	36.9 - 50.9	127	22.6	18.2 - 27.6	183	68.3	57.4 - 77.4	25	34.4	30.6 - 38.3	335
d. STD testing	41.3	34.1 - 49.0	109	18.8	14.4 - 24.2	167	65.5	53.2 - 76.0	23	31.0	27.1 - 35.2	299
e. STD treatment	39.5	32.4 - 47.1	109	18.2	13.9 - 23.6	167	65.5	53.2 - 76.0	23	30.0	26.1 - 34.2	299
f. Pregnancy testing	45.6	38.2 - 53.3	103	19.9	15.3 - 25.5	163	65.5	53.2 - 76.0	23	33.2	29.1 - 37.5	289
g. Provision of condoms	36.0	29.4 - 43.2	111	15.5	11.6 - 20.3	170	56.3	44.7 - 67.3	23	26.4	22.9 - 30.3	304

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

39. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
h. Provision of condom-compatible lubricants (i.e., water- or silicone-based)	33.1	26.8 - 40.1	112	14.9	10.9 - 19.9	170	49.3	35.2 - 63.5	22	24.4	20.9 - 28.3	304
i. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	39.1	32.1 - 46.6	108	16.1	12.1 - 21.1	170	61.2	46.8 - 73.8	23	28.2	24.4 - 32.3	301
j. Prenatal care	48.7	41.2 - 56.3	101	20.5	16.0 - 25.9	163	65.5	53.2 - 76.0	23	34.5	30.6 - 38.7	287
k. Human papillomavirus (HPV) vaccine administration	46.4	39.2 - 53.8	126	25.7	21.1 - 31.0	183	71.0	58.4 - 81.0	24	37.2	33.3 - 41.3	333
l. Alcohol or other drug abuse treatment	72.7	65.9 - 78.6	128	46.8	40.7 - 52.9	183	72.3	58.8 - 82.6	25	59.0	54.8 - 63.2	336

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

40. Percentage of schools that have a protocol that ensures students with a chronic condition that may require daily or emergency management (e.g., asthma, diabetes, food allergies) are enrolled in private, state, or federally funded insurance programs if eligible.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
72.5	65.4 - 78.7	126	65.1	59.3 - 70.4	185	71.0	54.2 - 83.6	25	68.4	64.2 - 72.4	336

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

41. Percentage of schools that routinely use school records to identify and track students with a current diagnosis of the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Asthma	94.5	89.8 - 97.1	130	97.3	94.4 - 98.7	186	100.0	†	25	96.4	94.2 - 97.8	341
b. Food allergies	94.5	89.8 - 97.1	130	96.8	93.7 - 98.4	186	100.0	†	25	96.1	93.8 - 97.5	341
c. Diabetes	95.3	90.8 - 97.6	130	97.8	95.1 - 99.1	186	100.0	†	25	97.0	94.9 - 98.2	341
d. Epilepsy or seizure disorder	94.5	89.8 - 97.1	130	97.3	94.4 - 98.7	186	100.0	†	25	96.4	94.2 - 97.8	341
e. Obesity	44.7	37.4 - 52.2	129	32.8	27.5 - 38.7	184	59.2	42.4 - 74.1	25	39.5	35.3 - 44.0	338
f. Hypertension/high blood pressure	70.6	63.8 - 76.6	130	66.6	60.9 - 71.8	186	79.6	60.6 - 90.9	25	69.1	65.0 - 73.0	341
g. Oral health condition (e.g., abscess, tooth decay)	42.2	35.1 - 49.7	130	45.3	39.4 - 51.4	183	71.0	54.2 - 83.6	25	46.0	41.5 - 50.5	338

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

42. Percentage of schools that provide referrals to any organizations or health care professionals not on school property for students diagnosed with or suspected to have the following chronic conditions.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Asthma	51.5	43.9 - 59.0	126	50.5	44.6 - 56.5	186	78.9	64.8 - 88.3	25	53.0	48.6 - 57.4	337
b. Food allergies	52.3	44.6 - 59.8	126	50.5	44.6 - 56.5	186	78.9	64.8 - 88.3	25	53.3	48.8 - 57.7	337
c. Diabetes	52.3	44.6 - 59.8	126	50.3	44.3 - 56.2	185	78.9	64.8 - 88.3	25	53.2	48.7 - 57.6	336
d. Epilepsy or seizure disorder	52.4	44.6 - 60.0	126	48.9	43.1 - 54.8	184	83.3	72.0 - 90.6	25	52.8	48.4 - 57.2	335
e. Obesity	42.1	35.4 - 49.0	126	35.9	30.6 - 41.6	184	74.9	63.9 - 83.4	25	41.3	37.3 - 45.4	335
f. Hypertension/high blood pressure	47.6	40.3 - 55.0	126	43.3	37.8 - 49.0	185	78.9	64.8 - 88.3	25	47.6	43.4 - 51.9	336
g. Oral health condition (e.g., abscess, tooth decay)	47.7	40.4 - 55.2	126	51.4	45.4 - 57.4	185	83.3	72.0 - 90.6	25	52.3	47.9 - 56.7	336

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

43. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are provided.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. This school does not provide any sexual or reproductive health services	74.4	67.8 - 80.0	124	76.7	71.2 - 81.4	181	61.4	43.2 - 76.9	23	74.7	70.6 - 78.4	328
b. Parental consent is required before any sexual or reproductive health services are provided	18.6	13.3 - 25.3	124	19.4	15.1 - 24.5	181	34.4	18.6 - 54.8	23	20.1	16.7 - 24.1	328
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about services provided only upon request	2.2	0.9 - 5.7	124	0.6	0.1 - 2.9	181	0.0	†	23	1.2	0.5 - 2.7	328
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the service provided	1.6	0.5 - 5.1	124	0.0	†	181	0.0	†	23	0.6	0.2 - 2.1	328
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all services provided	1.6	0.5 - 5.1	124	2.2	1.0 - 5.0	181	0.0	†	23	1.8	0.9 - 3.6	328
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any services provided	1.6	0.5 - 5.1	124	1.1	0.4 - 3.6	181	4.2	0.8 - 19.6	23	1.5	0.7 - 3.2	328

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations



**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

44. Percentage of schools with practices regarding parental consent and notification when sexual or reproductive health services are referred.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. This school does not refer any sexual or reproductive health services	48.3	40.9 - 55.8	93	69.6	63.6 - 75.0	157	31.7	19.4 - 47.1	22	58.9	54.4 - 63.2	272
b. Parental consent is required before any sexual or reproductive health services are referred	25.1	18.3 - 33.4	93	25.2	20.2 - 31.0	157	50.1	32.3 - 67.9	22	27.2	23.0 - 31.8	272
c. Parental consent is not required for sexual or reproductive health services and parents are provided with information about referrals provided only upon request	5.3	2.5 - 10.8	93	2.0	0.8 - 5.0	157	5.0	0.9 - 23.3	22	3.4	2.0 - 5.9	272
d. Parental consent is not required for sexual or reproductive health services, but parents may be notified depending on the referral provided	14.9	9.8 - 22.0	93	1.9	0.7 - 4.9	157	8.9	2.6 - 26.2	22	7.2	5.0 - 10.2	272
e. Parental consent is not required for sexual or reproductive health services, but parents are notified about all referrals provided	3.1	1.2 - 8.0	93	0.0	†	157	0.0	†	22	1.1	0.4 - 2.9	272
f. Parental consent is not required for sexual or reproductive health services and parents are not notified about any referrals provided	3.3	1.2 - 8.3	93	1.3	0.4 - 4.2	157	4.3	0.8 - 20.5	22	2.3	1.1 - 4.4	272

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

45. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Provided parents and families with information about how to communicate with their child about sex	23.8	17.9 - 30.9	127	22.3	17.4 - 28.1	180	39.1	24.4 - 56.0	23	24.1	20.3 - 28.3	330
b. Provided parents with information about how to monitor their child (e.g., setting parental expectations, keeping track of their child, responding when their child breaks the rules)	38.4	32.2 - 45.0	125	48.3	42.0 - 54.7	181	57.4	40.3 - 72.8	23	45.0	40.6 - 49.5	329
c. Involved parents as school volunteers in the delivery of health education activities and services	16.0	11.1 - 22.6	126	23.0	18.1 - 28.9	181	35.1	18.9 - 55.7	23	21.1	17.4 - 25.3	330
d. Linked parents and families to health services and programs in the community	61.6	53.8 - 68.9	125	69.6	63.3 - 75.3	184	62.5	43.0 - 78.7	24	66.0	61.2 - 70.4	333
e. Provided disease-specific education for parents and families of students with chronic health conditions (e.g., asthma, diabetes)	36.5	29.3 - 44.4	126	39.1	33.2 - 45.4	182	51.2	34.5 - 67.7	23	38.9	34.4 - 43.6	331

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

46. Percentage of schools that use electronic, paper, or oral communication to inform parents about school health services and programs.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence Interval			95% Confidence Interval			95% Confidence Interval			95% Confidence Interval		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
71.4	64.4 - 77.4	128	71.9	66.2 - 77.0	184	91.7	75.4 - 97.5	24	73.1	69.0 - 76.8	336

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

47. Percentage of schools that participate in a program in which family or community members serve as role models to students or mentor students, such as the Big Brothers Big Sisters program.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
36.6	29.9 - 43.8	127	37.7	31.5 - 44.3	184	37.6	21.9 - 56.4	24	37.3	32.8 - 42.0	335

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

48. Percentage of schools that provide service-learning opportunities for students.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
78.8	72.7 - 83.8	128	58.7	52.3 - 64.9	184	91.7	75.4 - 97.5	24	69.1	64.8 - 73.0	336

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

49. Percentage of schools that provide peer tutoring opportunities for students.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
95.5	92.1 - 97.5	129	78.7	72.8 - 83.6	184	79.1	59.6 - 90.7	24	85.5	81.9 - 88.4	337

**NORTH CAROLINA**  
**2018 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

50. Percentage of schools in which students' families helped develop or implement policies and programs related to school health during the past two years.

<b>High Schools</b>			<b>Middle Schools</b>			<b>Junior/Senior High Schools</b>			<b>All Schools</b>		
95% Confidence			95% Confidence			95% Confidence			95% Confidence		
Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
29.7	23.3 - 37.0	127	27.7	22.3 - 33.7	184	48.6	32.2 - 65.4	24	30.0	25.9 - 34.4	335