	Prevalence Survey Year									
Question										adratic hange
Total	1991	1993	1995	1997	1999	2001	2003	2005		ge
Injury and Violence										
Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet							83.2	84.7	No	
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else							9.8	7.4	No	
Percentage of students who rode in a car or other vehicle driven by someone who had been drinking alcohol one or more times during the past 30 days							18.8	23.0	Yes	
Percentage of students who drove a car or other vehicle when they had been drinking alcohol one or more times during the past 30 days							7.2	10.2	No	
Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days							25.8	25.7	No	
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days							8.8	8.7	No	
Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school on one or more of the past 30 days							2.4	3.7	No	

Question				Linear Quadratic Change Change					
Total	1991	1993	1995	1997	1999	2001	2003	2005	
Injury and Violence									
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months							7.2	6.8	No
Percentage of students who had property, such as their car, clothing, or books stolen or deliberately damaged on school property one or more times during the past 12 months							26.8	26.2	No
Percentage of students who were in a physical fight one or more times during the past 12 months							28.8	27.8	No
Percentage of students who were injured in a physical fight and had to be treated by a doctor or nurse one or more times during the past 12 months							3.5	3.5	No
Percentage of students who were in a physical fight on school property one or more times during the past 12 months							12.9	11.9	No
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months							29.1	28.3	No
Percentage of students who seriously considered attempting suicide during the past 12 months							19.3	16.1	No

Question				Prev Surve	Linear	· Ouadratic				
Total	1991	1993	1995	1997	1999	2001	2003	2005	Change	• • • • • • • • • • • • • • • • • • • •
Tobacco Use										
Percentage of students who smoked a whole cigarette for the first time before age 13 years							23.4	20.0	No	
Percentage of students who smoked cigarettes on one or more of the past 30 days							26.0	25.8	No	
Percentage of students who smoked cigarettes on 20 or more of the past 30 days							11.8	12.3	No	
Among students who are current smokers, the percentage who tried to quit smoking during the past 12 months							52.5	52.7	No	

	Prevalence Survey Year								
Question									Linear Quadratic Change Change
Total	1991	1993	1995	1997	1999	2001	2003	2005	Change
Alcohol and Other Drug Use									
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years							20.5	21.5	No
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days							38.7	40.9	No
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days							22.5	23.9	No
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days							4.4	5.1	No
Percentage of students who used marijuana one or more times during their life							37.2	36.4	No
Percentage of students who tried marijuana for the first time before age 13 years							8.6	9.2	No
Percentage of students who used marijuana one or more times during the past 30 days							18.5	18.8	No
Percentage of students who used marijuana on school property one or more times during the past 30 days							3.9	4.2	No
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life							7.5	9.0	No

				Preva Surve					
Question									Linear Quadratic Change Change
Total	1991	1993	1995	1997	1999	2001	2003	2005	Change Change
Alcohol and Other Drug Use									
Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life							16.2	15.7	No
Percentage of students who used heroin one or more times during their life							3.2	3.3	No
Percentage of students who used methamphetamines one or more times during their life							8.9	8.0	No
Percentage of students who used ecstasy one or more times during their life							6.9	8.5	No
Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life							6.4	4.8	No
Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life							2.7	2.9	No
Percentage of students who were offered, sold, or given an illegal drug on school property by someone during the past 12 months							31.6	25.8	Yes

North Carolina(Region 3) High School Survey Trend Analysis Report

				Prev Surve					
Question									Linear Quadratic Change Change
Total	1991	1993	1995	1997	1999	2001	2003	2005	g-
Sexual Behaviors									
Percentage of students who ever had sexual intercourse							44.9	48.1	No
Percentage of students who had sexual intercourse for the first time before age 13 years							6.0	6.7	No
Percentage of students who had sexual intercourse with four or more people during their life							12.1	13.9	No
Percentage of students who had sexual intercourse with one or more people during the past three months							34.3	34.9	No
Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse							17.2	21.0	No
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse							53.0	59.1	No
Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy							19.2	22.8	No

before last sexual intercourse

Question		Prevalence Survey Year							Linear	Quadratic
-									Change	Change
Total	1991	1993	1995	1997	1999	2001	2003	2005		
Weight Management and Dietary Behaviors										
Percentage of students who were at risk for becoming overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)*							13.6	15.3	No	
Percentage of students who were overweight (i.e., at or above the 95th percentile for body mass index, by age and sex)*							15.2	14.3	No	
Percentage of students who described themselves as slightly or very overweight							33.5	32.8	No	
Percentage of students who were trying to lose weight							47.3	47.8	No	
Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days							63.5	64.1	No	
Percentage of students who took diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days							11.1	7.4	Yes	
Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days							3.8	5.1	No	
Percentage of students who drank three or more glasses per day of milk during the past seven days							11.9	14.7	No	

	Prevalence Survey Year										
Question										Linear	Quadratic
Total	1991	1993	1995	1997	1999	2001	2003	2005		Change	Change
Physical Activity											
Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school							49.1	40.4		No	
Percentage of students who attended physical education (PE) classes daily in an average week when they were in school							38.3	32.1		No	
Among students enrolled in physical education (PE) class, the percentage who actually exercised or played sports more than 20 minutes during an average PE class							87.0	90.8		No	

	Prevalence Survey Year								
Question									Linear Quadratic Change Change
Females	1991	1993	1995	1997	1999	2001	2003	2005	
Injury and Violence									
Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet							81.4	82.8	No
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else							6.8	6.0	No
Percentage of students who rode in a car or other vehicle driven by someone who had been drinking alcohol one or more times during the past 30 days							18.0	23.1	No
Percentage of students who drove a car or other vehicle when they had been drinking alcohol one or more times during the past 30 days							4.4	7.8	Yes
Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days							9.2	9.5	No
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days							2.8	3.4	No
Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school on one or more of the past 30 days							1.5	3.7	No

Question									Linear Quadratic
Females	1991	1993	1995	1997	1999	2001	2003	2005	Change Change
Injury and Violence									
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months							5.5	4.3	No
Percentage of students who had property, such as their car, clothing, or books stolen or deliberately damaged on school property one or more times during the past 12 months							23.9	21.6	No
Percentage of students who were in a physical fight one or more times during the past 12 months							20.0	20.4	No
Percentage of students who were injured in a physical fight and had to be treated by a doctor or nurse one or more times during the past 12 months							1.7	2.0	No
Percentage of students who were in a physical fight on school property one or more times during the past 12 months							8.2	8.5	No
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months							34.5	37.6	No
Percentage of students who seriously considered attempting suicide during the past 12 months							20.8	22.1	No

Question				Prev. Surve	Linear Quadratic				
Females	1991	1993	1995	1997	1999	2001	2003	2005	Change Change
Tobacco Use									
Percentage of students who smoked a whole cigarette for the first time before age 13 years							18.5	18.4	No
Percentage of students who smoked cigarettes on one or more of the past 30 days							24.8	25.4	No
Percentage of students who smoked cigarettes on 20 or more of the past 30 days							10.9	12.6	No
Among students who are current smokers, the percentage who tried to quit smoking during the past 12 months							57.1	63.0	No

	Prevalence Survey Year								
Question									Linear Quadratic Change Change
Females	1991	1993	1995	1997	1999	2001	2003	2005	
Alcohol and Other Drug Use									
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years							14.8	16.2	No
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days							33.9	38.6	No
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days							16.4	19.8	No
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days							2.4	2.3	No
Percentage of students who used marijuana one or more times during their life							32.6	33.3	No
Percentage of students who tried marijuana for the first time before age 13 years							3.5	6.8	No
Percentage of students who used marijuana one or more times during the past 30 days							15.2	15.9	No
Percentage of students who used marijuana on school property one or more times during the past 30 days							1.2	2.2	No
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life							6.5	7.4	No

Question									Linear Quadratic Change Change
Females	1991	1993	1995	1997	1999	2001	2003	2005	
Alcohol and Other Drug Use									
Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life							15.9	14.2	No
Percentage of students who used heroin one or more times during their life							2.3	1.5	No
Percentage of students who used methamphetamines one or more times during their life							7.5	6.9	No
Percentage of students who used ecstasy one or more times during their life							4.9	6.6	No
Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life							4.5	3.2	No
Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life							1.6	2.0	No
Percentage of students who were offered, sold, or given an illegal drug on school property by someone during the past 12 months							28.0	23.0	No

North Carolina(Region 3) High School Survey Trend Analysis Report

Question									Linear Quadratic Change Change
Females	1991	1993	1995	1997	1999	2001	2003	2005	5
Sexual Behaviors									
Percentage of students who ever had sexual intercourse							43.6	49.6	No
Percentage of students who had sexual intercourse for the first time before age 13 years							1.1	4.8	Yes
Percentage of students who had sexual intercourse with four or more people during their life							8.8	12.3	No
Percentage of students who had sexual intercourse with one or more people during the past three months							34.8	36.4	No
Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse							10.1	15.7	No
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse							49.9	57.7	No
Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy							23.5	21.8	No

before last sexual intercourse

Overtion	Prevalence Survey Year								Linear		Quadratic
Question										Change	Quadrauc Change
Females	1991	1993	1995	1997	1999	2001	2003	2005			
Weight Management and Dietary Behaviors											
Percentage of students who were at risk for becoming overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)*							12.4	15.6		No	
Percentage of students who were overweight (i.e., at or above the 95th percentile for body mass index, by age and sex)*							10.7	12.1		No	
Percentage of students who described themselves as slightly or very overweight							38.2	41.4		No	
Percentage of students who were trying to lose weight							60.7	63.7		No	
Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days							71.7	73.7		No	
Percentage of students who took diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days							12.3	8.2		No	
Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days							4.6	7.3		No	
Percentage of students who drank three or more glasses per day of milk during the past seven days							5.5	10.5		Yes	

Prevalence Survey Year											
Question										Linear Change	Quadratic Change
Females	1991	1993	1995	1997	1999	2001	2003	2005		Change	Change
Physical Activity											
Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school							38.7	34.2		No	
Percentage of students who attended physical education (PE) classes daily in an average week when they were in school							30.9	27.9		No	
Among students enrolled in physical education (PE) class, the percentage who actually exercised or played sports more than 20 minutes during an average PE class							89.7	89.0		No	

	Prevalence Survey Year									
Question									Linear Quadratic Change Change	
Males	1991	1993	1995	1997	1999	2001	2003	2005	Change Change	
Injury and Violence										
Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet							84.4	85.9	No	
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else							12.6	8.8	No	
Percentage of students who rode in a car or other vehicle driven by someone who had been drinking alcohol one or more times during the past 30 days							19.5	22.8	No	
Percentage of students who drove a car or other vehicle when they had been drinking alcohol one or more times during the past 30 days							9.9	12.5	No	
Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days							42.2	41.4	No	
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days							14.7	13.8	No	
Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school on one or more of the past 30 days							3.3	3.4	No	

Question									Linear Quadratic
Males	1991	1993	1995	1997	1999	2001	2003	2005	Change Change
Injury and Violence									
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months							8.9	9.1	No
Percentage of students who had property, such as their car, clothing, or books stolen or deliberately damaged on school property one or more times during the past 12 months							29.5	30.7	No
Percentage of students who were in a physical fight one or more times during the past 12 months							37.4	35.1	No
Percentage of students who were injured in a physical fight and had to be treated by a doctor or nurse one or more times during the past 12 months							5.2	4.9	No
Percentage of students who were in a physical fight on school property one or more times during the past 12 months							17.4	15.2	No
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months							24.0	19.3	No
Percentage of students who seriously considered attempting suicide during the past 12 months							17.8	10.4	Yes

Question									Linear Quadratic
Males	1991	1993	1995	1997	1999	2001	2003	2005	Change Change
Tobacco Use									
Percentage of students who smoked a whole cigarette for the first time before age 13 years							28.3	21.4	No
Percentage of students who smoked cigarettes on one or more of the past 30 days							27.2	26.1	No
Percentage of students who smoked cigarettes on 20 or more of the past 30 days							12.7	12.1	No

Prevalence Survey Year									
Question									Linear Quadratic Change Change
Males	1991	1993	1995	1997	1999	2001	2003	2005	
Alcohol and Other Drug Use									
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years							26.1	26.4	No
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days							43.3	42.9	No
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days							28.6	28.0	No
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days							6.4	7.4	No
Percentage of students who used marijuana one or more times during their life							41.9	39.5	No
Percentage of students who tried marijuana for the first time before age 13 years							13.6	11.3	No
Percentage of students who used marijuana one or more times during the past 30 days							21.8	21.7	No
Percentage of students who used marijuana on school property one or more times during the past 30 days							6.5	6.0	No
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life							8.5	10.4	No

Question				Linear Quadratic Change Change					
Males	1991	1993	1995	1997	1999	2001	2003	2005	Change Change
Alcohol and Other Drug Use									
Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life							16.5	17.2	No
Percentage of students who used heroin one or more times during their life							4.1	5.0	No
Percentage of students who used methamphetamines one or more times during their life							10.2	9.1	No
Percentage of students who used ecstasy one or more times during their life							8.9	10.2	No
Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life							8.2	6.4	No
Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life							3.7	3.7	No
Percentage of students who were offered, sold, or given an illegal drug on school property by someone during the past 12 months							35.0	28.5	No

Question										Quadratic
Males	1991	1993	1995	1997	1999	2001	2003	2005	Change	Change
Sexual Behaviors										
Percentage of students who ever had sexual intercourse							46.1	46.7	No	
Percentage of students who had sexual intercourse for the first time before age 13 years							10.9	8.6	No	
Percentage of students who had sexual intercourse with four or more people during their life							15.4	15.6	No	
Percentage of students who had sexual intercourse with one or more people during the past three months							33.9	33.5	No	
Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse							24.3	26.7	No	

				Lincon	Quadratic					
Question									Linear	Quadratic
Males	1991	1993	1995	1997	1999	2001	2003	2005	Change	Change
Weight Management and Dietary Behaviors										
Percentage of students who were at risk for becoming overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)*							14.7	15.1	No	
Percentage of students who were overweight (i.e., at or above the 95th percentile for body mass index, by age and sex)*							19.6	16.4	No	
Percentage of students who described themselves as slightly or very overweight							29.0	24.4	No	
Percentage of students who were trying to lose weight							34.3	32.6	No	
Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days							55.5	54.8	No	
Percentage of students who took diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days							10.0	6.6	No	
Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days							3.0	3.0	No	
Percentage of students who drank three or more glasses per day of milk during the past seven days							18.1	18.8	No	

Question									•	adratic
Males	1991	1993	1995	1997	1999	2001	2003	2005	Change Cl	nange
Physical Activity										
Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school							59.1	46.8	No	
Percentage of students who attended physical education (PE) classes daily in an average week when they were in school							45.3	36.5	No	
Among students enrolled in physical education (PE) class, the percentage who actually exercised or played sports more than 20 minutes during an average PE class							85.3	92.6	No	