North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN7: Percentage of students who described their general health as fair or poor

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	10.9	(9.1 - 12.6)	1,291	9.8	(7.2 - 12.4)	597	12.0	(9.6 - 14.3)	692
Age										
	11 or younger	9.5	(6.6 - 12.3)	182	-	-	66	8.2	(3.3 - 13.0)	115
	12	8.0	(4.8 - 11.3)	367	7.1	(2.5 - 11.8)	165	9.0	(4.2 - 13.7)	202
	13	10.4	(7.8 - 13.1)	413	9.7	(5.3 - 14.2)	185	11.0	(8.2 - 13.8)	228
	14 or older	14.9	(11.4 - 18.5)	328	11.9	(7.7 - 16.1)	180	19.1	(12.9 - 25.4)	147
Grade										
	6th	9.2	(6.1 - 12.3)	448	10.6	(5.1 - 16.2)	189	7.8	(4.6 - 11.0)	259
	7th	11.1	(8.9 - 13.3)	377	10.4	(5.0 - 15.9)	182	11.9	(6.6 - 17.3)	194
	8th	12.0	(8.6 - 15.4)	449	8.5	(5.2 - 11.9)	219	15.4	(10.4 - 20.4)	230
Race/Eth	nnicity									
	Black	-	-	95	-	-	48	-	-	47
	Hispanic/ Latino	-	-	72	-	-	40	-	-	32
	White	10.6	(8.6 - 12.6)	961	9.8	(6.7 - 13.0)	446	11.3	(8.8 - 13.8)	514
	All other races	-	-	71	-	-	28	-	-	43
	Multiple races	-	-	83	-	-	31	-	-	52

Note: There were 106 students who did not provide usable data for QN7.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN8: Percentage of students who never or rarely wore a seat belt when riding in a car

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	8.8	(7.1 - 10.4)	1,388	11.3	(8.3 - 14.3)	661	6.0	(3.7 - 8.2)	724
Age										
	11 or younger	6.7	(3.6 - 9.8)	201	-	-	76	4.9	(1.1 - 8.8)	124
	12	5.0	(2.9 - 7.0)	412	7.6	(2.4 - 12.8)	193	2.1	(0.0 - 4.6)	219
	13	7.9	(5.2 - 10.6)	439	8.9	(5.2 - 12.7)	205	7.0	(3.6 - 10.4)	233
	14 or older	15.0	(12.2 - 17.9)	336	18.9	(13.3 - 24.6)	187	9.7	(5.6 - 13.9)	148
Grade										
	6th	6.6	(4.5 - 8.8)	510	8.6	(4.4 - 12.8)	225	4.5	(0.8 - 8.3)	284
	7th	8.1	(5.4 - 10.9)	399	9.6	(4.6 - 14.6)	197	6.1	(3.3 - 8.9)	201
	8th	10.9	(8.2 - 13.6)	461	14.6	(10.2 - 19.0)	231	7.1	(2.8 - 11.4)	230
Race/Eth	nnicity									
	Black	19.2	(12.9 - 25.5)	103	-	_	56	_	_	47
	Hispanic/ Latino	-	-	82	-	-	47	-	-	34
	White	6.9	(5.2 - 8.6)	1,032	8.6	(6.0 - 11.3)	489	5.2	(3.2 - 7.2)	542
	All other races	-	-	73	-	-	30	-	-	43
	Multiple races	-	-	86	-	-	34	-	-	52

Note: There were 9 students who did not provide usable data for QN8.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN9: Among students who rode a bicycle, the percentage who never or rarely wore a bicycle helmet

			Total			Males	Males Females			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	72.0	(68.3 - 75.8)	1,141	75.0	(70.2 - 79.8)	562	68.7	(64.0 - 73.4)	577
Age										
	11 or younger	56.7	(49.5 - 63.8)	177	-	-	69	54.3	(46.7 - 61.8)	107
	12	68.8	(60.0 - 77.7)	356	72.6	(61.6 - 83.5)	163	65.0	(55.9 - 74.0)	193
	13	75.3	(70.7 - 79.9)	363	77.5	(70.9 - 84.1)	176	73.4	(66.7 - 80.1)	186
	14 or older	79.4	(73.2 - 85.7)	244	81.0	(72.9 - 89.1)	153	-	-	91
Grade										
	6th	65.2	(59.8 - 70.6)	444	67.8	(60.1 - 75.5)	193	62.7	(57.5 - 68.0)	250
	7th	72.3	(66.1 - 78.5)	331	76.4	(67.6 - 85.2)	169	67.5	(59.9 - 75.2)	161
	8th	78.5	(72.4 - 84.6)	353	80.0	(72.1 - 88.0)	194	76.6	(70.0 - 83.1)	159
Race/Etl	nnicity									
	Black	-	-	86	-	-	49	-	-	37
	Hispanic/ Latino	-	-	57	-	-	38	-	-	18
	White	68.9	(64.0 - 73.8)	870	71.3	(65.2 - 77.4)	422	66.4	(60.5 - 72.3)	448
	All other races	-	-	52	-	-	21	-	-	31
	Multiple races	-	-	67	-	-	28	-	-	39

Note: There were 256 students who were excluded from this analysis or who did not provide usable data for QN9.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN11: Percentage of students who ever rode in a car driven by someone who had been drinking alcohol

		Percentage	Total 95% N confidence interval		Percentage	Males 95% confidence interval	N	Percentage	confidence interval		
	Total	28.4	(25.4 - 31.3)	1,380	28.4	(26.4 - 30.3)	657	28.4	(22.9 - 34.0)	721	
Age											
	11 or younger	14.8	(9.4 - 20.1)	199	-	-	76	12.9	(6.2 - 19.7)	123	
	12	21.1	(17.0 - 25.3)	410	20.6	(14.3 - 26.9)	193	21.7	(17.1 - 26.3)	217	
	13	32.7	(27.2 - 38.2)	436	32.5	(26.6 - 38.4)	201	32.9	(23.7 - 42.2)	234	
	14 or older	36.4	(30.3 - 42.6)	335	35.6	(30.4 - 40.9)	187	37.8	(26.0 - 49.5)	147	
Grade											
	6th	18.9	(15.9 - 21.9)	510	19.2	(14.7 - 23.8)	225	18.6	(13.3 - 24.0)	284	
	7th	28.0	(25.3 - 30.8)	395	29.2	(25.4 - 33.0)	195	26.8	(21.4 - 32.2)	200	
	8th	36.5	(30.3 - 42.8)	458	35.3	(31.1 - 39.5)	229	37.8	(27.3 - 48.3)	229	
Race/Eth	nicity										
	Black	34.0	(25.3 - 42.7)	102	-	-	55	-	-	47	
	Hispanic/ Latino	-	-	82	-	-	47	-	-	34	
	White	28.0	(24.2 - 31.7)	1,027	26.6	(23.7 - 29.4)	486	29.4	(22.9 - 35.9)	540	
	All other races	-	-	73	-	-	30	-	-	43	
	Multiple races	-	-	86	-	-	34	-	-	52	

Note: There were 17 students who did not provide usable data for QN11.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN12: Percentage of students who ever carried a weapon, such as a gun, knife, or club

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	47.5	(42.4 - 52.6)	1,373	66.4	(60.1 - 72.8)	653	27.7	(22.1 - 33.3)	717
Age										
	11 or younger	37.4	(28.5 - 46.3)	197	-	-	76	19.3	(11.6 - 27.0)	120
	12	48.7	(40.3 - 57.2)	408	70.3	(59.2 - 81.3)	191	25.6	(17.0 - 34.3)	217
	13	46.1	(39.0 - 53.2)	435	64.5	(56.4 - 72.5)	200	30.0	(21.6 - 38.4)	234
	14 or older	52.5	(47.0 - 58.0)	332	68.3	(59.2 - 77.3)	185	30.9	(23.6 - 38.3)	146
Grade										
	6th	40.1	(31.4 - 48.9)	502	58.4	(47.6 - 69.2)	222	20.7	(15.1 - 26.3)	279
	7th	51.7	(42.6 - 60.9)	396	71.7	(61.6 - 81.7)	195	30.3	(19.1 - 41.6)	200
	8th	49.2	(43.5 - 55.0)	458	67.6	(58.6 - 76.6)	228	30.8	(23.7 - 37.8)	230
Race/Et	hnicity									
	Black	34.0	(21.1 - 47.0)	103	-	-	55	-	-	48
	Hispanic/ Latino	-	-	82	-	-	47	-	-	34
	White	49.4	(43.6 - 55.2)	1,018	68.6	(61.7 - 75.5)	482	30.3	(23.9 - 36.7)	535
	All other races	-	-	73	-	-	30	-	-	43
	Multiple races	-	-	85	-	-	34	-	-	51

Note: There were 24 students who did not provide usable data for QN12.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN13: Percentage of students who have ever been in a physical fight

			Total				Females			
		Percentage		N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	57.4	(54.6 - 60.3)	1,367	73.1	(69.2 - 77.0)	651	41.0	(36.2 - 45.8)	716
Age										
	11 or younger	49.0	(41.6 - 56.4)	194	-	-	74	32.9	(24.1 - 41.7)	120
	12	54.7	(49.7 - 59.7)	406	73.8	(66.2 - 81.4)	191	33.8	(27.2 - 40.4)	215
	13	55.2	(49.9 - 60.5)	434	70.3	(62.7 - 77.9)	199	42.2	(33.4 - 50.9)	235
	14 or older	67.0	(63.3 - 70.7)	332	77.4	(72.0 - 82.8)	186	52.5	(45.3 - 59.7)	146
Grade										
	6th	54.7	(50.0 - 59.3)	502	71.3	(64.5 - 78.2)	222	37.0	(29.5 - 44.5)	280
	7th	55.8	(50.2 - 61.5)	393	72.4	(66.6 - 78.2)	194	38.1	(28.1 - 48.0)	199
	8th	60.9	(55.6 - 66.2)	458	74.7	(68.8 - 80.6)	229	46.9	(39.3 - 54.5)	229
Race/Et	hnicity									
	Black	71.6	(56.1 - 87.0)	103	-	-	56	-	-	47
	Hispanic/ Latino	-	-	79	-	-	46	-	-	33
	White	55.5	(52.4 - 58.6)	1,017	71.9	(67.7 - 76.0)	481	39.1	(33.5 - 44.6)	536
	All other races	-	-	73	-	-	30	-	-	43
	Multiple races	-	-	85	-	-	34	-	-	51

Note: There were 30 students who did not provide usable data for QN13.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN14: Percentage of students who were ever in a physical fight in which they were hurt and had to be treated by a doctor or nurse

		Percentage	con	otal 95% fidence terval	N	Percentage		Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	8.0	(6.3	- 9.6)	1,372	10.7	(8.1 - 13.3)	656	4.9	(3.1 - 6.7)	715
Age												
	11 or younger	5.7	(2.1	- 9.2)	193	-		-	75	4.0	(0.6 - 7.5)	117
	12	9.4	(6.0	- 12.8)	406	13.2	(7.9 - 18.5)	193	5.3	(0.8 - 9.7)	213
	13	8.3	(5.1	- 11.4)	438	12.1	(7.3 - 16.9)	201	4.9	(2.1 - 7.7)	237
	14 or older	7.0	(4.7	- 9.3)	334	8.6	(5.2 - 12.1)	186	4.7	(2.4 - 7.1)	148
Grade												
	6th	8.1	(5.5	- 10.6)	500	10.6	(5.3 - 15.8)	224	5.4	(2.3 - 8.4)	276
	7th	8.4	(4.9	- 11.9)	396	11.4	(6.9 - 15.9)	196	4.7	(1.3 - 8.2)	199
	8th	7.2	(4.6	- 9.9)	461	10.1	(6.0 - 14.2)	229	4.4	(2.3 - 6.4)	232
Race/Et	hnicity											
	Black	8.0	(3.0	- 13.0)	102	-		-	56	-	-	46
	Hispanic/ Latino	-		-	80	-		-	46	-	-	34
	White	7.7	(5.9	- 9.5)	1,021	10.8	(8.0 - 13.6)	486	4.6	(2.6 - 6.6)	535
	All other races	-		-	73	-		-	30	-	-	43
	Multiple races	-		-	84	-		-	33	-	-	51

Note: There were 25 students who did not provide usable data for QN14.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN15: Percentage of students who ever seriously thought about killing themselves

			Total Males						Females			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N		
	Total	20.3	(17.9 - 22.7)	1,374	15.0	(12.4 - 17.5)	652	25.9	(22.5 - 29.3)	720		
Age												
	11 or younger	14.4	(10.9 - 17.8)	199	-	-	75	16.7	(11.3 - 22.1)	124		
	12	17.0	(13.5 - 20.4)	409	14.5	(10.8 - 18.2)	191	19.6	(12.4 - 26.8)	218		
	13	20.0	(16.4 - 23.6)	434	12.2	(6.8 - 17.6)	200	26.7	(21.7 - 31.8)	233		
	14 or older	27.2	(20.6 - 33.8)	331	19.8	(15.1 - 24.4)	185	37.6	(27.7 - 47.6)	145		
Grade												
	6th	14.9	(12.0 - 17.8)	507	12.3	(7.4 - 17.2)	221	17.4	(11.9 - 22.8)	285		
	7th	21.6	(17.1 - 26.1)	398	15.9	(11.5 - 20.4)	197	27.7	(18.5 - 36.9)	201		
	8th	23.7	(17.6 - 29.8)	454	16.4	(11.3 - 21.5)	227	31.0	(24.3 - 37.7)	227		
Race/Et	hnicity											
	Black	22.7	(14.4 - 31.0)	105	-	-	56	-	-	49		
	Hispanic/ Latino	-	-	79	-	-	45	-	-	33		
	White	19.6	(16.3 - 22.9)	1,026	13.5	(10.7 - 16.3)	484	25.6	(20.4 - 30.9)	541		
	All other races	-	-	70	-	-	30	-	-	40		
	Multiple races	-	-	83	-	-	32	-	-	51		

Note: There were 23 students who did not provide usable data for QN15.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN16: Percentage of students who ever made a plan about how they would kill themselves

			Total Males					Females		
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	13.4	(11.3 - 15.5)	1,386	9.0	(7.6 - 10.3)	659	17.9	(14.0 - 21.7)	725
Age										
	11 or younger	9.0	(5.6 - 12.4)	200	-	_	76	10.6	(5.7 - 15.6)	124
	12	12.3	(8.5 - 16.0)	411	8.4	(5.7 - 11.1)	192	16.4	(10.1 - 22.6)	219
	13	13.4	(10.0 - 16.9)	439	8.7	(4.3 - 13.1)	204	17.5	(11.8 - 23.2)	234
	14 or older	16.7	(13.6 - 19.8)	335	10.6	(6.0 - 15.2)	186	24.6	(20.1 - 29.0)	148
Grade										
	6th	10.0	(7.6 - 12.4)	511	7.1	(5.0 - 9.2)	225	12.7	(7.8 - 17.7)	285
	7th	14.4	(10.4 - 18.4)	400	9.3	(5.6 - 13.0)	198	19.9	(12.4 - 27.5)	202
	8th	15.2	(12.4 - 18.1)	458	10.3	(7.9 - 12.6)	229	20.3	(15.1 - 25.4)	229
Race/Et	hnicity									
	Black	15.5	(9.0 - 22.1)	104	-	-	56	-	-	48
	Hispanic/ Latino	-	-	81	-	-	46	-	-	34
	White	12.7	(9.7 - 15.7)	1,032	7.9	(6.5 - 9.2)	488	17.4	(12.0 - 22.9)	543
	All other races	-	-	73	-	-	30	-	-	43
	Multiple races	-	-	85	-	-	34	-	-	51

Note: There were 11 students who did not provide usable data for QN16.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN19: Percentage of students who smoked a whole cigarette for the first time before age 11 years

		Percentage		Tot 95 confid inter	% lence	N	Percentage		Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	9.2	(7.	.7 -	10.8)	1,348	10.1	(7.6 - 12.7)	635	8.3	(6.4 - 10.3)	711
Age													
	11 or younger	4.3	(1.	.7 -	6.9)	194	-		-	74	5.5	(1.2 - 9.7)	120
	12	7.1	(4	.7 -	9.4)	393	8.9	(5.4 - 12.4)	181	5.2	(1.7 - 8.6)	212
	13	11.1	(8	.2 -	13.9)	433	10.4	(5.0 - 15.8)	198	11.7	(8.1 - 15.2)	234
	14 or older	11.3	(7.	.9 -	14.6)	327	13.7	(9.1 - 18.3)	181	8.0	(3.3 - 12.8)	145
Grade													
	6th	7.0	(5.	.1 -	8.9)	494	6.8	(3.9 - 9.8)	217	7.2	(4.3 - 10.0)	276
	7th	8.4	(6	.1 -	10.7)	383	10.6	(6.7 - 14.4)	187	6.1	(2.9 - 9.3)	196
	8th	11.6	(9	.2 -	14.0)	455	11.6	(6.7 - 16.5)	225	11.6	(7.5 - 15.7)	230
Race/Et	hnicity												
	Black	10.8	(4	.0 -	17.7)	101	-		_	56	-	-	45
	Hispanic/ Latino	-		-		79	-		-	45	-	-	33
	White	8.8	(7	- 0.	10.6)	1,004	9.5	(6.6 - 12.4)	469	8.2	(6.4 - 10.0)	534
	All other races	-		-		72	-		-	29	-	-	43
	Multiple races	-		-		82	-		-	32	-	-	50

Note: There were 49 students who did not provide usable data for QN19.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN20: Percentage of students who smoked cigarettes on one or more of the past 30 days

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	12.0	(8.9 - 15.1)	1,390	11.8	(8.4 - 15.2)	659	12.0	(8.4 - 15.6)	729
Age										
	11 or younger	3.3	(0.0 - 6.7)	200	-	-	76	3.5	(0.0 - 7.4)	124
	12	6.9	(4.1 - 9.8)	410	7.9	(3.9 - 12.0)	191	5.9	(1.5 - 10.2)	219
	13	13.8	(9.8 - 17.7)	443	11.0	(6.9 - 15.2)	205	16.0	(9.6 - 22.5)	237
	14 or older	19.0	(12.1 - 26.0)	336	19.7	(12.0 - 27.5)	186	17.6	(8.1 - 27.0)	149
Grade										
	6th	6.1	(4.3 - 7.9)	511	4.8	(2.4 - 7.2)	224	7.2	(4.3 - 10.2)	286
	7th	12.8	(8.8 - 16.9)	398	12.9	(8.4 - 17.3)	196	12.8	(6.9 - 18.6)	202
	8th	15.9	(10.1 - 21.6)	463	16.1	(8.7 - 23.5)	231	15.6	(9.6 - 21.7)	232
Race/Eth	nnicity									
	Black	15.2	(7.7 - 22.7)	105	-	-	56	_	-	49
	Hispanic/ Latino	-	-	83	-	-	48	-	-	34
	White	11.3	(7.8 - 14.9)	1,033	10.6	(7.5 - 13.8)	487	11.9	(7.4 - 16.3)	545
	All other races	-	-	73	-	-	30	-	-	43
	Multiple races	-	-	85	-	-	33	-	-	52

Note: There were 7 students who did not provide usable data for QN20.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QNFRCIG: Percentage of students who smoked cigarettes on 20 or more of the past 30 days

		Percentage					N	Percentage		Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	2.2	(1.5	5 -	2.9)	1,390	2.3	(1.2 - 3.4)	659	2.1	(1.3 - 2.9)	729
Age														
	11 or younger	0.0	(0.0) -	0.0)	200	-		-	76	0.0	(0.0 - 0.0)	124
	12	0.9	(0.0) -	1.8)	410	1.7	(0.0 - 3.6)	191	0.0	(0.0 - 0.0)	219
	13	1.4	(0.7	7 -	2.0)	443	0.7	(0.0 - 1.9)	205	2.0	(1.3 - 2.7)	237
	14 or older	5.6	(3.5	5 -	7.7)	336	5.5	(2.8 - 8.1)	186	5.9	(2.5 - 9.3)	149
Grade														
	6th	0.7	(0.0) -	1.5)	511	0.9	(0.0 - 2.1)	224	0.5	(0.0 - 1.4)	286
	7th	1.6	(0.2	2 -	3.0)	398	1.8	(0.0 - 4.3)	196	1.3	(0.0 - 2.8)	202
	8th	4.1	(2.8	3 -	5.3)	463	4.0	(2.1 - 5.8)	231	4.1	(2.1 - 6.2)	232
Race/Et	hnicity													
	Black	1.8	(0.0) -	5.1)	105	-		-	56	-	-	49
	Hispanic/ Latino	-			-		83	-		-	48	-	-	34
	White	2.1	(1.2	2 -	2.9)	1,033	2.2	(0.9 - 3.5)	487	1.9	(0.9 - 2.9)	545
	All other races	-			-		73	-		-	30	-	-	43
	Multiple races	-			-		85	-		-	33	-	-	52

Note: There were 7 students who did not provide usable data for QNFRCIG.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN26: Percentage of students who ever had a drink of alcohol, other than a few sips

	Percenta	Total ge 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Total	32.2	(28.5 - 36.0)	1,313	33.0	(28.1 - 37.8)	623	31.5	(26.8 - 36.2)	690
Age									
11 or young	er 14.6	(8.1 - 21.0)	185	-	-	67	11.6	(4.5 - 18.6)	118
12	22.2	(18.0 - 26.5)	384	25.7	(18.5 - 32.8)	182	18.5	(11.6 - 25.3)	202
13	33.1	(27.7 - 38.6)	425	30.8	(21.8 - 39.8)	196	35.2	(30.3 - 40.1)	229
14 or older	49.4	(42.9 - 56.0)	319	47.2	(38.0 - 56.5)	178	52.5	(45.3 - 59.8)	141
Grade									
6th	19.1	(15.2 - 23.0)	479	20.0	(15.5 - 24.5)	210	18.1	(12.5 - 23.7)	269
7th	28.6	(24.6 - 32.5)	376	29.1	(23.8 - 34.5)	185	28.0	(20.9 - 35.1)	191
8th	46.6	(40.5 - 52.7)	445	47.1	(36.4 - 57.9)	222	46.0	(40.2 - 51.8)	223
Race/Ethnicity									
Black	-	-	96	-	-	53	-	-	43
Hispanic/ L	atino -	-	76	-	-	43	-	-	33
White	31.6	(27.7 - 35.5)	982	31.5	(26.9 - 36.0)	462	31.7	(26.1 - 37.2)	520
All other rac	ces -	-	69	-	-	28	-	-	41
Multiple rac	ees -	-	81	-	-	33	-	-	48

Note: There were 84 students who did not provide usable data for QN26.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN27: Percentage of students who had their first drink of alcohol other than a few sips before age 11 years

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	13.1	(11.1 - 15.1)	1,308	14.9	(12.1 - 17.7)	618	11.1	(9.2 - 13.0)	689
Age										
	11 or younger	11.9	(6.6 - 17.1)	187	-	-	68	8.7	(3.3 - 14.1)	118
	12	13.1	(9.6 - 16.5)	377	15.0	(9.7 - 20.2)	176	11.0	(6.1 - 16.0)	201
	13	12.5	(8.8 - 16.1)	426	12.3	(8.5 - 16.2)	197	12.6	(7.8 - 17.4)	229
	14 or older	14.7	(10.2 - 19.1)	318	17.9	(12.2 - 23.7)	177	10.0	(3.8 - 16.3)	141
Grade										
	6th	13.3	(9.2 - 17.3)	474	13.7	(8.9 - 18.6)	206	12.8	(7.5 - 18.1)	268
	7th	11.0	(8.6 - 13.5)	375	12.0	(9.1 - 14.8)	184	9.6	(5.2 - 13.9)	190
	8th	15.0	(11.8 - 18.1)	445	18.6	(13.0 - 24.3)	222	11.2	(7.6 - 14.8)	223
Race/Etl	nnicity									
	Black	-	-	94	-	-	51	-	-	43
	Hispanic/ Latino	-	-	77	-	-	43	-	-	34
	White	11.6	(9.6 - 13.6)	981	12.6	(9.9 - 15.4)	462	10.7	(8.3 - 13.0)	519
	All other races	-	-	69	-	-	28	-	-	41
	Multiple races	-	-	78	-	-	31	-	-	47

Note: There were 89 students who did not provide usable data for QN27.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN28: Percentage of students who ever used marijuana

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
Tota	al	11.7	(8.2 - 15.1)	1,321	11.8	(7.2 - 16.4)	625	11.4	(8.2 - 14.7)	695
Age										
11 (or younger	2.4	(0.1 - 4.6)	188	-	-	71	1.9	(0.0 - 4.5)	117
12		4.3	(1.5 - 7.1)	389	4.5	(1.3 - 7.7)	183	4.0	(0.3 - 7.8)	206
13		12.6	(7.9 - 17.3)	428	11.0	(6.3 - 15.8)	199	13.8	(6.6 - 21.0)	228
14 (or older	22.4	(15.2 - 29.6)	316	23.0	(14.5 - 31.4)	172	21.6	(11.0 - 32.3)	144
Grade										
6th		3.7	(2.0 - 5.4)	486	3.5	(1.2 - 5.7)	216	3.7	(1.5 - 5.8)	269
7th		8.5	(4.6 - 12.4)	375	8.2	(3.8 - 12.7)	185	8.7	(3.8 - 13.6)	190
8th		21.4	(16.3 - 26.5)	445	22.3	(14.0 - 30.6)	217	20.4	(15.0 - 25.9)	228
Race/Ethnicity	y									
Bla	ck	-	-	96	-	-	50	-	-	46
His	panic/ Latino	-	-	77	-	-	42	-	-	34
Wh	ite	10.3	(5.9 - 14.7)	994	10.3	(5.7 - 14.9)	471	10.3	(5.3 - 15.3)	523
All	other races	-	-	65	-	-	26	-	-	39
Mul	tiple races	-	-	81	-	-	32	-	-	49

Note: There were 76 students who did not provide usable data for QN28.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN29: Percentage of students who tried marijuana for the first time before age 11 years

		Percentage			Tot 95 onfic inter	% lence	N	Percentage		Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
7	Total	4.6	(2.9) -	6.4)	1,361	5.5	(3.0 - 8.0)	644	3.8	(2.2 - 5.3)	715
Age														
1	11 or younger	5.2	(1.8	3 -	8.7)	196	-		-	75	2.8	(0.0 - 6.8)	120
1	12	5.7	(2.7	7 -	8.7)	403	4.9	(0.4 - 9.3)	186	6.6	(3.0 - 10.2)	217
1	13	2.3	(0.7	7 -	3.9)	434	2.3	(0.7 - 3.8)	202	2.4	(0.1 - 4.6)	231
1	14 or older	6.4	(2.9) -	9.9)	328	8.8	(3.3 - 14.4)	181	3.1	(1.0 - 5.3)	147
Grade														
6	6th	4.8	(3.2	2 -	6.5)	500	5.5	(2.2 - 8.9)	221	4.1	(1.4 - 6.9)	278
7	7th	4.8	(2.9) -	6.6)	390	5.0	(2.9 - 7.0)	190	4.6	(1.9 - 7.2)	199
8	8th	4.3	(1.4	- 1	7.2)	454	6.1	(0.9 - 11.3)	225	2.5	(1.0 - 3.9)	229
Race/Ethni	icity													
I	Black	4.6	(0.0) -	9.5)	100	-		-	51	-	-	49
I	Hispanic/ Latino	-			-		80	-		-	45	-	-	34
7	White	4.3	(2.3	3 -	6.3)	1,016	5.0	(2.0 - 7.9)	482	3.6	(1.9 - 5.3)	534
I	All other races	-			-		70	-		-	28	-	-	42
ľ	Multiple races	-			-		83	-		-	33	-	-	50

Note: There were 36 students who did not provide usable data for QN29.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN30: Percentage of students who ever used any form of cocaine, including powder, crack, or freebase

		Percentage		coı	Fota 959 nfid nter	% ence	N	Percentage		Male 95% confide interv	ence	N	Percentage		Females 95% confidence interval	N
	Total	4.0	(2.9	-	5.2)	1,386	3.5	(1.8 -	5.2)	657	4.4	(2.9 - 5.9)	726
Age																
	11 or younger	3.6	(0.4	-	6.8)	200	-		-		75	0.8	(0.0 - 2.3)	124
	12	2.2	(0.6	-	3.8)	409	1.7	(0.1 -	3.3)	191	2.7	(0.3 - 5.1)	218
	13	4.0	(1.2	-	6.8)	442	2.8	(0.4 -	5.2)	205	5.1	(0.7 - 9.6)	236
	14 or older	6.3	(3.4	-	9.3)	334	5.6	(2.0 -	9.1)	185	7.4	(3.6 - 11.1)	148
Grade																
	6th	2.2	(0.9	-	3.5)	510	2.7	(0.2 -	5.2)	224	1.7	(0.1 - 3.2)	285
	7th	3.7	(1.1	-	6.4)	398	2.8	(0.1 -	5.4)	196	4.3	(0.5 - 8.0)	201
	8th	5.7	(4.0	-	7.4)	460	4.7	(2.1 -	7.4)	229	6.7	(4.2 - 9.2)	231
Race/Eth	nnicity															
	Black	6.1	(1.5	-	10.8)	105	-		-		56	-		-	49
	Hispanic/ Latino	-			-		82	-		-		47	-		-	34
	White	3.3	(1.9	-	4.7)	1,030	2.5	(1.0 -	4.0)	486	4.1	(2.1 - 6.0)	543
	All other races	-			-		73	-		-		30	-		-	43
	Multiple races	-			-		84	-		-		33	-		-	51

Note: There were 11 students who did not provide usable data for QN30.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN31: Percentage of students who ever sniffed glue, breathed the contents of spray cans, or inhaled any paints or sprays to get high

		Total				Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	15.8	(12.9 - 18.7)	1,385	16.3	(13.0 - 19.6)	658	15.2	(10.4 - 20.0)	726
Age										
	11 or younger	15.1	(7.9 - 22.3)	198	-	-	75	13.0	(5.8 - 20.1)	123
	12	12.3	(7.7 - 16.9)	411	11.6	(5.3 - 17.8)	192	13.1	(6.9 - 19.3)	219
	13	15.1	(11.5 - 18.6)	441	16.8	(10.6 - 22.9)	205	13.5	(9.2 - 17.9)	236
	14 or older	20.9	(15.7 - 26.1)	334	20.1	(13.6 - 26.7)	185	22.1	(10.7 - 33.4)	148
Grade										
	6th	13.1	(8.6 - 17.6)	510	12.6	(7.1 - 18.2)	225	13.6	(8.0 - 19.1)	285
	7th	16.2	(11.3 - 21.1)	396	15.8	(10.5 - 21.2)	195	16.7	(9.5 - 23.9)	201
	8th	17.5	(12.5 - 22.5)	461	19.7	(14.1 - 25.3)	230	15.3	(5.7 - 24.8)	231
Race/Et	hnicity									
	Black	14.8	(6.4 - 23.2)	105	-	-	56	-	-	49
	Hispanic/ Latino	-	-	81	-	-	48	-	-	33
	White	15.8	(12.2 - 19.5)	1,030	15.9	(12.4 - 19.4)	486	15.8	(9.8 - 21.9)	543
	All other races	-	-	73	-	-	30	-	-	43
	Multiple races	-	-	85	-	-	33	-	-	52

Note: There were 12 students who did not provide usable data for QN31.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN32: Percentage of students who ever used steroids

		Percentage		cor	ota 95% fide	6 ence	N	Percentage		Male 95% confide interv	nce	N	Percentage		Fema 950 confid inter	% lence	N
	Total	2.0	(1.0	-	3.0)	1,386	2.4	(1.2 -	3.7)	658	1.4	(0.4 -	2.4)	727
Age																	
	11 or younger	1.5	(0.0	-	3.8)	198	-		-		75	0.0	(0.0 -	0.0)	123
	12	1.7	(0.7	-	2.6)	410	2.0	(0.2 -	3.8)	191	1.3	(1.1 -	1.5)	219
	13	1.2	(0.3	-	2.1)	441	1.5	(0.0 -	3.1)	205	1.0	(0.0 -	1.9)	236
	14 or older	3.6	(0.0	-	7.3)	336	3.6	(0.0 -	8.2)	186	3.1	(0.0 -	6.3)	149
Grade																	
	6th	2.1	(0.8	-	3.5)	509	2.9	(1.0 -	4.8)	223	1.4	(0.1 -	2.6)	286
	7th	0.5	(0.0	-	1.1)	398	0.5	(0.0 -	1.4)	197	0.5	(0.0 -	1.5)	201
	8th	3.2	(0.3	-	6.1)	462	4.1	(0.3 -	7.8)	230	2.3	(0.0 -	5.1)	232
Race/Eth	nicity																
	Black	0.9	(0.0	-	2.8)	104	-		_		55	-		-		49
	Hispanic/ Latino	-			-		82	-		-		48	-		-		34
	White	2.2	(1.1	-	3.2)	1,033	2.6	(1.1 -	4.2)	488	1.5	(0.4 -	2.7)	544
	All other races	-			-		72	-		-		29	-		-		43
	Multiple races	-			-		85	-		-		33	-		-	•	52

Note: There were 11 students who did not provide usable data for QN32.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN33: Percentage of students who ever used a needle to inject any illegal drug into their body

		Percentage	Total 95% confidence interval		Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	4.3	(2.8 - 5.	.8) 1,379	4.3	(3.0 - 5.6)	656	4.2	(1.9 - 6.5)	720
Age										
	11 or younger	7.9	(2.5 - 13.	.3) 201	-	-	76	6.5	(0.6 - 12.5)	124
	12	3.4	(1.5 - 5.	.3) 407	2.1	(0.0 - 4.5)	189	4.8	(1.4 - 8.1)	218
	13	3.2	(1.1 - 5.	435	3.8	(0.6 - 7.1)	202	2.7	(0.4 - 5.0)	232
	14 or older	5.1	(1.7 - 8.	.5) 335	5.4	(3.0 - 7.9)	188	4.6	(0.0 - 10.6)	146
Grade										
	6th	4.0	(1.8 - 6.	2) 510	4.0	(1.4 - 6.7)	224	4.0	(1.6 - 6.5)	285
	7th	4.1	(1.6 - 6.	.7) 392	2.8	(0.0 - 5.9)	193	5.1	(1.2 - 9.0)	198
	8th	4.7	(2.1 - 7.	2) 459	6.1	(3.2 - 9.0)	231	3.3	(0.0 - 6.9)	228
Race/Et	nnicity									
	Black	5.2	(1.0 - 9.	.5) 105	-	-	56	-	-	49
	Hispanic/ Latino	-	-	81	-	-	47	-	-	33
	White	4.2	(2.6 - 5.	7) 1,023	4.0	(2.6 - 5.4)	484	4.4	(1.8 - 6.9)	538
	All other races	-	-	73	-	-	30	-	-	43
	Multiple races	-	-	85	-	-	34	-	-	51

Note: There were 18 students who did not provide usable data for QN33.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QNROVWGT: Percentage of students who were at risk for becoming overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)*

		Total				Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	17.6	(15.7 - 19.6)	1,115	20.0	(17.3 - 22.7)	548	15.0	(12.4 - 17.7)	567
Age										
	11 or younger	17.8	(12.7 - 23.0)	131	-	-	49	-	-	82
	12	20.2	(16.5 - 23.9)	301	23.3	(18.4 - 28.1)	146	16.7	(12.1 - 21.3)	155
	13	17.2	(13.5 - 20.9)	378	20.3	(15.1 - 25.5)	179	14.4	(10.0 - 18.7)	199
	14 or older	15.8	(12.4 - 19.2)	305	16.1	(11.5 - 20.6)	174	15.4	(9.2 - 21.6)	131
Grade										
	6th	19.1	(16.5 - 21.7)	346	24.4	(20.2 - 28.6)	157	13.2	(8.3 - 18.1)	189
	7th	19.1	(14.1 - 24.2)	334	20.9	(14.0 - 27.8)	168	17.2	(10.8 - 23.6)	166
	8th	15.5	(11.9 - 19.1)	421	16.3	(10.9 - 21.7)	216	14.6	(10.3 - 18.9)	205
Race/E	thnicity									
	Black	_	-	89	-	-	48	-	-	41
	Hispanic/ Latino	-	-	58	-	-	35	-	-	23
	White	18.4	(16.3 - 20.4)	840	21.0	(17.9 - 24.1)	413	15.6	(12.8 - 18.4)	427
	All other races	-	-	53	-	-	21	-	-	32
	Multiple races	-	-	70	-	-	28	-	-	42

Note: There were 282 students who did not provide usable data for QNROVWGT.

N = Number of unweighted observations.

⁻ = Fewer than 100 cases.

^{*}Based on reference data from the National Health and Nutrition Examination Survey I.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QNOVWGT: Percentage of students who were overweight (i.e., at or above the 95th percentile for body mass index, by age and sex)*

		Total				Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	16.0	(14.0 - 17.9)	1,115	19.9	(16.8 - 23.1)	548	11.6	(9.9 - 13.4)	567
Age										
	11 or younger	23.7	(17.4 - 30.1)	131	-	_	49	-	-	82
	12	15.1	(11.8 - 18.4)	301	19.0	(13.6 - 24.5)	146	10.7	(5.9 - 15.4)	155
	13	15.6	(12.0 - 19.3)	378	22.1	(17.4 - 26.8)	179	9.7	(6.5 - 12.8)	199
	14 or older	14.7	(10.1 - 19.4)	305	16.3	(9.9 - 22.7)	174	12.5	(7.9 - 17.0)	131
Grade										
	6th	18.6	(15.3 - 21.9)	346	23.0	(15.9 - 30.0)	157	13.8	(8.6 - 19.0)	189
	7th	15.1	(10.8 - 19.5)	334	20.7	(14.1 - 27.3)	168	9.0	(4.6 - 13.4)	166
	8th	15.1	(9.9 - 20.3)	421	17.9	(10.5 - 25.3)	216	12.1	(8.4 - 15.8)	205
Race/Et	hnicity									
	Black	-	-	89	-	-	48	-	-	41
	Hispanic/ Latino	-	-	58	-	-	35	-	-	23
	White	15.0	(12.5 - 17.5)	840	19.9	(16.1 - 23.7)	413	9.8	(7.1 - 12.6)	427
	All other races	-	-	53	-	-	21	-	-	32
	Multiple races	-	-	70	-	-	28	-	-	42

Note: There were 282 students who did not provide usable data for QNOVWGT.

N = Number of unweighted observations.

⁻ = Fewer than 100 cases.

^{*}Based on reference data from the National Health and Nutrition Examination Survey I.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN38: Percentage of students who described themselves as slightly or very overweight

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	30.5	(28.1 - 32.8)	1,368	28.9	(25.2 - 32.6)	648	32.1	(29.1 - 35.1)	718
Age										
	11 or younger	23.7	(16.2 - 31.1)	197	-	-	73	24.4	(16.5 - 32.3)	124
	12	31.2	(27.1 - 35.4)	401	31.8	(25.1 - 38.6)	188	30.5	(24.0 - 37.1)	213
	13	29.4	(24.4 - 34.4)	435	28.9	(22.2 - 35.7)	201	29.7	(24.2 - 35.2)	233
	14 or older	34.2	(28.5 - 39.8)	334	28.3	(21.2 - 35.4)	185	42.4	(34.1 - 50.7)	148
Grade										
	6th	27.8	(22.5 - 33.2)	500	27.9	(21.3 - 34.6)	218	27.5	(21.0 - 34.0)	281
	7th	30.0	(26.0 - 33.9)	392	31.3	(22.5 - 40.0)	194	28.6	(23.3 - 33.9)	198
	8th	33.6	(28.7 - 38.4)	459	28.0	(22.6 - 33.4)	228	39.2	(34.5 - 43.8)	231
Race/Eth	nnicity									
	Black	22.2	(15.8 - 28.6)	102	-	-	55	-	-	47
	Hispanic/ Latino	-	-	81	-	-	46	-	-	34
	White	31.1	(28.5 - 33.7)	1,019	30.1	(26.3 - 34.0)	481	32.1	(28.4 - 35.8)	537
	All other races	-	-	70	-	-	28	-	-	42
	Multiple races	-	-	86	-	-	34	-	-	52

Note: There were 29 students who did not provide usable data for QN38.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN39: Percentage of students who were trying to lose weight

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	49.6	(45.5 - 53.8)	1,369	41.4	(36.3 - 46.5)	649	58.2	(53.9 - 62.6)	719
Age										
	11 or younger	39.2	(35.0 - 43.5)	200	-	-	76	45.0	(39.0 - 50.9)	124
	12	49.9	(45.2 - 54.5)	403	44.9	(37.7 - 52.1)	188	55.2	(48.2 - 62.3)	215
	13	52.5	(47.5 - 57.6)	433	46.3	(38.1 - 54.5)	200	58.0	(52.8 - 63.2)	233
	14 or older	50.3	(40.5 - 60.0)	332	36.0	(28.4 - 43.7)	184	70.1	(56.8 - 83.4)	147
Grade										
	6th	43.9	(40.5 - 47.3)	499	39.3	(33.4 - 45.3)	218	48.6	(43.3 - 53.9)	281
	7th	53.8	(48.4 - 59.2)	396	47.8	(39.6 - 55.9)	196	60.3	(53.8 - 66.8)	200
	8th	51.1	(43.2 - 59.0)	456	36.9	(28.8 - 45.0)	227	65.4	(58.4 - 72.4)	229
Race/Et	nnicity									
	Black	43.2	(35.2 - 51.3)	103	-	-	55	-	-	48
	Hispanic/ Latino	-	-	78	-	-	44	-	-	34
	White	49.9	(45.5 - 54.3)	1,021	41.8	(36.5 - 47.1)	482	58.2	(53.1 - 63.3)	538
	All other races	-	-	72	-	-	29	-	-	43
	Multiple races	-	-	84	-	-	34	-	-	50

Note: There were 28 students who did not provide usable data for QN39.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN40: Percentage of students who had ever exercised to lose weight or to keep from gaining weight

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	72.1	(68.6 - 75.7)	1,375	66.2	(61.0 - 71.5)	651	78.3	(74.6 - 82.0)	722
Age										
	11 or younger	62.3	(57.1 - 67.4)	196	-	-	73	69.4	(60.8 - 77.9)	122
	12	74.0	(70.2 - 77.8)	406	70.3	(64.0 - 76.6)	189	78.0	(73.7 - 82.2)	217
	13	74.8	(70.6 - 79.0)	439	72.0	(64.6 - 79.4)	204	77.2	(71.7 - 82.8)	235
	14 or older	70.6	(62.7 - 78.6)	333	60.0	(52.5 - 67.6)	184	85.5	(76.7 - 94.3)	148
Grade										
	6th	68.5	(65.1 - 71.8)	499	63.9	(57.2 - 70.6)	217	73.2	(67.9 - 78.5)	282
	7th	75.9	(71.3 - 80.4)	398	73.7	(66.4 - 81.0)	197	78.1	(71.5 - 84.7)	200
	8th	72.1	(64.3 - 79.9)	460	61.2	(52.5 - 70.0)	229	83.0	(74.8 - 91.2)	231
Race/Eth	nnicity									
	Black	64.8	(57.9 - 71.7)	105	-	-	56	-	-	49
	Hispanic/ Latino	-	-	78	-	-	45	-	-	33
	White	73.8	(70.6 - 77.0)	1,022	67.7	(62.6 - 72.9)	482	80.0	(76.5 - 83.6)	539
	All other races	-	-	72	-	-	29	-	-	43
	Multiple races	-	-	86	-	-	34	-	-	52

Note: There were 22 students who did not provide usable data for QN40.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN41: Percentage of students who had ever eaten less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	45.4	(41.2 - 49.5)	1,369	35.6	(29.7 - 41.4)	648	55.7	(51.7 - 59.6)	719
Age										
	11 or younger	33.9	(28.6 - 39.2)	198	-	-	75	42.2	(33.5 - 50.8)	123
	12	45.1	(40.1 - 50.1)	400	37.9	(28.5 - 47.2)	184	52.7	(47.5 - 57.9)	216
	13	48.2	(43.0 - 53.4)	438	38.3	(29.9 - 46.7)	204	57.1	(51.3 - 63.0)	233
	14 or older	47.1	(38.6 - 55.6)	332	34.6	(27.3 - 41.9)	184	64.5	(52.1 - 76.9)	147
Grade										
	6th	39.6	(35.2 - 44.0)	500	30.5	(24.5 - 36.4)	217	49.1	(44.4 - 53.8)	282
	7th	48.8	(42.0 - 55.5)	394	41.4	(31.4 - 51.5)	194	56.6	(50.5 - 62.7)	200
	8th	47.1	(40.1 - 54.0)	457	34.2	(26.9 - 41.5)	229	60.3	(53.1 - 67.4)	228
Race/Et	hnicity									
	Black	39.7	(29.6 - 49.8)	105	-	-	56	-	-	49
	Hispanic/ Latino	-	-	79	-	-	45	-	-	33
	White	46.3	(42.3 - 50.2)	1,016	35.9	(30.7 - 41.2)	479	56.6	(52.4 - 60.9)	536
	All other races	-	-	72	-	-	29	-	-	43
	Multiple races	-	-	86	-	-	34	-	-	52

Note: There were 28 students who did not provide usable data for QN41.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN43: Percentage of students who had ever taken diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	5.5	(4.2 - 6.7)	1,368	3.1	(2.2 - 4.0)	646	8.0	(5.7 - 10.3)	720
Age										
	11 or younger	1.1	(0.0 - 2.7)	199	-	-	76	1.1	(0.0 - 3.0)	123
	12	4.2	(2.2 - 6.2)	400	3.2	(0.5 - 5.9)	184	5.2	(2.0 - 8.4)	216
	13	5.3	(2.4 - 8.1)	436	2.7	(0.2 - 5.1)	202	7.6	(2.9 - 12.4)	233
	14 or older	9.1	(6.8 - 11.5)	332	4.2	(2.3 - 6.0)	183	15.9	(12.0 - 19.9)	148
Grade										
	6th	3.2	(1.6 - 4.9)	501	2.2	(0.3 - 4.2)	218	4.3	(1.8 - 6.8)	282
	7th	6.6	(3.3 - 9.8)	393	3.7	(1.6 - 5.7)	193	9.7	(4.2 - 15.2)	200
	8th	6.4	(4.8 - 8.0)	457	3.3	(1.8 - 4.8)	228	9.5	(6.7 - 12.4)	229
Race/Et	hnicity									
	Black	4.9	(0.9 - 8.9)	104	-	-	55	_	-	49
	Hispanic/ Latino	-	-	78	-	-	43	-	-	34
	White	5.6	(4.2 - 7.1)	1,017	2.6	(1.5 - 3.7)	480	8.6	(5.8 - 11.5)	536
	All other races	-	-	72	-	-	29	-	-	43
	Multiple races	-	-	86	-	-	34	-	-	52

Note: There were 29 students who did not provide usable data for QN43.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN44: Percentage of students who had ever vomited or taken laxatives to lose weight or to keep from gaining weight

		Percentage		9 conf	otal 5% idence erval	N	Percentage		Males 95% confider interva	nce	N	Percentage	Females 95% confidence interval	N
Tot	tal	6.5	(4.8	8.1)	1,353	3.4	(2.0 -	4.9)	642	9.6	(6.9 - 12.3)	710
Age														
11	or younger	1.4	(0.0	- 3.3)	195	-		-		75	1.3	(0.0 - 3.4)	120
12		4.8	(2.7	- 6.9)	398	1.9	(0.0 -	4.0)	185	7.9	(3.5 - 12.3)	213
13		7.0	(3.6	- 10.4)	430	4.3	(1.3 -	7.2)	199	9.5	(4.4 - 14.6)	230
14	or older	9.8	(5.8	- 13.7)	329	4.7	(0.5 -	8.8)	182	16.7	(11.9 - 21.5)	147
Grade														
6th		4.1	(2.6	- 5.7)	494	3.1	(0.9 -	5.2)	217	5.3	(2.7 - 7.8)	276
7th		5.9	(2.7	- 9.1)	385	2.8	(0.3 -	5.3)	189	9.2	(4.3 - 14.1)	196
8th		8.7	(6.6	- 10.9)	458	3.7	(1.4 -	5.9)	228	13.9	(10.3 - 17.4)	230
Race/Ethnicit	y													
Bla	ick	8.0	(2.8	- 13.3)	102	-		-		55	-	-	47
His	spanic/ Latino	-			-	77	-		-		43	-	-	33
Wh	nite	6.1	(4.3	- 7.9)	1,006	2.1	(0.6 -	3.5)	475	10.1	(6.8 - 13.4)	531
All	other races	-			-	72	-		-		30	-	-	42
Mu	ltiple races	-			-	85	-		-		34	-	-	51

Note: There were 44 students who did not provide usable data for QN44.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN46: Percentage of students who watched three or more hours per day of TV on an average school day

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	35.5	(31.7 - 39.3)	1,324	34.4	(28.6 - 40.2)	617	36.5	(33.1 - 39.9)	706
Age										
	11 or younger	31.9	(24.4 - 39.5)	188	-	-	71	37.5	(26.6 - 48.3)	117
	12	29.0	(25.2 - 32.8)	387	23.4	(17.5 - 29.4)	176	34.7	(28.1 - 41.3)	211
	13	35.8	(29.0 - 42.6)	420	36.9	(27.3 - 46.5)	189	34.9	(29.2 - 40.6)	231
	14 or older	43.5	(38.2 - 48.8)	328	45.3	(38.3 - 52.3)	180	40.8	(33.4 - 48.2)	147
Grade										
	6th	32.0	(25.5 - 38.4)	473	26.6	(19.0 - 34.3)	203	37.3	(29.3 - 45.3)	270
	7th	32.9	(26.7 - 39.1)	383	31.4	(22.6 - 40.3)	185	34.4	(28.5 - 40.4)	198
	8th	40.9	(35.8 - 46.1)	450	43.5	(35.4 - 51.6)	221	38.4	(34.1 - 42.6)	229
Race/E	thnicity									
	Black	-	-	99	_	-	51	-	-	48
	Hispanic/ Latino	-	-	73	-	-	40	-	-	33
	White	32.3	(29.3 - 35.4)	985	31.1	(25.5 - 36.6)	459	33.5	(29.4 - 37.6)	525
	All other races	-	-	73	-	-	30	-	-	43
	Multiple races	-	-	85	-	-	33	-	-	52

Note: There were 73 students who did not provide usable data for QN46.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN47: Percentage of students who attended physical education (PE) classes one or more days during an average school week

			Total			Males			Females	
		Percentage		N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	85.6	(76.8 - 94.4)	1,336	86.5	(78.9 - 94.2)	625	84.8	(74.4 - 95.2)	708
Age										
	11 or younger	90.1	(80.8 - 99.4)	190	-	-	73	90.5	(81.6 - 99.5)	116
	12	85.6	(76.2 - 95.0)	385	85.7	(76.0 - 95.4)	175	85.5	(75.6 - 95.5)	210
	13	84.4	(73.8 - 94.9)	427	85.2	(75.1 - 95.2)	191	83.7	(71.6 - 95.7)	235
	14 or older	85.2	(75.7 - 94.7)	333	87.0	(79.4 - 94.6)	185	82.6	(70.0 - 95.2)	147
Grade										
	6th	89.4	(81.2 - 97.6)	478	88.8	(80.1 - 97.6)	207	90.0	(82.1 - 97.9)	270
	7th	84.3	(72.6 - 95.9)	385	83.4	(70.7 - 96.2)	185	85.5	(74.5 - 96.6)	199
	8th	83.9	(73.2 - 94.6)	457	87.7	(81.3 - 94.2)	226	80.1	(64.5 - 95.7)	231
Race/Et	hnicity									
	Black	-	-	97	-	-	49	-	-	48
	Hispanic/ Latino	-	-	74	-	-	40	-	-	33
	White	85.4	(75.5 - 95.2)	999	86.6	(77.6 - 95.6)	469	84.1	(72.7 - 95.5)	529
	All other races	-	-	73	-	-	30	-	-	43
	Multiple races	-	-	84	-	-	33	-	-	51

Note: There were 61 students who did not provide usable data for QN47.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QNDLYPE: Percentage of students who attended physical education (PE) classes daily in an average week when they were in school

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	23.7	(12.4 - 35.0)	1,336	21.9	(11.2 - 32.7)	625	25.4	(13.0 - 37.9)	708
Age										
	11 or younger	15.5	(2.6 - 28.4)	190	-	-	73	16.7	(0.5 - 32.9)	116
	12	19.8	(7.0 - 32.7)	385	16.2	(4.1 - 28.2)	175	23.6	(8.8 - 38.4)	210
	13	24.2	(12.1 - 36.2)	427	25.4	(12.0 - 38.8)	191	23.0	(10.1 - 35.8)	235
	14 or older	30.8	(17.3 - 44.2)	333	26.2	(12.7 - 39.7)	185	36.7	(20.9 - 52.4)	147
Grade										
	6th	17.7	(4.3 - 31.1)	478	13.7	(1.2 - 26.1)	207	21.6	(4.8 - 38.4)	270
	7th	20.9	(7.3 - 34.4)	385	20.4	(5.8 - 34.9)	185	21.5	(8.0 - 35.0)	199
	8th	31.2	(17.8 - 44.6)	457	29.9	(15.4 - 44.4)	226	32.5	(17.5 - 47.5)	231
Race/Et	hnicity									
	Black	-	-	97	-	-	49	-	-	48
	Hispanic/ Latino	-	-	74	-	-	40	-	-	33
	White	22.5	(11.5 - 33.6)	999	21.5	(10.5 - 32.5)	469	23.5	(11.9 - 35.0)	529
	All other races	-	-	73	-	-	30	-	-	43
	Multiple races	-	-	84	-	-	33	-	-	51

Note: There were 61 students who did not provide usable data for QNDLYPE.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN49: Percentage of students who had ever been taught in school about AIDS or HIV infection

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	68.4	(64.0 - 72.8)	1,381	67.5	(62.9 - 72.1)	655	69.4	(64.6 - 74.2)	724
Age										
	11 or younger	37.8	(30.5 - 45.0)	198	-	-	75	36.5	(25.5 - 47.5)	123
	12	57.4	(49.6 - 65.1)	409	55.2	(47.2 - 63.2)	191	59.7	(50.3 - 69.1)	218
	13	80.3	(76.0 - 84.6)	438	78.8	(72.6 - 85.0)	202	81.7	(76.9 - 86.5)	235
	14 or older	77.6	(67.6 - 87.6)	335	77.0	(66.5 - 87.4)	186	79.0	(67.9 - 90.1)	148
Grade										
	6th	40.3	(33.5 - 47.0)	507	41.5	(34.0 - 49.0)	222	39.1	(31.7 - 46.5)	284
	7th	76.3	(69.4 - 83.3)	395	73.6	(65.5 - 81.6)	195	79.3	(72.6 - 86.0)	200
	8th	84.7	(77.3 - 92.1)	461	83.2	(74.5 - 92.0)	230	86.3	(79.4 - 93.1)	231
Race/Et	hnicity									
	Black	69.9	(60.6 - 79.2)	105	-	-	56	_	-	49
	Hispanic/ Latino	-	-	82	-	-	47	-	-	34
	White	69.5	(64.8 - 74.1)	1,027	67.9	(63.2 - 72.6)	485	71.1	(65.7 - 76.6)	541
	All other races	-	-	71	-	-	29	-	-	42
	Multiple races	-	-	85	-	-	33	-	-	52

Note: There were 16 students who did not provide usable data for QN49.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN50: Percentage of students who received grades of mostly D's and F's in school during the past 12 months

			Total			Males			Females	
		Percentage	e 95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	8.4	(6.7 - 10.2)	1,380	11.9	(8.6 - 15.2)	659	4.8	(2.9 - 6.6)	718
Age										
	11 or younger	5.2	(1.6 - 8.8)	199	-	-	76	2.3	(0.0 - 4.8)	122
	12	5.7	(3.3 - 8.2)	406	7.5	(3.7 - 11.3)	191	3.9	(1.4 - 6.4)	215
	13	9.0	(5.9 - 12.1)	440	12.5	(7.6 - 17.4)	204	5.9	(1.0 - 10.9)	235
	14 or older	12.0	(9.2 - 14.9)	334	16.9	(11.8 - 22.1)	187	5.3	(1.6 - 9.1)	146
Grade										
	6th	7.2	(4.4 - 10.0)	507	8.3	(3.8 - 12.9)	226	6.0	(3.0 - 9.0)	280
	7th	9.5	(5.3 - 13.6)	399	13.6	(8.0 - 19.3)	197	5.1	(0.9 - 9.2)	201
	8th	8.4	(5.8 - 11.1)	461	13.3	(7.6 - 19.1)	229	3.5	(0.6 - 6.5)	232
Race/E	thnicity									
	Black	13.8	(7.1 - 20.5)	105	-	-	56	-	-	49
	Hispanic/ Latino	-	-	80	-	-	47	-	-	32
	White	7.3	(5.2 - 9.3)	1,034	10.7	(6.7 - 14.6)	488	3.9	(2.1 - 5.7)	545
	All other races	-	-	67	-	-	30	-	-	37
	Multiple races	-	-	84	-	-	34	-	-	50

Note: There were 17 students who did not provide usable data for QN50.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN51: Percentage of students who have been threatened or injured with a weapon, such as a gun, knife, or club, on school property one or more times during the past 12 months

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	9.5	(7.6 - 11.4)	1,394	10.7	(7.9 - 13.5)	664	8.0	(5.2 - 10.9)	727
Age										
	11 or younger	9.4	(5.5 - 13.3)	200	-	-	76	6.2	(2.4 - 10.0)	123
	12	10.0	(6.7 - 13.3)	412	12.4	(7.1 - 17.8)	194	7.3	(4.1 - 10.5)	218
	13	9.0	(5.0 - 13.0)	444	7.7	(3.4 - 11.9)	206	10.0	(4.4 - 15.7)	237
	14 or older	9.7	(5.8 - 13.7)	338	12.1	(6.5 - 17.7)	188	6.5	(2.9 - 10.2)	149
Grade										
	6th	11.1	(8.8 - 13.4)	511	12.5	(9.2 - 15.8)	226	9.4	(6.3 - 12.5)	284
	7th	8.1	(5.1 - 11.2)	401	9.3	(5.6 - 12.9)	198	6.5	(1.8 - 11.1)	202
	8th	9.4	(6.5 - 12.3)	464	10.9	(5.8 - 16.1)	232	7.9	(4.4 - 11.5)	232
Race/Et	hnicity									
	Black	12.0	(3.5 - 20.6)	105	-	-	56	-	-	49
	Hispanic/ Latino	-	-	83	-	-	48	-	-	34
	White	9.0	(7.3 - 10.7)	1,035	9.9	(8.1 - 11.8)	491	8.1	(5.2 - 11.0)	543
	All other races	-	-	73	-	-	30	-	-	43
	Multiple races	-	-	86	-	-	34	-	-	52

Note: There were 3 students who did not provide usable data for QN51.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN52: Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	8.1	(6.4 - 9.8)	1,393	6.4	(3.8 - 9.1)	662	9.7	(7.1 - 12.3)	728
Age										
	11 or younger	10.6	(6.1 - 15.1)	200	-	-	75	10.6	(4.8 - 16.5)	124
	12	9.8	(6.7 - 13.0)	412	11.5	(6.3 - 16.7)	193	8.0	(4.1 - 11.9)	219
	13	5.9	(3.9 - 8.0)	443	3.0	(0.5 - 5.6)	206	8.6	(4.3 - 12.8)	236
	14 or older	8.1	(5.8 - 10.3)	337	4.3	(1.6 - 7.0)	187	13.2	(8.1 - 18.4)	149
Grade										
	6th	10.9	(8.3 - 13.4)	512	10.9	(6.5 - 15.3)	225	10.9	(7.6 - 14.2)	286
	7th	7.3	(4.6 - 10.0)	400	4.3	(1.3 - 7.3)	198	10.2	(6.0 - 14.3)	201
	8th	5.9	(4.2 - 7.5)	463	4.2	(1.2 - 7.1)	231	7.6	(4.2 - 10.9)	232
Race/Etl	nnicity									
	Black	10.7	(5.1 - 16.4)	105	-	-	56	_	-	49
	Hispanic/ Latino	-	-	83	-	-	48	-	-	34
	White	6.9	(5.4 - 8.5)	1,035	4.8	(2.4 - 7.1)	490	9.1	(6.7 - 11.6)	544
	All other races	-	-	73	-	-	30	-	-	43
	Multiple races	-	-	85	-	-	33	-	-	52

Note: There were 4 students who did not provide usable data for QN52.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN53: Percentage of students whose property, such as their clothing or books, has been stolen or deliberately damaged on school property one or more times during the past 12 months

		Total Percentage 95%				Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	35.1	(30.9 - 39.2)	1,376	33.7	(30.4 - 37.1)	657	36.4	(30.1 - 42.7)	716
Age										
	11 or younger	32.6	(25.9 - 39.4)	199	-	-	76	33.0	(24.9 - 41.1)	122
	12	34.8	(28.6 - 40.9)	407	34.2	(28.6 - 39.8)	192	35.4	(23.2 - 47.7)	215
	13	34.7	(29.8 - 39.6)	435	34.2	(28.2 - 40.2)	203	35.0	(27.9 - 42.1)	231
	14 or older	36.8	(30.3 - 43.3)	334	33.2	(25.2 - 41.1)	185	42.0	(35.4 - 48.6)	148
Grade										
	6th	35.4	(30.3 - 40.6)	506	34.7	(28.5 - 41.0)	224	36.0	(29.8 - 42.2)	281
	7th	33.1	(27.4 - 38.9)	394	32.9	(28.2 - 37.7)	195	33.0	(21.9 - 44.2)	198
	8th	36.5	(31.1 - 41.9)	459	33.4	(27.1 - 39.7)	230	39.6	(33.9 - 45.3)	229
Race/Et	hnicity									
	Black	34.4	(24.8 - 44.1)	102	-	-	56	-	-	46
	Hispanic/ Latino	-	-	81	-	-	47	-	-	33
	White	34.4	(29.3 - 39.4)	1,023	33.5	(29.9 - 37.0)	485	35.3	(27.5 - 43.2)	537
	All other races	-	-	73	-	-	30	-	-	43
	Multiple races	-	-	85	-	-	34	-	-	51

Note: There were 21 students who did not provide usable data for QN53.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN54: Percentage of students who have been harassed or bullied on school property one or more times during the past 12 months

		Total				Males	Females			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	32.0	(28.4 - 35.6)	1,388	29.1	(25.5 - 32.7)	662	35.0	(30.1 - 39.9)	723
Age										
	11 or younger	34.7	(26.0 - 43.4)	201	-	-	76	38.6	(28.1 - 49.1)	124
	12	35.7	(29.9 - 41.5)	409	35.3	(29.2 - 41.3)	193	36.2	(26.2 - 46.1)	216
	13	31.7	(24.7 - 38.7)	441	27.4	(19.1 - 35.6)	205	35.4	(27.6 - 43.3)	235
	14 or older	27.4	(21.8 - 33.0)	336	24.6	(17.8 - 31.3)	187	30.8	(23.8 - 37.8)	148
Grade										
	6th	36.1	(30.1 - 42.2)	509	31.5	(26.0 - 37.0)	225	40.9	(33.0 - 48.8)	283
	7th	33.0	(26.6 - 39.4)	400	31.2	(24.3 - 38.1)	198	35.1	(26.2 - 44.0)	201
	8th	27.3	(23.2 - 31.5)	462	25.2	(19.7 - 30.7)	231	29.5	(22.8 - 36.1)	231
Race/Et	hnicity									
	Black	22.9	(15.1 - 30.8)	104	-	-	55	-	-	49
	Hispanic/ Latino	-	-	83	-	-	48	-	-	34
	White	32.9	(28.8 - 37.0)	1,033	30.4	(25.6 - 35.2)	490	35.2	(29.8 - 40.6)	542
	All other races	-	-	72	-	-	30	-	-	42
	Multiple races	-	-	84	-	-	34	-	-	50

Note: There were 9 students who did not provide usable data for QN54.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN55: Percentage of students who have been the victim of teasing or name calling during the past 30 days because of their weight, size, or physical appearance

		Total				Males		Females			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	29.5	(26.5 - 32.5)	1,390	28.0	(24.3 - 31.6)	661	31.2	(27.7 - 34.7)	727	
Age											
	11 or younger	31.8	(26.3 - 37.4)	200	-	-	76	28.8	(21.5 - 36.1)	124	
	12	28.0	(23.1 - 33.0)	411	28.3	(22.8 - 33.7)	192	27.8	(20.6 - 34.9)	219	
	13	29.7	(23.5 - 35.9)	442	27.0	(19.1 - 34.8)	205	32.2	(25.1 - 39.2)	236	
	14 or older	29.9	(26.3 - 33.5)	336	26.3	(21.4 - 31.2)	187	35.0	(28.3 - 41.7)	148	
Grade											
	6th	31.1	(26.9 - 35.2)	512	31.7	(25.0 - 38.3)	225	30.6	(25.8 - 35.3)	286	
	7th	29.5	(23.8 - 35.1)	398	28.4	(22.2 - 34.6)	197	30.6	(23.5 - 37.8)	201	
	8th	28.7	(25.1 - 32.3)	462	24.7	(19.9 - 29.4)	231	32.8	(26.8 - 38.7)	231	
Race/Et	hnicity										
	Black	28.2	(18.7 - 37.7)	104	-	-	55	-	-	49	
	Hispanic/ Latino	-	-	83	-	-	48	-	-	34	
	White	29.0	(25.4 - 32.5)	1,034	28.6	(24.1 - 33.0)	490	29.4	(25.2 - 33.6)	543	
	All other races	-	-	72	-	-	29	-	-	43	
	Multiple races	-	-	86	-	-	34	-	-	52	

Note: There were 7 students who did not provide usable data for QN55.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN56: Percentage of students who ever felt so sad or hopeless almost every day for two weeks or more in a row during the past 12 months that they stopped doing some usual activities

		Total				Males		Females			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	27.8	(25.0 - 30.6)	1,388	22.1	(18.6 - 25.7)	661	33.6	(28.7 - 38.6)	725	
Age											
	11 or younger	25.1	(19.1 - 31.2)	198	-	-	76	25.2	(15.7 - 34.8)	122	
	12	25.1	(19.1 - 31.1)	411	20.7	(15.0 - 26.4)	193	29.9	(20.3 - 39.4)	218	
	13	27.9	(23.0 - 32.8)	441	20.5	(15.6 - 25.4)	204	34.5	(27.3 - 41.7)	236	
	14 or older	31.8	(26.2 - 37.4)	337	24.4	(17.5 - 31.4)	187	41.5	(31.7 - 51.3)	149	
Grade											
	6th	25.2	(20.2 - 30.2)	510	21.8	(15.8 - 27.8)	225	28.9	(21.3 - 36.5)	284	
	7th	28.9	(22.0 - 35.9)	400	22.9	(16.3 - 29.5)	198	35.4	(25.3 - 45.5)	202	
	8th	28.6	(24.4 - 32.8)	461	21.4	(14.9 - 27.8)	230	35.9	(31.0 - 40.8)	231	
Race/Et	hnicity										
	Black	25.4	(14.2 - 36.7)	105	-	-	56	-	-	49	
	Hispanic/ Latino	-	-	83	-	-	48	-	-	34	
	White	26.9	(23.2 - 30.6)	1,032	19.9	(16.2 - 23.5)	489	33.8	(27.8 - 39.9)	542	
	All other races	-	-	72	-	-	29	-	-	43	
	Multiple races	-	-	86	-	-	34	-	-	52	

Note: There were 9 students who did not provide usable data for QN56.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN57: Percentage of students who ever tried to quit smoking cigarettes during the past 12 months

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	8.1	(5.7 - 10.4)	1,376	7.8	(5.4 - 10.1)	652	8.3	(5.2 - 11.4)	722
Age										
	11 or younger	4.8	(1.5 - 8.0)	198	-	-	75	4.9	(1.3 - 8.6)	122
	12	6.1	(4.2 - 8.1)	409	7.1	(3.8 - 10.5)	192	5.1	(1.5 - 8.6)	217
	13	8.4	(4.7 - 12.1)	437	6.9	(3.5 - 10.4)	201	9.7	(4.7 - 14.7)	236
	14 or older	11.3	(7.2 - 15.5)	331	11.1	(6.3 - 15.9)	183	11.7	(4.3 - 19.1)	147
Grade										
	6th	5.3	(3.2 - 7.3)	506	5.2	(2.5 - 7.9)	224	5.4	(2.7 - 8.0)	282
	7th	8.8	(5.6 - 12.1)	394	9.0	(5.6 - 12.3)	193	8.2	(3.6 - 12.8)	200
	8th	10.0	(6.3 - 13.6)	459	9.0	(5.0 - 13.0)	227	11.0	(6.7 - 15.2)	232
Race/Eth	nnicity									
	Black	7.7	(0.6 - 14.7)	104	-	-	55	-	-	49
	Hispanic/ Latino	-	-	79	-	-	46	-	-	33
	White	8.3	(5.9 - 10.6)	1,025	7.9	(5.4 - 10.4)	483	8.6	(5.5 - 11.8)	541
	All other races	-	-	72	-	-	30	-	-	42
	Multiple races	-	-	85	-	-	33	-	-	52

Note: There were 21 students who did not provide usable data for QN57.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN58: Percentage of students who usually got their alcohol by buying it at a store during the past 30 days

		Percentage	;	cc	Tot 95 onfic inter	% lence	N	Percentage		Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	0.6	(0.2	! -	1.0)	1,380	0.7	(0.2 - 1.3)	652	0.3	(0.0 - 0.7)	726
Age														
	11 or younger	0.7	(0.0) –	1.8)	198	-		-	75	0.2	(0.0 - 0.6)	123
	12	0.5	(0.0) -	1.2)	409	0.9	(0.0 - 2.3)	191	0.1	(0.0 - 0.4)	218
	13	0.3	(0.0) -	1.0)	438	0.7	(0.0 - 2.2)	200	0.0	(0.0 - 0.0)	237
	14 or older	1.0	(0.0) -	2.0)	334	0.4	(0.0 - 1.2)	185	1.1	(0.0 - 2.9)	148
Grade														
	6th	0.5	(0.0) -	1.1)	509	0.9	(0.0 - 2.1)	223	0.1	(0.0 - 0.3)	285
	7th	0.4	(0.0) -	1.1)	393	0.7	(0.0 - 2.0)	192	0.1	(0.0 - 0.3)	201
	8th	0.4	(0.0	-	0.9)	462	0.7	(0.0 - 1.7)	230	0.1	(0.0 - 0.3)	232
Race/Et	hnicity													
	Black	0.0	(0.0) -	0.0)	103	-		-	54	-	-	49
	Hispanic/ Latino	-			-		83	-		-	48	-	-	34
	White	0.5	(0.0) -	0.9)	1,026	0.5	(0.0 - 1.2)	482	0.2	(0.0 - 0.7)	543
	All other races	-			-		72	-		-	29	-	-	43
	Multiple races	-			-		86	-		-	34	-	-	52

Note: There were 17 students who did not provide usable data for QN58.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN59: Percentage of students who used marijuana one or more times during the past 30 days

			Total			Males			Females	
		Percentage		N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	6.6	(3.7 - 9.5)	1,379	6.5	(3.6 - 9.4)	658	6.6	(3.4 - 9.9)	719
Age										
	11 or younger	2.8	(0.1 - 5.6)	200	-	-	76	0.0	(0.0 - 0.0)	123
	12	3.7	(1.4 - 6.0)	409	4.5	(1.0 - 8.0)	193	2.9	(0.0 - 5.8)	216
	13	6.8	(4.1 - 9.6)	438	4.7	(1.3 - 8.2)	205	8.7	(4.3 - 13.0)	233
	14 or older	11.3	(4.3 - 18.3)	331	11.3	(4.3 - 18.2)	183	11.5	(2.5 - 20.4)	147
Grade										
	6th	2.7	(1.2 - 4.1)	509	3.3	(1.0 - 5.5)	226	2.0	(0.6 - 3.4)	283
	7th	5.4	(2.7 - 8.1)	398	4.3	(1.2 - 7.3)	197	6.2	(2.3 - 10.1)	200
	8th	10.7	(4.5 - 17.0)	454	10.9	(4.0 - 17.9)	227	10.5	(4.2 - 16.9)	227
Race/Et	hnicity									
	Black	11.9	(5.7 - 18.1)	104	-	-	56	_	-	48
	Hispanic/ Latino	_	-	82	-	-	48	-	-	34
	White	5.5	(1.9 - 9.0)	1,026	4.7	(1.4 - 8.0)	485	6.2	(2.0 - 10.5)	540
	All other races	-	-	71	-	-	30	-	-	41
	Multiple races	-	-	84	-	-	34	-	-	50

Note: There were 18 students who did not provide usable data for QN59.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN60: Percentage of students who used marijuana on school property one or more times during the past 30 days

		Percentage			Tot 95 onfici inter	% lence	N	Percentage		Male 95% confide interv	nce	N	Percentage		con	emale 95% ofideo oterva	nce	N
	Total	2.8	(1.8	3 -	3.7)	1,381	2.9	(1.4 -	4.3)	657	2.5	(1.2	2 -	3.9)	722
Age																		
	11 or younger	3.5	(0.2	2 -	6.8)	200	-		-		76	1.9	(0.0) -	4.1)	124
	12	2.0	(0.6	5 -	3.5)	410	1.5	(0.0 -	3.2)	193	2.6	(0.0) -	5.4)	217
	13	1.9	(0.4	1 -	3.4)	437	1.0	(0.0 -	2.2)	203	2.7	(0.0) -	5.5)	233
	14 or older	4.4	(1.7	7 -	7.1)	333	5.4	(1.5 -	9.2)	184	2.5	(0.1	ļ -	4.9)	148
Grade																		
	6th	2.1	(0.7	7 -	3.4)	512	2.9	(0.7 -	5.1)	226	1.2	(0.1	i -	2.3)	285
	7th	1.9	(0.6	5 -	3.3)	393	0.4	(0.0 -	1.1)	196	3.6	(0.9) -	6.4)	197
	8th	3.7	(1.8	3 -	5.6)	459	5.5	(1.9 -	9.0)	228	2.0	(0.1	-	3.9)	231
Race/Eth	nnicity																	
	Black	4.1	(0.0) -	8.4)	102	-		-		56	-			-		46
	Hispanic/ Latino	-			-		82	-		-		47	-			-		34
	White	2.3	(1.3	3 -	3.3)	1,028	1.9	(0.7 -	3.0)	485	2.6	(1.0) -	4.1)	542
	All other races	-			-		73	-		-		30	-			-		43
	Multiple races	-			-		85	-		-		34	-			-		51

Note: There were 16 students who did not provide usable data for QN60.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN61: Percentage of students who have taken a prescription drug such as OxyContin, Percocet, Demerol, Adoral, Ritalin, or Zanax without a doctor's prescription one or more times during their life

		Total		Males				Females			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	12.3	(10.2 - 14.5)	1,382	11.9	(9.8 - 14.1)	660	12.7	(9.3 - 16.1)	720	
Age											
	11 or younger	11.0	(5.1 - 16.9)	198	-	-	76	9.6	(1.5 - 17.7)	122	
	12	9.3	(6.1 - 12.5)	409	9.4	(4.6 - 14.3)	191	9.1	(4.6 - 13.5)	218	
	13	9.9	(8.0 - 11.8)	440	8.5	(4.9 - 12.0)	205	11.0	(8.9 - 13.1)	234	
	14 or older	19.7	(15.7 - 23.7)	334	18.1	(13.7 - 22.5)	187	22.0	(13.4 - 30.5)	146	
Grade											
	6th	9.5	(6.7 - 12.3)	509	8.3	(4.9 - 11.8)	225	10.5	(5.8 - 15.2)	283	
	7th	10.2	(8.0 - 12.4)	394	9.4	(5.6 - 13.1)	196	11.1	(7.4 - 14.8)	198	
	8th	16.6	(12.5 - 20.7)	461	17.4	(13.8 - 21.1)	231	15.7	(9.7 - 21.8)	230	
Race/Et	thnicity										
	Black	10.2	(4.4 - 16.0)	103	-	-	55	-	-	48	
	Hispanic/ Latino	-	-	82	-	-	48	-	-	33	
	White	12.4	(10.4 - 14.5)	1,027	11.6	(9.4 - 13.9)	488	13.3	(10.0 - 16.6)	538	
	All other races	-	-	73	-	-	30	-	-	43	
	Multiple races	-	-	86	-	-	34	-	-	52	

Note: There were 15 students who did not provide usable data for QN61.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN62: Percentage of students who have been offered, sold, or given an illegal drug on school property during the past 12 months

		Total		Males			Females			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	11.9	(8.5 - 15.3)	1,373	13.4	(9.3 - 17.6)	654	10.3	(6.4 - 14.1)	717
Age										
	11 or younger	8.1	(2.9 - 13.3)	196	-	-	74	3.7	(0.8 - 6.6)	122
	12	8.3	(5.8 - 10.7)	407	8.7	(4.0 - 13.3)	192	7.8	(2.8 - 12.8)	215
	13	12.8	(7.2 - 18.5)	434	13.1	(6.9 - 19.3)	201	12.6	(4.6 - 20.5)	232
	14 or older	16.3	(11.6 - 21.0)	335	18.6	(11.7 - 25.5)	186	13.2	(8.0 - 18.4)	148
Grade										
	6th	6.5	(3.4 - 9.7)	504	9.1	(3.6 - 14.7)	223	3.8	(1.6 - 6.0)	280
	7th	10.6	(6.5 - 14.6)	395	9.9	(6.3 - 13.6)	196	11.2	(4.7 - 17.8)	199
	8th	17.8	(11.9 - 23.6)	459	20.6	(13.1 - 28.1)	228	15.0	(9.7 - 20.3)	231
Race/Et	thnicity									
	Black	14.3	(8.4 - 20.2)	105	-	-	56	_	-	49
	Hispanic/ Latino	-	-	81	-	-	47	-	-	33
	White	11.5	(7.8 - 15.2)	1,021	12.0	(7.5 - 16.5)	483	11.0	(6.3 - 15.6)	537
	All other races	-	-	71	-	-	29	-	-	42
	Multiple races	-	-	85	-	-	34	-	-	51

Note: There were 24 students who did not provide usable data for QN62.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN63: Percentage of students who have ever been taught about abstaining from sexual activity

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	61.4	(56.8 - 66.0)	1,376	58.1	(53.5 - 62.6)	655	64.9	(59.0 - 70.9)	718
Age										
	11 or younger	37.8	(32.9 - 42.8)	197	-	-	75	39.9	(31.1 - 48.6)	121
	12	52.1	(45.3 - 58.9)	409	49.7	(41.4 - 58.0)	193	54.7	(47.3 - 62.1)	216
	13	68.1	(61.9 - 74.2)	437	61.1	(54.2 - 67.9)	202	74.4	(66.6 - 82.3)	234
	14 or older	72.7	(64.3 - 81.1)	332	71.4	(63.0 - 79.9)	184	74.9	(64.9 - 84.9)	147
Grade										
	6th	39.4	(35.0 - 43.7)	502	37.3	(32.5 - 42.0)	223	41.7	(34.2 - 49.2)	278
	7th	65.2	(57.4 - 73.1)	397	60.6	(51.1 - 70.1)	196	70.0	(62.2 - 77.9)	200
	8th	76.7	(70.0 - 83.5)	460	73.7	(64.5 - 82.9)	229	79.7	(73.2 - 86.3)	231
Race/Eth	nnicity									
	Black	65.6	(54.2 - 77.0)	100	-	-	55	-	-	45
	Hispanic/ Latino	-	-	81	-	-	46	-	-	34
	White	62.1	(56.9 - 67.2)	1,028	58.5	(53.5 - 63.5)	486	65.8	(58.9 - 72.6)	541
	All other races	-	-	70	-	-	29	-	-	41
	Multiple races	-	-	85	-	-	34	-	-	51

Note: There were 21 students who did not provide usable data for QN63.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN64: Percentage of students who have ever been taught about chlamydia, gonorrhea, syphilis, or Human Papillomavirus/genital warts (HPV)

		Total		Males				Females			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	43.1	(37.6 - 48.6)	1,376	41.7	(35.8 - 47.6)	651	44.7	(38.5 - 51.0)	723	
Age											
	11 or younger	9.2	(4.8 - 13.6)	199	-	-	76	9.6	(3.2 - 16.1)	123	
	12	28.9	(21.4 - 36.5)	409	29.1	(20.7 - 37.5)	191	28.7	(19.9 - 37.6)	218	
	13	50.5	(43.6 - 57.5)	437	44.1	(35.7 - 52.6)	200	56.2	(47.6 - 64.9)	236	
	14 or older	63.8	(51.3 - 76.3)	330	63.3	(50.7 - 75.9)	183	64.9	(49.0 - 80.9)	146	
Grade											
	6th	14.0	(11.1 - 16.9)	506	12.9	(8.6 - 17.1)	222	15.3	(9.7 - 20.9)	283	
	7th	43.4	(30.6 - 56.1)	395	41.9	(28.6 - 55.1)	194	45.0	(32.0 - 58.0)	201	
	8th	67.6	(56.1 - 79.2)	457	65.4	(52.8 - 78.0)	227	69.8	(56.6 - 83.1)	230	
Race/Et	thnicity										
	Black	52.5	(38.0 - 67.1)	104	-	-	55	_	-	49	
	Hispanic/ Latino	-	-	81	-	-	47	-	-	33	
	White	42.8	(36.8 - 48.8)	1,026	41.1	(35.6 - 46.6)	483	44.5	(37.1 - 52.0)	542	
	All other races	-	-	70	-	-	29	-	-	41	
	Multiple races	-	-	84	-	-	32	-	-	52	

Note: There were 21 students who did not provide usable data for QN64.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN65: Percentage of students whose parents or other adults in their family ever talked with them about what they expect them to do or not to do when it comes to sex

		Total				Males		Females			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	64.0	(61.2 - 66.9)	1,352	59.8	(56.2 - 63.5)	643	68.5	(65.4 - 71.7)	706	
Age											
	11 or younger	48.8	(42.4 - 55.3)	197	-	-	74	54.0	(46.3 - 61.7)	122	
	12	59.3	(54.1 - 64.4)	401	57.6	(53.6 - 61.6)	188	61.1	(51.4 - 70.8)	213	
	13	67.2	(62.0 - 72.4)	429	59.8	(51.8 - 67.9)	199	74.0	(69.0 - 78.9)	229	
	14 or older	71.7	(65.8 - 77.7)	324	68.2	(60.0 - 76.5)	181	77.0	(71.7 - 82.3)	142	
Grade											
	6th	53.9	(49.4 - 58.4)	496	48.1	(42.7 - 53.6)	217	60.0	(53.9 - 66.0)	278	
	7th	61.4	(56.1 - 66.7)	391	58.9	(52.1 - 65.6)	194	64.0	(57.7 - 70.3)	196	
	8th	75.0	(69.5 - 80.5)	449	70.1	(63.5 - 76.7)	226	80.1	(73.5 - 86.7)	223	
Race/Et	hnicity										
	Black	72.7	(64.6 - 80.9)	104	-	-	55	-	-	49	
	Hispanic/ Latino	-	-	81	-	-	47	-	-	33	
	White	63.9	(60.6 - 67.2)	1,008	59.3	(55.2 - 63.4)	477	68.6	(64.8 - 72.4)	530	
	All other races	-	-	68	-	-	28	-	-	40	
	Multiple races	-	-	80	-	-	32	-	-	48	

Note: There were 45 students who did not provide usable data for QN65.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN66: Percentage of students who eat fruit three or more times on a typical day

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	41.8	(39.3 - 44.3)	1,376	41.2	(37.4 - 45.0)	655	42.4	(38.0 - 46.9)	719
Age										
	11 or younger	43.2	(34.9 - 51.5)	199	-	-	76	45.3	(35.9 - 54.7)	123
	12	44.7	(40.5 - 49.0)	399	46.6	(38.5 - 54.7)	188	42.7	(35.2 - 50.2)	211
	13	43.3	(38.7 - 47.9)	441	44.0	(38.3 - 49.7)	204	42.5	(35.9 - 49.1)	236
	14 or older	35.8	(32.5 - 39.1)	336	32.6	(27.9 - 37.2)	186	40.4	(34.3 - 46.4)	149
Grade										
	6th	47.0	(42.4 - 51.6)	500	48.3	(40.0 - 56.6)	220	45.5	(39.2 - 51.8)	279
	7th	42.5	(37.2 - 47.8)	395	41.0	(34.1 - 48.0)	196	44.1	(34.2 - 54.0)	199
	8th	37.1	(34.1 - 40.2)	463	35.7	(30.5 - 41.0)	231	38.5	(32.7 - 44.3)	232
Race/Et	hnicity									
	Black	42.5	(32.5 - 52.4)	104	-	-	56	-	-	48
	Hispanic/ Latino	-	-	81	-	-	46	-	-	34
	White	41.0	(38.1 - 44.0)	1,022	40.4	(37.0 - 43.9)	484	41.7	(36.5 - 46.9)	537
	All other races	-	-	73	-	-	30	-	-	43
	Multiple races	-	-	85	-	-	34	-	-	51

Note: There were 21 students who did not provide usable data for QN66.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN67: Percentage of students who ate french fries three or more times during the past seven days

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	27.3	(20.4 - 34.2)	1,352	28.7	(22.5 - 35.0)	639	25.9	(17.3 - 34.5)	712
Age										
	11 or younger	20.7	(15.4 - 26.0)	196	-	-	76	23.2	(15.2 - 31.2)	120
	12	26.3	(20.6 - 31.9)	395	30.6	(23.7 - 37.5)	183	21.6	(15.3 - 28.0)	212
	13	28.2	(20.4 - 36.0)	433	30.7	(22.5 - 38.8)	199	26.1	(16.0 - 36.2)	233
	14 or older	30.4	(19.5 - 41.2)	327	29.0	(20.6 - 37.5)	180	32.2	(16.0 - 48.4)	147
Grade										
	6th	23.6	(20.3 - 26.8)	489	21.0	(16.7 - 25.3)	214	26.3	(20.6 - 31.9)	274
	7th	27.3	(19.8 - 34.7)	394	34.2	(25.0 - 43.3)	193	20.1	(12.9 - 27.2)	201
	8th	30.5	(19.1 - 41.8)	454	29.7	(20.2 - 39.2)	225	31.2	(15.7 - 46.7)	229
Race/Et	hnicity									
	Black	31.2	(24.5 - 37.9)	103	-	-	56	-	-	47
	Hispanic/ Latino	-	-	76	-	-	43	-	-	32
	White	27.0	(18.9 - 35.0)	1,008	28.7	(21.0 - 36.4)	474	25.2	(16.0 - 34.5)	534
	All other races	-	-	69	-	-	27	-	-	42
	Multiple races	-	-	86	-	-	34	-	-	52

Note: There were 45 students who did not provide usable data for QN67.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN68: Percentage of students who eat vegetables three or more times on a typical day

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	33.4	(30.5 - 36.4)	1,372	31.3	(27.0 - 35.6)	652	35.5	(31.5 - 39.4)	718
Age										
	11 or younger	37.3	(32.4 - 42.3)	196	-	-	76	40.1	(32.2 - 48.1)	120
	12	32.6	(26.1 - 39.1)	402	32.1	(23.0 - 41.2)	188	33.2	(24.2 - 42.1)	214
	13	34.9	(31.4 - 38.4)	440	34.4	(28.9 - 39.9)	203	35.2	(29.8 - 40.7)	236
	14 or older	30.2	(24.7 - 35.7)	333	25.5	(17.4 - 33.5)	184	36.2	(29.3 - 43.0)	148
Grade										
	6th	34.9	(31.5 - 38.2)	497	34.2	(28.0 - 40.3)	219	35.4	(30.3 - 40.4)	277
	7th	31.8	(27.1 - 36.6)	396	30.5	(22.5 - 38.6)	195	33.2	(25.2 - 41.3)	201
	8th	33.5	(28.1 - 38.8)	461	29.8	(22.8 - 36.8)	230	37.2	(30.7 - 43.7)	231
Race/Et	hnicity									
	Black	30.6	(22.4 - 38.7)	105	-	-	56	-	-	49
	Hispanic/ Latino	-	-	81	-	-	47	-	-	33
	White	33.7	(30.0 - 37.4)	1,017	32.2	(27.5 - 36.9)	480	35.1	(30.2 - 40.0)	536
	All other races	-	-	73	-	-	30	-	-	43
	Multiple races	-	-	85	-	-	34	-	-	51

Note: There were 25 students who did not provide usable data for QN68.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN69: Percentage of students who drink a soft drink or sweetened beverage one or more times on a typical day

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	95.1	(94.1 - 96.1)	1,362	95.8	(94.3 - 97.4)	644	94.3	(92.6 - 96.0)	715
Age										
	11 or younger	96.5	(93.8 - 99.2)	194	-	-	75	94.4	(89.4 - 99.4)	118
	12	93.8	(91.0 - 96.5)	399	93.6	(90.7 - 96.5)	185	93.9	(89.9 - 98.0)	214
	13	95.5	(93.0 - 98.0)	435	97.0	(94.1 - 99.8)	199	94.2	(90.9 - 97.5)	235
	14 or older	95.3	(92.4 - 98.2)	334	95.6	(91.9 - 99.4)	185	94.9	(91.0 - 98.7)	148
Grade										
	6th	95.7	(93.9 - 97.5)	492	96.8	(93.5 -100.0)	215	94.6	(92.5 - 96.6)	276
	7th	93.6	(91.5 - 95.8)	395	94.5	(91.1 - 97.8)	194	92.7	(89.4 - 96.1)	200
	8th	96.2	(94.1 - 98.3)	458	96.8	(94.4 - 99.3)	228	95.6	(92.0 - 99.2)	230
Race/Et	hnicity									
	Black	96.3	(92.9 - 99.8)	102	-	-	54	-	-	48
	Hispanic/ Latino	-	-	79	-	-	45	-	-	33
	White	95.3	(94.1 - 96.5)	1,013	96.2	(94.8 - 97.5)	478	94.4	(92.4 - 96.4)	534
	All other races	-	-	72	-	-	29	-	-	43
	Multiple races	-	-	84	-	-	33	-	-	51

Note: There were 35 students who did not provide usable data for QN69.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN70: Percentage of students who drank three or more glasses of milk per day during the past seven days

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	19.1	(17.3 - 20.8)	1,345	22.1	(18.6 - 25.6)	634	15.7	(13.2 - 18.1)	708
Age										
	11 or younger	16.5	(11.1 - 22.0)	191	-	-	75	12.8	(7.7 - 17.8)	115
	12	20.8	(16.2 - 25.4)	393	25.1	(16.5 - 33.7)	181	16.3	(10.4 - 22.3)	212
	13	15.4	(12.5 - 18.3)	431	17.6	(13.0 - 22.2)	196	13.5	(9.7 - 17.3)	234
	14 or older	23.1	(19.5 - 26.7)	329	24.8	(19.2 - 30.4)	181	20.3	(13.9 - 26.7)	147
Grade										
	6th	17.8	(13.5 - 22.1)	482	21.1	(13.8 - 28.3)	213	14.4	(9.8 - 19.1)	268
	7th	17.5	(13.0 - 22.1)	391	20.6	(14.7 - 26.6)	189	13.9	(8.6 - 19.1)	201
	8th	21.6	(17.9 - 25.3)	454	25.1	(18.1 - 32.2)	224	18.1	(14.5 - 21.8)	230
Race/Eth	nnicity									
	Black	9.6	(5.9 - 13.4)	100	-	-	52	-	-	48
	Hispanic/ Latino	-	-	76	-	-	43	-	-	32
	White	20.7	(18.8 - 22.7)	1,001	24.1	(19.9 - 28.2)	472	17.2	(14.8 - 19.6)	528
	All other races	-	-	73	-	-	30	-	-	43
	Multiple races	-	-	83	-	-	32	-	-	51

Note: There were 52 students who did not provide usable data for QN70.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN71: Percentage of students who bought food and/or drinks from vending machines at school one or more times during the past seven days

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	46.0	(40.2 - 51.8)	1,344	45.8	(40.1 - 51.6)	636	46.2	(39.8 - 52.7)	705
Age										
	11 or younger	34.7	(26.8 - 42.7)	192	-	-	75	32.4	(23.4 - 41.4)	116
	12	47.8	(39.9 - 55.7)	389	45.7	(37.3 - 54.0)	178	50.0	(41.4 - 58.6)	211
	13	44.9	(35.9 - 53.9)	432	47.0	(37.9 - 56.1)	197	43.2	(33.1 - 53.4)	234
	14 or older	50.8	(44.1 - 57.6)	330	48.0	(41.0 - 55.0)	185	54.4	(45.3 - 63.5)	144
Grade										
	6th	43.4	(34.4 - 52.3)	481	42.3	(32.8 - 51.8)	210	44.6	(35.0 - 54.2)	270
	7th	46.1	(37.7 - 54.6)	392	45.5	(35.0 - 55.9)	191	47.1	(38.8 - 55.3)	200
	8th	48.5	(42.6 - 54.3)	455	50.1	(43.8 - 56.4)	227	46.8	(38.3 - 55.4)	228
Race/Eth	nnicity									
	Black	52.6	(40.6 - 64.7)	100	-	-	51	_	-	49
	Hispanic/ Latino	-	-	78	-	-	45	-	-	32
	White	44.8	(37.7 - 51.9)	1,004	44.2	(36.8 - 51.6)	475	45.3	(37.8 - 52.7)	528
	All other races	-	-	70	-	-	27	-	-	43
	Multiple races	-	-	83	-	-	33	-	-	50

Note: There were 53 students who did not provide usable data for QN71.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN72: Percentage of students who ate breakfast on seven of the past seven days

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	42.2	(38.2 - 46.2)	1,363	47.5	(42.9 - 52.1)	645	36.8	(32.3 - 41.4)	715
Age										
	11 or younger	49.0	(40.2 - 57.7)	196	-	-	75	40.2	(25.5 - 55.0)	120
	12	47.4	(42.9 - 51.9)	396	50.7	(41.9 - 59.5)	184	44.0	(38.9 - 49.1)	212
	13	41.9	(36.1 - 47.7)	438	47.1	(39.3 - 54.9)	201	37.4	(31.1 - 43.7)	236
	14 or older	33.7	(27.5 - 40.0)	332	40.3	(32.7 - 47.8)	184	25.0	(17.3 - 32.7)	147
Grade										
	6th	48.1	(41.8 - 54.4)	491	56.2	(48.8 - 63.6)	214	40.0	(32.4 - 47.5)	276
	7th	43.4	(38.5 - 48.4)	397	45.2	(38.6 - 51.8)	196	41.8	(36.0 - 47.6)	200
	8th	36.1	(29.6 - 42.7)	457	43.0	(33.5 - 52.5)	227	29.3	(22.6 - 36.0)	230
Race/Et	hnicity									
	Black	39.5	(29.6 - 49.3)	101	-	-	52	_	-	49
	Hispanic/ Latino	-	-	79	-	-	45	-	-	33
	White	43.3	(39.3 - 47.3)	1,014	49.0	(44.4 - 53.6)	479	37.7	(33.0 - 42.4)	534
	All other races	-	-	73	-	-	30	-	-	43
	Multiple races	-	-	85	-	-	34	-	-	51

Note: There were 34 students who did not provide usable data for QN72.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN73: Percentage of students who ate dinner at home with their family four or more times during the past seven days

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	80.0	(77.3 - 82.6)	1,346	81.3	(77.4 - 85.1)	636	78.8	(76.0 - 81.6)	707
Age										
	11 or younger	78.7	(72.2 - 85.2)	191	-	-	73	81.1	(74.3 - 87.8)	117
	12	79.5	(74.9 - 84.1)	393	77.8	(70.7 - 84.9)	183	81.3	(77.1 - 85.5)	210
	13	81.7	(77.2 - 86.3)	431	84.0	(78.5 - 89.4)	195	80.0	(74.6 - 85.5)	235
	14 or older	78.5	(72.7 - 84.2)	330	82.9	(77.8 - 88.0)	184	72.2	(64.5 - 79.8)	145
Grade										
	6th	78.0	(74.6 - 81.4)	480	78.6	(72.8 - 84.4)	209	77.6	(74.1 - 81.0)	270
	7th	81.2	(78.0 - 84.3)	394	80.4	(74.1 - 86.6)	193	82.4	(77.9 - 86.9)	200
	8th	80.8	(75.1 - 86.5)	455	85.1	(78.8 - 91.5)	227	76.3	(70.7 - 82.0)	228
Race/Et	hnicity									
	Black	-	-	97	-	-	50	-	-	47
	Hispanic/ Latino	-	-	75	-	-	41	-	-	33
	White	80.0	(76.8 - 83.3)	1,006	81.7	(76.9 - 86.5)	476	78.4	(74.8 - 81.9)	529
	All other races	-	-	73	-	-	30	-	-	43
	Multiple races	-	-	84	-	-	34	-	-	50

Note: There were 51 students who did not provide usable data for QN73.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN74: Percentage of students who were physically active for a total of 60 minutes or more per day on five or more of the past seven days

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	54.6	(50.0 - 59.1)	1,344	60.9	(55.9 - 65.9)	626	48.2	(42.8 - 53.5)	715
Age										
	11 or younger	51.7	(43.5 - 59.9)	190	-	-	70	46.6	(36.5 - 56.7)	119
	12	57.5	(50.1 - 65.0)	389	61.3	(51.5 - 71.1)	177	53.7	(44.4 - 62.9)	212
	13	54.5	(47.7 - 61.3)	431	61.5	(53.7 - 69.2)	194	48.8	(39.9 - 57.7)	236
	14 or older	52.5	(47.3 - 57.8)	333	60.6	(54.8 - 66.4)	184	41.2	(32.0 - 50.5)	148
Grade										
	6th	53.3	(45.5 - 61.1)	480	58.1	(47.8 - 68.4)	205	48.6	(41.7 - 55.5)	274
	7th	53.9	(46.0 - 61.8)	390	58.7	(49.2 - 68.1)	188	49.2	(39.7 - 58.8)	201
	8th	56.0	(49.2 - 62.9)	456	64.9	(58.6 - 71.2)	225	47.2	(38.1 - 56.4)	231
Race/Et	hnicity									
	Black	54.2	(42.0 - 66.4)	102	-	-	53	-	-	49
	Hispanic/ Latino	-	-	76	-	-	42	-	-	33
	White	56.0	(51.0 - 61.0)	1,000	61.7	(56.1 - 67.2)	466	50.4	(44.5 - 56.3)	533
	All other races	-	-	73	-	-	30	-	-	43
	Multiple races	-	-	83	-	-	31	-	-	52

Note: There were 53 students who did not provide usable data for QN74.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN75: Percentage of students who spend 20 minutes or more being physically active on a typical school day

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	79.9	(76.0 - 83.7)	1,330	82.3	(78.3 - 86.4)	620	77.4	(72.6 - 82.1)	708
Age										
	11 or younger	78.4	(71.3 - 85.4)	186	-	-	68	77.3	(69.0 - 85.6)	117
	12	83.5	(79.1 - 87.9)	390	85.5	(81.0 - 90.1)	179	81.4	(75.3 - 87.6)	211
	13	80.1	(74.7 - 85.4)	424	80.1	(74.0 - 86.2)	189	79.9	(74.1 - 85.8)	234
	14 or older	76.4	(68.4 - 84.4)	329	82.6	(73.7 - 91.6)	183	67.8	(57.6 - 78.1)	146
Grade										
	6th	80.2	(74.9 - 85.6)	475	82.3	(75.9 - 88.8)	202	78.1	(71.9 - 84.3)	272
	7th	79.6	(73.3 - 85.8)	388	79.3	(73.7 - 85.0)	188	79.7	(71.6 - 87.9)	199
	8th	80.2	(74.7 - 85.8)	450	85.8	(78.8 - 92.8)	222	74.7	(68.4 - 81.0)	228
Race/Et	hnicity									
	Black	-	-	96	-	-	49	-	-	47
	Hispanic/ Latino	-	-	75	-	-	41	-	-	33
	White	81.5	(77.9 - 85.1)	992	84.1	(80.1 - 88.0)	463	78.9	(74.6 - 83.3)	529
	All other races	-	-	73	-	-	30	-	-	43
	Multiple races	-	-	84	-	-	33	-	-	51

Note: There were 67 students who did not provide usable data for QN75.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN76: Percentage of students who spend 20 minutes or more being physically active on a typical weekend day

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	83.8	(81.1 - 86.6)	1,333	87.4	(84.1 - 90.7)	623	80.3	(76.6 - 83.9)	709
Age										
	11 or younger	82.6	(77.5 - 87.6)	188	-	-	70	80.3	(72.8 - 87.8)	118
	12	87.9	(83.9 - 91.9)	390	90.7	(86.4 - 95.0)	179	85.0	(77.8 - 92.3)	211
	13	84.2	(79.3 - 89.1)	428	85.6	(78.8 - 92.3)	193	83.2	(78.0 - 88.3)	234
	14 or older	79.5	(73.7 - 85.3)	326	87.0	(81.2 - 92.7)	180	69.3	(60.1 - 78.6)	146
Grade										
	6th	85.2	(81.2 - 89.2)	478	86.8	(81.8 - 91.7)	205	83.8	(79.7 - 87.9)	272
	7th	84.2	(77.5 - 90.8)	388	85.4	(78.0 - 92.9)	188	82.9	(74.2 - 91.6)	200
	8th	82.6	(79.2 - 86.1)	450	90.3	(87.2 - 93.4)	222	75.0	(69.6 - 80.4)	228
Race/Et	hnicity									
	Black	75.8	(68.8 - 82.9)	102	-	-	53	_	-	49
	Hispanic/ Latino	-	-	73	-	-	40	-	-	32
	White	86.2	(83.0 - 89.3)	992	88.9	(85.5 - 92.2)	464	83.5	(79.1 - 87.9)	528
	All other races	-	-	72	-	-	29	-	-	43
	Multiple races	-	-	85	-	-	33	-	-	52

Note: There were 64 students who did not provide usable data for QN76.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN77: Among students enrolled in physical education (PE) class, the percentage who actually exercised or played sports more than 20 minutes during an average PE class

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	84.8	(81.8 - 87.7)	1,209	86.7	(83.6 - 89.7)	576	82.9	(78.8 - 87.0)	631
Age										
	11 or younger	85.3	(79.1 - 91.5)	177	-	-	68	88.8	(82.2 - 95.3)	108
	12	85.7	(81.7 - 89.6)	355	86.0	(80.7 - 91.3)	159	85.3	(80.9 - 89.7)	196
	13	85.5	(79.9 - 91.0)	377	88.2	(81.1 - 95.3)	174	83.0	(76.3 - 89.8)	203
	14 or older	82.7	(78.5 - 87.0)	299	86.9	(81.5 - 92.3)	174	76.3	(68.5 - 84.1)	124
Grade										
	6th	84.9	(80.3 - 89.5)	441	84.2	(77.0 - 91.4)	192	85.5	(81.5 - 89.5)	249
	7th	86.8	(81.9 - 91.7)	345	88.9	(85.1 - 92.8)	165	85.1	(77.6 - 92.6)	179
	8th	83.6	(79.3 - 87.9)	408	87.7	(84.1 - 91.3)	213	79.1	(71.6 - 86.6)	195
Race/Et	hnicity									
	Black	-	-	93	-	-	47	-	-	46
	Hispanic/ Latino	-	-	70	-	-	40	-	-	30
	White	85.8	(82.7 - 88.9)	902	87.4	(83.5 - 91.4)	430	84.1	(79.9 - 88.3)	471
	All other races	-	-	62	-	-	26	-	-	36
	Multiple races	-	-	72	-	-	29	-	-	43

Note: There were 188 students who did not provide usable data for QN77.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN78: Percentage of students who watch TV three or more hours per day on an average weekend day

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	52.1	(49.0 - 55.1)	1,327	50.7	(46.3 - 55.0)	614	53.5	(50.3 - 56.6)	711
Age										
	11 or younger	47.1	(40.0 - 54.1)	191	-	-	71	52.7	(42.1 - 63.2)	119
	12	51.3	(46.2 - 56.4)	384	46.8	(41.5 - 52.2)	172	55.7	(48.6 - 62.8)	212
	13	51.3	(46.5 - 56.2)	419	50.6	(42.7 - 58.6)	187	51.9	(47.5 - 56.4)	232
	14 or older	55.8	(51.6 - 60.0)	332	57.0	(49.6 - 64.5)	183	53.9	(49.5 - 58.3)	148
Grade										
	6th	49.9	(44.6 - 55.2)	472	43.7	(39.0 - 48.4)	199	56.0	(47.8 - 64.2)	273
	7th	51.5	(46.3 - 56.6)	385	49.9	(43.2 - 56.7)	185	53.3	(46.7 - 60.0)	199
	8th	55.0	(50.2 - 59.7)	453	57.5	(50.1 - 64.8)	223	52.5	(48.1 - 56.9)	230
Race/Et	hnicity									
	Black	-	-	98	-	-	49	-	-	49
	Hispanic/ Latino	-	-	72	-	-	39	-	-	33
	White	49.9	(46.4 - 53.4)	992	47.7	(42.8 - 52.7)	462	51.8	(48.2 - 55.5)	529
	All other races	-	-	70	-	-	27	-	-	43
	Multiple races	-	-	85	-	-	33	-	-	52

Note: There were 70 students who did not provide usable data for QN78.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN79: Percentage of students who spend three or more hours per day playing video games or using a computer for something that is not school work on an average day

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	21.3	(18.8 - 23.9)	1,322	26.9	(23.3 - 30.6)	609	15.6	(12.1 - 19.1)	711
Age										
	11 or younger	15.0	(8.8 - 21.3)	192	-	-	71	11.7	(6.5 - 16.9)	120
	12	19.4	(13.1 - 25.7)	382	22.8	(15.2 - 30.4)	171	16.1	(9.9 - 22.3)	211
	13	23.4	(18.5 - 28.4)	418	34.7	(26.6 - 42.9)	185	14.2	(9.0 - 19.3)	233
	14 or older	23.3	(17.9 - 28.7)	329	26.0	(18.8 - 33.2)	181	19.8	(12.1 - 27.5)	147
Grade										
	6th	18.0	(14.1 - 21.9)	475	20.9	(13.5 - 28.2)	201	15.2	(11.6 - 18.7)	274
	7th	21.2	(16.1 - 26.3)	378	28.8	(20.3 - 37.3)	179	13.1	(8.4 - 17.8)	198
	8th	24.0	(19.6 - 28.3)	453	29.6	(22.3 - 36.8)	222	18.5	(12.8 - 24.2)	231
Race/Et	thnicity									
	Black	-	-	98	-	-	49	_	-	49
	Hispanic/ Latino	-	-	73	-	-	40	-	-	33
	White	19.9	(17.3 - 22.4)	987	26.2	(22.4 - 30.0)	457	13.8	(10.2 - 17.3)	529
	All other races	-	-	72	-	-	29	-	-	43
	Multiple races	-	-	82	-	-	30	-	-	52

Note: There were 75 students who did not provide usable data for QN79.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN80: Percentage of students who never or rarely wear sunscreen with an SPF of 15 or higher when they are outside for more than one hour on a sunny day

		Total Percentage 95%				Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	71.8	(68.4 - 75.2)	1,300	78.7	(75.3 - 82.1)	602	65.1	(61.0 - 69.2)	697
Age										
	11 or younger	64.9	(58.9 - 70.8)	184	-	-	71	60.4	(51.0 - 69.7)	113
	12	68.8	(63.5 - 74.1)	375	74.9	(67.8 - 81.9)	169	62.6	(54.6 - 70.7)	206
	13	72.5	(67.2 - 77.9)	417	80.7	(75.5 - 85.9)	184	65.9	(59.6 - 72.2)	233
	14 or older	76.8	(71.2 - 82.5)	323	82.9	(76.9 - 88.9)	177	69.1	(62.6 - 75.6)	145
Grade										
	6th	68.2	(64.7 - 71.7)	459	73.0	(69.1 - 76.9)	197	63.3	(56.9 - 69.7)	262
	7th	71.1	(64.7 - 77.5)	377	77.7	(71.2 - 84.2)	179	64.6	(56.1 - 73.0)	198
	8th	75.6	(71.1 - 80.1)	448	84.0	(78.6 - 89.4)	219	67.4	(61.0 - 73.9)	229
Race/Et	hnicity									
	Black	-	-	95	-	-	49	-	-	46
	Hispanic/ Latino	-	-	72	-	-	40	-	-	32
	White	69.9	(66.0 - 73.8)	975	77.2	(72.7 - 81.6)	452	63.0	(58.5 - 67.5)	522
	All other races	-	-	69	-	-	27	-	-	42
	Multiple races	-	-	80	-	-	30	-	-	50

Note: There were 97 students who did not provide usable data for QN80.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN81: Percentage of students who never or rarely do one or more of the following to protect themselves from the sun when they are outside for more than one hour on a sunny day: stay in the shade, wear long pants, wear a long-sleeved shirt, or wear a hat that shades their face, ears, and neck

		Total Percentage 95%				Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	56.7	(55.1 - 58.2)	1,319	56.5	(54.0 - 59.1)	611	56.8	(53.0 - 60.6)	706
Age										
	11 or younger	53.6	(47.1 - 60.1)	189	-	-	71	54.3	(45.1 - 63.5)	117
	12	54.6	(50.1 - 59.0)	381	53.8	(45.7 - 61.9)	171	55.3	(49.7 - 61.0)	210
	13	57.8	(53.6 - 62.0)	417	59.8	(53.2 - 66.4)	185	56.1	(49.2 - 63.0)	232
	14 or older	58.8	(53.9 - 63.8)	331	57.0	(50.1 - 63.8)	183	61.1	(51.1 - 71.2)	147
Grade										
	6th	55.1	(51.7 - 58.6)	468	51.9	(44.6 - 59.3)	199	58.3	(51.2 - 65.4)	269
	7th	55.7	(51.2 - 60.1)	381	59.3	(53.2 - 65.4)	182	52.3	(45.0 - 59.6)	198
	8th	58.1	(54.6 - 61.5)	453	56.3	(50.7 - 62.0)	223	59.8	(54.1 - 65.5)	230
Race/Eth	nnicity									
	Black	-	-	97	-	-	49	-	-	48
	Hispanic/ Latino	-	-	73	-	-	41	-	-	32
	White	57.3	(55.4 - 59.2)	985	56.8	(53.3 - 60.3)	458	57.7	(53.7 - 61.7)	526
	All other races	-	-	71	-	-	28	-	-	43
	Multiple races	-	-	83	-	-	31	-	-	52

Note: There were 78 students who did not provide usable data for QN81.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN82: Percentage of students who get approximately seven or more hours of sleep on an average school night

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	78.9	(75.3 - 82.5)	1,313	78.1	(73.4 - 82.8)	603	80.0	(76.2 - 83.8)	708
Age										
	11 or younger	81.5	(76.5 - 86.5)	186	-	-	67	83.3	(75.3 - 91.2)	118
	12	81.1	(76.3 - 85.9)	379	81.1	(74.6 - 87.7)	169	81.0	(75.0 - 87.0)	210
	13	83.1	(79.4 - 86.9)	419	82.7	(77.1 - 88.3)	186	83.5	(77.2 - 89.8)	233
	14 or older	69.9	(63.3 - 76.5)	328	69.4	(59.6 - 79.3)	180	70.9	(64.5 - 77.3)	147
Grade										
	6th	82.2	(77.9 - 86.5)	463	83.2	(78.5 - 87.9)	192	81.2	(75.7 - 86.8)	271
	7th	79.4	(74.5 - 84.3)	383	77.5	(69.7 - 85.2)	184	81.8	(75.6 - 87.9)	198
	8th	76.5	(72.4 - 80.7)	451	75.5	(69.4 - 81.6)	220	77.5	(73.5 - 81.5)	231
Race/Et	hnicity									
	Black	_	-	97	-	-	48	_	-	49
	Hispanic/ Latino	-	-	74	-	-	41	-	-	33
	White	80.0	(76.7 - 83.4)	977	79.7	(75.2 - 84.1)	450	80.5	(76.8 - 84.2)	526
	All other races	-	-	72	-	-	29	-	-	43
	Multiple races	-	-	84	-	-	32	-	-	52

Note: There were 84 students who did not provide usable data for QN82.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN83: Percentage of students who consider themselves to have a disability

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	10.4	(8.2 - 12.6)	1,285	10.2	(7.3 - 13.2)	592	10.4	(7.6 - 13.2)	692
Age										
8	11 or younger	12.0	(5.7 - 18.3)	181	_	-	68	10.0	(3.4 - 16.5)	113
	12	9.5	(6.9 - 12.1)	372	9.7	(5.2 - 14.3)	166	9.2	(5.4 - 13.1)	206
	13	9.4	(6.4 - 12.4)	417	10.5	(6.6 - 14.4)	186	8.6	(4.0 - 13.1)	231
	14 or older	11.9	(6.8 - 17.0)	314	8.9	(4.1 - 13.7)	171	15.4	(8.0 - 22.8)	142
Grade										
	6th	11.3	(8.9 - 13.8)	454	13.0	(8.1 - 18.0)	192	9.7	(6.5 - 13.0)	262
	7th	8.9	(5.2 - 12.5)	376	8.5	(3.9 - 13.2)	179	9.2	(4.1 - 14.3)	197
	8th	10.6	(6.6 - 14.6)	439	9.3	(4.4 - 14.1)	214	12.0	(7.1 - 16.9)	225
Race/E	thnicity									
	Black	_	_	92	_	-	44	-	-	48
	Hispanic/ Latino	-	-	72	_	-	41	-	-	31
	White	10.6	(8.3 - 12.8)	961	10.4	(7.3 - 13.5)	446	10.6	(7.8 - 13.4)	514
	All other races	-	-	68	-	-	26	-	-	42
	Multiple races	-	-	83	-	-	31	-	-	52

Note: There were 112 students who did not provide usable data for QN83.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN84: Percentage of students who are limited in some way in some activities because of some impairment or health problem

		Percentage		Tota 95% onfidinter	% ence	N	Percentage		Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	11.2	(8.:	5 -	13.9)	1,302	11.1	(6.7 - 15.5)	601	11.2	(8.8 - 13.6)	699
Age													
	11 or younger	13.2	(7.3	3 -	19.2)	186	-		-	68	8.3	(2.5 - 14.1)	117
	12	8.1	(3.5	5 -	12.7)	375	7.9	(0.9 - 15.0)	168	8.3	(4.1 - 12.4)	207
	13	12.5	(9.5	5 -	15.5)	414	12.1	(7.1 - 17.1)	185	12.9	(8.8 - 17.0)	229
	14 or older	11.9	(7.3	3 -	16.4)	326	10.7	(5.1 - 16.4)	179	13.5	(6.9 - 20.1)	146
Grade													
	6th	10.5	(6.9) -	14.0)	459	12.1	(6.4 - 17.7)	192	8.9	(4.9 - 12.9)	267
	7th	11.9	(8	3 -	15.5)	378	10.5	(3.7 - 17.3)	181	13.0	(7.1 - 18.9)	196
	8th	10.8	(7.4	4 -	14.2)	449	10.3	(5.7 - 15.0)	222	11.2	(6.5 - 16.0)	227
Race/Et	nnicity												
	Black	-		-		95	-		-	46	-	-	49
	Hispanic/ Latino	-		-		72	-		-	40	-	-	32
	White	11.1	(8.4	4 -	13.7)	973	11.5	(7.2 - 15.7)	453	10.7	(7.9 - 13.6)	519
	All other races	-		-		69	-		-	27	-	-	42
	Multiple races	-		-		83	-		-	31	-	-	52

Note: There were 95 students who did not provide usable data for QN84.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN85: Percentage of students who have some trouble learning, remembering, or concentrating because of some impairment or health problem

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	14.9	(12.4 - 17.5)	1,301	15.2	(12.4 - 18.0)	598	14.7	(11.3 - 18.1)	702
Age										
	11 or younger	15.4	(10.8 - 20.1)	187	-	-	69	15.6	(7.4 - 23.8)	118
	12	14.1	(9.5 - 18.6)	372	12.9	(7.6 - 18.1)	164	15.2	(9.0 - 21.4)	208
	13	17.3	(14.0 - 20.6)	413	19.4	(14.3 - 24.4)	185	15.5	(10.7 - 20.3)	228
	14 or older	12.2	(7.1 - 17.3)	328	12.2	(6.0 - 18.5)	179	12.2	(7.2 - 17.3)	148
Grade										
	6th	15.5	(11.5 - 19.5)	458	16.0	(10.2 - 21.8)	190	15.0	(9.7 - 20.2)	268
	7th	16.5	(12.4 - 20.7)	377	16.2	(11.7 - 20.6)	181	16.9	(10.4 - 23.4)	196
	8th	13.2	(10.0 - 16.5)	449	13.9	(9.7 - 18.2)	220	12.5	(8.7 - 16.3)	229
Race/Eth	nnicity									
	Black	-	-	95	-	-	46	-	-	49
	Hispanic/ Latino	-	-	73	-	-	40	-	-	33
	White	15.6	(12.8 - 18.4)	971	15.9	(12.5 - 19.3)	450	15.3	(11.6 - 19.0)	520
	All other races	-	-	70	-	-	27	-	-	43
	Multiple races	-	-	83	-	-	31	-	-	52

Note: There were 96 students who did not provide usable data for QN85.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN86: Percentage of students who are alone without a parent or trusted adult for two or more hours on an average school day

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	30.9	(27.9 - 33.9)	1,303	31.8	(26.9 - 36.7)	602	30.0	(27.2 - 32.8)	699
Age										
	11 or younger	13.6	(7.8 - 19.4)	186	-	-	68	11.2	(5.8 - 16.5)	117
	12	23.0	(18.6 - 27.4)	373	20.7	(14.3 - 27.1)	166	25.2	(20.2 - 30.1)	207
	13	33.8	(28.1 - 39.4)	415	33.3	(23.7 - 43.0)	186	34.1	(28.2 - 40.1)	229
	14 or older	42.4	(37.8 - 46.9)	328	45.0	(37.8 - 52.2)	181	39.1	(29.9 - 48.2)	146
Grade										
	6th	17.0	(13.8 - 20.3)	459	15.2	(9.3 - 21.2)	192	18.8	(15.2 - 22.4)	267
	7th	35.8	(29.7 - 41.9)	379	39.2	(30.8 - 47.7)	182	32.0	(24.6 - 39.4)	196
	8th	37.7	(34.2 - 41.3)	448	38.0	(32.4 - 43.6)	221	37.5	(33.1 - 41.9)	227
Race/Et	hnicity									
	Black	-	-	96	-	-	47	-	-	49
	Hispanic/ Latino	-	-	72	-	-	39	-	-	33
	White	29.9	(26.3 - 33.6)	972	29.2	(24.3 - 34.0)	452	30.7	(26.7 - 34.8)	519
	All other races	-	-	71	-	-	28	-	-	43
	Multiple races	-	-	82	-	-	32	-	-	50

Note: There were 94 students who did not provide usable data for QN86.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN87: Percentage of students who participate in some extracurricular activities at school (such as sports, band, drama, clubs, S.O.S., etc.)

			Total			Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	73.9	(69.2 - 78.6)	1,285	71.6	(65.7 - 77.4)	590	76.2	(71.6 - 80.8)	693
Age										
	11 or younger	74.5	(67.5 - 81.4)	183	-	-	68	73.0	(65.0 - 81.1)	114
	12	73.9	(67.9 - 79.8)	370	72.2	(62.4 - 82.0)	164	75.5	(69.9 - 81.1)	206
	13	77.1	(72.2 - 82.1)	406	77.2	(70.5 - 83.9)	179	77.1	(71.0 - 83.2)	227
	14 or older	69.3	(62.9 - 75.7)	325	63.6	(56.8 - 70.5)	178	77.4	(68.5 - 86.3)	146
Grade										
	6th	72.9	(67.2 - 78.5)	450	75.5	(68.2 - 82.8)	190	70.3	(63.0 - 77.6)	260
	7th	73.3	(66.6 - 80.0)	375	72.5	(61.8 - 83.2)	177	73.9	(67.9 - 80.0)	197
	8th	76.3	(71.8 - 80.8)	443	68.0	(63.0 - 72.9)	216	84.3	(79.3 - 89.4)	227
Race/Et	hnicity									
	Black	-	-	93	-	-	45	_	-	48
	Hispanic/ Latino	-	-	73	_	-	40	-	-	33
	White	75.1	(70.2 - 79.9)	956	72.8	(66.3 - 79.3)	442	77.4	(73.0 - 81.8)	513
	All other races	-	-	71	-	-	28	-	-	43
	Multiple races	-	-	82	-	-	31	-	-	51

Note: There were 112 students who did not provide usable data for QN87.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN88: Percentage of students who responded that the last time they saw a doctor or a nurse for a check-up or physical exam when they were not sick or injured was during the past 12 months

		Total Percentage 95%				Males			Females	
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	56.3	(53.3 - 59.3)	1,300	59.4	(55.8 - 63.1)	596	53.3	(49.3 - 57.2)	703
Age										
	11 or younger	52.2	(45.5 - 58.9)	181	-	-	66	49.4	(40.4 - 58.4)	115
	12	56.8	(52.1 - 61.6)	374	55.7	(49.8 - 61.6)	167	58.0	(50.8 - 65.1)	207
	13	58.6	(52.5 - 64.6)	416	66.7	(59.7 - 73.7)	183	52.0	(44.9 - 59.2)	233
	14 or older	54.4	(48.7 - 60.1)	328	56.1	(49.1 - 63.2)	179	51.8	(43.1 - 60.5)	148
Grade										
	6th	50.8	(46.8 - 54.8)	456	53.2	(46.2 - 60.3)	191	48.4	(42.9 - 54.0)	265
	7th	58.4	(53.4 - 63.4)	378	61.1	(54.0 - 68.3)	179	55.7	(49.5 - 62.0)	199
	8th	59.0	(52.8 - 65.1)	449	63.2	(57.2 - 69.2)	219	54.8	(47.3 - 62.4)	230
Race/Et	hnicity									
	Black	-	-	95	-	-	47	-	-	48
	Hispanic/ Latino	-	-	74	-	-	41	-	-	33
	White	57.1	(54.2 - 60.1)	967	60.6	(56.6 - 64.6)	444	53.8	(50.2 - 57.4)	522
	All other races	-	-	71	-	-	28	-	-	43
	Multiple races	-	-	84	-	-	32	-	-	52

Note: There were 97 students who did not provide usable data for QN88.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN89: Percentage of students who responded that the last time they saw a dentist for a check-up, exam, teeth cleaning, or other dental work was during the past 12 months

		Total Percentage 95%			Males			Females			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	62.8	(59.8 - 65.8)	1,297	63.5	(58.5 - 68.4)	598	62.3	(58.0 - 66.7)	697	
Age											
	11 or younger	64.0	(55.3 - 72.6)	180	-	-	66	63.3	(51.9 - 74.6)	113	
	12	65.4	(59.9 - 71.0)	375	63.3	(51.4 - 75.3)	168	67.5	(61.5 - 73.5)	207	
	13	63.8	(58.5 - 69.1)	413	67.3	(63.0 - 71.5)	183	61.0	(52.8 - 69.2)	230	
	14 or older	58.6	(53.0 - 64.2)	328	59.4	(52.2 - 66.6)	180	57.9	(50.0 - 65.9)	147	
Grade											
	6th	59.1	(54.9 - 63.3)	456	60.1	(52.4 - 67.8)	192	58.1	(52.8 - 63.4)	264	
	7th	67.0	(60.4 - 73.6)	377	66.4	(57.3 - 75.4)	180	68.0	(60.8 - 75.2)	196	
	8th	63.0	(59.6 - 66.3)	449	64.7	(58.6 - 70.8)	220	61.3	(55.5 - 67.0)	229	
Race/Et	thnicity										
	Black	-	-	94	-	-	46	-	-	48	
	Hispanic/ Latino	-	-	74	-	-	41	-	-	33	
	White	65.9	(63.2 - 68.6)	968	68.0	(63.2 - 72.8)	449	64.0	(59.6 - 68.5)	518	
	All other races	-	-	69	-	-	26	-	-	43	
	Multiple races	-	-	84	-	-	32	-	-	52	

Note: There were 100 students who did not provide usable data for QN89.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN90: Percentage of students who had ever been told by a doctor or nurse that they had asthma

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	18.9	(15.5 - 22.3)	1,287	20.7	(16.6 - 24.8)	594	16.9	(12.8 - 21.0)	692
Age										
	11 or younger	22.3	(17.0 - 27.7)	177	-	-	65	17.7	(8.7 - 26.7)	112
	12	17.6	(11.3 - 23.9)	373	18.8	(12.7 - 24.9)	167	16.4	(7.4 - 25.4)	206
	13	18.8	(14.9 - 22.7)	407	20.1	(13.8 - 26.4)	181	17.7	(12.3 - 23.2)	226
	14 or older	18.9	(13.8 - 24.0)	329	20.9	(12.5 - 29.2)	180	15.7	(10.2 - 21.2)	148
Grade										
	6th	22.4	(16.1 - 28.6)	447	23.7	(17.7 - 29.8)	188	21.0	(13.0 - 29.1)	259
	7th	16.7	(12.2 - 21.1)	378	19.4	(12.0 - 26.8)	182	13.8	(9.4 - 18.3)	196
	8th	18.0	(14.1 - 21.9)	446	19.3	(13.2 - 25.4)	217	16.7	(12.0 - 21.4)	229
Race/Eth	nnicity									
	Black	-	-	95	-	-	48	-	-	47
	Hispanic/ Latino	-	-	71	-	-	39	-	-	32
	White	17.7	(13.4 - 22.0)	961	19.3	(14.1 - 24.4)	445	16.0	(11.6 - 20.4)	515
	All other races	-	-	70	-	-	28	-	-	42
	Multiple races	-	-	82	-	-	30	-	-	52

Note: There were 110 students who did not provide usable data for QN90.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN91: Percentage of students who have ever been told by a doctor or nurse that they had asthma and who have asthma but had not had an episode of asthma or an asthma attack during the past 12 months or who had an episode of asthma or an asthma attack during the past 12 months (i.e., current asthma)

		Total				Males	Females			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	15.6	(12.7 - 18.5)	1,272	16.3	(12.7 - 19.9)	587	14.9	(11.2 - 18.6)	684
Age										
	11 or younger	18.9	(14.8 - 23.0)	177	-	-	65	13.2	(5.0 - 21.3)	112
	12	14.0	(8.4 - 19.5)	364	14.4	(8.7 - 20.1)	163	13.5	(6.1 - 21.0)	201
	13	15.2	(11.6 - 18.7)	403	13.9	(8.2 - 19.6)	179	16.2	(11.5 - 20.9)	224
	14 or older	16.4	(11.8 - 21.0)	327	17.4	(10.3 - 24.5)	179	15.2	(9.8 - 20.6)	147
Grade										
	6th	18.0	(12.7 - 23.4)	440	19.8	(14.2 - 25.4)	186	16.3	(10.0 - 22.7)	254
	7th	13.3	(9.9 - 16.7)	372	13.4	(9.0 - 17.7)	178	13.2	(8.6 - 17.8)	194
	8th	15.9	(12.3 - 19.6)	444	16.4	(10.8 - 22.0)	216	15.5	(10.9 - 20.0)	228
Race/Etl	nnicity									
	Black	-	-	94	-	-	47	-	-	47
	Hispanic/ Latino	_	-	70	-	-	39	-	-	31
	White	14.9	(11.2 - 18.5)	949	15.2	(11.0 - 19.3)	440	14.6	(10.3 - 18.8)	508
	All other races	-	-	70	-	-	28	-	-	42
	Multiple races	-	-	81	-	-	29	-	-	52

Note: There were 125 students who did not provide usable data for QN91.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN92: Percentage of students who agree or strongly agree they feel good about themselves

			Total			Males		Females			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	
	Total	71.5	(67.6 - 75.3)	1,294	75.9	(69.9 - 81.9)	600	67.0	(62.7 - 71.3)	693	
Age											
	11 or younger	77.0	(69.5 - 84.4)	179	-	-	67	76.0	(64.9 - 87.1)	112	
	12	72.4	(68.4 - 76.5)	372	76.2	(67.2 - 85.3)	168	68.6	(62.1 - 75.1)	204	
	13	71.3	(66.7 - 76.0)	415	79.0	(72.3 - 85.7)	185	65.0	(58.3 - 71.7)	230	
	14 or older	68.7	(63.1 - 74.3)	327	72.2	(63.2 - 81.2)	179	63.8	(56.7 - 71.0)	147	
Grade											
	6th	74.0	(69.2 - 78.8)	449	79.6	(73.4 - 85.7)	191	68.4	(62.2 - 74.6)	258	
	7th	71.6	(64.4 - 78.8)	379	73.8	(62.3 - 85.3)	183	69.3	(62.2 - 76.4)	196	
	8th	70.1	(65.7 - 74.6)	449	76.2	(69.6 - 82.7)	219	64.3	(58.1 - 70.4)	230	
Race/E	thnicity										
	Black	-	-	95	-	-	47	-	-	48	
	Hispanic/ Latino	-	_	72	-	-	40	-	-	32	
	White	71.6	(67.6 - 75.5)	967	76.0	(69.5 - 82.5)	452	67.2	(62.7 - 71.6)	514	
	All other races	-	-	70	-	-	27	-	-	43	
	Multiple races	-	-	82	-	-	30	-	-	52	

Note: There were 103 students who did not provide usable data for QN92.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN93: Percentage of students who agree or strongly agree they feel alone in their life

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	16.9	(14.5 - 19.2)	1,283	13.3	(10.2 - 16.4)	594	20.4	(17.2 - 23.7)	688
Age										
	11 or younger	14.1	(9.0 - 19.2)	180	-	-	68	12.5	(4.9 - 20.1)	112
	12	15.4	(11.6 - 19.2)	367	14.0	(8.5 - 19.6)	164	16.7	(10.9 - 22.6)	203
	13	16.9	(14.2 - 19.7)	413	11.4	(6.9 - 16.0)	185	21.6	(16.9 - 26.2)	228
	14 or older	19.5	(14.4 - 24.6)	322	14.0	(7.0 - 20.9)	176	27.1	(20.2 - 34.0)	145
Grade										
	6th	14.2	(9.8 - 18.5)	446	14.2	(9.0 - 19.4)	188	14.2	(8.0 - 20.3)	258
	7th	20.5	(15.8 - 25.1)	379	15.4	(10.7 - 20.1)	183	25.7	(16.4 - 35.0)	196
	8th	15.6	(11.5 - 19.6)	443	10.6	(6.3 - 14.9)	216	20.4	(14.6 - 26.2)	227
Race/Et	nnicity									
	Black	-	-	93	-	-	46	_	-	47
	Hispanic/ Latino	-	-	69	-	-	38	-	-	31
	White	16.8	(14.1 - 19.5)	962	13.0	(9.2 - 16.8)	448	20.4	(16.5 - 24.4)	513
	All other races	-	-	69	-	-	26	-	-	43
	Multiple races	-	-	83	-	-	32	-	-	51

Note: There were 114 students who did not provide usable data for QN93.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN94: Percentage of students who agree or strongly agree that drugs are a problem at their school

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	20.4	(15.0 - 25.7)	1,272	20.9	(16.1 - 25.6)	591	19.9	(12.9 - 26.8)	680
Age										
	11 or younger	16.9	(11.8 - 22.0)	178	-	-	67	12.2	(7.1 - 17.3)	111
	12	12.0	(8.2 - 15.8)	366	13.3	(8.0 - 18.5)	161	10.8	(6.0 - 15.5)	205
	13	25.1	(16.0 - 34.2)	407	25.4	(17.6 - 33.1)	184	24.9	(12.5 - 37.3)	223
	14 or older	24.1	(17.1 - 31.0)	320	22.4	(15.6 - 29.2)	178	26.6	(16.8 - 36.3)	141
Grade										
	6th	13.2	(9.6 - 16.9)	441	17.4	(12.0 - 22.8)	185	9.2	(4.9 - 13.4)	256
	7th	23.7	(15.0 - 32.4)	374	22.0	(15.8 - 28.2)	182	25.5	(13.0 - 38.0)	192
	8th	22.7	(15.7 - 29.7)	441	22.3	(14.6 - 30.0)	217	23.2	(13.9 - 32.4)	224
Race/Eth	nnicity									
	Black	-	-	92	-	-	46	-	-	46
	Hispanic/ Latino	-	-	68	-	-	37	-	-	31
	White	19.0	(13.0 - 25.0)	953	17.1	(12.3 - 22.0)	447	20.8	(13.0 - 28.6)	505
	All other races	-	-	70	-	-	27	-	-	43
	Multiple races	-	-	81	-	-	30	-	-	51

Note: There were 125 students who did not provide usable data for QN94.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN95: Percentage of students who agree or strongly agree that harassment and bullying by other students is a problem at their school

			Total			Males	Females			
		Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
	Total	40.5	(37.1 - 43.8)	1,275	37.2	(32.7 - 41.6)	595	43.9	(39.2 - 48.7)	678
Age										
	11 or younger	33.5	(23.5 - 43.5)	178	-	-	68	36.3	(23.0 - 49.7)	109
	12	39.5	(34.8 - 44.1)	366	37.9	(33.0 - 42.9)	163	40.9	(33.4 - 48.4)	203
	13	43.1	(36.6 - 49.5)	408	37.3	(31.2 - 43.3)	185	48.0	(38.4 - 57.6)	223
	14 or older	41.1	(34.3 - 47.8)	322	38.8	(29.5 - 48.1)	178	44.5	(35.4 - 53.6)	143
Grade										
	6th	37.8	(31.3 - 44.3)	442	34.2	(28.2 - 40.3)	189	41.4	(31.4 - 51.3)	253
	7th	44.4	(37.7 - 51.0)	374	41.6	(36.6 - 46.7)	181	47.5	(37.1 - 57.9)	192
	8th	39.5	(35.7 - 43.4)	444	35.9	(26.6 - 45.3)	218	43.1	(37.3 - 48.9)	226
Race/Et	hnicity									
	Black	-	-	90	-	-	44	_	-	46
	Hispanic/ Latino	-	-	69	-	-	38	-	-	31
	White	39.7	(35.9 - 43.4)	956	36.0	(31.7 - 40.3)	450	43.4	(38.0 - 48.8)	505
	All other races	-	-	71	-	-	28	-	-	43
	Multiple races	-	-	81	-	-	31	-	-	50

Note: There were 122 students who did not provide usable data for QN95.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.

North Carolina (Region 3) Middle School Survey Summary Table - Weighted Data

QN96: Percentage of students who usually walk or ride their bike to school three or more days per week

		Percentage	Total 95% confidence interval	N	Percentage	Males 95% confidence interval	N	Percentage	Females 95% confidence interval	N
	Total	8.6	(6.4 - 10.7)	1,258	9.0	(7.2 - 10.9)	581	8.0	(4.5 - 11.5)	675
Age										
	11 or younger	11.2	(4.0 - 18.4)	175	-	-	65	9.5	(1.1 - 18.0)	109
	12	6.2	(3.8 - 8.6)	363	6.3	(2.1 - 10.5)	162	6.1	(2.1 - 10.0)	201
	13	7.0	(3.4 - 10.6)	401	7.2	(2.6 - 11.7)	178	6.8	(2.2 - 11.5)	223
	14 or older	12.0	(8.8 - 15.3)	318	12.1	(8.3 - 15.8)	175	11.4	(6.6 - 16.2)	142
Grade										
	6th	9.1	(4.9 - 13.4)	439	8.9	(4.7 - 13.0)	186	9.4	(3.4 - 15.4)	253
	7th	8.1	(4.8 - 11.5)	369	9.0	(4.7 - 13.3)	178	7.3	(1.9 - 12.7)	190
	8th	8.5	(6.2 - 10.9)	437	9.5	(6.1 - 12.8)	211	7.7	(3.5 - 11.8)	226
Race/Eth	nicity									
	Black	-	-	88	-	-	43	-	-	45
	Hispanic/ Latino	-	-	64	-	-	34	-	-	30
	White	7.6	(5.4 - 9.7)	950	7.3	(5.4 - 9.2)	444	7.6	(4.1 - 11.2)	505
	All other races	-	-	68	-	-	26	-	-	42
	Multiple races	-	-	80	-	-	30	-	-	50

Note: There were 139 students who did not provide usable data for QN96.

N = Number of unweighted observations.

^{- =} Fewer than 100 cases.