

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN7: Percentage of students who described their general health as fair or poor

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 11.2 | (8.7 - 13.7) | 1,241 | 9.4 | (6.3 - 12.5) | 566 | 13.2 | (10.3 - 16.1) | 666 |
| Age | | | | | | | | | |
| 15 or younger | 11.0 | (7.8 - 14.1) | 532 | 10.8 | (6.0 - 15.6) | 189 | 11.3 | (7.8 - 14.7) | 337 |
| 16 or 17 | 11.2 | (7.1 - 15.2) | 594 | 6.8 | (4.1 - 9.6) | 308 | 15.7 | (10.5 - 20.9) | 283 |
| 18 or older | 12.2 | (4.0 - 20.4) | 115 | - | - | 69 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 10.3 | (6.7 - 13.9) | 400 | 9.0 | (4.9 - 13.0) | 133 | 11.8 | (7.3 - 16.2) | 265 |
| 10th | 11.8 | (6.3 - 17.3) | 383 | 10.5 | (3.1 - 17.9) | 191 | 13.1 | (5.2 - 21.0) | 191 |
| 11th | 12.3 | (7.7 - 16.8) | 269 | 7.8 | (2.7 - 13.0) | 138 | 16.6 | (11.5 - 21.7) | 129 |
| 12th | 9.5 | (4.2 - 14.8) | 178 | - | - | 99 | - | - | 77 |
| Race/Ethnicity | | | | | | | | | |
| Black | 13.6 | (9.9 - 17.4) | 243 | 11.1 | (6.5 - 15.7) | 109 | 16.1 | (10.4 - 21.9) | 132 |
| Hispanic/ Latino | 12.7 | (7.3 - 18.0) | 112 | - | - | 61 | - | - | 50 |
| White | 9.7 | (6.4 - 12.9) | 748 | 8.0 | (4.5 - 11.5) | 341 | 11.4 | (7.7 - 15.0) | 406 |
| All other races | - | - | 85 | - | - | 37 | - | - | 44 |
| Multiple races | - | - | 49 | - | - | 16 | - | - | 32 |

Note: There were 15 students who did not provide usable data for QN7.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN8: Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-----|------------|--|-----|------------|--|-----|
| Total | 85.3 | (81.1 - 89.6) | 758 | 85.0 | (78.7 - 91.4) | 407 | 86.3 | (81.3 - 91.3) | 343 |
| Age | | | | | | | | | |
| 15 or younger | 81.9 | (74.3 - 89.5) | 354 | 81.3 | (69.7 - 92.9) | 155 | 84.0 | (74.7 - 93.2) | 194 |
| 16 or 17 | 88.7 | (85.4 - 91.9) | 354 | 88.3 | (82.9 - 93.7) | 221 | 89.1 | (82.6 - 95.5) | 130 |
| 18 or older | - | - | 50 | - | - | 31 | - | - | 19 |
| Grade | | | | | | | | | |
| 9th | 83.2 | (76.2 - 90.2) | 276 | 81.9 | (70.2 - 93.6) | 112 | 85.2 | (77.2 - 93.2) | 162 |
| 10th | 87.0 | (78.8 - 95.3) | 246 | 86.3 | (77.4 - 95.2) | 149 | - | - | 97 |
| 11th | 85.5 | (82.0 - 89.0) | 149 | - | - | 94 | - | - | 53 |
| 12th | - | - | 78 | - | - | 48 | - | - | 28 |
| Race/Ethnicity | | | | | | | | | |
| Black | 87.9 | (81.7 - 94.1) | 142 | - | - | 78 | - | - | 62 |
| Hispanic/ Latino | - | - | 69 | - | - | 43 | - | - | 25 |
| White | 84.2 | (79.9 - 88.6) | 456 | 82.5 | (76.5 - 88.5) | 239 | 86.6 | (80.5 - 92.8) | 216 |
| All other races | - | - | 56 | - | - | 33 | - | - | 20 |
| Multiple races | - | - | 31 | - | - | 12 | - | - | 18 |

Note: There were 498 students who were excluded from this analysis or who did not provide usable data for QN8.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN9: Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 8.1 | (5.6 - 10.6) | 1,250 | 10.2 | (6.7 - 13.6) | 573 | 5.7 | (3.7 - 7.7) | 667 |
| Age | | | | | | | | | |
| 15 or younger | 8.8 | (5.8 - 11.8) | 534 | 9.6 | (5.1 - 14.1) | 191 | 7.0 | (4.6 - 9.4) | 337 |
| 16 or 17 | 7.6 | (5.0 - 10.2) | 600 | 10.7 | (6.8 - 14.5) | 313 | 4.5 | (2.7 - 6.3) | 284 |
| 18 or older | 8.0 | (0.8 - 15.3) | 115 | - | - | 69 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 8.4 | (5.6 - 11.1) | 406 | 10.2 | (5.8 - 14.6) | 138 | 6.0 | (3.1 - 8.9) | 266 |
| 10th | 9.8 | (6.7 - 12.8) | 381 | 12.2 | (6.2 - 18.1) | 191 | 7.4 | (5.0 - 9.7) | 190 |
| 11th | 3.5 | (1.7 - 5.3) | 271 | 5.2 | (1.2 - 9.2) | 139 | 1.4 | (0.0 - 3.4) | 129 |
| 12th | 9.2 | (2.2 - 16.1) | 180 | 11.6 | (3.6 - 19.7) | 100 | - | - | 78 |
| Race/Ethnicity | | | | | | | | | |
| Black | 9.3 | (3.7 - 15.0) | 245 | 13.4 | (6.8 - 20.0) | 112 | 4.7 | (0.3 - 9.1) | 131 |
| Hispanic/ Latino | 11.4 | (6.9 - 16.0) | 111 | - | - | 59 | - | - | 51 |
| White | 6.6 | (4.2 - 9.0) | 755 | 8.1 | (4.5 - 11.7) | 346 | 4.9 | (2.2 - 7.7) | 407 |
| All other races | - | - | 84 | - | - | 37 | - | - | 44 |
| Multiple races | - | - | 50 | - | - | 17 | - | - | 32 |

Note: There were 6 students who did not provide usable data for QN9.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN10: Percentage of students who rode in a car or other vehicle driven by someone who had been drinking alcohol one or more times during the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 27.3 | (22.5 - 32.1) | 1,242 | 29.2 | (22.6 - 35.9) | 571 | 25.2 | (21.1 - 29.2) | 662 |
| Age | | | | | | | | | |
| 15 or younger | 26.8 | (20.1 - 33.5) | 531 | 24.7 | (15.0 - 34.3) | 192 | 28.3 | (22.5 - 34.1) | 334 |
| 16 or 17 | 30.1 | (23.9 - 36.4) | 597 | 33.8 | (25.6 - 42.0) | 312 | 26.2 | (20.0 - 32.4) | 282 |
| 18 or older | 18.4 | (12.9 - 23.8) | 113 | - | - | 67 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 29.4 | (23.2 - 35.7) | 404 | 30.5 | (19.4 - 41.7) | 139 | 28.0 | (22.4 - 33.7) | 263 |
| 10th | 26.8 | (19.0 - 34.7) | 379 | 25.6 | (19.3 - 31.8) | 190 | 28.1 | (15.3 - 40.9) | 189 |
| 11th | 27.1 | (17.5 - 36.8) | 270 | 32.0 | (20.6 - 43.3) | 139 | 21.9 | (11.2 - 32.5) | 128 |
| 12th | 23.3 | (19.3 - 27.3) | 177 | - | - | 98 | - | - | 78 |
| Race/Ethnicity | | | | | | | | | |
| Black | 31.4 | (18.7 - 44.0) | 243 | 37.0 | (18.1 - 55.9) | 111 | 25.8 | (15.6 - 36.0) | 130 |
| Hispanic/ Latino | 28.8 | (22.4 - 35.3) | 111 | - | - | 61 | - | - | 49 |
| White | 25.0 | (20.9 - 29.0) | 753 | 25.9 | (20.3 - 31.6) | 346 | 23.9 | (19.4 - 28.5) | 405 |
| All other races | - | - | 81 | - | - | 35 | - | - | 44 |
| Multiple races | - | - | 49 | - | - | 16 | - | - | 32 |

Note: There were 14 students who did not provide usable data for QN10.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN11: Percentage of students who drove a car or other vehicle when they had been drinking alcohol one or more times during the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 10.2 | (6.6 - 13.9) | 1,229 | 13.9 | (8.0 - 19.8) | 561 | 6.4 | (4.3 - 8.5) | 659 |
| Age | | | | | | | | | |
| 15 or younger | 6.1 | (3.1 - 9.1) | 529 | 8.5 | (3.1 - 14.0) | 187 | 3.2 | (1.5 - 4.9) | 336 |
| 16 or 17 | 13.6 | (8.7 - 18.5) | 588 | 16.9 | (9.2 - 24.7) | 305 | 10.3 | (5.6 - 15.0) | 281 |
| 18 or older | 10.7 | (4.0 - 17.5) | 111 | - | - | 69 | - | - | 42 |
| Grade | | | | | | | | | |
| 9th | 6.0 | (2.1 - 9.9) | 400 | 9.8 | (3.3 - 16.3) | 133 | 2.0 | (0.2 - 3.7) | 265 |
| 10th | 9.0 | (5.7 - 12.4) | 379 | 13.2 | (6.2 - 20.3) | 190 | 4.9 | (2.6 - 7.2) | 189 |
| 11th | 12.5 | (7.4 - 17.6) | 264 | 16.2 | (7.2 - 25.3) | 134 | 9.3 | (6.2 - 12.3) | 127 |
| 12th | 14.9 | (6.9 - 23.0) | 175 | - | - | 99 | - | - | 74 |
| Race/Ethnicity | | | | | | | | | |
| Black | 8.8 | (1.0 - 16.7) | 231 | 11.4 | (0.1 - 22.7) | 104 | 5.6 | (1.3 - 9.8) | 126 |
| Hispanic/ Latino | 11.1 | (8.3 - 13.8) | 110 | - | - | 59 | - | - | 50 |
| White | 10.8 | (7.4 - 14.1) | 751 | 15.7 | (9.5 - 22.0) | 342 | 5.8 | (3.6 - 8.0) | 407 |
| All other races | - | - | 83 | - | - | 37 | - | - | 43 |
| Multiple races | - | - | 49 | - | - | 17 | - | - | 31 |

Note: There were 27 students who did not provide usable data for QN11.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN12: Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 20.8 | (16.8 - 24.8) | 1,231 | 33.6 | (27.9 - 39.2) | 562 | 7.9 | (5.3 - 10.4) | 662 |
| Age | | | | | | | | | |
| 15 or younger | 22.4 | (17.9 - 26.8) | 529 | 35.4 | (27.3 - 43.6) | 188 | 9.9 | (6.7 - 13.1) | 337 |
| 16 or 17 | 21.1 | (16.6 - 25.6) | 590 | 34.9 | (28.4 - 41.4) | 307 | 6.9 | (4.2 - 9.5) | 281 |
| 18 or older | 14.5 | (2.6 - 26.3) | 111 | - | - | 67 | - | - | 44 |
| Grade | | | | | | | | | |
| 9th | 23.4 | (17.4 - 29.3) | 400 | 38.1 | (28.4 - 47.8) | 133 | 7.7 | (2.6 - 12.7) | 265 |
| 10th | 22.6 | (15.2 - 30.0) | 376 | 36.1 | (27.6 - 44.6) | 188 | 9.2 | (3.3 - 15.1) | 188 |
| 11th | 18.2 | (13.4 - 23.0) | 268 | 28.6 | (23.8 - 33.5) | 137 | 7.6 | (2.3 - 12.8) | 128 |
| 12th | 15.4 | (7.5 - 23.3) | 176 | - | - | 99 | - | - | 77 |
| Race/Ethnicity | | | | | | | | | |
| Black | 18.4 | (11.4 - 25.4) | 237 | 28.0 | (20.2 - 35.9) | 108 | 9.2 | (2.8 - 15.7) | 129 |
| Hispanic/ Latino | 14.8 | (7.1 - 22.5) | 111 | - | - | 60 | - | - | 50 |
| White | 22.4 | (16.8 - 28.0) | 750 | 37.5 | (28.6 - 46.4) | 341 | 7.0 | (3.6 - 10.5) | 407 |
| All other races | - | - | 79 | - | - | 34 | - | - | 43 |
| Multiple races | - | - | 49 | - | - | 17 | - | - | 31 |

Note: There were 25 students who did not provide usable data for QN12.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN14: Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 6.8 | (4.5 - 9.1) | 1,234 | 9.7 | (5.9 - 13.6) | 563 | 3.6 | (2.1 - 5.1) | 663 |
| Age | | | | | | | | | |
| 15 or younger | 8.4 | (4.5 - 12.4) | 530 | 11.7 | (5.1 - 18.3) | 188 | 4.6 | (1.9 - 7.3) | 337 |
| 16 or 17 | 6.1 | (3.5 - 8.6) | 592 | 9.0 | (4.3 - 13.8) | 308 | 3.1 | (1.3 - 4.8) | 282 |
| 18 or older | 4.7 | (0.0 - 10.6) | 111 | - | - | 67 | - | - | 44 |
| Grade | | | | | | | | | |
| 9th | 8.2 | (3.9 - 12.4) | 400 | 13.0 | (6.2 - 19.8) | 133 | 2.9 | (0.0 - 6.6) | 265 |
| 10th | 6.6 | (3.1 - 10.1) | 378 | 9.2 | (3.9 - 14.4) | 189 | 4.0 | (1.6 - 6.5) | 189 |
| 11th | 6.1 | (3.4 - 8.7) | 268 | 8.8 | (4.9 - 12.8) | 137 | 2.4 | (0.1 - 4.8) | 128 |
| 12th | 4.5 | (0.3 - 8.7) | 177 | - | - | 99 | - | - | 77 |
| Race/Ethnicity | | | | | | | | | |
| Black | 8.3 | (3.6 - 13.0) | 237 | 10.6 | (3.7 - 17.4) | 108 | 6.1 | (0.9 - 11.4) | 129 |
| Hispanic/ Latino | 6.1 | (3.2 - 8.9) | 112 | - | - | 60 | - | - | 51 |
| White | 5.7 | (3.1 - 8.3) | 750 | 9.5 | (4.7 - 14.4) | 341 | 1.7 | (0.8 - 2.7) | 407 |
| All other races | - | - | 81 | - | - | 35 | - | - | 43 |
| Multiple races | - | - | 49 | - | - | 17 | - | - | 31 |

Note: There were 22 students who did not provide usable data for QN14.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN15: Percentage of students who did not go to school because they felt unsafe at school or on their way to or from school on one or more of the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 6.9 | (4.1 - 9.7) | 1,246 | 8.0 | (3.4 - 12.5) | 571 | 4.9 | (2.6 - 7.3) | 664 |
| Age | | | | | | | | | |
| 15 or younger | 7.2 | (3.6 - 10.8) | 535 | 7.9 | (2.6 - 13.3) | 191 | 4.8 | (1.3 - 8.3) | 337 |
| 16 or 17 | 6.4 | (2.7 - 10.1) | 595 | 7.6 | (2.0 - 13.1) | 311 | 4.8 | (2.2 - 7.5) | 281 |
| 18 or older | 7.8 | (4.4 - 11.2) | 115 | - | - | 69 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 8.2 | (3.8 - 12.5) | 407 | 11.9 | (4.4 - 19.4) | 138 | 3.8 | (0.3 - 7.3) | 267 |
| 10th | 6.5 | (4.3 - 8.7) | 381 | 6.4 | (2.7 - 10.1) | 192 | 6.4 | (3.7 - 9.2) | 188 |
| 11th | 6.6 | (1.1 - 12.0) | 267 | 6.3 | (0.0 - 13.0) | 137 | 5.8 | (0.0 - 13.4) | 127 |
| 12th | 4.4 | (0.0 - 9.4) | 180 | 5.4 | (0.8 - 10.0) | 100 | - | - | 78 |
| Race/Ethnicity | | | | | | | | | |
| Black | 9.7 | (4.1 - 15.4) | 245 | 10.6 | (1.4 - 19.9) | 112 | 7.6 | (3.4 - 11.8) | 131 |
| Hispanic/ Latino | 8.8 | (6.7 - 10.8) | 109 | - | - | 59 | - | - | 49 |
| White | 4.8 | (3.1 - 6.5) | 755 | 6.7 | (3.7 - 9.7) | 346 | 2.7 | (0.7 - 4.8) | 407 |
| All other races | - | - | 84 | - | - | 36 | - | - | 44 |
| Multiple races | - | - | 48 | - | - | 16 | - | - | 31 |

Note: There were 10 students who did not provide usable data for QN15.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN16: Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 8.7 | (6.1 - 11.4) | 1,256 | 10.9 | (7.4 - 14.4) | 576 | 5.8 | (4.5 - 7.2) | 669 |
| Age | | | | | | | | | |
| 15 or younger | 9.7 | (6.9 - 12.5) | 537 | 11.8 | (8.6 - 15.1) | 192 | 6.3 | (3.8 - 8.9) | 338 |
| 16 or 17 | 8.2 | (5.4 - 11.0) | 603 | 10.3 | (5.5 - 15.0) | 315 | 5.7 | (3.3 - 8.1) | 285 |
| 18 or older | 7.7 | (0.0 - 15.5) | 115 | - | - | 69 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 7.9 | (2.6 - 13.2) | 408 | 11.8 | (4.2 - 19.5) | 139 | 3.2 | (1.2 - 5.2) | 267 |
| 10th | 11.5 | (8.4 - 14.6) | 384 | 15.6 | (10.1 - 21.0) | 192 | 7.2 | (3.2 - 11.3) | 191 |
| 11th | 7.6 | (3.8 - 11.5) | 272 | 6.6 | (1.5 - 11.8) | 140 | 8.3 | (4.1 - 12.4) | 129 |
| 12th | 6.0 | (1.1 - 10.8) | 180 | 7.2 | (1.3 - 13.0) | 100 | - | - | 78 |
| Race/Ethnicity | | | | | | | | | |
| Black | 12.9 | (7.1 - 18.7) | 247 | 16.1 | (7.8 - 24.4) | 112 | 8.6 | (4.2 - 13.1) | 133 |
| Hispanic/ Latino | 7.4 | (2.6 - 12.1) | 113 | - | - | 61 | - | - | 51 |
| White | 5.9 | (3.8 - 8.1) | 756 | 8.0 | (5.1 - 10.8) | 347 | 3.7 | (1.6 - 5.9) | 407 |
| All other races | - | - | 85 | - | - | 37 | - | - | 44 |
| Multiple races | - | - | 50 | - | - | 17 | - | - | 32 |

Note: There were 0 students who did not provide usable data for QN16.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN17: Percentage of students who had property, such as their car, clothing, or books stolen or deliberately damaged on school property one or more times during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 28.6 | (24.3 - 32.9) | 1,252 | 31.8 | (27.8 - 35.9) | 574 | 24.7 | (19.2 - 30.1) | 667 |
| Age | | | | | | | | | |
| 15 or younger | 33.6 | (29.7 - 37.4) | 534 | 37.5 | (31.6 - 43.4) | 191 | 28.7 | (23.4 - 34.0) | 336 |
| 16 or 17 | 24.4 | (18.5 - 30.3) | 602 | 27.0 | (21.6 - 32.4) | 314 | 21.2 | (13.6 - 28.7) | 285 |
| 18 or older | 29.3 | (17.7 - 41.0) | 115 | - | - | 69 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 32.8 | (25.3 - 40.3) | 405 | 36.5 | (28.3 - 44.7) | 138 | 28.5 | (20.2 - 36.9) | 265 |
| 10th | 27.4 | (21.7 - 33.0) | 383 | 29.2 | (20.8 - 37.6) | 191 | 25.3 | (20.4 - 30.3) | 191 |
| 11th | 25.7 | (16.0 - 35.4) | 272 | 29.0 | (22.6 - 35.4) | 140 | 21.2 | (5.5 - 36.9) | 129 |
| 12th | 25.3 | (18.1 - 32.5) | 180 | 29.1 | (20.1 - 38.2) | 100 | - | - | 78 |
| Race/Ethnicity | | | | | | | | | |
| Black | 28.2 | (22.1 - 34.3) | 246 | 31.6 | (26.9 - 36.4) | 111 | 23.9 | (16.1 - 31.7) | 133 |
| Hispanic/ Latino | 29.6 | (22.0 - 37.3) | 113 | - | - | 61 | - | - | 51 |
| White | 28.3 | (22.7 - 33.8) | 754 | 31.4 | (24.5 - 38.3) | 346 | 24.7 | (18.7 - 30.7) | 406 |
| All other races | - | - | 85 | - | - | 37 | - | - | 44 |
| Multiple races | - | - | 49 | - | - | 17 | - | - | 31 |

Note: There were 4 students who did not provide usable data for QN17.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN18: Percentage of students who were in a physical fight one or more times during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 30.5 | (26.4 - 34.6) | 1,215 | 40.1 | (34.8 - 45.4) | 552 | 20.2 | (17.8 - 22.7) | 653 |
| Age | | | | | | | | | |
| 15 or younger | 34.0 | (27.8 - 40.1) | 520 | 46.2 | (35.1 - 57.4) | 185 | 21.4 | (17.3 - 25.5) | 329 |
| 16 or 17 | 30.3 | (26.0 - 34.7) | 581 | 40.1 | (32.3 - 47.9) | 300 | 19.8 | (16.2 - 23.4) | 278 |
| 18 or older | 20.4 | (9.9 - 30.9) | 113 | - | - | 67 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 35.3 | (26.4 - 44.2) | 394 | 49.6 | (37.7 - 61.5) | 133 | 19.7 | (14.5 - 24.9) | 260 |
| 10th | 33.7 | (27.4 - 39.9) | 366 | 44.0 | (36.5 - 51.6) | 182 | 23.2 | (17.7 - 28.7) | 183 |
| 11th | 27.9 | (22.5 - 33.3) | 267 | 32.1 | (26.3 - 37.8) | 135 | 22.7 | (13.9 - 31.6) | 129 |
| 12th | 20.6 | (14.4 - 26.8) | 178 | - | - | 98 | - | - | 78 |
| Race/Ethnicity | | | | | | | | | |
| Black | 35.7 | (29.7 - 41.6) | 240 | 46.9 | (36.9 - 56.9) | 108 | 24.1 | (18.8 - 29.4) | 130 |
| Hispanic/ Latino | 32.1 | (26.2 - 38.1) | 107 | - | - | 58 | - | - | 48 |
| White | 27.7 | (23.2 - 32.2) | 739 | 36.6 | (30.5 - 42.7) | 336 | 18.4 | (13.2 - 23.6) | 401 |
| All other races | - | - | 80 | - | - | 34 | - | - | 43 |
| Multiple races | - | - | 45 | - | - | 14 | - | - | 30 |

Note: There were 41 students who did not provide usable data for QN18.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN19: Percentage of students who were injured in a physical fight and had to be treated by a doctor or nurse one or more times during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 4.8 | (2.3 - 7.2) | 1,245 | 7.1 | (3.9 - 10.4) | 567 | 1.7 | (0.4 - 3.0) | 667 |
| Age | | | | | | | | | |
| 15 or younger | 6.3 | (3.3 - 9.3) | 535 | 9.6 | (3.9 - 15.3) | 190 | 1.7 | (0.0 - 3.8) | 338 |
| 16 or 17 | 4.1 | (0.9 - 7.4) | 596 | 7.1 | (1.9 - 12.3) | 310 | 1.1 | (0.3 - 1.9) | 283 |
| 18 or older | 2.1 | (0.0 - 6.4) | 113 | - | - | 67 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 5.4 | (1.8 - 9.0) | 405 | 8.9 | (3.1 - 14.8) | 136 | 1.2 | (0.0 - 3.0) | 267 |
| 10th | 6.0 | (2.4 - 9.6) | 379 | 9.9 | (3.6 - 16.1) | 189 | 2.2 | (0.6 - 3.9) | 189 |
| 11th | 3.2 | (1.5 - 4.9) | 271 | 4.7 | (2.1 - 7.2) | 139 | 0.8 | (0.0 - 2.4) | 129 |
| 12th | 3.2 | (0.0 - 7.0) | 179 | - | - | 99 | - | - | 78 |
| Race/Ethnicity | | | | | | | | | |
| Black | 6.1 | (1.2 - 11.0) | 242 | 9.5 | (3.1 - 15.8) | 109 | 2.1 | (0.0 - 5.2) | 131 |
| Hispanic/ Latino | 4.7 | (1.9 - 7.5) | 110 | - | - | 58 | - | - | 51 |
| White | 3.8 | (2.0 - 5.6) | 754 | 6.3 | (3.4 - 9.1) | 345 | 1.1 | (0.3 - 1.8) | 407 |
| All other races | - | - | 84 | - | - | 36 | - | - | 44 |
| Multiple races | - | - | 50 | - | - | 17 | - | - | 32 |

Note: There were 11 students who did not provide usable data for QN19.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN20: Percentage of students who were in a physical fight on school property one or more times during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 12.1 | (9.7 - 14.4) | 1,226 | 16.2 | (12.2 - 20.1) | 559 | 7.6 | (4.9 - 10.2) | 658 |
| Age | | | | | | | | | |
| 15 or younger | 14.9 | (11.0 - 18.8) | 525 | 22.1 | (14.1 - 30.0) | 187 | 7.7 | (4.3 - 11.0) | 332 |
| 16 or 17 | 11.0 | (8.0 - 14.0) | 588 | 13.1 | (7.7 - 18.5) | 305 | 8.6 | (5.1 - 12.1) | 280 |
| 18 or older | 6.8 | (3.1 - 10.5) | 113 | - | - | 67 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 15.7 | (10.0 - 21.3) | 400 | 23.4 | (13.4 - 33.5) | 136 | 7.2 | (3.3 - 11.0) | 263 |
| 10th | 13.3 | (8.0 - 18.6) | 373 | 17.1 | (9.3 - 24.9) | 186 | 9.5 | (3.6 - 15.4) | 186 |
| 11th | 9.8 | (5.3 - 14.4) | 266 | 9.9 | (4.9 - 15.0) | 135 | 8.8 | (1.6 - 15.9) | 128 |
| 12th | 5.8 | (2.9 - 8.7) | 178 | - | - | 98 | - | - | 78 |
| Race/Ethnicity | | | | | | | | | |
| Black | 15.5 | (11.1 - 19.9) | 242 | 19.4 | (13.6 - 25.2) | 109 | 11.4 | (4.2 - 18.7) | 131 |
| Hispanic/ Latino | 11.9 | (6.8 - 17.1) | 109 | - | - | 58 | - | - | 50 |
| White | 10.0 | (6.7 - 13.3) | 745 | 14.7 | (9.7 - 19.8) | 341 | 5.1 | (2.8 - 7.3) | 402 |
| All other races | - | - | 79 | - | - | 34 | - | - | 42 |
| Multiple races | - | - | 47 | - | - | 15 | - | - | 31 |

Note: There were 30 students who did not provide usable data for QN20.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN21: Percentage of students who were hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 14.1 | (11.7 - 16.5) | 1,230 | 14.6 | (10.2 - 19.0) | 561 | 13.3 | (10.4 - 16.3) | 662 |
| Age | | | | | | | | | |
| 15 or younger | 12.7 | (9.5 - 15.9) | 531 | 12.5 | (7.4 - 17.5) | 190 | 12.4 | (7.9 - 16.8) | 338 |
| 16 or 17 | 14.6 | (10.7 - 18.5) | 588 | 16.8 | (11.0 - 22.5) | 304 | 12.1 | (7.5 - 16.6) | 281 |
| 18 or older | 17.0 | (11.2 - 22.7) | 110 | - | - | 67 | - | - | 43 |
| Grade | | | | | | | | | |
| 9th | 12.7 | (6.9 - 18.5) | 406 | 14.5 | (5.1 - 23.9) | 138 | 10.6 | (6.7 - 14.6) | 267 |
| 10th | 14.9 | (11.4 - 18.4) | 373 | 13.4 | (8.5 - 18.2) | 183 | 16.2 | (12.6 - 19.7) | 189 |
| 11th | 12.2 | (9.1 - 15.4) | 266 | 16.2 | (12.5 - 19.8) | 138 | 8.0 | (2.2 - 13.7) | 126 |
| 12th | 16.3 | (11.1 - 21.4) | 174 | - | - | 98 | - | - | 76 |
| Race/Ethnicity | | | | | | | | | |
| Black | 19.4 | (13.8 - 24.9) | 236 | 20.6 | (11.1 - 30.0) | 106 | 17.8 | (14.0 - 21.5) | 129 |
| Hispanic/ Latino | 14.6 | (10.0 - 19.2) | 110 | - | - | 59 | - | - | 50 |
| White | 10.9 | (9.3 - 12.4) | 749 | 11.3 | (8.0 - 14.6) | 341 | 10.5 | (6.9 - 14.0) | 407 |
| All other races | - | - | 82 | - | - | 36 | - | - | 44 |
| Multiple races | - | - | 48 | - | - | 17 | - | - | 30 |

Note: There were 26 students who did not provide usable data for QN21.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN22: Percentage of students who have ever been physically forced to have sexual intercourse when they did not want to

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 11.0 | (8.2 - 13.8) | 1,240 | 10.1 | (6.8 - 13.4) | 566 | 11.7 | (8.5 - 14.8) | 665 |
| Age | | | | | | | | | |
| 15 or younger | 8.4 | (6.9 - 9.9) | 533 | 5.5 | (3.1 - 7.9) | 191 | 10.5 | (7.7 - 13.2) | 337 |
| 16 or 17 | 10.6 | (8.1 - 13.2) | 594 | 10.6 | (6.7 - 14.4) | 307 | 10.8 | (7.3 - 14.3) | 284 |
| 18 or older | 20.8 | (10.2 - 31.5) | 112 | - | - | 68 | - | - | 44 |
| Grade | | | | | | | | | |
| 9th | 7.1 | (5.3 - 8.8) | 406 | 5.4 | (2.3 - 8.4) | 138 | 8.6 | (5.5 - 11.7) | 266 |
| 10th | 10.9 | (7.5 - 14.3) | 376 | 8.7 | (4.8 - 12.7) | 186 | 13.0 | (7.3 - 18.7) | 190 |
| 11th | 13.4 | (5.3 - 21.6) | 268 | 14.4 | (5.5 - 23.3) | 138 | 12.2 | (2.9 - 21.6) | 127 |
| 12th | 13.3 | (7.3 - 19.4) | 178 | - | - | 99 | - | - | 78 |
| Race/Ethnicity | | | | | | | | | |
| Black | 15.6 | (10.2 - 20.9) | 244 | 15.0 | (11.2 - 18.8) | 111 | 16.2 | (7.7 - 24.8) | 132 |
| Hispanic/ Latino | 8.2 | (3.4 - 13.1) | 110 | - | - | 59 | - | - | 50 |
| White | 8.1 | (5.4 - 10.9) | 749 | 7.4 | (3.9 - 10.8) | 341 | 8.8 | (6.1 - 11.4) | 406 |
| All other races | - | - | 82 | - | - | 36 | - | - | 43 |
| Multiple races | - | - | 50 | - | - | 17 | - | - | 32 |

Note: There were 16 students who did not provide usable data for QN22.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN23: Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 26.2 | (22.6 - 29.9) | 1,234 | 21.3 | (17.0 - 25.6) | 563 | 31.2 | (26.6 - 35.8) | 666 |
| Age | | | | | | | | | |
| 15 or younger | 25.9 | (22.9 - 28.8) | 528 | 18.6 | (12.9 - 24.3) | 189 | 32.4 | (27.3 - 37.6) | 338 |
| 16 or 17 | 27.4 | (21.2 - 33.5) | 595 | 22.9 | (17.0 - 28.7) | 308 | 32.2 | (24.1 - 40.4) | 284 |
| 18 or older | 23.0 | (16.9 - 29.0) | 110 | - | - | 66 | - | - | 44 |
| Grade | | | | | | | | | |
| 9th | 24.0 | (17.7 - 30.3) | 403 | 17.9 | (7.4 - 28.3) | 135 | 30.4 | (25.5 - 35.3) | 267 |
| 10th | 27.5 | (22.6 - 32.3) | 375 | 21.8 | (13.7 - 29.8) | 185 | 33.0 | (26.1 - 39.9) | 190 |
| 11th | 31.8 | (25.9 - 37.7) | 269 | 25.1 | (19.4 - 30.8) | 139 | 38.3 | (30.0 - 46.6) | 129 |
| 12th | 21.1 | (14.2 - 27.9) | 175 | - | - | 99 | - | - | 76 |
| Race/Ethnicity | | | | | | | | | |
| Black | 28.3 | (20.5 - 36.2) | 240 | 28.8 | (19.1 - 38.5) | 108 | 28.0 | (19.3 - 36.7) | 131 |
| Hispanic/ Latino | 29.9 | (22.7 - 37.1) | 111 | - | - | 60 | - | - | 51 |
| White | 24.9 | (21.3 - 28.6) | 749 | 17.8 | (13.9 - 21.7) | 341 | 32.2 | (26.9 - 37.5) | 407 |
| All other races | - | - | 80 | - | - | 35 | - | - | 44 |
| Multiple races | - | - | 49 | - | - | 17 | - | - | 31 |

Note: There were 22 students who did not provide usable data for QN23.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN24: Percentage of students who seriously considered attempting suicide during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 16.0 | (13.8 - 18.2) | 1,236 | 14.4 | (10.6 - 18.1) | 560 | 17.5 | (14.5 - 20.6) | 667 |
| Age | | | | | | | | | |
| 15 or younger | 18.1 | (14.2 - 22.0) | 532 | 16.1 | (10.7 - 21.4) | 189 | 19.4 | (16.3 - 22.5) | 338 |
| 16 or 17 | 16.0 | (13.9 - 18.1) | 591 | 14.2 | (9.3 - 19.0) | 304 | 18.1 | (13.5 - 22.6) | 284 |
| 18 or older | 9.2 | (1.3 - 17.1) | 112 | - | - | 67 | - | - | 45 |
| Grade | | | | | | | | | |
| 9th | 17.4 | (13.5 - 21.3) | 405 | 16.7 | (10.0 - 23.3) | 136 | 18.0 | (14.5 - 21.5) | 267 |
| 10th | 16.7 | (12.4 - 21.0) | 375 | 12.9 | (6.1 - 19.7) | 183 | 20.1 | (15.3 - 25.0) | 191 |
| 11th | 18.2 | (14.3 - 22.1) | 268 | 16.8 | (12.6 - 21.0) | 137 | 19.2 | (11.7 - 26.8) | 128 |
| 12th | 9.3 | (3.8 - 14.8) | 176 | - | - | 99 | - | - | 77 |
| Race/Ethnicity | | | | | | | | | |
| Black | 17.2 | (13.1 - 21.3) | 241 | 16.9 | (11.2 - 22.6) | 108 | 17.6 | (12.3 - 22.8) | 132 |
| Hispanic/ Latino | 15.7 | (9.5 - 21.9) | 112 | - | - | 60 | - | - | 51 |
| White | 15.3 | (13.0 - 17.5) | 748 | 13.6 | (9.1 - 18.0) | 339 | 17.1 | (13.8 - 20.3) | 407 |
| All other races | - | - | 80 | - | - | 34 | - | - | 43 |
| Multiple races | - | - | 50 | - | - | 17 | - | - | 32 |

Note: There were 20 students who did not provide usable data for QN24.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN25: Percentage of students who made a plan about how they would attempt suicide during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 14.0 | (12.3 - 15.7) | 1,243 | 12.1 | (8.5 - 15.7) | 568 | 15.7 | (13.2 - 18.2) | 667 |
| Age | | | | | | | | | |
| 15 or younger | 15.5 | (12.2 - 18.8) | 532 | 13.2 | (7.5 - 18.9) | 190 | 16.9 | (14.3 - 19.6) | 338 |
| 16 or 17 | 12.7 | (10.9 - 14.5) | 598 | 11.1 | (6.7 - 15.4) | 310 | 14.5 | (10.8 - 18.3) | 285 |
| 18 or older | 14.3 | (9.7 - 18.9) | 112 | - | - | 68 | - | - | 44 |
| Grade | | | | | | | | | |
| 9th | 14.9 | (10.5 - 19.4) | 406 | 14.0 | (6.0 - 21.9) | 137 | 15.7 | (13.4 - 18.1) | 267 |
| 10th | 14.1 | (10.9 - 17.2) | 378 | 8.6 | (4.0 - 13.1) | 187 | 19.4 | (13.8 - 24.9) | 191 |
| 11th | 12.9 | (9.4 - 16.4) | 270 | 13.1 | (10.4 - 15.9) | 139 | 12.9 | (6.8 - 19.0) | 129 |
| 12th | 13.3 | (10.1 - 16.5) | 177 | 11.8 | (5.2 - 18.3) | 100 | - | - | 76 |
| Race/Ethnicity | | | | | | | | | |
| Black | 13.8 | (9.9 - 17.7) | 243 | 14.0 | (7.0 - 20.9) | 109 | 13.0 | (8.2 - 17.8) | 132 |
| Hispanic/ Latino | 14.2 | (8.6 - 19.8) | 113 | - | - | 61 | - | - | 51 |
| White | 13.9 | (12.5 - 15.3) | 752 | 11.5 | (8.9 - 14.1) | 344 | 16.4 | (14.0 - 18.8) | 407 |
| All other races | - | - | 81 | - | - | 35 | - | - | 44 |
| Multiple races | - | - | 49 | - | - | 17 | - | - | 31 |

Note: There were 13 students who did not provide usable data for QN25.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN26: Percentage of students who actually attempted suicide one or more times during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 13.7 | (11.3 - 16.2) | 1,247 | 13.6 | (8.8 - 18.5) | 572 | 13.6 | (10.5 - 16.8) | 665 |
| Age | | | | | | | | | |
| 15 or younger | 14.3 | (11.8 - 16.8) | 531 | 16.5 | (10.5 - 22.4) | 189 | 11.9 | (8.0 - 15.7) | 336 |
| 16 or 17 | 14.0 | (10.9 - 17.1) | 601 | 11.9 | (7.4 - 16.5) | 315 | 16.0 | (10.8 - 21.1) | 283 |
| 18 or older | 11.1 | (5.8 - 16.4) | 114 | - | - | 68 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 14.1 | (10.8 - 17.3) | 403 | 16.7 | (11.2 - 22.2) | 136 | 11.3 | (7.8 - 14.9) | 265 |
| 10th | 15.8 | (11.8 - 19.7) | 382 | 14.0 | (6.9 - 21.0) | 192 | 17.6 | (13.0 - 22.2) | 189 |
| 11th | 14.6 | (10.9 - 18.2) | 272 | 12.1 | (5.0 - 19.1) | 140 | 15.3 | (8.3 - 22.4) | 129 |
| 12th | 9.1 | (5.0 - 13.3) | 178 | - | - | 99 | - | - | 78 |
| Race/Ethnicity | | | | | | | | | |
| Black | 18.5 | (12.7 - 24.2) | 245 | 20.4 | (10.2 - 30.5) | 112 | 16.9 | (9.9 - 23.8) | 131 |
| Hispanic/ Latino | 13.7 | (9.2 - 18.2) | 112 | - | - | 61 | - | - | 50 |
| White | 11.0 | (9.3 - 12.6) | 751 | 9.8 | (5.7 - 13.8) | 343 | 11.8 | (9.1 - 14.4) | 406 |
| All other races | - | - | 84 | - | - | 37 | - | - | 44 |
| Multiple races | - | - | 50 | - | - | 17 | - | - | 32 |

Note: There were 9 students who did not provide usable data for QN26.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN29: Percentage of students who smoked a whole cigarette for the first time before age 13 years

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 18.2 | (14.1 - 22.3) | 1,236 | 20.8 | (14.3 - 27.4) | 566 | 15.4 | (12.7 - 18.0) | 662 |
| Age | | | | | | | | | |
| 15 or younger | 20.0 | (14.9 - 25.0) | 526 | 23.6 | (15.1 - 32.2) | 189 | 16.3 | (12.8 - 19.8) | 333 |
| 16 or 17 | 18.1 | (12.4 - 23.9) | 595 | 20.6 | (13.8 - 27.4) | 309 | 15.3 | (9.0 - 21.5) | 283 |
| 18 or older | 13.2 | (6.2 - 20.1) | 114 | - | - | 68 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 22.2 | (15.2 - 29.3) | 405 | 28.8 | (17.2 - 40.4) | 137 | 14.9 | (11.1 - 18.6) | 266 |
| 10th | 21.2 | (14.9 - 27.5) | 374 | 22.8 | (15.9 - 29.7) | 189 | 19.6 | (12.5 - 26.8) | 185 |
| 11th | 12.0 | (7.1 - 16.9) | 267 | 11.9 | (5.2 - 18.6) | 137 | 12.2 | (5.6 - 18.7) | 129 |
| 12th | 12.6 | (7.5 - 17.7) | 178 | - | - | 98 | - | - | 78 |
| Race/Ethnicity | | | | | | | | | |
| Black | 21.2 | (17.0 - 25.4) | 243 | 23.9 | (14.7 - 33.0) | 110 | 18.4 | (12.8 - 24.1) | 131 |
| Hispanic/ Latino | 11.2 | (5.5 - 16.9) | 108 | - | - | 59 | - | - | 49 |
| White | 16.7 | (11.1 - 22.3) | 747 | 19.6 | (11.7 - 27.5) | 342 | 13.8 | (9.7 - 17.8) | 404 |
| All other races | - | - | 83 | - | - | 36 | - | - | 44 |
| Multiple races | - | - | 50 | - | - | 17 | - | - | 32 |

Note: There were 20 students who did not provide usable data for QN29.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN30: Percentage of students who smoked cigarettes on one or more of the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 24.5 | (19.4 - 29.5) | 1,228 | 24.9 | (18.6 - 31.3) | 561 | 23.5 | (19.6 - 27.3) | 657 |
| Age | | | | | | | | | |
| 15 or younger | 19.0 | (15.2 - 22.8) | 527 | 16.2 | (8.5 - 23.9) | 185 | 20.5 | (17.9 - 23.1) | 335 |
| 16 or 17 | 28.9 | (23.5 - 34.3) | 587 | 30.0 | (23.3 - 36.6) | 308 | 27.5 | (22.2 - 32.8) | 277 |
| 18 or older | 25.1 | (10.4 - 39.9) | 113 | - | - | 68 | - | - | 45 |
| Grade | | | | | | | | | |
| 9th | 20.9 | (12.6 - 29.2) | 401 | 23.4 | (10.9 - 36.0) | 135 | 18.2 | (11.9 - 24.6) | 264 |
| 10th | 24.6 | (20.4 - 28.7) | 374 | 22.7 | (17.0 - 28.3) | 186 | 26.2 | (19.9 - 32.6) | 187 |
| 11th | 28.3 | (24.1 - 32.5) | 267 | 26.9 | (19.7 - 34.1) | 137 | 28.9 | (20.4 - 37.4) | 127 |
| 12th | 24.5 | (13.9 - 35.1) | 175 | - | - | 98 | - | - | 75 |
| Race/Ethnicity | | | | | | | | | |
| Black | 16.2 | (10.4 - 21.9) | 241 | 16.1 | (9.7 - 22.6) | 108 | 15.5 | (9.7 - 21.2) | 132 |
| Hispanic/ Latino | 14.6 | (7.5 - 21.8) | 110 | - | - | 59 | - | - | 50 |
| White | 29.4 | (23.2 - 35.7) | 741 | 30.6 | (23.5 - 37.7) | 339 | 27.9 | (22.2 - 33.6) | 400 |
| All other races | - | - | 82 | - | - | 36 | - | - | 42 |
| Multiple races | - | - | 49 | - | - | 17 | - | - | 31 |

Note: There were 28 students who did not provide usable data for QN30.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QNFRICIG: Percentage of students who smoked cigarettes on 20 or more of the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 10.4 | (7.2 - 13.6) | 1,228 | 12.3 | (8.1 - 16.4) | 561 | 8.6 | (6.0 - 11.3) | 657 |
| Age | | | | | | | | | |
| 15 or younger | 5.7 | (2.5 - 8.8) | 527 | 5.7 | (0.4 - 10.9) | 185 | 5.6 | (3.2 - 7.9) | 335 |
| 16 or 17 | 13.7 | (9.8 - 17.5) | 587 | 15.9 | (11.9 - 19.8) | 308 | 11.4 | (6.6 - 16.3) | 277 |
| 18 or older | 13.3 | (3.7 - 23.0) | 113 | - | - | 68 | - | - | 45 |
| Grade | | | | | | | | | |
| 9th | 8.9 | (3.0 - 14.7) | 401 | 12.3 | (3.5 - 21.0) | 135 | 5.2 | (1.9 - 8.5) | 264 |
| 10th | 9.4 | (6.2 - 12.7) | 374 | 9.0 | (4.9 - 13.1) | 186 | 9.9 | (5.7 - 14.1) | 187 |
| 11th | 11.8 | (7.6 - 16.0) | 267 | 12.0 | (7.4 - 16.6) | 137 | 11.4 | (4.6 - 18.1) | 127 |
| 12th | 11.6 | (6.0 - 17.3) | 175 | - | - | 98 | - | - | 75 |
| Race/Ethnicity | | | | | | | | | |
| Black | 5.0 | (1.6 - 8.4) | 241 | 5.9 | (0.0 - 12.0) | 108 | 4.2 | (1.4 - 7.0) | 132 |
| Hispanic/ Latino | 5.8 | (2.0 - 9.6) | 110 | - | - | 59 | - | - | 50 |
| White | 13.7 | (9.9 - 17.5) | 741 | 16.2 | (12.3 - 20.2) | 339 | 11.0 | (6.6 - 15.5) | 400 |
| All other races | - | - | 82 | - | - | 36 | - | - | 42 |
| Multiple races | - | - | 49 | - | - | 17 | - | - | 31 |

Note: There were 28 students who did not provide usable data for QNFRICIG.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN35: Among students who are current smokers, the percentage who tried to quit smoking during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-----|------------|--|-----|------------|--|-----|
| Total | 50.9 | (43.1 - 58.6) | 314 | 52.0 | (41.7 - 62.2) | 146 | 49.8 | (43.3 - 56.3) | 163 |
| Age | | | | | | | | | |
| 15 or younger | 48.3 | (37.0 - 59.6) | 104 | - | - | 31 | - | - | 70 |
| 16 or 17 | 54.1 | (46.2 - 62.0) | 179 | - | - | 93 | - | - | 84 |
| 18 or older | - | - | 31 | - | - | 22 | - | - | 9 |
| Grade | | | | | | | | | |
| 9th | - | - | 85 | - | - | 33 | - | - | 51 |
| 10th | - | - | 92 | - | - | 41 | - | - | 51 |
| 11th | - | - | 79 | - | - | 40 | - | - | 38 |
| 12th | - | - | 51 | - | - | 29 | - | - | 20 |
| Race/Ethnicity | | | | | | | | | |
| Black | - | - | 38 | - | - | 16 | - | - | 21 |
| Hispanic/ Latino | - | - | 18 | - | - | 10 | - | - | 8 |
| White | 50.4 | (39.3 - 61.4) | 214 | 51.6 | (36.0 - 67.1) | 104 | 48.5 | (38.9 - 58.0) | 109 |
| All other races | - | - | 25 | - | - | 10 | - | - | 13 |
| Multiple races | - | - | 18 | - | - | 6 | - | - | 11 |

Note: There were 942 students who were excluded from this analysis or who did not provide usable data for QN35.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN40: Percentage of students who had their first drink of alcohol other than a few sips before age 13 years

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 22.0 | (18.0 - 26.1) | 1,208 | 26.2 | (20.6 - 31.7) | 552 | 17.4 | (14.4 - 20.3) | 648 |
| Age | | | | | | | | | |
| 15 or younger | 28.7 | (22.2 - 35.3) | 520 | 35.4 | (25.6 - 45.1) | 186 | 21.5 | (16.5 - 26.4) | 329 |
| 16 or 17 | 19.0 | (15.5 - 22.5) | 577 | 23.7 | (20.3 - 27.2) | 299 | 14.1 | (9.3 - 18.8) | 276 |
| 18 or older | 11.8 | (6.4 - 17.2) | 110 | - | - | 67 | - | - | 43 |
| Grade | | | | | | | | | |
| 9th | 30.1 | (22.9 - 37.2) | 394 | 37.3 | (24.6 - 50.1) | 133 | 21.9 | (17.0 - 26.7) | 259 |
| 10th | 22.4 | (18.6 - 26.3) | 370 | 27.7 | (21.8 - 33.7) | 185 | 17.1 | (12.9 - 21.2) | 185 |
| 11th | 16.1 | (9.8 - 22.3) | 259 | 18.2 | (11.2 - 25.3) | 131 | 13.8 | (6.3 - 21.2) | 126 |
| 12th | 12.9 | (5.6 - 20.2) | 174 | - | - | 98 | - | - | 74 |
| Race/Ethnicity | | | | | | | | | |
| Black | 25.4 | (17.9 - 32.9) | 226 | 28.6 | (18.8 - 38.4) | 105 | 21.5 | (15.2 - 27.8) | 120 |
| Hispanic/ Latino | 18.1 | (9.5 - 26.7) | 104 | - | - | 55 | - | - | 49 |
| White | 20.1 | (15.6 - 24.5) | 741 | 24.9 | (19.3 - 30.5) | 338 | 15.0 | (10.3 - 19.7) | 401 |
| All other races | - | - | 82 | - | - | 35 | - | - | 44 |
| Multiple races | - | - | 50 | - | - | 17 | - | - | 32 |

Note: There were 48 students who did not provide usable data for QN40.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN41: Percentage of students who had at least one drink of alcohol on one or more of the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 44.4 | (37.9 - 50.8) | 1,183 | 46.4 | (38.5 - 54.2) | 536 | 42.1 | (36.5 - 47.7) | 641 |
| Age | | | | | | | | | |
| 15 or younger | 38.5 | (30.0 - 47.1) | 509 | 40.8 | (30.0 - 51.5) | 180 | 35.9 | (29.2 - 42.6) | 326 |
| 16 or 17 | 48.4 | (42.8 - 54.0) | 565 | 50.0 | (42.3 - 57.6) | 290 | 46.5 | (39.6 - 53.4) | 273 |
| 18 or older | 48.1 | (36.5 - 59.6) | 108 | - | - | 66 | - | - | 42 |
| Grade | | | | | | | | | |
| 9th | 36.7 | (27.9 - 45.5) | 386 | 41.5 | (31.0 - 52.0) | 129 | 31.6 | (24.2 - 38.9) | 256 |
| 10th | 45.7 | (37.4 - 54.0) | 363 | 46.5 | (35.3 - 57.7) | 180 | 44.9 | (37.1 - 52.8) | 183 |
| 11th | 45.8 | (37.4 - 54.1) | 251 | 45.9 | (35.3 - 56.6) | 126 | 45.2 | (38.1 - 52.3) | 124 |
| 12th | 52.5 | (44.3 - 60.7) | 173 | - | - | 97 | - | - | 74 |
| Race/Ethnicity | | | | | | | | | |
| Black | 38.7 | (29.9 - 47.6) | 216 | - | - | 97 | 41.8 | (29.0 - 54.5) | 118 |
| Hispanic/ Latino | 34.2 | (20.6 - 47.8) | 104 | - | - | 55 | - | - | 49 |
| White | 48.6 | (40.9 - 56.2) | 731 | 52.8 | (43.4 - 62.2) | 332 | 44.2 | (38.2 - 50.1) | 398 |
| All other races | - | - | 78 | - | - | 33 | - | - | 43 |
| Multiple races | - | - | 49 | - | - | 17 | - | - | 31 |

Note: There were 73 students who did not provide usable data for QN41.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN42: Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 24.3 | (18.3 - 30.4) | 1,216 | 26.8 | (18.9 - 34.7) | 554 | 21.8 | (16.8 - 26.7) | 655 |
| Age | | | | | | | | | |
| 15 or younger | 16.7 | (10.8 - 22.6) | 522 | 16.9 | (9.5 - 24.2) | 186 | 16.5 | (9.9 - 23.2) | 332 |
| 16 or 17 | 29.5 | (23.2 - 35.7) | 584 | 31.6 | (23.0 - 40.1) | 302 | 26.9 | (20.0 - 33.9) | 280 |
| 18 or older | 29.2 | (16.3 - 42.0) | 109 | - | - | 66 | - | - | 43 |
| Grade | | | | | | | | | |
| 9th | 17.4 | (10.4 - 24.5) | 401 | 19.3 | (11.9 - 26.8) | 136 | 15.1 | (7.4 - 22.7) | 263 |
| 10th | 24.3 | (16.9 - 31.8) | 370 | 26.2 | (16.3 - 36.1) | 183 | 22.5 | (14.8 - 30.2) | 187 |
| 11th | 26.4 | (18.8 - 34.1) | 260 | 28.4 | (16.8 - 39.9) | 134 | 24.1 | (19.0 - 29.1) | 125 |
| 12th | 32.1 | (20.2 - 44.1) | 175 | - | - | 97 | - | - | 76 |
| Race/Ethnicity | | | | | | | | | |
| Black | 18.0 | (10.3 - 25.6) | 232 | 17.0 | (8.1 - 25.8) | 106 | 19.1 | (11.1 - 27.1) | 125 |
| Hispanic/ Latino | 17.8 | (9.3 - 26.3) | 108 | - | - | 57 | - | - | 51 |
| White | 28.8 | (22.7 - 34.9) | 742 | 32.9 | (24.4 - 41.5) | 339 | 24.4 | (19.7 - 29.1) | 402 |
| All other races | - | - | 80 | - | - | 33 | - | - | 44 |
| Multiple races | - | - | 49 | - | - | 17 | - | - | 31 |

Note: There were 40 students who did not provide usable data for QN42.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN43: Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 6.1 | (3.9 - 8.2) | 1,227 | 8.0 | (4.2 - 11.9) | 560 | 4.0 | (2.4 - 5.6) | 658 |
| Age | | | | | | | | | |
| 15 or younger | 6.4 | (3.5 - 9.2) | 526 | 8.3 | (3.1 - 13.6) | 185 | 4.2 | (1.6 - 6.9) | 335 |
| 16 or 17 | 6.0 | (3.4 - 8.5) | 590 | 7.8 | (3.1 - 12.4) | 308 | 4.1 | (1.8 - 6.4) | 280 |
| 18 or older | 5.7 | (2.5 - 8.9) | 110 | - | - | 67 | - | - | 43 |
| Grade | | | | | | | | | |
| 9th | 6.5 | (2.5 - 10.5) | 405 | 8.6 | (2.2 - 15.0) | 137 | 4.3 | (1.4 - 7.1) | 266 |
| 10th | 7.0 | (3.2 - 10.8) | 372 | 9.3 | (3.8 - 14.8) | 186 | 4.7 | (0.4 - 9.1) | 186 |
| 11th | 5.1 | (2.5 - 7.8) | 263 | 5.9 | (2.1 - 9.6) | 134 | 4.0 | (0.1 - 8.0) | 126 |
| 12th | 4.3 | (0.8 - 7.9) | 176 | - | - | 98 | - | - | 76 |
| Race/Ethnicity | | | | | | | | | |
| Black | 5.3 | (0.9 - 9.7) | 235 | 6.0 | (0.0 - 12.3) | 106 | 4.6 | (0.1 - 9.2) | 128 |
| Hispanic/ Latino | 3.8 | (1.2 - 6.4) | 110 | - | - | 58 | - | - | 51 |
| White | 6.5 | (3.5 - 9.6) | 746 | 9.4 | (3.9 - 14.9) | 341 | 3.4 | (2.3 - 4.5) | 403 |
| All other races | - | - | 82 | - | - | 36 | - | - | 43 |
| Multiple races | - | - | 49 | - | - | 17 | - | - | 31 |

Note: There were 29 students who did not provide usable data for QN43.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN44: Percentage of students who used marijuana one or more times during their life

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 41.1 | (36.5 - 45.6) | 1,215 | 47.0 | (40.6 - 53.4) | 551 | 35.1 | (31.5 - 38.7) | 656 |
| Age | | | | | | | | | |
| 15 or younger | 33.9 | (28.4 - 39.5) | 519 | 40.1 | (31.6 - 48.6) | 182 | 28.3 | (22.5 - 34.2) | 332 |
| 16 or 17 | 47.1 | (43.0 - 51.3) | 587 | 52.0 | (45.3 - 58.8) | 303 | 41.9 | (36.7 - 47.0) | 282 |
| 18 or older | 40.3 | (26.3 - 54.3) | 108 | - | - | 66 | - | - | 42 |
| Grade | | | | | | | | | |
| 9th | 33.2 | (26.0 - 40.3) | 397 | 38.9 | (29.1 - 48.7) | 133 | 27.1 | (19.4 - 34.8) | 262 |
| 10th | 45.5 | (38.7 - 52.4) | 369 | 52.8 | (46.0 - 59.6) | 181 | 38.6 | (30.4 - 46.8) | 188 |
| 11th | 42.3 | (35.1 - 49.6) | 265 | 44.6 | (35.3 - 54.0) | 135 | 39.4 | (31.7 - 47.0) | 128 |
| 12th | 45.1 | (35.1 - 55.0) | 173 | - | - | 97 | - | - | 74 |
| Race/Ethnicity | | | | | | | | | |
| Black | 41.3 | (36.4 - 46.3) | 231 | 45.8 | (38.8 - 52.9) | 103 | 37.5 | (28.7 - 46.2) | 127 |
| Hispanic/ Latino | 28.2 | (19.0 - 37.4) | 109 | - | - | 58 | - | - | 50 |
| White | 41.8 | (35.5 - 48.1) | 741 | 48.6 | (40.7 - 56.5) | 337 | 34.7 | (29.5 - 39.9) | 403 |
| All other races | - | - | 81 | - | - | 34 | - | - | 44 |
| Multiple races | - | - | 48 | - | - | 17 | - | - | 30 |

Note: There were 41 students who did not provide usable data for QN44.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN45: Percentage of students who tried marijuana for the first time before age 13 years

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 9.5 | (7.0 - 12.0) | 1,217 | 13.3 | (9.1 - 17.4) | 554 | 5.6 | (3.3 - 7.9) | 655 |
| Age | | | | | | | | | |
| 15 or younger | 10.7 | (6.5 - 14.8) | 515 | 15.2 | (7.3 - 23.2) | 181 | 6.6 | (4.3 - 8.9) | 329 |
| 16 or 17 | 8.9 | (6.3 - 11.5) | 592 | 12.2 | (8.3 - 16.1) | 306 | 5.1 | (1.7 - 8.4) | 284 |
| 18 or older | 8.3 | (1.5 - 15.2) | 109 | - | - | 67 | - | - | 42 |
| Grade | | | | | | | | | |
| 9th | 11.3 | (6.3 - 16.2) | 397 | 16.0 | (7.3 - 24.7) | 133 | 6.3 | (3.3 - 9.2) | 262 |
| 10th | 10.6 | (7.2 - 14.0) | 370 | 13.9 | (9.9 - 17.9) | 183 | 7.4 | (2.6 - 12.2) | 187 |
| 11th | 7.4 | (4.3 - 10.5) | 266 | 9.5 | (4.7 - 14.2) | 135 | 4.8 | (0.5 - 9.0) | 129 |
| 12th | 5.7 | (2.7 - 8.8) | 174 | - | - | 98 | - | - | 74 |
| Race/Ethnicity | | | | | | | | | |
| Black | 9.7 | (4.6 - 14.9) | 230 | 15.8 | (9.0 - 22.6) | 102 | 4.2 | (0.0 - 8.7) | 127 |
| Hispanic/ Latino | 4.9 | (0.0 - 10.0) | 108 | - | - | 58 | - | - | 50 |
| White | 9.3 | (6.6 - 12.0) | 744 | 12.2 | (7.2 - 17.2) | 340 | 6.1 | (4.1 - 8.1) | 402 |
| All other races | - | - | 82 | - | - | 35 | - | - | 44 |
| Multiple races | - | - | 48 | - | - | 17 | - | - | 30 |

Note: There were 39 students who did not provide usable data for QN45.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN46: Percentage of students who used marijuana one or more times during the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 22.0 | (17.3 - 26.7) | 1,214 | 25.4 | (19.1 - 31.7) | 547 | 18.6 | (14.9 - 22.3) | 660 |
| Age | | | | | | | | | |
| 15 or younger | 18.5 | (12.7 - 24.3) | 520 | 20.3 | (9.6 - 31.1) | 181 | 16.6 | (11.0 - 22.3) | 335 |
| 16 or 17 | 24.7 | (18.9 - 30.5) | 581 | 27.9 | (20.3 - 35.4) | 298 | 21.5 | (15.9 - 27.2) | 281 |
| 18 or older | 22.9 | (11.8 - 34.0) | 112 | - | - | 68 | - | - | 44 |
| Grade | | | | | | | | | |
| 9th | 18.8 | (12.0 - 25.7) | 395 | 21.0 | (10.9 - 31.1) | 129 | 16.5 | (9.1 - 23.9) | 264 |
| 10th | 22.0 | (16.5 - 27.5) | 370 | 26.1 | (19.4 - 32.9) | 182 | 18.0 | (13.2 - 22.8) | 188 |
| 11th | 22.8 | (14.9 - 30.7) | 263 | 23.1 | (12.5 - 33.6) | 133 | 22.2 | (13.9 - 30.6) | 128 |
| 12th | 24.4 | (17.7 - 31.1) | 175 | - | - | 98 | - | - | 76 |
| Race/Ethnicity | | | | | | | | | |
| Black | 21.8 | (16.1 - 27.5) | 233 | 25.0 | (16.4 - 33.5) | 105 | 19.0 | (13.4 - 24.6) | 127 |
| Hispanic/ Latino | 13.3 | (9.7 - 16.9) | 107 | - | - | 56 | - | - | 50 |
| White | 22.8 | (17.2 - 28.3) | 740 | 26.5 | (19.8 - 33.1) | 333 | 19.2 | (14.3 - 24.0) | 406 |
| All other races | - | - | 80 | - | - | 34 | - | - | 44 |
| Multiple races | - | - | 49 | - | - | 17 | - | - | 31 |

Note: There were 42 students who did not provide usable data for QN46.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN47: Percentage of students who used marijuana on school property one or more times during the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 4.2 | (2.2 - 6.1) | 1,215 | 6.2 | (3.1 - 9.2) | 548 | 2.0 | (0.9 - 3.1) | 658 |
| Age | | | | | | | | | |
| 15 or younger | 4.7 | (1.8 - 7.6) | 519 | 6.2 | (0.9 - 11.4) | 180 | 2.8 | (0.5 - 5.2) | 333 |
| 16 or 17 | 3.6 | (1.7 - 5.5) | 583 | 5.5 | (1.9 - 9.1) | 299 | 1.7 | (0.4 - 3.1) | 282 |
| 18 or older | 4.6 | (0.0 - 10.3) | 112 | - | - | 69 | - | - | 43 |
| Grade | | | | | | | | | |
| 9th | 5.5 | (2.0 - 9.1) | 394 | 8.4 | (2.4 - 14.5) | 129 | 2.5 | (0.0 - 5.1) | 263 |
| 10th | 3.6 | (1.7 - 5.5) | 370 | 5.5 | (1.3 - 9.6) | 182 | 1.8 | (0.0 - 3.7) | 187 |
| 11th | 1.8 | (0.3 - 3.2) | 265 | 2.5 | (0.2 - 4.7) | 134 | 0.0 | (0.0 - 0.0) | 128 |
| 12th | 3.9 | (0.0 - 8.0) | 175 | - | - | 98 | - | - | 76 |
| Race/Ethnicity | | | | | | | | | |
| Black | 3.9 | (0.4 - 7.4) | 233 | 6.3 | (0.4 - 12.1) | 106 | 1.7 | (0.0 - 3.6) | 126 |
| Hispanic/ Latino | 3.4 | (0.9 - 5.9) | 106 | - | - | 56 | - | - | 49 |
| White | 4.1 | (1.7 - 6.6) | 741 | 6.4 | (2.2 - 10.6) | 333 | 1.7 | (0.3 - 3.0) | 406 |
| All other races | - | - | 81 | - | - | 34 | - | - | 44 |
| Multiple races | - | - | 49 | - | - | 17 | - | - | 31 |

Note: There were 41 students who did not provide usable data for QN47.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN48: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 8.6 | (6.0 - 11.2) | 1,245 | 10.0 | (6.4 - 13.6) | 570 | 7.0 | (4.8 - 9.3) | 664 |
| Age | | | | | | | | | |
| 15 or younger | 7.5 | (4.0 - 10.9) | 531 | 9.8 | (4.1 - 15.5) | 188 | 5.0 | (2.5 - 7.5) | 336 |
| 16 or 17 | 9.2 | (6.1 - 12.4) | 600 | 9.6 | (5.8 - 13.5) | 313 | 8.8 | (5.7 - 11.9) | 284 |
| 18 or older | 9.7 | (3.0 - 16.5) | 113 | - | - | 69 | - | - | 44 |
| Grade | | | | | | | | | |
| 9th | 7.0 | (2.8 - 11.2) | 403 | 8.7 | (2.7 - 14.7) | 136 | 5.2 | (0.5 - 9.8) | 265 |
| 10th | 9.0 | (6.0 - 12.0) | 381 | 11.8 | (7.0 - 16.5) | 190 | 6.3 | (2.8 - 9.7) | 190 |
| 11th | 9.2 | (6.2 - 12.3) | 269 | 9.3 | (5.4 - 13.2) | 139 | 8.8 | (5.1 - 12.5) | 127 |
| 12th | 8.2 | (2.7 - 13.8) | 180 | 9.6 | (4.2 - 15.0) | 100 | - | - | 78 |
| Race/Ethnicity | | | | | | | | | |
| Black | 5.7 | (0.9 - 10.6) | 244 | 8.4 | (2.1 - 14.7) | 110 | 3.3 | (0.0 - 6.9) | 132 |
| Hispanic/ Latino | 6.4 | (1.1 - 11.6) | 109 | - | - | 59 | - | - | 49 |
| White | 9.9 | (8.0 - 11.9) | 754 | 10.7 | (7.6 - 13.8) | 346 | 9.0 | (5.3 - 12.6) | 406 |
| All other races | - | - | 83 | - | - | 36 | - | - | 43 |
| Multiple races | - | - | 50 | - | - | 17 | - | - | 32 |

Note: There were 11 students who did not provide usable data for QN48.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN50: Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 11.6 | (9.2 - 14.1) | 1,247 | 13.2 | (10.1 - 16.4) | 569 | 9.9 | (7.3 - 12.5) | 668 |
| Age | | | | | | | | | |
| 15 or younger | 14.4 | (9.7 - 19.2) | 532 | 15.1 | (9.0 - 21.2) | 189 | 13.5 | (8.9 - 18.1) | 337 |
| 16 or 17 | 9.6 | (7.7 - 11.5) | 599 | 12.1 | (9.3 - 14.9) | 311 | 7.0 | (4.2 - 9.8) | 285 |
| 18 or older | 10.7 | (3.0 - 18.4) | 115 | - | - | 69 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 15.3 | (10.9 - 19.7) | 402 | 15.9 | (9.4 - 22.4) | 134 | 14.4 | (9.0 - 19.8) | 266 |
| 10th | 12.2 | (8.3 - 16.1) | 384 | 12.5 | (7.4 - 17.5) | 192 | 12.0 | (6.1 - 17.8) | 191 |
| 11th | 8.3 | (4.8 - 11.8) | 270 | 12.2 | (8.2 - 16.1) | 138 | 4.1 | (1.4 - 6.8) | 129 |
| 12th | 8.0 | (3.8 - 12.1) | 179 | 10.2 | (4.5 - 16.0) | 100 | - | - | 78 |
| Race/Ethnicity | | | | | | | | | |
| Black | 7.7 | (2.8 - 12.6) | 243 | 10.5 | (2.5 - 18.4) | 108 | 5.3 | (0.8 - 9.8) | 133 |
| Hispanic/ Latino | 8.6 | (2.8 - 14.3) | 111 | - | - | 59 | - | - | 51 |
| White | 13.7 | (11.1 - 16.2) | 755 | 15.4 | (12.0 - 18.8) | 347 | 12.0 | (8.7 - 15.2) | 406 |
| All other races | - | - | 84 | - | - | 37 | - | - | 44 |
| Multiple races | - | - | 49 | - | - | 16 | - | - | 32 |

Note: There were 9 students who did not provide usable data for QN50.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN51: Percentage of students who used heroin one or more times during their life

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 4.2 | (2.2 - 6.2) | 1,248 | 6.4 | (3.7 - 9.1) | 569 | 1.5 | (0.2 - 2.9) | 669 |
| Age | | | | | | | | | |
| 15 or younger | 4.2 | (1.6 - 6.8) | 533 | 6.9 | (1.6 - 12.2) | 189 | 1.0 | (0.1 - 1.9) | 338 |
| 16 or 17 | 3.6 | (1.6 - 5.5) | 599 | 5.6 | (2.7 - 8.4) | 311 | 1.2 | (0.2 - 2.2) | 285 |
| 18 or older | 6.4 | (0.0 - 14.3) | 115 | - | - | 69 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 3.4 | (0.5 - 6.3) | 403 | 6.1 | (0.9 - 11.4) | 134 | 0.6 | (0.0 - 1.2) | 267 |
| 10th | 4.3 | (1.5 - 7.1) | 384 | 7.0 | (3.0 - 11.1) | 192 | 1.4 | (0.0 - 2.8) | 191 |
| 11th | 5.2 | (2.3 - 8.2) | 270 | 7.5 | (4.3 - 10.8) | 138 | 1.3 | (0.0 - 3.2) | 129 |
| 12th | 2.9 | (0.0 - 6.3) | 179 | 3.8 | (0.0 - 8.1) | 100 | - | - | 78 |
| Race/Ethnicity | | | | | | | | | |
| Black | 5.1 | (0.0 - 10.2) | 243 | 8.8 | (1.4 - 16.2) | 108 | 1.8 | (0.0 - 5.5) | 133 |
| Hispanic/ Latino | 4.6 | (1.7 - 7.6) | 111 | - | - | 59 | - | - | 51 |
| White | 3.2 | (1.6 - 4.7) | 755 | 5.2 | (2.6 - 7.9) | 346 | 0.5 | (0.0 - 1.2) | 407 |
| All other races | - | - | 84 | - | - | 37 | - | - | 44 |
| Multiple races | - | - | 50 | - | - | 17 | - | - | 32 |

Note: There were 8 students who did not provide usable data for QN51.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN52: Percentage of students who used methamphetamines one or more times during their life

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 7.2 | (4.8 - 9.6) | 1,241 | 9.3 | (6.3 - 12.4) | 565 | 4.6 | (2.5 - 6.6) | 666 |
| Age | | | | | | | | | |
| 15 or younger | 6.8 | (3.0 - 10.5) | 531 | 9.7 | (3.4 - 16.0) | 188 | 3.3 | (1.3 - 5.2) | 337 |
| 16 or 17 | 7.3 | (4.8 - 9.8) | 594 | 8.7 | (5.4 - 12.0) | 308 | 5.6 | (2.5 - 8.7) | 283 |
| 18 or older | 8.0 | (0.2 - 15.8) | 115 | - | - | 69 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 6.3 | (1.9 - 10.8) | 400 | 9.5 | (2.9 - 16.2) | 132 | 2.6 | (0.0 - 5.3) | 266 |
| 10th | 6.8 | (3.4 - 10.1) | 382 | 9.0 | (4.0 - 14.0) | 191 | 4.5 | (2.0 - 7.0) | 190 |
| 11th | 8.8 | (5.5 - 12.1) | 268 | 9.9 | (4.2 - 15.5) | 137 | 6.8 | (2.2 - 11.4) | 128 |
| 12th | 5.2 | (1.2 - 9.3) | 179 | 7.9 | (2.0 - 13.8) | 100 | - | - | 78 |
| Race/Ethnicity | | | | | | | | | |
| Black | 7.4 | (1.3 - 13.5) | 243 | 10.8 | (3.2 - 18.4) | 108 | 3.8 | (0.0 - 8.4) | 133 |
| Hispanic/ Latino | 4.2 | (1.6 - 6.7) | 109 | - | - | 58 | - | - | 50 |
| White | 6.8 | (4.9 - 8.8) | 750 | 8.8 | (6.4 - 11.2) | 343 | 4.6 | (1.7 - 7.6) | 405 |
| All other races | - | - | 84 | - | - | 37 | - | - | 44 |
| Multiple races | - | - | 50 | - | - | 17 | - | - | 32 |

Note: There were 15 students who did not provide usable data for QN52.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN53: Percentage of students who used ecstasy one or more times during their life

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 9.0 | (6.6 - 11.4) | 1,247 | 10.6 | (7.3 - 13.9) | 570 | 7.2 | (5.3 - 9.1) | 668 |
| Age | | | | | | | | | |
| 15 or younger | 7.9 | (4.9 - 10.8) | 531 | 9.7 | (4.9 - 14.5) | 189 | 5.5 | (1.8 - 9.1) | 337 |
| 16 or 17 | 10.2 | (6.7 - 13.6) | 600 | 11.6 | (7.5 - 15.8) | 312 | 8.6 | (5.5 - 11.6) | 285 |
| 18 or older | 8.5 | (0.0 - 17.5) | 115 | - | - | 69 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 7.4 | (3.4 - 11.4) | 403 | 9.0 | (3.9 - 14.1) | 134 | 5.3 | (0.6 - 10.1) | 267 |
| 10th | 9.5 | (6.5 - 12.4) | 383 | 11.7 | (6.8 - 16.6) | 192 | 7.0 | (3.8 - 10.3) | 190 |
| 11th | 10.3 | (5.7 - 15.0) | 270 | 12.8 | (8.0 - 17.5) | 139 | 7.5 | (3.2 - 11.8) | 129 |
| 12th | 8.1 | (1.7 - 14.4) | 179 | 8.4 | (0.9 - 15.9) | 100 | - | - | 78 |
| Race/Ethnicity | | | | | | | | | |
| Black | 9.3 | (4.6 - 14.0) | 244 | 11.1 | (3.5 - 18.8) | 109 | 7.7 | (4.0 - 11.4) | 133 |
| Hispanic/ Latino | 8.5 | (2.7 - 14.3) | 111 | - | - | 59 | - | - | 51 |
| White | 8.2 | (6.1 - 10.2) | 754 | 10.3 | (7.1 - 13.4) | 346 | 6.0 | (3.5 - 8.5) | 407 |
| All other races | - | - | 83 | - | - | 37 | - | - | 43 |
| Multiple races | - | - | 50 | - | - | 17 | - | - | 32 |

Note: There were 9 students who did not provide usable data for QN53.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN54: Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 4.8 | (3.0 - 6.6) | 1,247 | 6.7 | (4.6 - 8.7) | 568 | 2.7 | (1.2 - 4.1) | 669 |
| Age | | | | | | | | | |
| 15 or younger | 5.0 | (3.3 - 6.6) | 532 | 6.2 | (3.5 - 8.9) | 188 | 3.1 | (2.0 - 4.3) | 338 |
| 16 or 17 | 3.8 | (1.7 - 5.9) | 600 | 5.7 | (3.3 - 8.2) | 312 | 1.9 | (0.4 - 3.4) | 285 |
| 18 or older | 8.1 | (1.7 - 14.5) | 114 | - | - | 68 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 3.6 | (2.7 - 4.5) | 402 | 4.2 | (2.2 - 6.2) | 133 | 3.0 | (1.2 - 4.7) | 267 |
| 10th | 5.5 | (2.5 - 8.6) | 384 | 9.2 | (5.0 - 13.4) | 192 | 1.6 | (0.0 - 3.3) | 191 |
| 11th | 4.3 | (0.8 - 7.8) | 271 | 4.9 | (0.0 - 9.9) | 139 | 2.6 | (0.0 - 6.0) | 129 |
| 12th | 5.3 | (1.2 - 9.3) | 178 | - | - | 99 | - | - | 78 |
| Race/Ethnicity | | | | | | | | | |
| Black | 4.9 | (0.2 - 9.6) | 243 | 7.9 | (1.8 - 14.0) | 108 | 2.1 | (0.0 - 5.2) | 133 |
| Hispanic/ Latino | 5.9 | (0.1 - 11.7) | 111 | - | - | 59 | - | - | 51 |
| White | 4.2 | (3.1 - 5.2) | 754 | 5.4 | (3.8 - 7.1) | 345 | 2.7 | (1.0 - 4.4) | 407 |
| All other races | - | - | 84 | - | - | 37 | - | - | 44 |
| Multiple races | - | - | 50 | - | - | 17 | - | - | 32 |

Note: There were 9 students who did not provide usable data for QN54.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN55: Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 2.6 | (1.1 - 4.0) | 1,237 | 3.9 | (1.8 - 6.0) | 562 | 1.0 | (0.3 - 1.7) | 665 |
| Age | | | | | | | | | |
| 15 or younger | 3.0 | (1.1 - 4.9) | 529 | 4.7 | (1.4 - 7.9) | 187 | 1.2 | (0.0 - 2.3) | 336 |
| 16 or 17 | 2.1 | (0.4 - 3.9) | 595 | 3.4 | (0.6 - 6.3) | 308 | 0.5 | (0.0 - 1.1) | 284 |
| 18 or older | 2.9 | (0.0 - 6.9) | 112 | - | - | 67 | - | - | 45 |
| Grade | | | | | | | | | |
| 9th | 3.4 | (0.8 - 6.0) | 401 | 5.9 | (1.7 - 10.2) | 133 | 0.7 | (0.0 - 1.5) | 266 |
| 10th | 1.6 | (0.6 - 2.7) | 377 | 3.1 | (1.3 - 4.8) | 187 | 0.0 | (0.0 - 0.0) | 189 |
| 11th | 3.0 | (0.5 - 5.5) | 270 | 4.3 | (0.8 - 7.8) | 139 | 1.7 | (0.0 - 3.9) | 129 |
| 12th | 1.0 | (0.0 - 2.5) | 177 | - | - | 98 | - | - | 77 |
| Race/Ethnicity | | | | | | | | | |
| Black | 3.9 | (0.6 - 7.2) | 238 | 7.0 | (1.7 - 12.4) | 104 | 0.6 | (0.0 - 1.7) | 132 |
| Hispanic/ Latino | 2.0 | (0.0 - 5.0) | 110 | - | - | 59 | - | - | 50 |
| White | 1.4 | (0.5 - 2.4) | 752 | 2.3 | (0.7 - 3.9) | 345 | 0.5 | (0.0 - 1.1) | 406 |
| All other races | - | - | 82 | - | - | 35 | - | - | 43 |
| Multiple races | - | - | 50 | - | - | 17 | - | - | 32 |

Note: There were 19 students who did not provide usable data for QN55.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN56: Percentage of students who were offered, sold, or given an illegal drug on school property by someone during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 29.1 | (24.3 - 33.9) | 1,237 | 34.5 | (29.4 - 39.6) | 563 | 23.9 | (18.3 - 29.5) | 664 |
| Age | | | | | | | | | |
| 15 or younger | 30.7 | (24.0 - 37.4) | 531 | 35.3 | (29.3 - 41.3) | 188 | 26.8 | (19.8 - 33.7) | 337 |
| 16 or 17 | 29.9 | (26.1 - 33.8) | 592 | 35.4 | (30.4 - 40.4) | 306 | 24.5 | (17.9 - 31.1) | 283 |
| 18 or older | 20.8 | (12.3 - 29.3) | 113 | - | - | 69 | - | - | 44 |
| Grade | | | | | | | | | |
| 9th | 33.5 | (25.9 - 41.0) | 402 | 39.9 | (32.8 - 47.0) | 133 | 26.8 | (17.2 - 36.4) | 267 |
| 10th | 27.7 | (22.1 - 33.3) | 378 | 29.9 | (21.5 - 38.3) | 188 | 25.4 | (15.9 - 34.9) | 189 |
| 11th | 29.2 | (21.4 - 37.0) | 267 | 36.1 | (32.9 - 39.3) | 137 | 23.1 | (10.5 - 35.6) | 128 |
| 12th | 22.9 | (14.7 - 31.0) | 178 | 29.7 | (17.5 - 42.0) | 100 | - | - | 76 |
| Race/Ethnicity | | | | | | | | | |
| Black | 27.7 | (21.6 - 33.9) | 240 | 34.0 | (23.1 - 44.9) | 106 | 22.4 | (13.0 - 31.8) | 132 |
| Hispanic/ Latino | 27.8 | (19.2 - 36.4) | 110 | - | - | 59 | - | - | 50 |
| White | 29.5 | (24.5 - 34.4) | 752 | 35.6 | (30.3 - 40.8) | 345 | 23.3 | (18.1 - 28.5) | 406 |
| All other races | - | - | 81 | - | - | 34 | - | - | 43 |
| Multiple races | - | - | 49 | - | - | 17 | - | - | 31 |

Note: There were 19 students who did not provide usable data for QN56.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN57: Percentage of students who ever had sexual intercourse

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 49.7 | (43.7 - 55.7) | 1,141 | 55.1 | (48.4 - 61.8) | 503 | 44.9 | (39.1 - 50.7) | 633 |
| Age | | | | | | | | | |
| 15 or younger | 35.1 | (28.5 - 41.8) | 490 | 40.4 | (33.0 - 47.8) | 164 | 30.6 | (21.7 - 39.6) | 324 |
| 16 or 17 | 59.2 | (50.9 - 67.5) | 550 | 63.9 | (55.2 - 72.7) | 281 | 54.7 | (45.7 - 63.7) | 267 |
| 18 or older | 60.3 | (51.1 - 69.5) | 100 | - | - | 58 | - | - | 42 |
| Grade | | | | | | | | | |
| 9th | 35.3 | (27.8 - 42.9) | 370 | 43.3 | (32.1 - 54.4) | 114 | 28.0 | (19.3 - 36.8) | 255 |
| 10th | 55.8 | (50.3 - 61.3) | 349 | 61.4 | (54.2 - 68.7) | 168 | 50.8 | (42.7 - 58.9) | 181 |
| 11th | 52.5 | (38.0 - 66.9) | 247 | 56.4 | (41.2 - 71.6) | 125 | 48.9 | (32.6 - 65.2) | 120 |
| 12th | 59.6 | (53.4 - 65.8) | 165 | - | - | 92 | - | - | 73 |
| Race/Ethnicity | | | | | | | | | |
| Black | 68.4 | (61.0 - 75.7) | 204 | - | - | 86 | 61.8 | (54.7 - 69.0) | 118 |
| Hispanic/ Latino | 47.4 | (39.1 - 55.6) | 101 | - | - | 53 | - | - | 47 |
| White | 40.2 | (34.0 - 46.4) | 713 | 44.8 | (36.9 - 52.6) | 313 | 36.1 | (29.7 - 42.5) | 399 |
| All other races | - | - | 71 | - | - | 32 | - | - | 38 |
| Multiple races | - | - | 48 | - | - | 17 | - | - | 30 |

Note: There were 115 students who did not provide usable data for QN57.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN58: Percentage of students who had sexual intercourse for the first time before age 13 years

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 8.2 | (5.3 - 11.2) | 1,149 | 11.1 | (7.4 - 14.7) | 508 | 5.5 | (2.8 - 8.2) | 636 |
| Age | | | | | | | | | |
| 15 or younger | 8.9 | (6.1 - 11.7) | 490 | 13.0 | (8.0 - 18.0) | 163 | 5.3 | (2.4 - 8.3) | 325 |
| 16 or 17 | 9.0 | (4.8 - 13.2) | 558 | 10.9 | (6.3 - 15.5) | 287 | 7.0 | (3.1 - 10.9) | 269 |
| 18 or older | 3.0 | (0.4 - 5.6) | 100 | - | - | 58 | - | - | 42 |
| Grade | | | | | | | | | |
| 9th | 10.1 | (5.1 - 15.1) | 372 | 15.2 | (6.8 - 23.6) | 115 | 5.4 | (1.3 - 9.4) | 256 |
| 10th | 8.0 | (4.9 - 11.1) | 353 | 12.0 | (6.1 - 17.9) | 171 | 4.4 | (0.4 - 8.3) | 182 |
| 11th | 10.6 | (3.5 - 17.6) | 249 | 10.6 | (1.2 - 19.9) | 126 | 10.0 | (3.3 - 16.7) | 121 |
| 12th | 1.6 | (0.0 - 3.6) | 166 | - | - | 92 | - | - | 74 |
| Race/Ethnicity | | | | | | | | | |
| Black | 15.7 | (8.4 - 22.9) | 205 | - | - | 87 | 11.4 | (6.3 - 16.4) | 118 |
| Hispanic/ Latino | 11.8 | (7.4 - 16.2) | 103 | - | - | 55 | - | - | 47 |
| White | 3.6 | (1.8 - 5.4) | 716 | 5.1 | (2.4 - 7.8) | 315 | 2.2 | (0.9 - 3.4) | 400 |
| All other races | - | - | 72 | - | - | 32 | - | - | 39 |
| Multiple races | - | - | 49 | - | - | 17 | - | - | 31 |

Note: There were 107 students who did not provide usable data for QN58.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN59: Percentage of students who had sexual intercourse with four or more people during their life

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 16.6 | (12.6 - 20.7) | 1,148 | 20.2 | (16.2 - 24.3) | 507 | 13.2 | (9.0 - 17.5) | 635 |
| Age | | | | | | | | | |
| 15 or younger | 9.4 | (5.7 - 13.1) | 493 | 11.3 | (5.4 - 17.2) | 164 | 7.6 | (4.6 - 10.7) | 326 |
| 16 or 17 | 21.3 | (16.3 - 26.3) | 556 | 24.3 | (20.4 - 28.3) | 286 | 18.3 | (11.3 - 25.2) | 268 |
| 18 or older | - | - | 98 | - | - | 57 | - | - | 41 |
| Grade | | | | | | | | | |
| 9th | 9.6 | (4.3 - 14.9) | 373 | 12.4 | (3.1 - 21.7) | 117 | 7.0 | (3.4 - 10.6) | 255 |
| 10th | 18.7 | (14.8 - 22.5) | 352 | 24.5 | (17.8 - 31.1) | 170 | 13.4 | (8.9 - 17.8) | 182 |
| 11th | 21.3 | (12.6 - 30.1) | 250 | 23.0 | (14.7 - 31.3) | 126 | 19.6 | (9.6 - 29.6) | 121 |
| 12th | 18.0 | (13.6 - 22.4) | 163 | - | - | 90 | - | - | 73 |
| Race/Ethnicity | | | | | | | | | |
| Black | 28.1 | (19.6 - 36.5) | 205 | - | - | 87 | 20.3 | (11.7 - 28.9) | 118 |
| Hispanic/ Latino | 16.8 | (11.8 - 21.7) | 103 | - | - | 55 | - | - | 47 |
| White | 10.1 | (6.8 - 13.5) | 715 | 10.6 | (5.5 - 15.7) | 314 | 9.7 | (5.9 - 13.4) | 399 |
| All other races | - | - | 72 | - | - | 32 | - | - | 39 |
| Multiple races | - | - | 49 | - | - | 17 | - | - | 31 |

Note: There were 108 students who did not provide usable data for QN59.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN60: Percentage of students who had sexual intercourse with one or more people during the past three months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 36.3 | (31.2 - 41.4) | 1,145 | 39.7 | (32.7 - 46.7) | 506 | 33.1 | (28.0 - 38.3) | 634 |
| Age | | | | | | | | | |
| 15 or younger | 23.5 | (17.3 - 29.7) | 493 | 27.6 | (19.7 - 35.4) | 165 | 20.0 | (13.8 - 26.2) | 325 |
| 16 or 17 | 43.3 | (37.6 - 49.0) | 552 | 45.2 | (37.3 - 53.0) | 284 | 41.4 | (34.3 - 48.6) | 267 |
| 18 or older | - | - | 99 | - | - | 57 | - | - | 42 |
| Grade | | | | | | | | | |
| 9th | 22.4 | (13.0 - 31.9) | 371 | 28.6 | (14.2 - 42.9) | 116 | 16.6 | (9.5 - 23.7) | 254 |
| 10th | 39.3 | (33.7 - 44.8) | 352 | 43.5 | (35.8 - 51.2) | 170 | 35.4 | (28.8 - 42.0) | 182 |
| 11th | 40.3 | (32.1 - 48.4) | 247 | 42.1 | (30.9 - 53.4) | 125 | 38.5 | (28.6 - 48.4) | 120 |
| 12th | 48.9 | (42.7 - 55.1) | 165 | - | - | 91 | - | - | 74 |
| Race/Ethnicity | | | | | | | | | |
| Black | 49.3 | (43.1 - 55.6) | 206 | - | - | 88 | 44.0 | (34.1 - 53.9) | 118 |
| Hispanic/ Latino | 25.5 | (20.0 - 31.1) | 102 | - | - | 55 | - | - | 46 |
| White | 30.9 | (25.7 - 36.1) | 715 | 33.7 | (26.2 - 41.3) | 315 | 28.1 | (22.1 - 34.1) | 399 |
| All other races | - | - | 70 | - | - | 30 | - | - | 39 |
| Multiple races | - | - | 48 | - | - | 16 | - | - | 31 |

Note: There were 111 students who did not provide usable data for QN60.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN61: Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-----|------------|--|-----|------------|--|-----|
| Total | 26.3 | (21.3 - 31.3) | 385 | 30.5 | (25.3 - 35.7) | 195 | 21.6 | (13.5 - 29.8) | 188 |
| Age | | | | | | | | | |
| 15 or younger | 26.3 | (19.3 - 33.3) | 105 | - | - | 41 | - | - | 63 |
| 16 or 17 | 27.1 | (21.0 - 33.2) | 232 | 27.1 | (18.1 - 36.0) | 123 | 27.3 | (15.9 - 38.6) | 108 |
| 18 or older | - | - | 48 | - | - | 31 | - | - | 17 |
| Grade | | | | | | | | | |
| 9th | - | - | 68 | - | - | 29 | - | - | 39 |
| 10th | 26.4 | (17.1 - 35.7) | 134 | - | - | 66 | - | - | 68 |
| 11th | 28.9 | (19.9 - 38.0) | 100 | - | - | 54 | - | - | 45 |
| 12th | - | - | 77 | - | - | 43 | - | - | 34 |
| Race/Ethnicity | | | | | | | | | |
| Black | - | - | 97 | - | - | 48 | - | - | 49 |
| Hispanic/ Latino | - | - | 28 | - | - | 18 | - | - | 10 |
| White | 25.0 | (17.4 - 32.6) | 215 | 29.1 | (21.7 - 36.5) | 110 | 19.9 | (10.5 - 29.2) | 104 |
| All other races | - | - | 27 | - | - | 12 | - | - | 14 |
| Multiple races | - | - | 17 | - | - | 6 | - | - | 11 |

Note: There were 871 students who were excluded from this analysis or who did not provide usable data for QN61.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN62: Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-----|------------|--|-----|------------|--|-----|
| Total | 63.1 | (56.2 - 70.0) | 382 | 71.3 | (63.4 - 79.1) | 195 | 54.4 | (47.4 - 61.3) | 185 |
| Age | | | | | | | | | |
| 15 or younger | 66.8 | (52.7 - 81.0) | 103 | - | - | 40 | - | - | 62 |
| 16 or 17 | 62.6 | (53.1 - 72.1) | 232 | 68.1 | (60.3 - 75.9) | 124 | 56.6 | (42.0 - 71.1) | 107 |
| 18 or older | - | - | 47 | - | - | 31 | - | - | 16 |
| Grade | | | | | | | | | |
| 9th | - | - | 68 | - | - | 29 | - | - | 39 |
| 10th | 69.2 | (60.2 - 78.1) | 134 | - | - | 66 | - | - | 68 |
| 11th | - | - | 97 | - | - | 52 | - | - | 44 |
| 12th | - | - | 78 | - | - | 45 | - | - | 33 |
| Race/Ethnicity | | | | | | | | | |
| Black | - | - | 99 | - | - | 50 | - | - | 49 |
| Hispanic/ Latino | - | - | 27 | - | - | 17 | - | - | 10 |
| White | 59.1 | (49.6 - 68.7) | 213 | 68.4 | (57.7 - 79.1) | 109 | 49.1 | (40.2 - 58.0) | 103 |
| All other races | - | - | 26 | - | - | 12 | - | - | 13 |
| Multiple races | - | - | 16 | - | - | 6 | - | - | 10 |

Note: There were 874 students who were excluded from this analysis or who did not provide usable data for QN62.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN63: Among students who had sexual intercourse during the past three months, the percentage who used birth control pills to prevent pregnancy before last sexual intercourse

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-----|------------|--|-----|------------|--|-----|
| Total | 16.5 | (12.4 - 20.6) | 383 | 18.0 | (11.2 - 24.8) | 196 | 14.9 | (9.5 - 20.3) | 185 |
| Age | | | | | | | | | |
| 15 or younger | 8.0 | (0.0 - 16.2) | 104 | - | - | 41 | - | - | 62 |
| 16 or 17 | 21.1 | (16.9 - 25.3) | 231 | 23.8 | (16.3 - 31.3) | 124 | 18.3 | (10.5 - 26.1) | 106 |
| 18 or older | - | - | 48 | - | - | 31 | - | - | 17 |
| Grade | | | | | | | | | |
| 9th | - | - | 67 | - | - | 30 | - | - | 37 |
| 10th | 14.2 | (7.7 - 20.7) | 132 | - | - | 66 | - | - | 66 |
| 11th | 21.1 | (13.2 - 28.9) | 100 | - | - | 53 | - | - | 46 |
| 12th | - | - | 78 | - | - | 44 | - | - | 34 |
| Race/Ethnicity | | | | | | | | | |
| Black | - | - | 99 | - | - | 51 | - | - | 48 |
| Hispanic/ Latino | - | - | 26 | - | - | 16 | - | - | 10 |
| White | 18.7 | (14.4 - 23.0) | 214 | 16.4 | (10.9 - 21.8) | 110 | 21.6 | (14.0 - 29.1) | 103 |
| All other races | - | - | 26 | - | - | 12 | - | - | 13 |
| Multiple races | - | - | 17 | - | - | 6 | - | - | 11 |

Note: There were 873 students who were excluded from this analysis or who did not provide usable data for QN63.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QNROVWGT: Percentage of students who were at risk for becoming overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)*

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 15.0 | (12.6 - 17.4) | 1,177 | 15.0 | (12.3 - 17.6) | 555 | 15.0 | (11.9 - 18.2) | 622 |
| Age | | | | | | | | | |
| 15 or younger | 14.7 | (11.1 - 18.3) | 493 | 13.0 | (8.4 - 17.6) | 182 | 16.3 | (10.5 - 22.1) | 311 |
| 16 or 17 | 14.9 | (11.7 - 18.0) | 575 | 15.4 | (9.6 - 21.1) | 308 | 14.3 | (9.9 - 18.7) | 267 |
| 18 or older | 16.5 | (8.3 - 24.7) | 109 | - | - | 65 | - | - | 44 |
| Grade | | | | | | | | | |
| 9th | 13.9 | (8.9 - 18.9) | 375 | 11.7 | (8.3 - 15.2) | 130 | 16.4 | (7.5 - 25.2) | 245 |
| 10th | 16.7 | (12.4 - 21.0) | 365 | 16.0 | (10.2 - 21.8) | 188 | 17.5 | (10.6 - 24.3) | 177 |
| 11th | 13.9 | (10.0 - 17.8) | 258 | 15.0 | (6.1 - 23.9) | 136 | 12.9 | (8.7 - 17.1) | 122 |
| 12th | 15.8 | (10.1 - 21.4) | 173 | - | - | 97 | - | - | 76 |
| Race/Ethnicity | | | | | | | | | |
| Black | 20.5 | (15.6 - 25.5) | 233 | 18.0 | (10.6 - 25.4) | 109 | 23.0 | (18.2 - 27.9) | 124 |
| Hispanic/ Latino | - | - | 99 | - | - | 53 | - | - | 46 |
| White | 11.8 | (9.6 - 13.9) | 721 | 13.4 | (10.4 - 16.3) | 337 | 10.1 | (5.9 - 14.3) | 384 |
| All other races | - | - | 75 | - | - | 37 | - | - | 38 |
| Multiple races | - | - | 46 | - | - | 17 | - | - | 29 |

Note: There were 79 students who did not provide usable data for QNROVWGT.

N = Number of unweighted observations.

- = Fewer than 100 cases.

*Based on reference data from the National Health and Nutrition Examination Survey I.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QNOVWGT: Percentage of students who were overweight (i.e., at or above the 95th percentile for body mass index, by age and sex)*

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 13.4 | (9.6 - 17.1) | 1,177 | 15.2 | (10.1 - 20.4) | 555 | 11.4 | (6.4 - 16.4) | 622 |
| Age | | | | | | | | | |
| 15 or younger | 13.4 | (7.8 - 19.1) | 493 | 17.5 | (9.9 - 25.1) | 182 | 9.5 | (3.2 - 15.8) | 311 |
| 16 or 17 | 12.6 | (7.6 - 17.6) | 575 | 12.7 | (7.7 - 17.7) | 308 | 12.4 | (5.6 - 19.2) | 267 |
| 18 or older | 16.2 | (9.2 - 23.3) | 109 | - | - | 65 | - | - | 44 |
| Grade | | | | | | | | | |
| 9th | 12.2 | (7.4 - 17.0) | 375 | 16.4 | (8.2 - 24.6) | 130 | 7.5 | (1.3 - 13.6) | 245 |
| 10th | 14.8 | (7.4 - 22.3) | 365 | 16.0 | (6.8 - 25.2) | 188 | 13.6 | (4.3 - 23.0) | 177 |
| 11th | 10.8 | (4.0 - 17.5) | 258 | 10.3 | (6.2 - 14.4) | 136 | 11.2 | (0.0 - 22.5) | 122 |
| 12th | 15.9 | (10.2 - 21.5) | 173 | - | - | 97 | - | - | 76 |
| Race/Ethnicity | | | | | | | | | |
| Black | 17.8 | (13.2 - 22.4) | 233 | 14.3 | (5.8 - 22.8) | 109 | 21.3 | (13.7 - 28.8) | 124 |
| Hispanic/ Latino | - | - | 99 | - | - | 53 | - | - | 46 |
| White | 10.1 | (5.8 - 14.4) | 721 | 14.2 | (7.7 - 20.6) | 337 | 5.9 | (2.6 - 9.2) | 384 |
| All other races | - | - | 75 | - | - | 37 | - | - | 38 |
| Multiple races | - | - | 46 | - | - | 17 | - | - | 29 |

Note: There were 79 students who did not provide usable data for QNOVWGT.

N = Number of unweighted observations.

- = Fewer than 100 cases.

*Based on reference data from the National Health and Nutrition Examination Survey I.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN64: Percentage of students who described themselves as slightly or very overweight

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 29.4 | (26.1 - 32.7) | 1,246 | 22.9 | (19.3 - 26.6) | 569 | 36.0 | (31.6 - 40.4) | 666 |
| Age | | | | | | | | | |
| 15 or younger | 30.9 | (25.6 - 36.2) | 531 | 24.9 | (18.1 - 31.7) | 188 | 36.5 | (29.0 - 44.0) | 336 |
| 16 or 17 | 27.2 | (22.0 - 32.4) | 599 | 20.4 | (15.1 - 25.7) | 312 | 34.4 | (26.4 - 42.3) | 284 |
| 18 or older | 33.2 | (25.1 - 41.3) | 115 | - | - | 69 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 30.3 | (24.8 - 35.8) | 400 | 24.4 | (16.0 - 32.8) | 134 | 36.8 | (29.2 - 44.4) | 264 |
| 10th | 26.7 | (21.5 - 32.0) | 383 | 21.3 | (12.2 - 30.4) | 191 | 32.2 | (23.4 - 41.0) | 191 |
| 11th | 28.1 | (22.0 - 34.2) | 271 | 17.3 | (13.1 - 21.6) | 139 | 38.1 | (28.9 - 47.4) | 129 |
| 12th | 32.8 | (26.2 - 39.5) | 180 | 29.0 | (19.2 - 38.8) | 100 | - | - | 78 |
| Race/Ethnicity | | | | | | | | | |
| Black | 28.2 | (22.3 - 34.1) | 242 | 17.0 | (8.3 - 25.7) | 108 | 38.9 | (31.4 - 46.5) | 132 |
| Hispanic/ Latino | 40.6 | (31.2 - 50.0) | 112 | - | - | 60 | - | - | 51 |
| White | 28.9 | (24.1 - 33.7) | 753 | 24.0 | (18.7 - 29.3) | 345 | 34.0 | (29.4 - 38.7) | 406 |
| All other races | - | - | 85 | - | - | 37 | - | - | 44 |
| Multiple races | - | - | 50 | - | - | 17 | - | - | 32 |

Note: There were 10 students who did not provide usable data for QN64.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN65: Percentage of students who were trying to lose weight

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 44.7 | (41.1 - 48.3) | 1,242 | 32.5 | (28.7 - 36.3) | 567 | 57.0 | (52.5 - 61.5) | 666 |
| Age | | | | | | | | | |
| 15 or younger | 46.8 | (41.5 - 52.0) | 530 | 34.4 | (29.2 - 39.5) | 187 | 58.3 | (49.5 - 67.0) | 338 |
| 16 or 17 | 44.7 | (39.0 - 50.5) | 598 | 31.3 | (24.4 - 38.1) | 312 | 58.6 | (53.9 - 63.3) | 283 |
| 18 or older | 38.4 | (29.7 - 47.0) | 113 | - | - | 68 | - | - | 45 |
| Grade | | | | | | | | | |
| 9th | 42.7 | (35.6 - 49.7) | 401 | 28.9 | (20.6 - 37.1) | 133 | 57.3 | (48.3 - 66.2) | 266 |
| 10th | 46.1 | (41.0 - 51.2) | 382 | 34.3 | (27.2 - 41.3) | 190 | 57.6 | (50.1 - 65.2) | 191 |
| 11th | 46.3 | (39.1 - 53.5) | 270 | 34.9 | (28.7 - 41.1) | 140 | 57.3 | (48.9 - 65.7) | 128 |
| 12th | 44.8 | (35.4 - 54.2) | 177 | - | - | 99 | - | - | 77 |
| Race/Ethnicity | | | | | | | | | |
| Black | 40.1 | (34.0 - 46.1) | 241 | 31.1 | (20.9 - 41.3) | 108 | 48.4 | (38.7 - 58.2) | 131 |
| Hispanic/ Latino | 57.3 | (50.2 - 64.4) | 111 | - | - | 59 | - | - | 51 |
| White | 45.7 | (40.6 - 50.8) | 752 | 30.5 | (25.2 - 35.9) | 345 | 61.4 | (56.2 - 66.6) | 406 |
| All other races | - | - | 83 | - | - | 36 | - | - | 44 |
| Multiple races | - | - | 50 | - | - | 17 | - | - | 32 |

Note: There were 14 students who did not provide usable data for QN65.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN66: Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 61.8 | (58.1 - 65.4) | 1,231 | 55.2 | (50.3 - 60.2) | 560 | 68.4 | (63.6 - 73.3) | 661 |
| Age | | | | | | | | | |
| 15 or younger | 67.2 | (62.3 - 72.1) | 526 | 59.6 | (49.8 - 69.4) | 185 | 74.8 | (69.5 - 80.1) | 335 |
| 16 or 17 | 58.7 | (53.9 - 63.4) | 591 | 53.5 | (47.4 - 59.6) | 306 | 64.0 | (57.0 - 71.1) | 282 |
| 18 or older | 56.0 | (50.2 - 61.9) | 113 | - | - | 69 | - | - | 44 |
| Grade | | | | | | | | | |
| 9th | 65.1 | (60.7 - 69.5) | 399 | 54.4 | (46.3 - 62.5) | 132 | 76.2 | (71.4 - 81.0) | 265 |
| 10th | 63.2 | (55.9 - 70.4) | 376 | 59.5 | (51.7 - 67.3) | 188 | 66.7 | (57.4 - 76.0) | 187 |
| 11th | 59.9 | (52.9 - 66.8) | 267 | 55.3 | (47.2 - 63.4) | 136 | 65.0 | (53.3 - 76.7) | 129 |
| 12th | 57.4 | (51.1 - 63.7) | 177 | - | - | 99 | - | - | 76 |
| Race/Ethnicity | | | | | | | | | |
| Black | 57.7 | (48.5 - 66.9) | 237 | 53.3 | (45.4 - 61.1) | 105 | 62.0 | (49.8 - 74.2) | 130 |
| Hispanic/ Latino | 64.5 | (56.0 - 72.9) | 108 | - | - | 58 | - | - | 49 |
| White | 63.5 | (60.5 - 66.5) | 750 | 54.7 | (47.7 - 61.7) | 344 | 72.7 | (67.2 - 78.2) | 405 |
| All other races | - | - | 82 | - | - | 34 | - | - | 44 |
| Multiple races | - | - | 49 | - | - | 17 | - | - | 31 |

Note: There were 25 students who did not provide usable data for QN66.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN67: Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 40.8 | (37.1 - 44.6) | 1,235 | 30.4 | (25.9 - 35.0) | 561 | 51.2 | (46.4 - 56.1) | 664 |
| Age | | | | | | | | | |
| 15 or younger | 43.7 | (37.8 - 49.6) | 528 | 34.5 | (26.5 - 42.5) | 186 | 52.4 | (45.7 - 59.0) | 336 |
| 16 or 17 | 38.5 | (35.1 - 41.9) | 592 | 26.9 | (22.0 - 31.7) | 306 | 50.0 | (44.9 - 55.1) | 283 |
| 18 or older | 41.0 | (31.1 - 50.9) | 114 | - | - | 69 | - | - | 45 |
| Grade | | | | | | | | | |
| 9th | 40.7 | (31.9 - 49.5) | 399 | 30.1 | (17.5 - 42.8) | 132 | 51.9 | (44.6 - 59.3) | 265 |
| 10th | 38.9 | (34.1 - 43.7) | 378 | 28.8 | (23.4 - 34.1) | 187 | 48.7 | (40.7 - 56.8) | 190 |
| 11th | 42.0 | (37.3 - 46.7) | 267 | 33.7 | (25.6 - 41.8) | 137 | 49.7 | (39.3 - 60.2) | 128 |
| 12th | 42.7 | (33.4 - 52.1) | 179 | 30.5 | (21.2 - 39.7) | 100 | - | - | 77 |
| Race/Ethnicity | | | | | | | | | |
| Black | 34.2 | (27.1 - 41.4) | 238 | 24.7 | (15.1 - 34.3) | 105 | 42.8 | (33.0 - 52.7) | 131 |
| Hispanic/ Latino | 51.4 | (41.9 - 61.0) | 111 | - | - | 60 | - | - | 50 |
| White | 43.4 | (39.4 - 47.4) | 750 | 31.1 | (25.6 - 36.7) | 344 | 56.0 | (51.1 - 61.0) | 405 |
| All other races | - | - | 81 | - | - | 33 | - | - | 44 |
| Multiple races | - | - | 50 | - | - | 17 | - | - | 32 |

Note: There were 21 students who did not provide usable data for QN67.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN69: Percentage of students who took diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 7.6 | (5.4 - 9.7) | 1,236 | 8.0 | (4.8 - 11.2) | 563 | 7.0 | (4.9 - 9.2) | 663 |
| Age | | | | | | | | | |
| 15 or younger | 7.4 | (4.8 - 10.0) | 528 | 7.0 | (2.7 - 11.2) | 187 | 7.4 | (4.4 - 10.4) | 335 |
| 16 or 17 | 7.8 | (5.4 - 10.1) | 594 | 8.4 | (3.6 - 13.3) | 307 | 7.2 | (4.1 - 10.2) | 284 |
| 18 or older | 7.4 | (1.4 - 13.3) | 113 | - | - | 69 | - | - | 44 |
| Grade | | | | | | | | | |
| 9th | 7.7 | (3.6 - 11.9) | 396 | 9.0 | (3.6 - 14.4) | 131 | 6.4 | (3.0 - 9.8) | 263 |
| 10th | 8.2 | (5.5 - 11.0) | 382 | 7.7 | (3.3 - 12.2) | 190 | 8.7 | (6.2 - 11.3) | 191 |
| 11th | 6.5 | (2.5 - 10.6) | 267 | 7.5 | (2.1 - 12.9) | 137 | 5.1 | (2.0 - 8.2) | 128 |
| 12th | 7.6 | (4.1 - 11.1) | 179 | 7.2 | (2.7 - 11.8) | 100 | - | - | 77 |
| Race/Ethnicity | | | | | | | | | |
| Black | 8.2 | (2.6 - 13.8) | 238 | 11.7 | (3.8 - 19.6) | 105 | 5.2 | (1.6 - 8.7) | 131 |
| Hispanic/ Latino | 9.8 | (5.2 - 14.3) | 110 | - | - | 59 | - | - | 50 |
| White | 6.8 | (4.9 - 8.7) | 750 | 6.0 | (2.8 - 9.2) | 344 | 7.6 | (4.8 - 10.4) | 405 |
| All other races | - | - | 84 | - | - | 36 | - | - | 44 |
| Multiple races | - | - | 49 | - | - | 17 | - | - | 31 |

Note: There were 20 students who did not provide usable data for QN69.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN70: Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 6.2 | (5.0 - 7.5) | 1,222 | 4.4 | (1.7 - 7.0) | 554 | 7.6 | (5.9 - 9.2) | 658 |
| Age | | | | | | | | | |
| 15 or younger | 7.0 | (4.8 - 9.2) | 525 | 5.5 | (1.3 - 9.7) | 184 | 7.8 | (4.8 - 10.8) | 334 |
| 16 or 17 | 5.3 | (3.7 - 6.9) | 583 | 3.9 | (2.0 - 5.7) | 302 | 6.2 | (4.0 - 8.4) | 279 |
| 18 or older | 7.5 | (4.3 - 10.7) | 113 | - | - | 68 | - | - | 45 |
| Grade | | | | | | | | | |
| 9th | 6.8 | (3.5 - 10.1) | 396 | 5.4 | (0.0 - 11.0) | 131 | 7.9 | (3.9 - 11.9) | 263 |
| 10th | 5.6 | (2.6 - 8.6) | 373 | 5.1 | (1.9 - 8.2) | 184 | 5.9 | (2.5 - 9.3) | 188 |
| 11th | 5.7 | (2.4 - 8.9) | 262 | 2.4 | (0.2 - 4.6) | 134 | 8.3 | (2.5 - 14.1) | 126 |
| 12th | 5.7 | (3.5 - 7.9) | 179 | 4.1 | (0.8 - 7.4) | 100 | - | - | 77 |
| Race/Ethnicity | | | | | | | | | |
| Black | 7.1 | (3.5 - 10.6) | 232 | 7.5 | (0.0 - 15.5) | 102 | 6.2 | (2.8 - 9.6) | 128 |
| Hispanic/ Latino | 6.6 | (1.7 - 11.5) | 111 | - | - | 60 | - | - | 50 |
| White | 5.4 | (4.3 - 6.5) | 746 | 3.0 | (2.2 - 3.7) | 340 | 7.7 | (5.5 - 9.9) | 405 |
| All other races | - | - | 81 | - | - | 34 | - | - | 43 |
| Multiple races | - | - | 47 | - | - | 16 | - | - | 30 |

Note: There were 34 students who did not provide usable data for QN70.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN77: Percentage of students who drank three or more glasses per day of milk during the past seven days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 11.3 | (10.2 - 12.4) | 1,238 | 15.3 | (13.8 - 16.8) | 565 | 7.4 | (5.8 - 9.1) | 663 |
| Age | | | | | | | | | |
| 15 or younger | 12.7 | (10.4 - 15.1) | 531 | 18.3 | (14.5 - 22.1) | 188 | 7.9 | (4.7 - 11.1) | 336 |
| 16 or 17 | 9.9 | (8.2 - 11.6) | 591 | 13.2 | (10.5 - 16.0) | 308 | 6.5 | (4.0 - 9.0) | 281 |
| 18 or older | 12.1 | (3.2 - 20.9) | 115 | - | - | 69 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 11.8 | (7.3 - 16.3) | 399 | 15.7 | (8.7 - 22.6) | 133 | 7.8 | (3.8 - 11.8) | 264 |
| 10th | 10.4 | (7.7 - 13.0) | 381 | 13.7 | (8.8 - 18.7) | 189 | 7.1 | (3.7 - 10.4) | 191 |
| 11th | 10.9 | (6.7 - 15.1) | 268 | 12.6 | (7.4 - 17.8) | 138 | 9.4 | (3.8 - 15.0) | 127 |
| 12th | 12.1 | (5.2 - 18.9) | 179 | 19.4 | (8.6 - 30.3) | 100 | - | - | 77 |
| Race/Ethnicity | | | | | | | | | |
| Black | 8.2 | (4.2 - 12.2) | 241 | 11.6 | (3.4 - 19.9) | 108 | 5.1 | (1.8 - 8.4) | 131 |
| Hispanic/ Latino | 9.5 | (5.4 - 13.5) | 109 | - | - | 59 | - | - | 49 |
| White | 13.5 | (10.8 - 16.2) | 752 | 17.6 | (12.2 - 23.0) | 344 | 9.4 | (6.9 - 11.9) | 406 |
| All other races | - | - | 82 | - | - | 36 | - | - | 43 |
| Multiple races | - | - | 49 | - | - | 16 | - | - | 32 |

Note: There were 18 students who did not provide usable data for QN77.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN80: Percentage of students who were physically active for a total of 60 minutes or more per day on five or more of the past seven days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 45.5 | (40.5 - 50.6) | 1,247 | 55.0 | (48.6 - 61.4) | 570 | 36.5 | (31.0 - 42.0) | 666 |
| Age | | | | | | | | | |
| 15 or younger | 50.5 | (44.5 - 56.6) | 536 | 58.1 | (52.9 - 63.3) | 191 | 44.5 | (35.5 - 53.6) | 338 |
| 16 or 17 | 42.9 | (35.9 - 49.9) | 595 | 54.8 | (44.4 - 65.2) | 310 | 31.1 | (23.8 - 38.5) | 282 |
| 18 or older | 39.1 | (26.5 - 51.7) | 115 | - | - | 69 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 49.3 | (44.2 - 54.4) | 404 | 55.3 | (48.7 - 61.9) | 136 | 43.1 | (35.2 - 51.1) | 266 |
| 10th | 46.9 | (39.0 - 54.8) | 381 | 58.4 | (49.2 - 67.6) | 190 | 35.6 | (25.3 - 45.9) | 190 |
| 11th | 40.2 | (29.6 - 50.7) | 271 | 50.9 | (35.4 - 66.3) | 139 | 30.7 | (24.1 - 37.3) | 129 |
| 12th | 44.5 | (36.1 - 52.8) | 179 | 55.2 | (44.9 - 65.4) | 100 | - | - | 77 |
| Race/Ethnicity | | | | | | | | | |
| Black | 44.9 | (35.3 - 54.6) | 243 | 54.0 | (40.0 - 68.1) | 109 | 37.0 | (27.5 - 46.5) | 132 |
| Hispanic/ Latino | 37.1 | (25.8 - 48.4) | 113 | - | - | 61 | - | - | 51 |
| White | 47.2 | (41.4 - 53.0) | 752 | 56.6 | (50.1 - 63.1) | 345 | 37.7 | (30.7 - 44.8) | 405 |
| All other races | - | - | 85 | - | - | 37 | - | - | 44 |
| Multiple races | - | - | 49 | - | - | 16 | - | - | 32 |

Note: There were 9 students who did not provide usable data for QN80.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN81: Percentage of students who watched three or more hours per day of TV on an average school day

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 35.3 | (31.1 - 39.5) | 1,237 | 36.1 | (29.7 - 42.6) | 564 | 34.7 | (29.0 - 40.3) | 663 |
| Age | | | | | | | | | |
| 15 or younger | 35.4 | (30.4 - 40.4) | 532 | 38.8 | (26.7 - 50.9) | 191 | 32.3 | (24.7 - 39.8) | 335 |
| 16 or 17 | 35.1 | (29.7 - 40.5) | 592 | 33.1 | (27.3 - 38.9) | 306 | 37.5 | (30.8 - 44.1) | 283 |
| 18 or older | 35.9 | (24.2 - 47.7) | 112 | - | - | 67 | - | - | 45 |
| Grade | | | | | | | | | |
| 9th | 34.6 | (29.2 - 39.9) | 400 | 36.6 | (25.0 - 48.2) | 135 | 32.5 | (26.1 - 38.9) | 263 |
| 10th | 38.5 | (30.5 - 46.5) | 381 | 38.5 | (29.4 - 47.6) | 189 | 38.5 | (29.9 - 47.2) | 191 |
| 11th | 32.8 | (23.9 - 41.7) | 267 | 35.1 | (27.7 - 42.6) | 136 | 30.1 | (17.8 - 42.4) | 128 |
| 12th | 36.5 | (26.8 - 46.2) | 177 | - | - | 99 | - | - | 77 |
| Race/Ethnicity | | | | | | | | | |
| Black | 54.2 | (46.5 - 61.9) | 237 | 51.8 | (38.8 - 64.9) | 106 | 57.2 | (52.5 - 62.0) | 129 |
| Hispanic/ Latino | 39.5 | (32.0 - 47.1) | 112 | - | - | 60 | - | - | 51 |
| White | 24.4 | (20.9 - 27.9) | 751 | 28.0 | (23.8 - 32.2) | 343 | 20.7 | (14.7 - 26.6) | 406 |
| All other races | - | - | 84 | - | - | 37 | - | - | 44 |
| Multiple races | - | - | 48 | - | - | 16 | - | - | 31 |

Note: There were 19 students who did not provide usable data for QN81.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN82: Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 54.0 | (46.9 - 61.2) | 1,105 | 63.9 | (58.7 - 69.0) | 497 | 44.4 | (36.2 - 52.7) | 598 |
| Age | | | | | | | | | |
| 15 or younger | 70.5 | (65.8 - 75.2) | 471 | 74.6 | (69.2 - 80.0) | 167 | 66.5 | (61.3 - 71.6) | 298 |
| 16 or 17 | 42.3 | (31.7 - 52.8) | 534 | 55.0 | (47.4 - 62.6) | 271 | 30.2 | (16.8 - 43.5) | 260 |
| 18 or older | - | - | 99 | - | - | 59 | - | - | 40 |
| Grade | | | | | | | | | |
| 9th | 76.6 | (69.5 - 83.7) | 355 | 78.0 | (69.3 - 86.7) | 119 | 75.2 | (67.2 - 83.1) | 234 |
| 10th | 53.0 | (45.3 - 60.7) | 339 | 66.6 | (59.2 - 73.9) | 164 | 40.5 | (30.4 - 50.6) | 174 |
| 11th | 37.7 | (25.3 - 50.1) | 243 | 51.4 | (39.9 - 62.9) | 123 | 24.5 | (10.8 - 38.1) | 117 |
| 12th | 38.0 | (23.2 - 52.8) | 158 | - | - | 87 | - | - | 70 |
| Race/Ethnicity | | | | | | | | | |
| Black | 60.5 | (50.1 - 70.8) | 208 | - | - | 89 | 51.1 | (34.9 - 67.3) | 117 |
| Hispanic/ Latino | - | - | 96 | - | - | 52 | - | - | 43 |
| White | 49.2 | (40.8 - 57.6) | 684 | 58.1 | (50.6 - 65.7) | 308 | 40.3 | (31.8 - 48.7) | 374 |
| All other races | - | - | 69 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 45 | - | - | 14 | - | - | 30 |

Note: There were 151 students who did not provide usable data for QN82.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QNDLYPE: Percentage of students who attended physical education (PE) classes daily in an average week when they were in school

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 40.1 | (28.9 - 51.4) | 1,105 | 46.6 | (32.9 - 60.3) | 497 | 34.3 | (23.3 - 45.2) | 598 |
| Age | | | | | | | | | |
| 15 or younger | 54.9 | (37.9 - 71.9) | 471 | 58.5 | (42.1 - 74.9) | 167 | 52.8 | (34.2 - 71.4) | 298 |
| 16 or 17 | 28.6 | (20.5 - 36.8) | 534 | 35.8 | (22.2 - 49.4) | 271 | 21.9 | (11.8 - 31.9) | 260 |
| 18 or older | - | - | 99 | - | - | 59 | - | - | 40 |
| Grade | | | | | | | | | |
| 9th | 58.8 | (36.6 - 81.1) | 355 | 59.4 | (37.5 - 81.3) | 119 | 58.6 | (35.6 - 81.6) | 234 |
| 10th | 37.6 | (26.7 - 48.6) | 339 | 45.9 | (32.2 - 59.7) | 164 | 29.9 | (18.5 - 41.4) | 174 |
| 11th | 26.9 | (16.7 - 37.0) | 243 | 34.2 | (19.7 - 48.8) | 123 | 20.6 | (9.1 - 32.1) | 117 |
| 12th | 29.3 | (17.2 - 41.3) | 158 | - | - | 87 | - | - | 70 |
| Race/Ethnicity | | | | | | | | | |
| Black | 46.2 | (33.8 - 58.5) | 208 | - | - | 89 | 42.2 | (24.8 - 59.5) | 117 |
| Hispanic/ Latino | - | - | 96 | - | - | 52 | - | - | 43 |
| White | 37.3 | (25.8 - 48.7) | 684 | 43.8 | (28.6 - 58.9) | 308 | 31.0 | (21.3 - 40.8) | 374 |
| All other races | - | - | 69 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 45 | - | - | 14 | - | - | 30 |

Note: There were 151 students who did not provide usable data for QNDLYPE.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN83: Among students enrolled in physical education (PE) class, the percentage who actually exercised or played sports more than 20 minutes during an average PE class

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-----|------------|--|-----|------------|--|-----|
| Total | 86.9 | (82.5 - 91.3) | 603 | 84.8 | (80.1 - 89.5) | 309 | 90.8 | (85.2 - 96.4) | 289 |
| Age | | | | | | | | | |
| 15 or younger | 90.3 | (86.5 - 94.0) | 324 | 88.5 | (82.0 - 95.1) | 121 | 93.7 | (89.7 - 97.8) | 199 |
| 16 or 17 | 83.6 | (75.4 - 91.8) | 229 | 78.8 | (68.6 - 89.0) | 150 | - | - | 79 |
| 18 or older | - | - | 49 | - | - | 38 | - | - | 11 |
| Grade | | | | | | | | | |
| 9th | 90.3 | (82.8 - 97.8) | 266 | - | - | 92 | 93.8 | (89.6 - 98.0) | 173 |
| 10th | 84.6 | (78.9 - 90.4) | 178 | 81.4 | (74.3 - 88.6) | 109 | - | - | 69 |
| 11th | - | - | 91 | - | - | 62 | - | - | 27 |
| 12th | - | - | 62 | - | - | 43 | - | - | 18 |
| Race/Ethnicity | | | | | | | | | |
| Black | 81.9 | (76.3 - 87.4) | 130 | - | - | 66 | - | - | 63 |
| Hispanic/ Latino | - | - | 60 | - | - | 39 | - | - | 20 |
| White | 90.4 | (84.5 - 96.3) | 344 | 87.4 | (79.3 - 95.4) | 170 | 95.2 | (91.2 - 99.2) | 173 |
| All other races | - | - | 42 | - | - | 24 | - | - | 17 |
| Multiple races | - | - | 24 | - | - | 8 | - | - | 16 |

Note: There were 653 students who were excluded from this analysis or who did not provide usable data for QN83.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN86: Percentage of students who had ever been told by a doctor or nurse that they had asthma

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 21.0 | (17.8 - 24.1) | 1,227 | 23.3 | (19.4 - 27.2) | 551 | 18.8 | (14.9 - 22.7) | 666 |
| Age | | | | | | | | | |
| 15 or younger | 21.2 | (16.0 - 26.4) | 531 | 27.5 | (19.2 - 35.9) | 186 | 15.7 | (11.5 - 20.0) | 338 |
| 16 or 17 | 21.5 | (19.0 - 24.1) | 583 | 22.7 | (18.6 - 26.8) | 298 | 20.4 | (15.8 - 25.0) | 282 |
| 18 or older | 18.0 | (4.9 - 31.1) | 113 | - | - | 67 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 22.2 | (18.5 - 25.9) | 399 | 27.1 | (19.3 - 34.9) | 131 | 17.2 | (10.8 - 23.5) | 266 |
| 10th | 20.9 | (14.1 - 27.7) | 376 | 27.4 | (19.6 - 35.2) | 185 | 14.4 | (8.5 - 20.3) | 190 |
| 11th | 19.8 | (14.1 - 25.5) | 267 | 21.6 | (16.6 - 26.7) | 135 | 18.5 | (9.9 - 27.1) | 129 |
| 12th | 19.4 | (9.9 - 29.0) | 175 | - | - | 96 | - | - | 77 |
| Race/Ethnicity | | | | | | | | | |
| Black | 31.4 | (22.1 - 40.8) | 236 | 35.2 | (22.8 - 47.6) | 103 | 28.5 | (17.7 - 39.3) | 131 |
| Hispanic/ Latino | 17.9 | (11.2 - 24.5) | 109 | - | - | 57 | - | - | 51 |
| White | 15.3 | (12.4 - 18.1) | 746 | 16.8 | (13.2 - 20.5) | 338 | 13.8 | (10.1 - 17.5) | 406 |
| All other races | - | - | 83 | - | - | 35 | - | - | 44 |
| Multiple races | - | - | 49 | - | - | 16 | - | - | 32 |

Note: There were 29 students who did not provide usable data for QN86.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN87: Percentage of students who have ever been told by a doctor or nurse that they had asthma and who have asthma but had not had an episode of asthma or an asthma attack during the past 12 months or who had an episode of asthma or an asthma attack during the past 12 months (i.e., current asthma)

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 17.1 | (14.8 - 19.3) | 1,220 | 17.4 | (13.9 - 21.0) | 547 | 17.0 | (13.5 - 20.5) | 663 |
| Age | | | | | | | | | |
| 15 or younger | 17.9 | (13.6 - 22.1) | 528 | 20.8 | (13.6 - 28.0) | 185 | 15.5 | (11.1 - 20.0) | 336 |
| 16 or 17 | 17.2 | (14.1 - 20.2) | 579 | 16.8 | (13.6 - 20.1) | 295 | 17.6 | (12.2 - 23.0) | 281 |
| 18 or older | 14.4 | (5.7 - 23.1) | 113 | - | - | 67 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 18.9 | (15.6 - 22.3) | 397 | 20.7 | (13.4 - 28.0) | 131 | 17.1 | (10.6 - 23.6) | 264 |
| 10th | 16.8 | (11.6 - 22.0) | 374 | 20.7 | (14.7 - 26.6) | 183 | 13.1 | (7.9 - 18.3) | 190 |
| 11th | 16.3 | (10.5 - 22.2) | 264 | 15.7 | (9.8 - 21.6) | 133 | 17.3 | (9.3 - 25.2) | 128 |
| 12th | 15.2 | (8.8 - 21.5) | 175 | - | - | 96 | - | - | 77 |
| Race/Ethnicity | | | | | | | | | |
| Black | 26.8 | (19.6 - 34.1) | 234 | 26.8 | (15.2 - 38.4) | 103 | 27.2 | (18.5 - 35.8) | 129 |
| Hispanic/ Latino | 9.9 | (2.9 - 16.9) | 108 | - | - | 57 | - | - | 50 |
| White | 12.9 | (10.3 - 15.4) | 742 | 13.2 | (9.4 - 17.0) | 334 | 12.6 | (9.3 - 15.8) | 406 |
| All other races | - | - | 83 | - | - | 35 | - | - | 44 |
| Multiple races | - | - | 49 | - | - | 16 | - | - | 32 |

Note: There were 36 students who did not provide usable data for QN87.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QNASATCK: Among students with current asthma, the percentage who had an episode of asthma or an asthma attack during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-----|------------|--|----|------------|--|-----|
| Total | 30.0 | (24.3 - 35.8) | 187 | - | - | 86 | 38.8 | (28.6 - 48.9) | 101 |
| Age | | | | | | | | | |
| 15 or younger | - | - | 86 | - | - | 35 | - | - | 51 |
| 16 or 17 | - | - | 86 | - | - | 43 | - | - | 43 |
| 18 or older | - | - | 15 | - | - | 8 | - | - | 7 |
| Grade | | | | | | | | | |
| 9th | - | - | 65 | - | - | 21 | - | - | 44 |
| 10th | - | - | 60 | - | - | 35 | - | - | 25 |
| 11th | - | - | 36 | - | - | 20 | - | - | 16 |
| 12th | - | - | 23 | - | - | 10 | - | - | 13 |
| Race/Ethnicity | | | | | | | | | |
| Black | - | - | 59 | - | - | 25 | - | - | 34 |
| Hispanic/ Latino | - | - | 12 | - | - | 10 | - | - | 2 |
| White | - | - | 99 | - | - | 46 | - | - | 53 |
| All other races | - | - | 9 | - | - | 3 | - | - | 6 |
| Multiple races | - | - | 8 | - | - | 2 | - | - | 6 |

Note: There were 1069 students who were excluded from this analysis or who did not provide usable data for QNASATCK.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN88: Percentage of students who received grades of mostly D's and F's in school during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 3.8 | (1.4 - 6.3) | 1,061 | 5.4 | (1.3 - 9.6) | 466 | 2.2 | (0.9 - 3.5) | 589 |
| Age | | | | | | | | | |
| 15 or younger | 4.0 | (1.5 - 6.6) | 457 | 5.7 | (1.3 - 10.0) | 158 | 2.1 | (0.3 - 4.0) | 295 |
| 16 or 17 | 4.2 | (1.3 - 7.0) | 501 | 5.6 | (0.9 - 10.3) | 247 | 2.8 | (1.0 - 4.7) | 252 |
| 18 or older | 2.2 | (0.0 - 5.5) | 103 | - | - | 61 | - | - | 42 |
| Grade | | | | | | | | | |
| 9th | 4.2 | (0.5 - 8.0) | 347 | 7.0 | (0.1 - 14.0) | 115 | 1.4 | (0.1 - 2.6) | 232 |
| 10th | 5.6 | (2.1 - 9.1) | 316 | 6.7 | (1.9 - 11.6) | 147 | 4.6 | (0.9 - 8.4) | 169 |
| 11th | 2.9 | (0.7 - 5.2) | 233 | 2.8 | (0.0 - 5.9) | 115 | 2.5 | (0.0 - 5.1) | 115 |
| 12th | 1.5 | (0.0 - 3.5) | 157 | - | - | 85 | - | - | 70 |
| Race/Ethnicity | | | | | | | | | |
| Black | 3.9 | (0.0 - 8.7) | 225 | - | - | 99 | 2.3 | (0.0 - 4.8) | 124 |
| Hispanic/ Latino | - | - | 78 | - | - | 38 | - | - | 39 |
| White | 3.5 | (2.3 - 4.7) | 639 | 4.7 | (2.1 - 7.3) | 281 | 2.1 | (0.7 - 3.5) | 356 |
| All other races | - | - | 72 | - | - | 32 | - | - | 39 |
| Multiple races | - | - | 44 | - | - | 14 | - | - | 30 |

Note: There were 195 students who did not provide usable data for QN88.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN89: Percentage of students who have been harassed or bullied on school property one or more times during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 26.6 | (23.9 - 29.4) | 1,075 | 26.4 | (21.5 - 31.2) | 472 | 26.3 | (21.9 - 30.8) | 596 |
| Age | | | | | | | | | |
| 15 or younger | 33.0 | (27.6 - 38.4) | 461 | 34.2 | (24.1 - 44.3) | 159 | 30.8 | (24.2 - 37.5) | 298 |
| 16 or 17 | 23.6 | (20.5 - 26.7) | 509 | 21.4 | (16.5 - 26.2) | 252 | 25.4 | (19.2 - 31.6) | 255 |
| 18 or older | 18.7 | (8.0 - 29.4) | 104 | - | - | 61 | - | - | 43 |
| Grade | | | | | | | | | |
| 9th | 31.3 | (26.0 - 36.6) | 350 | 34.3 | (23.1 - 45.4) | 115 | 28.2 | (22.6 - 33.8) | 235 |
| 10th | 26.0 | (21.9 - 30.1) | 320 | 22.9 | (15.9 - 29.9) | 150 | 28.8 | (24.0 - 33.6) | 170 |
| 11th | 29.3 | (24.2 - 34.3) | 236 | 26.4 | (16.9 - 35.9) | 117 | 31.1 | (20.0 - 42.1) | 116 |
| 12th | 15.3 | (8.5 - 22.1) | 159 | - | - | 85 | - | - | 72 |
| Race/Ethnicity | | | | | | | | | |
| Black | 22.5 | (17.5 - 27.5) | 228 | 22.7 | (14.0 - 31.4) | 100 | 21.2 | (16.8 - 25.6) | 126 |
| Hispanic/ Latino | - | - | 81 | - | - | 40 | - | - | 40 |
| White | 28.6 | (24.2 - 33.0) | 643 | 28.9 | (24.5 - 33.3) | 283 | 28.3 | (20.6 - 36.0) | 358 |
| All other races | - | - | 74 | - | - | 33 | - | - | 40 |
| Multiple races | - | - | 44 | - | - | 14 | - | - | 30 |

Note: There were 181 students who did not provide usable data for QN89.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN90: Percentage of students who have been the victim of teasing or name calling because of their weight, size, or physical appearance during the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 21.4 | (17.6 - 25.2) | 1,073 | 20.8 | (16.2 - 25.4) | 472 | 21.9 | (17.9 - 26.0) | 594 |
| Age | | | | | | | | | |
| 15 or younger | 24.6 | (21.5 - 27.7) | 462 | 23.4 | (18.5 - 28.3) | 160 | 25.9 | (23.5 - 28.2) | 298 |
| 16 or 17 | 19.1 | (13.0 - 25.3) | 508 | 16.7 | (10.1 - 23.3) | 251 | 21.1 | (12.7 - 29.4) | 255 |
| 18 or older | 19.8 | (13.7 - 25.9) | 102 | - | - | 61 | - | - | 41 |
| Grade | | | | | | | | | |
| 9th | 21.2 | (17.8 - 24.6) | 350 | 21.3 | (15.1 - 27.4) | 115 | 21.2 | (18.1 - 24.2) | 235 |
| 10th | 23.5 | (19.6 - 27.5) | 320 | 19.3 | (11.8 - 26.7) | 150 | 27.3 | (22.3 - 32.3) | 170 |
| 11th | 22.4 | (14.6 - 30.1) | 235 | 23.1 | (17.3 - 28.9) | 117 | 22.1 | (9.2 - 35.1) | 115 |
| 12th | 16.0 | (8.0 - 24.0) | 158 | - | - | 85 | - | - | 71 |
| Race/Ethnicity | | | | | | | | | |
| Black | 26.3 | (20.4 - 32.2) | 226 | 23.2 | (13.7 - 32.6) | 100 | 28.9 | (24.7 - 33.2) | 124 |
| Hispanic/ Latino | - | - | 82 | - | - | 41 | - | - | 40 |
| White | 18.4 | (14.5 - 22.2) | 642 | 19.4 | (14.4 - 24.5) | 282 | 17.5 | (13.7 - 21.2) | 358 |
| All other races | - | - | 74 | - | - | 33 | - | - | 40 |
| Multiple races | - | - | 44 | - | - | 14 | - | - | 30 |

Note: There were 183 students who did not provide usable data for QN90.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN91: Percentage of students who usually got their alcohol by buying it at a store during the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 2.5 | (0.7 - 4.3) | 1,067 | 3.6 | (1.2 - 6.0) | 467 | 1.5 | (0.0 - 3.0) | 593 |
| Age | | | | | | | | | |
| 15 or younger | 1.1 | (0.0 - 2.2) | 459 | 1.6 | (0.0 - 3.9) | 157 | 0.6 | (0.0 - 1.5) | 298 |
| 16 or 17 | 2.6 | (0.7 - 4.5) | 503 | 4.5 | (0.9 - 8.0) | 249 | 0.8 | (0.0 - 1.8) | 252 |
| 18 or older | 6.5 | (0.0 - 13.7) | 104 | - | - | 61 | - | - | 43 |
| Grade | | | | | | | | | |
| 9th | 2.1 | (0.0 - 4.5) | 348 | 4.0 | (0.0 - 8.9) | 113 | 0.3 | (0.0 - 0.6) | 235 |
| 10th | 2.2 | (0.2 - 4.3) | 318 | 3.5 | (0.0 - 7.8) | 149 | 1.1 | (0.0 - 2.6) | 169 |
| 11th | 2.5 | (0.3 - 4.7) | 233 | 4.1 | (0.0 - 8.4) | 116 | 1.2 | (0.0 - 3.2) | 114 |
| 12th | 3.4 | (0.0 - 7.2) | 158 | - | - | 84 | - | - | 72 |
| Race/Ethnicity | | | | | | | | | |
| Black | 5.4 | (0.2 - 10.7) | 223 | - | - | 97 | 2.5 | (0.0 - 6.7) | 124 |
| Hispanic/ Latino | - | - | 80 | - | - | 39 | - | - | 40 |
| White | 0.8 | (0.0 - 1.7) | 641 | 0.8 | (0.0 - 1.7) | 282 | 0.9 | (0.0 - 2.0) | 357 |
| All other races | - | - | 74 | - | - | 33 | - | - | 40 |
| Multiple races | - | - | 44 | - | - | 14 | - | - | 30 |

Note: There were 189 students who did not provide usable data for QN91.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN92: Percentage of students who have taken a prescription drug such as OxyContin, Percocet, Demerol, Adoral, Ritalin, or Zanax without a doctor's prescription one or more times during their life

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 17.7 | (13.5 - 21.9) | 1,068 | 20.0 | (14.2 - 25.7) | 467 | 15.4 | (11.6 - 19.2) | 594 |
| Age | | | | | | | | | |
| 15 or younger | 13.5 | (9.1 - 17.9) | 458 | 13.9 | (6.8 - 21.0) | 158 | 12.8 | (9.0 - 16.6) | 296 |
| 16 or 17 | 21.7 | (16.5 - 27.0) | 505 | 25.1 | (18.1 - 32.0) | 248 | 18.5 | (12.4 - 24.7) | 255 |
| 18 or older | 15.7 | (6.7 - 24.6) | 104 | - | - | 61 | - | - | 43 |
| Grade | | | | | | | | | |
| 9th | 14.1 | (5.9 - 22.2) | 345 | 14.2 | (2.6 - 25.9) | 111 | 14.0 | (7.4 - 20.5) | 234 |
| 10th | 17.5 | (12.6 - 22.4) | 319 | 18.8 | (12.0 - 25.6) | 150 | 16.3 | (11.5 - 21.2) | 169 |
| 11th | 22.0 | (17.1 - 26.9) | 235 | 28.0 | (18.9 - 37.2) | 116 | 15.7 | (8.7 - 22.6) | 116 |
| 12th | 17.5 | (10.4 - 24.6) | 159 | - | - | 85 | - | - | 72 |
| Race/Ethnicity | | | | | | | | | |
| Black | 6.6 | (2.2 - 11.0) | 224 | - | - | 96 | 7.3 | (2.3 - 12.4) | 126 |
| Hispanic/ Latino | - | - | 80 | - | - | 39 | - | - | 40 |
| White | 25.0 | (20.5 - 29.5) | 642 | 29.0 | (23.9 - 34.1) | 283 | 21.1 | (15.7 - 26.6) | 357 |
| All other races | - | - | 73 | - | - | 33 | - | - | 39 |
| Multiple races | - | - | 44 | - | - | 14 | - | - | 30 |

Note: There were 188 students who did not provide usable data for QN92.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN93: Percentage of students whose parents or other adults in their family have ever talked with them about what they expect them to do or not to do when it comes to sex

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 76.0 | (71.5 - 80.5) | 1,055 | 71.0 | (64.8 - 77.2) | 461 | 80.7 | (76.8 - 84.7) | 589 |
| Age | | | | | | | | | |
| 15 or younger | 73.9 | (67.3 - 80.4) | 455 | 66.6 | (57.3 - 75.9) | 158 | 80.9 | (75.7 - 86.0) | 295 |
| 16 or 17 | 77.5 | (72.1 - 82.8) | 498 | 73.8 | (66.1 - 81.5) | 245 | 80.6 | (74.6 - 86.5) | 251 |
| 18 or older | 77.2 | (72.6 - 81.9) | 101 | - | - | 58 | - | - | 43 |
| Grade | | | | | | | | | |
| 9th | 71.8 | (65.2 - 78.5) | 340 | 64.2 | (55.5 - 72.8) | 110 | 79.4 | (73.8 - 85.0) | 230 |
| 10th | 77.3 | (73.3 - 81.3) | 319 | 71.2 | (63.0 - 79.5) | 149 | 82.6 | (76.1 - 89.1) | 170 |
| 11th | 79.6 | (72.6 - 86.5) | 230 | 75.4 | (65.9 - 84.9) | 115 | 83.1 | (75.3 - 90.9) | 114 |
| 12th | 76.3 | (68.9 - 83.7) | 156 | - | - | 82 | - | - | 72 |
| Race/Ethnicity | | | | | | | | | |
| Black | 77.9 | (70.5 - 85.3) | 216 | - | - | 92 | 81.8 | (78.1 - 85.5) | 122 |
| Hispanic/ Latino | - | - | 79 | - | - | 39 | - | - | 40 |
| White | 75.7 | (71.4 - 80.1) | 639 | 70.1 | (64.0 - 76.1) | 281 | 80.9 | (75.7 - 86.0) | 357 |
| All other races | - | - | 73 | - | - | 33 | - | - | 39 |
| Multiple races | - | - | 43 | - | - | 14 | - | - | 29 |

Note: There were 201 students who did not provide usable data for QN93.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN94: Percentage of students who eat fruit one or more times on a typical day

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 89.9 | (87.6 - 92.2) | 1,061 | 89.1 | (84.9 - 93.2) | 464 | 90.5 | (88.1 - 92.9) | 591 |
| Age | | | | | | | | | |
| 15 or younger | 89.3 | (86.3 - 92.3) | 456 | 88.1 | (82.2 - 93.9) | 156 | 90.3 | (86.4 - 94.1) | 297 |
| 16 or 17 | 91.4 | (88.7 - 94.1) | 503 | 91.1 | (87.2 - 94.9) | 249 | 91.7 | (89.1 - 94.3) | 252 |
| 18 or older | 85.8 | (80.9 - 90.7) | 101 | - | - | 59 | - | - | 42 |
| Grade | | | | | | | | | |
| 9th | 90.0 | (85.4 - 94.6) | 344 | 88.4 | (79.1 - 97.6) | 110 | 91.6 | (88.8 - 94.3) | 234 |
| 10th | 89.4 | (85.2 - 93.6) | 317 | 91.4 | (84.5 - 98.3) | 149 | 87.7 | (82.1 - 93.3) | 168 |
| 11th | 90.3 | (84.3 - 96.3) | 234 | 87.6 | (81.2 - 94.1) | 116 | 92.4 | (86.0 - 98.8) | 115 |
| 12th | 90.4 | (86.6 - 94.1) | 156 | - | - | 84 | - | - | 71 |
| Race/Ethnicity | | | | | | | | | |
| Black | 85.1 | (80.7 - 89.6) | 220 | - | - | 95 | 87.3 | (83.0 - 91.6) | 123 |
| Hispanic/ Latino | - | - | 81 | - | - | 40 | - | - | 40 |
| White | 92.1 | (89.9 - 94.3) | 639 | 91.9 | (88.4 - 95.5) | 281 | 92.2 | (89.8 - 94.6) | 356 |
| All other races | - | - | 72 | - | - | 32 | - | - | 40 |
| Multiple races | - | - | 44 | - | - | 14 | - | - | 30 |

Note: There were 195 students who did not provide usable data for QN94.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN95: Percentage of students who ate french fries one or more times during the past seven days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 83.7 | (79.6 - 87.8) | 1,059 | 81.9 | (79.5 - 84.2) | 464 | 85.3 | (78.6 - 92.0) | 589 |
| Age | | | | | | | | | |
| 15 or younger | 82.3 | (75.2 - 89.3) | 455 | 81.2 | (74.4 - 88.0) | 156 | 82.9 | (73.8 - 92.1) | 296 |
| 16 or 17 | 84.4 | (81.0 - 87.8) | 500 | 80.7 | (76.4 - 85.1) | 247 | 88.1 | (84.2 - 92.0) | 251 |
| 18 or older | 85.0 | (78.3 - 91.8) | 103 | - | - | 61 | - | - | 42 |
| Grade | | | | | | | | | |
| 9th | 83.7 | (79.0 - 88.4) | 344 | 83.5 | (76.8 - 90.2) | 111 | 84.0 | (75.9 - 92.0) | 233 |
| 10th | 83.4 | (76.5 - 90.3) | 314 | 81.1 | (75.6 - 86.7) | 148 | 85.4 | (76.2 - 94.6) | 166 |
| 11th | 85.0 | (80.1 - 90.0) | 234 | 79.8 | (71.0 - 88.7) | 115 | 89.2 | (85.0 - 93.5) | 116 |
| 12th | 82.7 | (77.3 - 88.1) | 157 | - | - | 85 | - | - | 71 |
| Race/Ethnicity | | | | | | | | | |
| Black | 86.2 | (81.8 - 90.6) | 222 | - | - | 96 | 89.5 | (81.2 - 97.8) | 124 |
| Hispanic/ Latino | - | - | 81 | - | - | 40 | - | - | 40 |
| White | 82.5 | (78.2 - 86.7) | 636 | 81.0 | (78.0 - 84.0) | 279 | 83.8 | (77.9 - 89.7) | 355 |
| All other races | - | - | 72 | - | - | 33 | - | - | 39 |
| Multiple races | - | - | 43 | - | - | 14 | - | - | 29 |

Note: There were 197 students who did not provide usable data for QN95.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN96: Percentage of students who eat vegetables one or more times on a typical day

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 88.8 | (86.9 - 90.6) | 1,067 | 87.3 | (84.0 - 90.7) | 468 | 90.3 | (86.4 - 94.1) | 593 |
| Age | | | | | | | | | |
| 15 or younger | 87.3 | (84.0 - 90.6) | 458 | 84.3 | (77.9 - 90.8) | 158 | 89.9 | (83.7 - 96.0) | 297 |
| 16 or 17 | 90.9 | (88.6 - 93.2) | 504 | 89.9 | (84.5 - 95.4) | 249 | 92.1 | (89.1 - 95.2) | 253 |
| 18 or older | 85.5 | (75.0 - 96.0) | 104 | - | - | 61 | - | - | 43 |
| Grade | | | | | | | | | |
| 9th | 88.1 | (83.9 - 92.2) | 344 | 86.5 | (78.9 - 94.0) | 111 | 89.6 | (84.7 - 94.5) | 233 |
| 10th | 91.1 | (86.5 - 95.8) | 319 | 88.4 | (79.3 - 97.5) | 150 | 93.5 | (88.1 - 98.9) | 169 |
| 11th | 88.3 | (83.7 - 92.8) | 235 | 88.4 | (82.3 - 94.4) | 117 | 88.0 | (80.7 - 95.4) | 116 |
| 12th | 88.2 | (82.0 - 94.5) | 159 | - | - | 85 | - | - | 72 |
| Race/Ethnicity | | | | | | | | | |
| Black | 83.6 | (81.0 - 86.1) | 222 | - | - | 96 | 87.7 | (81.1 - 94.2) | 124 |
| Hispanic/ Latino | - | - | 82 | - | - | 41 | - | - | 40 |
| White | 91.8 | (90.1 - 93.5) | 640 | 91.2 | (88.4 - 94.0) | 282 | 92.4 | (90.2 - 94.6) | 357 |
| All other races | - | - | 74 | - | - | 33 | - | - | 40 |
| Multiple races | - | - | 44 | - | - | 14 | - | - | 30 |

Note: There were 189 students who did not provide usable data for QN96.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN97: Percentage of students who drink a soft drink or sweetened beverage one or more times on a typical day

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 89.6 | (87.9 - 91.4) | 1,054 | 88.2 | (83.6 - 92.9) | 456 | 90.9 | (88.7 - 93.2) | 592 |
| Age | | | | | | | | | |
| 15 or younger | 89.5 | (86.3 - 92.8) | 457 | 85.8 | (79.0 - 92.6) | 156 | 93.0 | (89.5 - 96.4) | 298 |
| 16 or 17 | 90.8 | (88.0 - 93.5) | 495 | 91.0 | (86.6 - 95.5) | 241 | 90.5 | (87.3 - 93.7) | 252 |
| 18 or older | 85.6 | (78.7 - 92.6) | 101 | - | - | 59 | - | - | 42 |
| Grade | | | | | | | | | |
| 9th | 91.1 | (87.1 - 95.1) | 343 | 86.9 | (79.4 - 94.4) | 109 | 95.1 | (92.4 - 97.9) | 234 |
| 10th | 90.1 | (85.9 - 94.2) | 316 | 88.3 | (79.3 - 97.2) | 146 | 91.6 | (87.7 - 95.5) | 170 |
| 11th | 90.9 | (86.1 - 95.8) | 228 | 91.4 | (84.9 - 98.0) | 112 | 91.1 | (85.9 - 96.3) | 114 |
| 12th | 85.4 | (80.5 - 90.3) | 157 | - | - | 84 | - | - | 71 |
| Race/Ethnicity | | | | | | | | | |
| Black | 90.2 | (86.7 - 93.7) | 217 | - | - | 91 | 94.4 | (90.0 - 98.7) | 124 |
| Hispanic/ Latino | - | - | 81 | - | - | 40 | - | - | 40 |
| White | 89.6 | (86.5 - 92.8) | 637 | 90.1 | (85.6 - 94.7) | 280 | 89.1 | (85.9 - 92.4) | 356 |
| All other races | - | - | 72 | - | - | 31 | - | - | 40 |
| Multiple races | - | - | 42 | - | - | 12 | - | - | 30 |

Note: There were 202 students who did not provide usable data for QN97.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN98: Percentage of students who bought food and/or drinks from vending machines at school one or more times during the past seven days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 57.0 | (49.2 - 64.8) | 1,070 | 59.1 | (51.6 - 66.5) | 469 | 54.8 | (44.9 - 64.7) | 594 |
| Age | | | | | | | | | |
| 15 or younger | 59.9 | (49.9 - 69.8) | 460 | 62.8 | (50.3 - 75.3) | 158 | 56.7 | (46.2 - 67.2) | 298 |
| 16 or 17 | 56.8 | (47.5 - 66.2) | 505 | 59.4 | (52.8 - 66.0) | 250 | 54.2 | (39.6 - 68.7) | 253 |
| 18 or older | 49.6 | (37.2 - 62.0) | 104 | - | - | 61 | - | - | 43 |
| Grade | | | | | | | | | |
| 9th | 60.3 | (51.1 - 69.6) | 347 | 64.7 | (53.8 - 75.7) | 113 | 56.0 | (44.2 - 67.7) | 234 |
| 10th | 62.3 | (54.5 - 70.0) | 320 | 63.6 | (57.9 - 69.2) | 150 | 61.1 | (49.7 - 72.6) | 170 |
| 11th | 56.3 | (43.3 - 69.2) | 235 | 60.6 | (51.3 - 69.9) | 116 | 51.5 | (32.5 - 70.5) | 116 |
| 12th | 46.3 | (34.0 - 58.7) | 158 | - | - | 85 | - | - | 71 |
| Race/Ethnicity | | | | | | | | | |
| Black | 65.3 | (58.6 - 71.9) | 223 | - | - | 97 | 63.6 | (53.1 - 74.0) | 124 |
| Hispanic/ Latino | - | - | 82 | - | - | 41 | - | - | 40 |
| White | 51.9 | (43.0 - 60.8) | 643 | 54.7 | (45.9 - 63.6) | 283 | 49.0 | (37.5 - 60.4) | 358 |
| All other races | - | - | 74 | - | - | 33 | - | - | 40 |
| Multiple races | - | - | 43 | - | - | 13 | - | - | 30 |

Note: There were 186 students who did not provide usable data for QN98.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN99: Percentage of students who ate breakfast on seven of the past seven days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 31.8 | (27.7 - 35.8) | 1,064 | 32.4 | (26.4 - 38.4) | 465 | 31.3 | (26.5 - 36.2) | 593 |
| Age | | | | | | | | | |
| 15 or younger | 33.6 | (27.8 - 39.4) | 457 | 35.0 | (25.0 - 45.0) | 158 | 32.6 | (28.5 - 36.7) | 296 |
| 16 or 17 | 31.5 | (25.7 - 37.4) | 503 | 31.5 | (24.3 - 38.7) | 247 | 31.4 | (22.7 - 40.2) | 254 |
| 18 or older | 27.5 | (20.7 - 34.2) | 103 | - | - | 60 | - | - | 43 |
| Grade | | | | | | | | | |
| 9th | 33.1 | (26.2 - 40.0) | 344 | 34.5 | (23.2 - 45.8) | 112 | 31.7 | (27.3 - 36.1) | 232 |
| 10th | 30.2 | (25.0 - 35.3) | 319 | 32.2 | (25.0 - 39.3) | 149 | 28.4 | (22.6 - 34.3) | 170 |
| 11th | 32.7 | (21.7 - 43.6) | 233 | 30.2 | (18.4 - 42.1) | 115 | 34.4 | (19.9 - 49.0) | 116 |
| 12th | 32.1 | (25.6 - 38.5) | 158 | - | - | 84 | - | - | 72 |
| Race/Ethnicity | | | | | | | | | |
| Black | 20.7 | (16.1 - 25.2) | 222 | - | - | 95 | 23.9 | (18.2 - 29.7) | 125 |
| Hispanic/ Latino | - | - | 80 | - | - | 41 | - | - | 39 |
| White | 39.2 | (33.9 - 44.6) | 640 | 41.5 | (35.2 - 47.8) | 281 | 37.1 | (30.0 - 44.1) | 357 |
| All other races | - | - | 74 | - | - | 33 | - | - | 40 |
| Multiple races | - | - | 43 | - | - | 13 | - | - | 30 |

Note: There were 192 students who did not provide usable data for QN99.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN100: Percentage of students who ate dinner at home with their family four or more times during the past seven days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 60.2 | (54.8 - 65.6) | 1,065 | 59.1 | (53.0 - 65.2) | 468 | 61.7 | (54.9 - 68.4) | 590 |
| Age | | | | | | | | | |
| 15 or younger | 69.3 | (61.5 - 77.2) | 458 | 70.7 | (56.7 - 84.7) | 159 | 68.7 | (60.9 - 76.6) | 295 |
| 16 or 17 | 56.4 | (50.8 - 61.9) | 502 | 54.0 | (48.4 - 59.5) | 248 | 58.7 | (51.4 - 66.0) | 252 |
| 18 or older | 47.1 | (35.9 - 58.3) | 104 | - | - | 61 | - | - | 43 |
| Grade | | | | | | | | | |
| 9th | 72.4 | (64.9 - 80.0) | 344 | 73.9 | (61.0 - 86.8) | 113 | 71.0 | (64.1 - 77.9) | 231 |
| 10th | 61.5 | (55.7 - 67.2) | 317 | 60.3 | (50.4 - 70.2) | 149 | 62.5 | (55.7 - 69.3) | 168 |
| 11th | 57.7 | (52.4 - 63.0) | 235 | 53.1 | (43.4 - 62.8) | 116 | 61.5 | (54.9 - 68.1) | 116 |
| 12th | 44.9 | (33.8 - 56.0) | 159 | - | - | 85 | - | - | 72 |
| Race/Ethnicity | | | | | | | | | |
| Black | 56.2 | (47.2 - 65.2) | 222 | - | - | 96 | 60.0 | (50.3 - 69.8) | 124 |
| Hispanic/ Latino | - | - | 81 | - | - | 41 | - | - | 39 |
| White | 60.7 | (55.1 - 66.3) | 641 | 60.6 | (54.8 - 66.4) | 283 | 60.8 | (53.5 - 68.1) | 356 |
| All other races | - | - | 74 | - | - | 33 | - | - | 40 |
| Multiple races | - | - | 42 | - | - | 13 | - | - | 29 |

Note: There were 191 students who did not provide usable data for QN100.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN101: Percentage of students who spend 20 minutes or more being physically active on a typical school day

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 70.7 | (67.9 - 73.5) | 1,062 | 76.8 | (70.8 - 82.7) | 463 | 65.3 | (60.1 - 70.6) | 592 |
| Age | | | | | | | | | |
| 15 or younger | 76.0 | (72.2 - 79.7) | 460 | 76.0 | (70.7 - 81.4) | 158 | 76.2 | (71.5 - 80.9) | 298 |
| 16 or 17 | 67.8 | (64.1 - 71.5) | 501 | 77.0 | (67.2 - 86.8) | 247 | 59.6 | (54.2 - 65.0) | 252 |
| 18 or older | 64.8 | (52.7 - 76.8) | 100 | - | - | 58 | - | - | 42 |
| Grade | | | | | | | | | |
| 9th | 77.9 | (72.2 - 83.6) | 346 | 75.0 | (68.6 - 81.5) | 112 | 80.7 | (72.1 - 89.4) | 234 |
| 10th | 67.5 | (60.9 - 74.2) | 316 | 76.4 | (66.2 - 86.6) | 148 | 59.7 | (51.0 - 68.3) | 168 |
| 11th | 66.4 | (58.4 - 74.4) | 234 | 74.3 | (63.2 - 85.5) | 115 | 60.0 | (52.3 - 67.8) | 116 |
| 12th | 69.5 | (61.9 - 77.0) | 156 | - | - | 83 | - | - | 71 |
| Race/Ethnicity | | | | | | | | | |
| Black | 66.3 | (58.4 - 74.1) | 219 | - | - | 93 | 60.0 | (45.8 - 74.2) | 124 |
| Hispanic/ Latino | - | - | 82 | - | - | 41 | - | - | 40 |
| White | 74.7 | (70.2 - 79.1) | 640 | 80.0 | (73.7 - 86.2) | 281 | 69.8 | (62.4 - 77.3) | 357 |
| All other races | - | - | 74 | - | - | 33 | - | - | 40 |
| Multiple races | - | - | 42 | - | - | 13 | - | - | 29 |

Note: There were 194 students who did not provide usable data for QN101.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN102: Percentage of students who spend 20 minutes or more being physically active on a typical weekend day

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 73.1 | (69.3 - 76.8) | 1,063 | 77.7 | (72.9 - 82.6) | 463 | 69.4 | (65.4 - 73.5) | 593 |
| Age | | | | | | | | | |
| 15 or younger | 75.1 | (69.7 - 80.5) | 458 | 78.2 | (69.5 - 87.0) | 158 | 73.7 | (67.7 - 79.7) | 296 |
| 16 or 17 | 73.2 | (68.9 - 77.5) | 501 | 79.8 | (75.1 - 84.5) | 245 | 67.5 | (61.3 - 73.6) | 254 |
| 18 or older | 66.2 | (53.2 - 79.2) | 103 | - | - | 60 | - | - | 43 |
| Grade | | | | | | | | | |
| 9th | 76.6 | (70.2 - 83.0) | 344 | 76.4 | (67.9 - 84.9) | 112 | 76.8 | (69.9 - 83.8) | 232 |
| 10th | 71.6 | (66.9 - 76.2) | 318 | 83.6 | (74.5 - 92.6) | 148 | 61.0 | (52.6 - 69.5) | 170 |
| 11th | 70.4 | (63.7 - 77.1) | 233 | 74.3 | (61.8 - 86.8) | 114 | 67.7 | (59.6 - 75.8) | 116 |
| 12th | 73.4 | (64.3 - 82.6) | 158 | - | - | 84 | - | - | 72 |
| Race/Ethnicity | | | | | | | | | |
| Black | 66.8 | (58.5 - 75.1) | 224 | - | - | 97 | 63.1 | (51.6 - 74.6) | 125 |
| Hispanic/ Latino | - | - | 81 | - | - | 40 | - | - | 40 |
| White | 77.9 | (74.1 - 81.6) | 637 | 82.3 | (77.4 - 87.3) | 278 | 73.9 | (67.7 - 80.1) | 357 |
| All other races | - | - | 74 | - | - | 33 | - | - | 40 |
| Multiple races | - | - | 42 | - | - | 13 | - | - | 29 |

Note: There were 193 students who did not provide usable data for QN102.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN103: Percentage of students who watch TV three or more hours on an average weekend day

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 49.3 | (45.5 - 53.0) | 1,069 | 51.2 | (45.6 - 56.8) | 469 | 48.0 | (42.6 - 53.3) | 593 |
| Age | | | | | | | | | |
| 15 or younger | 53.6 | (46.7 - 60.5) | 460 | 55.8 | (45.4 - 66.1) | 159 | 52.2 | (44.1 - 60.3) | 297 |
| 16 or 17 | 46.5 | (42.7 - 50.3) | 505 | 48.0 | (42.2 - 53.7) | 249 | 45.5 | (39.7 - 51.4) | 254 |
| 18 or older | 46.7 | (32.4 - 60.9) | 103 | - | - | 61 | - | - | 42 |
| Grade | | | | | | | | | |
| 9th | 54.8 | (47.3 - 62.3) | 345 | 57.0 | (43.6 - 70.4) | 112 | 52.7 | (44.4 - 60.9) | 233 |
| 10th | 49.8 | (42.7 - 57.0) | 321 | 50.8 | (40.1 - 61.5) | 151 | 48.9 | (41.8 - 56.0) | 170 |
| 11th | 44.5 | (38.5 - 50.4) | 235 | 44.0 | (33.2 - 54.8) | 116 | 45.1 | (39.6 - 50.5) | 116 |
| 12th | 47.0 | (35.6 - 58.4) | 158 | - | - | 85 | - | - | 71 |
| Race/Ethnicity | | | | | | | | | |
| Black | 58.5 | (52.0 - 65.0) | 223 | - | - | 97 | 60.6 | (54.5 - 66.6) | 124 |
| Hispanic/ Latino | - | - | 82 | - | - | 41 | - | - | 40 |
| White | 43.1 | (39.2 - 47.0) | 642 | 46.2 | (40.4 - 52.1) | 283 | 40.4 | (34.5 - 46.3) | 357 |
| All other races | - | - | 74 | - | - | 33 | - | - | 40 |
| Multiple races | - | - | 43 | - | - | 13 | - | - | 30 |

Note: There were 187 students who did not provide usable data for QN103.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN104: Percentage of students who spend three or more hours per day playing video games or using a computer for something that is not school work on an average day

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 20.2 | (16.8 - 23.6) | 1,061 | 24.7 | (18.9 - 30.6) | 464 | 16.1 | (13.5 - 18.6) | 590 |
| Age | | | | | | | | | |
| 15 or younger | 21.8 | (16.5 - 27.1) | 455 | 23.0 | (13.1 - 32.9) | 157 | 20.8 | (17.3 - 24.2) | 294 |
| 16 or 17 | 20.1 | (16.0 - 24.2) | 502 | 26.6 | (21.4 - 31.9) | 246 | 14.0 | (9.5 - 18.5) | 254 |
| 18 or older | 16.2 | (6.4 - 26.0) | 103 | - | - | 61 | - | - | 42 |
| Grade | | | | | | | | | |
| 9th | 24.0 | (16.8 - 31.2) | 341 | 24.4 | (12.1 - 36.7) | 110 | 23.6 | (17.6 - 29.7) | 231 |
| 10th | 20.7 | (17.3 - 24.1) | 320 | 24.4 | (18.4 - 30.4) | 151 | 17.4 | (12.6 - 22.3) | 169 |
| 11th | 16.2 | (10.6 - 21.8) | 233 | 24.8 | (19.0 - 30.5) | 114 | 7.8 | (2.4 - 13.2) | 116 |
| 12th | 18.0 | (10.1 - 25.8) | 157 | - | - | 84 | - | - | 71 |
| Race/Ethnicity | | | | | | | | | |
| Black | 17.8 | (13.7 - 21.9) | 222 | - | - | 96 | 16.2 | (12.4 - 20.1) | 124 |
| Hispanic/ Latino | - | - | 81 | - | - | 41 | - | - | 39 |
| White | 21.7 | (17.5 - 26.0) | 637 | 27.2 | (19.9 - 34.4) | 279 | 16.3 | (12.0 - 20.6) | 356 |
| All other races | - | - | 74 | - | - | 33 | - | - | 40 |
| Multiple races | - | - | 42 | - | - | 13 | - | - | 29 |

Note: There were 195 students who did not provide usable data for QN104.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN105: Percentage of students who never or rarely wear sunscreen with an SPF of 15 or higher when they are outside for more than one hour on a sunny day

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 80.1 | (76.0 - 84.2) | 1,051 | 82.7 | (79.2 - 86.2) | 454 | 78.1 | (71.4 - 84.8) | 590 |
| Age | | | | | | | | | |
| 15 or younger | 80.0 | (74.4 - 85.6) | 453 | 80.8 | (75.5 - 86.1) | 154 | 79.8 | (70.5 - 89.0) | 295 |
| 16 or 17 | 82.5 | (76.4 - 88.6) | 495 | 85.0 | (80.5 - 89.5) | 241 | 80.5 | (70.3 - 90.7) | 252 |
| 18 or older | 71.7 | (60.2 - 83.2) | 102 | - | - | 59 | - | - | 43 |
| Grade | | | | | | | | | |
| 9th | 78.1 | (73.9 - 82.4) | 338 | 78.4 | (73.3 - 83.5) | 106 | 77.8 | (69.1 - 86.6) | 232 |
| 10th | 84.4 | (79.6 - 89.1) | 317 | 85.2 | (79.4 - 90.9) | 150 | 83.6 | (76.1 - 91.1) | 167 |
| 11th | 81.6 | (69.2 - 93.9) | 231 | 86.2 | (79.5 - 92.9) | 112 | 78.0 | (59.3 - 96.6) | 116 |
| 12th | 75.5 | (67.5 - 83.6) | 156 | - | - | 82 | - | - | 72 |
| Race/Ethnicity | | | | | | | | | |
| Black | 85.3 | (81.1 - 89.5) | 222 | - | - | 97 | 85.6 | (79.5 - 91.8) | 123 |
| Hispanic/ Latino | - | - | 80 | - | - | 40 | - | - | 39 |
| White | 76.7 | (71.0 - 82.4) | 630 | 80.0 | (75.2 - 84.9) | 271 | 74.0 | (65.2 - 82.8) | 357 |
| All other races | - | - | 73 | - | - | 33 | - | - | 39 |
| Multiple races | - | - | 42 | - | - | 12 | - | - | 30 |

Note: There were 205 students who did not provide usable data for QN105.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN106: Percentage of students who never or rarely do one or more of the following to protect themselves from the sun when they are outside for more than one hour on a sunny day: stay in the shade, wear long pants, wear a long-sleeved shirt, or wear a hat that shades their face, ears, and neck

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 65.2 | (60.0 - 70.5) | 1,063 | 65.9 | (62.1 - 69.8) | 464 | 64.6 | (56.7 - 72.5) | 593 |
| Age | | | | | | | | | |
| 15 or younger | 68.4 | (61.3 - 75.5) | 457 | 66.6 | (57.2 - 76.1) | 157 | 70.1 | (62.1 - 78.1) | 297 |
| 16 or 17 | 65.3 | (58.1 - 72.5) | 501 | 65.7 | (59.2 - 72.1) | 246 | 65.1 | (55.8 - 74.3) | 253 |
| 18 or older | 55.1 | (41.5 - 68.7) | 104 | - | - | 61 | - | - | 43 |
| Grade | | | | | | | | | |
| 9th | 68.3 | (63.8 - 72.7) | 344 | 64.7 | (58.3 - 71.2) | 110 | 71.7 | (64.8 - 78.6) | 234 |
| 10th | 63.5 | (55.2 - 71.8) | 319 | 66.2 | (55.3 - 77.1) | 150 | 61.1 | (54.9 - 67.3) | 169 |
| 11th | 68.4 | (62.9 - 74.0) | 231 | 69.3 | (61.0 - 77.5) | 114 | 68.8 | (59.6 - 78.0) | 115 |
| 12th | 58.3 | (46.7 - 69.9) | 159 | - | - | 85 | - | - | 72 |
| Race/Ethnicity | | | | | | | | | |
| Black | 52.9 | (41.6 - 64.2) | 222 | - | - | 96 | 46.5 | (32.0 - 61.1) | 124 |
| Hispanic/ Latino | - | - | 81 | - | - | 40 | - | - | 40 |
| White | 73.4 | (70.4 - 76.3) | 638 | 70.3 | (66.5 - 74.2) | 280 | 76.4 | (72.3 - 80.6) | 357 |
| All other races | - | - | 74 | - | - | 33 | - | - | 40 |
| Multiple races | - | - | 43 | - | - | 13 | - | - | 30 |

Note: There were 193 students who did not provide usable data for QN106.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN107: Percentage of students who get approximately seven or more hours of sleep on an average school night

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 58.9 | (55.6 - 62.3) | 1,064 | 59.4 | (53.6 - 65.3) | 465 | 58.8 | (55.3 - 62.3) | 592 |
| Age | | | | | | | | | |
| 15 or younger | 67.0 | (60.8 - 73.1) | 458 | 63.6 | (51.7 - 75.5) | 158 | 70.3 | (64.6 - 76.0) | 296 |
| 16 or 17 | 52.5 | (49.2 - 55.8) | 501 | 57.2 | (51.0 - 63.4) | 246 | 48.3 | (45.5 - 51.1) | 253 |
| 18 or older | 58.5 | (54.1 - 62.9) | 104 | - | - | 61 | - | - | 43 |
| Grade | | | | | | | | | |
| 9th | 66.6 | (58.5 - 74.7) | 343 | 61.1 | (48.0 - 74.1) | 111 | 72.2 | (66.5 - 77.8) | 232 |
| 10th | 61.6 | (57.6 - 65.5) | 320 | 62.5 | (51.1 - 74.0) | 150 | 60.7 | (54.3 - 67.1) | 170 |
| 11th | 52.4 | (46.1 - 58.7) | 233 | 59.6 | (49.9 - 69.4) | 114 | 45.1 | (40.0 - 50.3) | 116 |
| 12th | 53.2 | (46.9 - 59.5) | 158 | - | - | 85 | - | - | 71 |
| Race/Ethnicity | | | | | | | | | |
| Black | 49.5 | (41.4 - 57.6) | 224 | - | - | 97 | 54.7 | (45.7 - 63.7) | 125 |
| Hispanic/ Latino | - | - | 81 | - | - | 41 | - | - | 39 |
| White | 63.6 | (60.1 - 67.0) | 639 | 67.1 | (60.2 - 74.0) | 280 | 60.1 | (55.6 - 64.6) | 357 |
| All other races | - | - | 73 | - | - | 33 | - | - | 39 |
| Multiple races | - | - | 42 | - | - | 12 | - | - | 30 |

Note: There were 192 students who did not provide usable data for QN107.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN108: Percentage of students who consider themselves to have a disability

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 14.9 | (12.2 - 17.7) | 1,047 | 16.3 | (12.0 - 20.6) | 456 | 13.4 | (10.2 - 16.6) | 585 |
| Age | | | | | | | | | |
| 15 or younger | 16.8 | (12.1 - 21.6) | 450 | 20.6 | (12.5 - 28.6) | 157 | 13.2 | (9.0 - 17.3) | 290 |
| 16 or 17 | 12.3 | (9.7 - 14.8) | 497 | 12.0 | (9.3 - 14.8) | 243 | 12.2 | (8.1 - 16.2) | 252 |
| 18 or older | - | - | 99 | - | - | 56 | - | - | 43 |
| Grade | | | | | | | | | |
| 9th | 17.1 | (12.4 - 21.8) | 338 | 21.6 | (11.8 - 31.5) | 111 | 12.5 | (7.5 - 17.5) | 227 |
| 10th | 13.0 | (7.3 - 18.8) | 312 | 13.2 | (5.9 - 20.6) | 144 | 12.8 | (5.7 - 19.9) | 168 |
| 11th | 17.0 | (12.5 - 21.6) | 233 | 17.9 | (11.9 - 23.9) | 115 | 15.8 | (10.2 - 21.5) | 116 |
| 12th | 9.6 | (4.6 - 14.6) | 154 | - | - | 81 | - | - | 71 |
| Race/Ethnicity | | | | | | | | | |
| Black | 15.4 | (11.5 - 19.2) | 218 | - | - | 93 | 10.1 | (6.4 - 13.7) | 123 |
| Hispanic/ Latino | - | - | 80 | - | - | 41 | - | - | 38 |
| White | 14.0 | (10.5 - 17.4) | 628 | 13.4 | (8.1 - 18.8) | 275 | 14.5 | (10.6 - 18.5) | 352 |
| All other races | - | - | 73 | - | - | 32 | - | - | 40 |
| Multiple races | - | - | 43 | - | - | 13 | - | - | 30 |

Note: There were 209 students who did not provide usable data for QN108.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN109: Percentage of students who are limited in some way in some activities because of some impairment or health problem

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 13.1 | (10.8 - 15.5) | 1,051 | 10.8 | (7.5 - 14.2) | 452 | 15.0 | (12.8 - 17.2) | 592 |
| Age | | | | | | | | | |
| 15 or younger | 13.1 | (10.1 - 16.2) | 452 | 11.8 | (6.3 - 17.3) | 152 | 14.1 | (11.5 - 16.8) | 296 |
| 16 or 17 | 13.1 | (9.8 - 16.4) | 496 | 11.4 | (7.3 - 15.6) | 240 | 14.2 | (9.7 - 18.7) | 254 |
| 18 or older | 13.3 | (8.0 - 18.7) | 102 | - | - | 60 | - | - | 42 |
| Grade | | | | | | | | | |
| 9th | 10.3 | (6.9 - 13.8) | 339 | 7.3 | (2.3 - 12.2) | 106 | 13.2 | (9.7 - 16.7) | 233 |
| 10th | 15.3 | (8.7 - 21.9) | 314 | 17.7 | (8.1 - 27.3) | 145 | 13.2 | (8.9 - 17.4) | 169 |
| 11th | 15.3 | (11.6 - 19.0) | 232 | 13.3 | (9.1 - 17.5) | 113 | 16.7 | (9.8 - 23.7) | 116 |
| 12th | 11.4 | (5.4 - 17.3) | 156 | - | - | 83 | - | - | 71 |
| Race/Ethnicity | | | | | | | | | |
| Black | 14.8 | (9.9 - 19.7) | 219 | - | - | 93 | 15.8 | (11.4 - 20.3) | 124 |
| Hispanic/ Latino | - | - | 80 | - | - | 40 | - | - | 39 |
| White | 12.3 | (10.5 - 14.2) | 631 | 9.8 | (6.8 - 12.7) | 271 | 14.5 | (11.6 - 17.4) | 358 |
| All other races | - | - | 73 | - | - | 33 | - | - | 39 |
| Multiple races | - | - | 43 | - | - | 13 | - | - | 30 |

Note: There were 205 students who did not provide usable data for QN109.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN110: Percentage of students who have trouble learning, remembering, or concentrating because of some impairment or health problem

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 13.3 | (10.2 - 16.3) | 1,055 | 16.8 | (12.2 - 21.4) | 459 | 9.9 | (7.0 - 12.8) | 590 |
| Age | | | | | | | | | |
| 15 or younger | 13.8 | (9.0 - 18.5) | 454 | 17.6 | (9.7 - 25.6) | 155 | 9.9 | (6.1 - 13.7) | 296 |
| 16 or 17 | 11.9 | (9.1 - 14.7) | 498 | 15.3 | (12.2 - 18.3) | 244 | 9.0 | (5.4 - 12.6) | 252 |
| 18 or older | 16.8 | (5.2 - 28.4) | 102 | - | - | 60 | - | - | 42 |
| Grade | | | | | | | | | |
| 9th | 11.0 | (7.2 - 14.7) | 341 | 13.5 | (5.5 - 21.4) | 108 | 8.6 | (5.5 - 11.7) | 233 |
| 10th | 17.2 | (11.5 - 22.8) | 316 | 20.5 | (12.8 - 28.3) | 148 | 14.2 | (8.1 - 20.3) | 168 |
| 11th | 13.3 | (8.2 - 18.3) | 230 | 19.9 | (11.9 - 27.8) | 114 | 7.7 | (2.9 - 12.5) | 114 |
| 12th | 11.4 | (4.9 - 17.9) | 158 | - | - | 84 | - | - | 72 |
| Race/Ethnicity | | | | | | | | | |
| Black | 15.5 | (11.0 - 20.1) | 220 | - | - | 95 | 10.9 | (5.7 - 16.1) | 123 |
| Hispanic/ Latino | - | - | 80 | - | - | 40 | - | - | 39 |
| White | 12.2 | (9.1 - 15.4) | 633 | 16.4 | (12.0 - 20.8) | 276 | 8.5 | (5.1 - 11.9) | 356 |
| All other races | - | - | 74 | - | - | 33 | - | - | 40 |
| Multiple races | - | - | 43 | - | - | 13 | - | - | 30 |

Note: There were 201 students who did not provide usable data for QN110.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN111: Percentage of students who are alone without a parent or trusted adult for one or more hours on an average school day

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 58.7 | (54.6 - 62.8) | 1,063 | 62.3 | (55.9 - 68.8) | 466 | 55.8 | (50.9 - 60.7) | 590 |
| Age | | | | | | | | | |
| 15 or younger | 55.3 | (50.7 - 60.0) | 457 | 64.4 | (55.5 - 73.2) | 158 | 47.5 | (41.9 - 53.2) | 295 |
| 16 or 17 | 61.2 | (55.6 - 66.8) | 501 | 61.2 | (53.3 - 69.0) | 247 | 61.7 | (55.4 - 68.0) | 252 |
| 18 or older | 60.5 | (49.5 - 71.5) | 104 | - | - | 61 | - | - | 43 |
| Grade | | | | | | | | | |
| 9th | 55.6 | (50.3 - 61.0) | 343 | 64.6 | (52.9 - 76.4) | 111 | 46.8 | (39.3 - 54.3) | 232 |
| 10th | 59.4 | (52.4 - 66.4) | 318 | 63.8 | (57.2 - 70.4) | 149 | 55.5 | (44.6 - 66.5) | 169 |
| 11th | 54.9 | (47.7 - 62.0) | 233 | 52.0 | (43.6 - 60.5) | 116 | 57.3 | (47.7 - 66.8) | 114 |
| 12th | 67.4 | (58.5 - 76.3) | 159 | - | - | 85 | - | - | 72 |
| Race/Ethnicity | | | | | | | | | |
| Black | 59.1 | (52.3 - 65.8) | 222 | - | - | 96 | 54.4 | (46.3 - 62.5) | 124 |
| Hispanic/ Latino | - | - | 82 | - | - | 41 | - | - | 40 |
| White | 60.5 | (56.6 - 64.5) | 640 | 63.4 | (57.3 - 69.4) | 281 | 58.0 | (51.9 - 64.2) | 357 |
| All other races | - | - | 72 | - | - | 33 | - | - | 38 |
| Multiple races | - | - | 42 | - | - | 13 | - | - | 29 |

Note: There were 193 students who did not provide usable data for QN111.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN112: Percentage of students who participate in some extracurricular activities at school (such as sports, band, drama, clubs, S.O.S., etc.)

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 64.8 | (59.1 - 70.5) | 1,043 | 66.7 | (60.7 - 72.8) | 447 | 63.3 | (56.9 - 69.6) | 591 |
| Age | | | | | | | | | |
| 15 or younger | 66.6 | (59.9 - 73.3) | 453 | 68.1 | (60.0 - 76.3) | 153 | 65.7 | (58.5 - 72.9) | 297 |
| 16 or 17 | 65.2 | (57.7 - 72.6) | 489 | 68.6 | (61.9 - 75.3) | 236 | 62.5 | (53.4 - 71.5) | 252 |
| 18 or older | 57.5 | (44.1 - 71.0) | 100 | - | - | 58 | - | - | 42 |
| Grade | | | | | | | | | |
| 9th | 64.3 | (56.5 - 72.0) | 342 | 64.5 | (54.5 - 74.4) | 108 | 64.1 | (56.4 - 71.7) | 234 |
| 10th | 63.3 | (55.6 - 71.0) | 310 | 71.3 | (63.6 - 78.9) | 142 | 56.7 | (47.7 - 65.7) | 168 |
| 11th | 65.6 | (53.6 - 77.6) | 227 | 63.0 | (51.0 - 75.0) | 110 | 68.0 | (54.8 - 81.2) | 115 |
| 12th | 67.4 | (56.7 - 78.2) | 155 | - | - | 82 | - | - | 71 |
| Race/Ethnicity | | | | | | | | | |
| Black | 63.3 | (55.9 - 70.6) | 214 | - | - | 89 | 58.0 | (49.0 - 66.9) | 124 |
| Hispanic/ Latino | - | - | 79 | - | - | 38 | - | - | 40 |
| White | 67.1 | (58.9 - 75.3) | 630 | 67.5 | (60.0 - 75.1) | 272 | 66.9 | (56.6 - 77.1) | 357 |
| All other races | - | - | 72 | - | - | 33 | - | - | 38 |
| Multiple races | - | - | 43 | - | - | 13 | - | - | 30 |

Note: There were 213 students who did not provide usable data for QN112.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN113: Percentage of students who responded that the last time they saw a doctor or health care provider for a check-up or physical exam when they were not sick or injured was during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 62.5 | (58.8 - 66.2) | 1,061 | 60.0 | (55.7 - 64.3) | 462 | 65.5 | (61.2 - 69.8) | 593 |
| Age | | | | | | | | | |
| 15 or younger | 64.2 | (58.0 - 70.3) | 455 | 59.4 | (50.5 - 68.3) | 156 | 69.2 | (61.4 - 77.0) | 296 |
| 16 or 17 | 61.5 | (55.2 - 67.9) | 502 | 58.9 | (48.7 - 69.1) | 246 | 64.4 | (59.1 - 69.7) | 254 |
| 18 or older | 61.3 | (51.2 - 71.5) | 103 | - | - | 60 | - | - | 43 |
| Grade | | | | | | | | | |
| 9th | 62.1 | (54.4 - 69.9) | 341 | 58.5 | (47.8 - 69.3) | 109 | 65.6 | (57.1 - 74.1) | 232 |
| 10th | 62.8 | (57.6 - 68.0) | 318 | 54.9 | (45.7 - 64.1) | 148 | 69.7 | (62.2 - 77.3) | 170 |
| 11th | 58.1 | (50.3 - 65.9) | 235 | 59.8 | (48.4 - 71.3) | 116 | 57.8 | (50.5 - 65.0) | 116 |
| 12th | 68.2 | (61.0 - 75.5) | 157 | - | - | 84 | - | - | 72 |
| Race/Ethnicity | | | | | | | | | |
| Black | 62.7 | (55.7 - 69.7) | 223 | - | - | 96 | 66.7 | (59.3 - 74.0) | 125 |
| Hispanic/ Latino | - | - | 81 | - | - | 41 | - | - | 39 |
| White | 65.1 | (60.4 - 69.8) | 637 | 64.0 | (58.5 - 69.4) | 278 | 66.4 | (60.9 - 72.0) | 357 |
| All other races | - | - | 72 | - | - | 32 | - | - | 40 |
| Multiple races | - | - | 43 | - | - | 13 | - | - | 30 |

Note: There were 195 students who did not provide usable data for QN113.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN114: Percentage of students who responded that the last time they saw a dentist for a check-up, exam, teeth cleaning, or other dental work was during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 66.0 | (59.5 - 72.5) | 1,055 | 65.0 | (56.7 - 73.3) | 460 | 67.2 | (60.1 - 74.2) | 589 |
| Age | | | | | | | | | |
| 15 or younger | 70.1 | (63.3 - 77.0) | 456 | 68.1 | (55.8 - 80.3) | 157 | 72.3 | (65.1 - 79.5) | 295 |
| 16 or 17 | 62.9 | (53.3 - 72.5) | 496 | 61.3 | (51.1 - 71.6) | 243 | 64.4 | (55.3 - 73.5) | 251 |
| 18 or older | 64.8 | (58.8 - 70.8) | 103 | - | - | 60 | - | - | 43 |
| Grade | | | | | | | | | |
| 9th | 67.5 | (59.9 - 75.1) | 340 | 63.8 | (50.4 - 77.3) | 108 | 71.0 | (64.5 - 77.6) | 232 |
| 10th | 61.3 | (49.9 - 72.6) | 315 | 59.7 | (47.8 - 71.5) | 148 | 62.7 | (49.6 - 75.8) | 167 |
| 11th | 65.1 | (55.6 - 74.6) | 233 | 65.3 | (58.7 - 71.8) | 114 | 65.5 | (51.2 - 79.8) | 116 |
| 12th | 71.0 | (66.7 - 75.3) | 158 | - | - | 85 | - | - | 71 |
| Race/Ethnicity | | | | | | | | | |
| Black | 52.8 | (44.0 - 61.5) | 220 | - | - | 94 | 53.1 | (41.2 - 65.0) | 124 |
| Hispanic/ Latino | - | - | 80 | - | - | 40 | - | - | 39 |
| White | 76.0 | (70.7 - 81.3) | 636 | 74.5 | (67.5 - 81.5) | 279 | 77.5 | (72.0 - 82.9) | 355 |
| All other races | - | - | 72 | - | - | 32 | - | - | 39 |
| Multiple races | - | - | 43 | - | - | 13 | - | - | 30 |

Note: There were 201 students who did not provide usable data for QN114.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN115: Percentage of students who agree or strongly agree that they feel alone in their life

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 15.5 | (13.5 - 17.6) | 1,063 | 14.1 | (10.8 - 17.3) | 465 | 16.6 | (13.0 - 20.3) | 592 |
| Age | | | | | | | | | |
| 15 or younger | 16.5 | (12.5 - 20.5) | 457 | 13.4 | (7.9 - 19.0) | 157 | 19.3 | (14.0 - 24.6) | 296 |
| 16 or 17 | 15.9 | (13.0 - 18.7) | 502 | 13.6 | (8.8 - 18.4) | 247 | 17.2 | (13.1 - 21.4) | 253 |
| 18 or older | 11.5 | (3.2 - 19.9) | 104 | - | - | 61 | - | - | 43 |
| Grade | | | | | | | | | |
| 9th | 14.7 | (9.4 - 19.9) | 342 | 12.0 | (4.3 - 19.8) | 110 | 17.3 | (13.1 - 21.4) | 232 |
| 10th | 18.2 | (12.5 - 23.9) | 320 | 12.9 | (6.0 - 19.8) | 150 | 22.9 | (15.2 - 30.5) | 170 |
| 11th | 17.4 | (13.1 - 21.7) | 235 | 17.2 | (10.6 - 23.7) | 116 | 17.2 | (8.7 - 25.8) | 116 |
| 12th | 10.3 | (6.2 - 14.5) | 158 | - | - | 85 | - | - | 71 |
| Race/Ethnicity | | | | | | | | | |
| Black | 14.7 | (10.1 - 19.3) | 224 | - | - | 97 | 15.6 | (9.4 - 21.8) | 125 |
| Hispanic/ Latino | - | - | 81 | - | - | 41 | - | - | 39 |
| White | 15.9 | (13.3 - 18.5) | 638 | 13.3 | (9.1 - 17.6) | 280 | 18.0 | (13.8 - 22.3) | 356 |
| All other races | - | - | 74 | - | - | 33 | - | - | 40 |
| Multiple races | - | - | 43 | - | - | 13 | - | - | 30 |

Note: There were 193 students who did not provide usable data for QN115.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN116: Percentage of students who agree or strongly agree that they feel good about themselves

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 72.4 | (68.1 - 76.7) | 1,057 | 74.0 | (68.3 - 79.6) | 464 | 71.6 | (66.7 - 76.4) | 587 |
| Age | | | | | | | | | |
| 15 or younger | 72.4 | (66.9 - 77.9) | 457 | 76.7 | (70.0 - 83.4) | 158 | 69.9 | (63.7 - 76.1) | 295 |
| 16 or 17 | 71.8 | (67.0 - 76.7) | 497 | 71.9 | (63.1 - 80.7) | 245 | 71.9 | (64.7 - 79.2) | 250 |
| 18 or older | 74.4 | (63.6 - 85.3) | 103 | - | - | 61 | - | - | 42 |
| Grade | | | | | | | | | |
| 9th | 77.9 | (72.8 - 82.9) | 342 | 82.8 | (74.2 - 91.5) | 111 | 73.0 | (65.8 - 80.1) | 231 |
| 10th | 65.6 | (59.2 - 71.9) | 317 | 66.0 | (57.6 - 74.4) | 149 | 65.2 | (55.5 - 74.8) | 168 |
| 11th | 70.0 | (63.1 - 76.9) | 232 | 63.0 | (53.9 - 72.2) | 114 | 76.7 | (69.5 - 83.9) | 115 |
| 12th | 77.3 | (68.3 - 86.3) | 157 | - | - | 85 | - | - | 70 |
| Race/Ethnicity | | | | | | | | | |
| Black | 75.6 | (66.0 - 85.2) | 222 | - | - | 96 | 80.4 | (73.6 - 87.1) | 124 |
| Hispanic/ Latino | - | - | 81 | - | - | 41 | - | - | 39 |
| White | 70.8 | (66.9 - 74.7) | 635 | 74.9 | (70.3 - 79.5) | 279 | 67.1 | (59.6 - 74.5) | 354 |
| All other races | - | - | 73 | - | - | 33 | - | - | 39 |
| Multiple races | - | - | 42 | - | - | 13 | - | - | 29 |

Note: There were 199 students who did not provide usable data for QN116.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN117: Percentage of students who agree or strongly agree that harassment and bullying by other students is a problem at their school

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 32.8 | (30.4 - 35.2) | 1,059 | 30.4 | (26.4 - 34.4) | 462 | 35.3 | (32.3 - 38.3) | 592 |
| Age | | | | | | | | | |
| 15 or younger | 33.1 | (28.1 - 38.1) | 457 | 34.9 | (26.1 - 43.6) | 157 | 32.1 | (28.0 - 36.1) | 297 |
| 16 or 17 | 33.1 | (29.4 - 36.7) | 499 | 26.1 | (22.6 - 29.7) | 245 | 39.6 | (34.0 - 45.2) | 252 |
| 18 or older | 31.1 | (21.8 - 40.3) | 103 | - | - | 60 | - | - | 43 |
| Grade | | | | | | | | | |
| 9th | 33.9 | (29.9 - 37.9) | 342 | 34.4 | (25.9 - 42.9) | 110 | 33.4 | (30.1 - 36.7) | 232 |
| 10th | 31.9 | (26.7 - 37.2) | 318 | 25.9 | (16.8 - 35.1) | 148 | 37.2 | (28.9 - 45.5) | 170 |
| 11th | 35.0 | (29.3 - 40.7) | 233 | 31.1 | (24.5 - 37.7) | 115 | 38.8 | (30.0 - 47.6) | 116 |
| 12th | 30.0 | (23.1 - 36.9) | 157 | - | - | 84 | - | - | 71 |
| Race/Ethnicity | | | | | | | | | |
| Black | 32.0 | (24.9 - 39.1) | 223 | - | - | 96 | 34.1 | (27.6 - 40.6) | 125 |
| Hispanic/ Latino | - | - | 80 | - | - | 41 | - | - | 39 |
| White | 33.8 | (30.4 - 37.2) | 635 | 32.5 | (28.0 - 36.9) | 277 | 35.2 | (29.9 - 40.6) | 356 |
| All other races | - | - | 74 | - | - | 33 | - | - | 40 |
| Multiple races | - | - | 43 | - | - | 13 | - | - | 30 |

Note: There were 197 students who did not provide usable data for QN117.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN118: Percentage of students who agree or strongly agree that drugs are a problem at their school

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 52.1 | (47.3 - 56.8) | 1,059 | 50.1 | (45.7 - 54.4) | 461 | 54.2 | (47.7 - 60.7) | 592 |
| Age | | | | | | | | | |
| 15 or younger | 51.9 | (46.2 - 57.6) | 456 | 47.8 | (42.0 - 53.6) | 156 | 55.6 | (49.4 - 61.9) | 296 |
| 16 or 17 | 53.7 | (47.8 - 59.6) | 499 | 53.7 | (47.0 - 60.3) | 244 | 54.2 | (46.0 - 62.4) | 253 |
| 18 or older | 46.9 | (33.8 - 60.0) | 104 | - | - | 61 | - | - | 43 |
| Grade | | | | | | | | | |
| 9th | 47.3 | (40.9 - 53.8) | 340 | 40.6 | (34.4 - 46.9) | 108 | 53.7 | (44.5 - 62.9) | 232 |
| 10th | 54.3 | (45.1 - 63.6) | 318 | 52.2 | (43.4 - 61.0) | 148 | 56.3 | (45.4 - 67.1) | 170 |
| 11th | 60.9 | (52.2 - 69.7) | 234 | 60.8 | (51.0 - 70.5) | 115 | 61.6 | (48.3 - 75.0) | 116 |
| 12th | 47.6 | (35.2 - 59.9) | 158 | - | - | 85 | - | - | 71 |
| Race/Ethnicity | | | | | | | | | |
| Black | 42.3 | (33.8 - 50.8) | 222 | - | - | 95 | 44.9 | (32.9 - 56.9) | 125 |
| Hispanic/ Latino | - | - | 81 | - | - | 41 | - | - | 39 |
| White | 59.0 | (52.6 - 65.5) | 636 | 57.3 | (51.5 - 63.2) | 277 | 60.9 | (51.3 - 70.6) | 357 |
| All other races | - | - | 73 | - | - | 33 | - | - | 39 |
| Multiple races | - | - | 43 | - | - | 13 | - | - | 30 |

Note: There were 197 students who did not provide usable data for QN118.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 2) High School Survey
Summary Table - Weighted Data

QN119: Percentage of students who usually walk or ride their bike to school on three or more days per week

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 5.3 | (2.2 - 8.3) | 1,047 | 5.9 | (1.5 - 10.3) | 455 | 4.4 | (2.0 - 6.8) | 586 |
| Age | | | | | | | | | |
| 15 or younger | 5.2 | (1.9 - 8.6) | 449 | 7.1 | (0.5 - 13.7) | 154 | 3.4 | (0.6 - 6.2) | 291 |
| 16 or 17 | 5.9 | (2.1 - 9.7) | 495 | 5.6 | (1.3 - 10.0) | 241 | 5.8 | (1.5 - 10.1) | 252 |
| 18 or older | 2.9 | (0.0 - 7.5) | 103 | - | - | 60 | - | - | 43 |
| Grade | | | | | | | | | |
| 9th | 6.5 | (2.8 - 10.2) | 338 | 8.5 | (1.1 - 16.0) | 108 | 4.5 | (0.5 - 8.5) | 230 |
| 10th | 5.7 | (1.6 - 9.8) | 312 | 6.5 | (0.7 - 12.3) | 145 | 4.9 | (1.9 - 7.9) | 167 |
| 11th | 4.1 | (0.1 - 8.2) | 231 | 2.6 | (0.0 - 5.9) | 113 | 4.9 | (0.0 - 10.2) | 115 |
| 12th | 3.3 | (0.0 - 8.6) | 157 | - | - | 84 | - | - | 71 |
| Race/Ethnicity | | | | | | | | | |
| Black | 8.9 | (2.5 - 15.3) | 221 | - | - | 96 | 7.0 | (3.3 - 10.6) | 123 |
| Hispanic/ Latino | - | - | 81 | - | - | 41 | - | - | 39 |
| White | 2.9 | (1.2 - 4.6) | 626 | 3.1 | (0.7 - 5.5) | 271 | 2.5 | (0.4 - 4.5) | 353 |
| All other races | - | - | 72 | - | - | 32 | - | - | 39 |
| Multiple races | - | - | 43 | - | - | 13 | - | - | 30 |

Note: There were 209 students who did not provide usable data for QN119.

N = Number of unweighted observations.

- = Fewer than 100 cases.