

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN7: Percentage of students who described their general health as fair or poor

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 10.2 | (8.3 - 12.1) | 1,348 | 7.6 | (5.9 - 9.3) | 669 | 13.0 | (9.9 - 16.1) | 676 |
| Age | | | | | | | | | |
| 11 or younger | 12.2 | (5.5 - 18.9) | 110 | - | - | 38 | - | - | 71 |
| 12 | 7.7 | (4.0 - 11.3) | 339 | 4.7 | (1.7 - 7.6) | 157 | 10.9 | (5.0 - 16.8) | 182 |
| 13 | 9.4 | (6.7 - 12.1) | 459 | 9.4 | (5.0 - 13.9) | 221 | 9.4 | (6.2 - 12.7) | 237 |
| 14 or older | 12.8 | (9.2 - 16.4) | 439 | 7.8 | (3.7 - 11.9) | 253 | 19.4 | (14.7 - 24.2) | 185 |
| Grade | | | | | | | | | |
| 6th | 8.8 | (4.3 - 13.2) | 290 | 6.9 | (3.0 - 10.8) | 135 | 10.9 | (3.9 - 17.9) | 154 |
| 7th | 9.8 | (7.5 - 12.2) | 511 | 6.7 | (4.2 - 9.1) | 240 | 13.0 | (9.2 - 16.9) | 270 |
| 8th | 11.4 | (8.0 - 14.8) | 530 | 8.0 | (5.9 - 10.0) | 282 | 15.0 | (9.4 - 20.6) | 248 |
| Race/Ethnicity | | | | | | | | | |
| Black | 10.5 | (7.7 - 13.3) | 491 | 7.5 | (4.4 - 10.6) | 234 | 13.5 | (9.2 - 17.9) | 255 |
| Hispanic/ Latino | 13.4 | (5.8 - 21.1) | 114 | - | - | 50 | - | - | 64 |
| White | 9.7 | (6.1 - 13.2) | 606 | 7.1 | (3.6 - 10.7) | 322 | 12.7 | (7.8 - 17.6) | 284 |
| All other races | - | - | 66 | - | - | 31 | - | - | 34 |
| Multiple races | - | - | 69 | - | - | 32 | - | - | 37 |

Note: There were 25 students who did not provide usable data for QN7.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN8: Percentage of students who never or rarely wore a seat belt when riding in a car

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 9.5 | (7.2 - 11.9) | 1,369 | 11.7 | (8.6 - 14.9) | 685 | 7.0 | (4.6 - 9.3) | 681 |
| Age | | | | | | | | | |
| 11 or younger | 4.1 | (1.1 - 7.1) | 111 | - | - | 39 | - | - | 71 |
| 12 | 6.8 | (4.1 - 9.5) | 347 | 7.0 | (2.9 - 11.1) | 162 | 6.6 | (2.5 - 10.6) | 185 |
| 13 | 10.2 | (6.3 - 14.0) | 467 | 10.0 | (5.2 - 14.8) | 228 | 9.8 | (5.8 - 13.8) | 238 |
| 14 or older | 13.8 | (9.5 - 18.2) | 443 | 18.4 | (12.9 - 23.9) | 256 | 7.5 | (3.5 - 11.4) | 186 |
| Grade | | | | | | | | | |
| 6th | 5.7 | (3.1 - 8.3) | 300 | 8.6 | (2.6 - 14.6) | 143 | 2.5 | (0.0 - 5.3) | 156 |
| 7th | 8.8 | (6.0 - 11.6) | 518 | 9.7 | (5.1 - 14.2) | 246 | 7.4 | (5.0 - 9.8) | 271 |
| 8th | 13.8 | (8.8 - 18.8) | 535 | 16.8 | (11.6 - 22.0) | 285 | 10.7 | (5.5 - 15.9) | 250 |
| Race/Ethnicity | | | | | | | | | |
| Black | 11.0 | (7.3 - 14.7) | 495 | 14.1 | (9.1 - 19.1) | 238 | 7.7 | (4.0 - 11.3) | 255 |
| Hispanic/ Latino | 8.9 | (5.6 - 12.3) | 119 | - | - | 51 | - | - | 68 |
| White | 8.2 | (5.9 - 10.6) | 613 | 10.0 | (6.7 - 13.2) | 329 | 6.1 | (3.4 - 8.9) | 284 |
| All other races | - | - | 67 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 72 | - | - | 34 | - | - | 38 |

Note: There were 4 students who did not provide usable data for QN8.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN9: Among students who rode a bicycle, the percentage who never or rarely wore a bicycle helmet

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 80.3 | (76.2 - 84.3) | 1,142 | 79.6 | (73.7 - 85.5) | 608 | 81.0 | (75.5 - 86.5) | 532 |
| Age | | | | | | | | | |
| 11 or younger | - | - | 97 | - | - | 35 | - | - | 61 |
| 12 | 74.2 | (69.9 - 78.6) | 307 | 72.4 | (66.4 - 78.4) | 145 | 76.2 | (67.9 - 84.6) | 162 |
| 13 | 82.5 | (77.5 - 87.4) | 385 | 78.8 | (70.4 - 87.2) | 200 | 86.7 | (80.4 - 93.0) | 185 |
| 14 or older | 89.8 | (86.1 - 93.5) | 352 | 89.1 | (85.1 - 93.2) | 228 | 91.0 | (85.4 - 96.6) | 123 |
| Grade | | | | | | | | | |
| 6th | 71.5 | (62.5 - 80.6) | 267 | 72.7 | (63.2 - 82.2) | 128 | 69.9 | (55.8 - 84.0) | 138 |
| 7th | 79.9 | (76.5 - 83.4) | 436 | 78.2 | (71.2 - 85.1) | 217 | 82.0 | (74.5 - 89.5) | 219 |
| 8th | 90.0 | (85.9 - 94.1) | 426 | 88.0 | (83.2 - 92.8) | 253 | 92.7 | (88.6 - 96.8) | 173 |
| Race/Ethnicity | | | | | | | | | |
| Black | 90.4 | (88.0 - 92.8) | 412 | 90.1 | (86.1 - 94.1) | 212 | 90.6 | (87.2 - 94.0) | 199 |
| Hispanic/ Latino | - | - | 90 | - | - | 43 | - | - | 47 |
| White | 72.1 | (66.1 - 78.2) | 519 | 71.2 | (62.3 - 80.2) | 296 | 73.4 | (64.4 - 82.4) | 223 |
| All other races | - | - | 55 | - | - | 26 | - | - | 28 |
| Multiple races | - | - | 64 | - | - | 30 | - | - | 34 |

Note: There were 231 students who were excluded from this analysis or who did not provide usable data for QN9.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN11: Percentage of students who ever rode in a car driven by someone who had been drinking alcohol

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 32.0 | (28.4 - 35.7) | 1,362 | 32.0 | (26.9 - 37.1) | 683 | 31.9 | (27.8 - 35.9) | 676 |
| Age | | | | | | | | | |
| 11 or younger | 17.2 | (7.6 - 26.8) | 110 | - | - | 39 | - | - | 70 |
| 12 | 28.5 | (24.7 - 32.3) | 343 | 26.9 | (21.4 - 32.4) | 160 | 30.3 | (23.6 - 37.0) | 183 |
| 13 | 31.6 | (27.1 - 36.0) | 467 | 29.9 | (23.2 - 36.7) | 228 | 33.4 | (26.8 - 40.0) | 238 |
| 14 or older | 42.1 | (36.3 - 48.0) | 441 | 43.2 | (34.1 - 52.3) | 256 | 40.5 | (34.8 - 46.1) | 184 |
| Grade | | | | | | | | | |
| 6th | 26.3 | (21.1 - 31.5) | 297 | 26.4 | (20.3 - 32.6) | 142 | 25.3 | (18.0 - 32.7) | 154 |
| 7th | 29.9 | (24.9 - 34.9) | 516 | 29.9 | (20.9 - 39.0) | 245 | 30.0 | (23.6 - 36.4) | 270 |
| 8th | 39.0 | (33.2 - 44.9) | 532 | 38.2 | (30.3 - 46.0) | 284 | 40.0 | (35.0 - 45.0) | 248 |
| Race/Ethnicity | | | | | | | | | |
| Black | 38.5 | (34.0 - 43.0) | 493 | 39.3 | (31.8 - 46.8) | 237 | 37.4 | (32.6 - 42.3) | 254 |
| Hispanic/ Latino | 25.4 | (14.8 - 36.1) | 115 | - | - | 50 | - | - | 65 |
| White | 27.7 | (23.1 - 32.3) | 612 | 27.9 | (22.0 - 33.8) | 329 | 27.4 | (21.8 - 33.1) | 283 |
| All other races | - | - | 67 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 72 | - | - | 34 | - | - | 38 |

Note: There were 11 students who did not provide usable data for QN11.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN12: Percentage of students who ever carried a weapon, such as a gun, knife, or club

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 39.2 | (35.0 - 43.4) | 1,357 | 53.8 | (47.3 - 60.3) | 675 | 23.8 | (20.2 - 27.4) | 679 |
| Age | | | | | | | | | |
| 11 or younger | 27.6 | (18.2 - 36.9) | 111 | - | - | 39 | - | - | 71 |
| 12 | 39.3 | (33.5 - 45.1) | 345 | 53.4 | (45.3 - 61.5) | 160 | 24.0 | (13.9 - 34.0) | 185 |
| 13 | 36.8 | (31.4 - 42.1) | 460 | 52.0 | (44.7 - 59.2) | 222 | 21.7 | (15.2 - 28.3) | 237 |
| 14 or older | 46.5 | (42.5 - 50.6) | 440 | 58.5 | (52.0 - 65.0) | 254 | 30.7 | (25.8 - 35.5) | 185 |
| Grade | | | | | | | | | |
| 6th | 38.0 | (29.7 - 46.4) | 297 | 54.0 | (43.5 - 64.5) | 140 | 21.2 | (13.5 - 28.9) | 156 |
| 7th | 36.7 | (32.0 - 41.3) | 513 | 52.1 | (46.0 - 58.3) | 242 | 20.5 | (14.2 - 26.8) | 270 |
| 8th | 43.0 | (37.2 - 48.8) | 531 | 56.3 | (46.9 - 65.6) | 282 | 29.2 | (24.4 - 34.0) | 249 |
| Race/Ethnicity | | | | | | | | | |
| Black | 30.3 | (26.0 - 34.6) | 488 | 43.5 | (34.8 - 52.1) | 231 | 17.8 | (12.1 - 23.5) | 255 |
| Hispanic/ Latino | 37.8 | (27.2 - 48.4) | 119 | - | - | 51 | - | - | 68 |
| White | 46.2 | (39.7 - 52.7) | 608 | 60.5 | (51.4 - 69.7) | 326 | 29.0 | (23.4 - 34.6) | 282 |
| All other races | - | - | 67 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 72 | - | - | 34 | - | - | 38 |

Note: There were 16 students who did not provide usable data for QN12.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN13: Percentage of students who have ever been in a physical fight

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 60.6 | (55.4 - 65.9) | 1,347 | 71.0 | (65.1 - 76.8) | 670 | 49.7 | (42.5 - 56.9) | 675 |
| Age | | | | | | | | | |
| 11 or younger | 42.0 | (29.9 - 54.1) | 110 | - | - | 39 | - | - | 71 |
| 12 | 55.7 | (47.3 - 64.1) | 342 | 64.2 | (52.3 - 76.1) | 158 | 46.5 | (35.3 - 57.8) | 184 |
| 13 | 61.8 | (54.3 - 69.3) | 455 | 73.1 | (67.9 - 78.2) | 219 | 50.6 | (39.9 - 61.3) | 235 |
| 14 or older | 72.0 | (67.6 - 76.4) | 439 | 79.7 | (74.8 - 84.6) | 254 | 61.9 | (54.7 - 69.1) | 184 |
| Grade | | | | | | | | | |
| 6th | 56.4 | (49.5 - 63.3) | 292 | 66.4 | (53.0 - 79.8) | 137 | 45.8 | (35.0 - 56.5) | 155 |
| 7th | 57.0 | (50.3 - 63.6) | 509 | 69.2 | (62.3 - 76.2) | 238 | 44.5 | (35.5 - 53.5) | 270 |
| 8th | 67.9 | (61.2 - 74.5) | 530 | 76.9 | (70.3 - 83.5) | 283 | 58.4 | (49.6 - 67.2) | 247 |
| Race/Ethnicity | | | | | | | | | |
| Black | 72.1 | (66.7 - 77.4) | 484 | 78.0 | (70.9 - 85.2) | 233 | 66.1 | (58.3 - 73.9) | 250 |
| Hispanic/ Latino | 55.0 | (40.1 - 69.8) | 118 | - | - | 50 | - | - | 68 |
| White | 52.3 | (47.4 - 57.3) | 604 | 64.6 | (57.3 - 72.0) | 321 | 38.0 | (32.7 - 43.2) | 283 |
| All other races | - | - | 67 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 71 | - | - | 33 | - | - | 38 |

Note: There were 26 students who did not provide usable data for QN13.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN14: Percentage of students who were ever in a physical fight in which they were hurt and had to be treated by a doctor or nurse

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 7.2 | (6.0 - 8.4) | 1,358 | 8.9 | (6.9 - 10.9) | 677 | 5.3 | (4.0 - 6.5) | 679 |
| Age | | | | | | | | | |
| 11 or younger | 2.2 | (1.4 - 3.0) | 110 | - | - | 39 | - | - | 71 |
| 12 | 7.1 | (3.4 - 10.9) | 345 | 7.0 | (2.8 - 11.2) | 159 | 7.3 | (3.4 - 11.1) | 186 |
| 13 | 7.5 | (5.1 - 10.0) | 460 | 8.9 | (5.7 - 12.1) | 224 | 5.7 | (2.5 - 8.9) | 235 |
| 14 or older | 8.9 | (6.4 - 11.4) | 442 | 12.1 | (9.3 - 14.8) | 255 | 4.8 | (1.7 - 8.0) | 186 |
| Grade | | | | | | | | | |
| 6th | 6.2 | (3.1 - 9.4) | 294 | 7.4 | (3.5 - 11.3) | 139 | 5.0 | (1.7 - 8.2) | 155 |
| 7th | 8.2 | (6.1 - 10.2) | 514 | 11.5 | (7.4 - 15.6) | 243 | 4.3 | (1.9 - 6.7) | 270 |
| 8th | 7.0 | (4.4 - 9.6) | 533 | 8.0 | (4.5 - 11.6) | 283 | 5.9 | (2.7 - 9.1) | 250 |
| Race/Ethnicity | | | | | | | | | |
| Black | 7.3 | (5.4 - 9.2) | 493 | 7.6 | (5.3 - 9.9) | 236 | 6.7 | (4.0 - 9.3) | 256 |
| Hispanic/ Latino | 10.5 | (5.8 - 15.2) | 119 | - | - | 51 | - | - | 68 |
| White | 6.7 | (4.4 - 8.9) | 606 | 8.9 | (6.1 - 11.7) | 324 | 4.0 | (1.3 - 6.6) | 282 |
| All other races | - | - | 67 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 71 | - | - | 33 | - | - | 38 |

Note: There were 15 students who did not provide usable data for QN14.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN15: Percentage of students who ever seriously thought about killing themselves

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 18.9 | (15.7 - 22.0) | 1,353 | 11.2 | (7.9 - 14.5) | 671 | 26.4 | (21.5 - 31.4) | 679 |
| Age | | | | | | | | | |
| 11 or younger | 6.2 | (1.6 - 10.9) | 111 | - | - | 39 | - | - | 71 |
| 12 | 17.6 | (13.5 - 21.6) | 343 | 10.3 | (5.1 - 15.4) | 158 | 25.4 | (19.3 - 31.5) | 185 |
| 13 | 20.8 | (15.8 - 25.8) | 459 | 11.6 | (6.2 - 16.9) | 222 | 29.4 | (20.4 - 38.3) | 236 |
| 14 or older | 23.2 | (18.5 - 28.0) | 439 | 13.7 | (9.2 - 18.1) | 252 | 35.3 | (27.9 - 42.7) | 186 |
| Grade | | | | | | | | | |
| 6th | 12.5 | (9.5 - 15.4) | 297 | 7.6 | (3.4 - 11.9) | 141 | 16.8 | (10.5 - 23.0) | 155 |
| 7th | 20.7 | (15.1 - 26.2) | 515 | 13.7 | (8.4 - 18.9) | 241 | 27.4 | (18.6 - 36.1) | 273 |
| 8th | 23.0 | (18.3 - 27.8) | 525 | 11.7 | (7.1 - 16.3) | 277 | 34.6 | (28.6 - 40.6) | 248 |
| Race/Ethnicity | | | | | | | | | |
| Black | 19.8 | (15.2 - 24.4) | 489 | 13.3 | (7.6 - 19.0) | 232 | 25.0 | (17.6 - 32.5) | 255 |
| Hispanic/ Latino | 21.8 | (14.6 - 28.9) | 118 | - | - | 51 | - | - | 67 |
| White | 17.1 | (13.0 - 21.2) | 606 | 8.7 | (4.8 - 12.7) | 323 | 27.0 | (21.2 - 32.8) | 283 |
| All other races | - | - | 65 | - | - | 30 | - | - | 34 |
| Multiple races | - | - | 72 | - | - | 34 | - | - | 38 |

Note: There were 20 students who did not provide usable data for QN15.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN16: Percentage of students who ever made a plan about how they would kill themselves

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 11.8 | (9.7 - 13.8) | 1,364 | 7.9 | (5.5 - 10.3) | 679 | 15.6 | (12.7 - 18.5) | 683 |
| Age | | | | | | | | | |
| 11 or younger | 5.4 | (1.8 - 9.1) | 110 | - | - | 39 | - | - | 71 |
| 12 | 9.1 | (5.4 - 12.9) | 346 | 5.3 | (2.3 - 8.2) | 159 | 13.3 | (7.0 - 19.5) | 187 |
| 13 | 11.9 | (8.9 - 14.8) | 464 | 7.8 | (5.0 - 10.6) | 225 | 15.4 | (10.8 - 20.0) | 238 |
| 14 or older | 16.8 | (13.2 - 20.5) | 443 | 11.0 | (5.6 - 16.3) | 256 | 24.2 | (18.1 - 30.2) | 186 |
| Grade | | | | | | | | | |
| 6th | 7.5 | (4.3 - 10.7) | 298 | 5.3 | (0.9 - 9.7) | 142 | 9.9 | (4.2 - 15.6) | 156 |
| 7th | 12.1 | (8.9 - 15.4) | 516 | 10.5 | (7.4 - 13.7) | 242 | 13.2 | (8.3 - 18.2) | 273 |
| 8th | 14.6 | (11.2 - 18.1) | 533 | 6.9 | (2.1 - 11.6) | 283 | 22.7 | (19.0 - 26.5) | 250 |
| Race/Ethnicity | | | | | | | | | |
| Black | 13.6 | (11.0 - 16.2) | 494 | 10.8 | (6.8 - 14.9) | 236 | 15.8 | (11.7 - 20.0) | 257 |
| Hispanic/ Latino | 16.9 | (11.1 - 22.6) | 118 | - | - | 50 | - | - | 68 |
| White | 9.3 | (5.9 - 12.8) | 612 | 5.6 | (2.8 - 8.4) | 328 | 13.8 | (9.1 - 18.4) | 284 |
| All other races | - | - | 65 | - | - | 30 | - | - | 34 |
| Multiple races | - | - | 72 | - | - | 34 | - | - | 38 |

Note: There were 9 students who did not provide usable data for QN16.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN19: Percentage of students who smoked a whole cigarette for the first time before age 11 years

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 10.0 | (8.2 - 11.8) | 1,332 | 11.3 | (8.2 - 14.4) | 658 | 8.2 | (6.6 - 9.7) | 671 |
| Age | | | | | | | | | |
| 11 or younger | 6.4 | (2.0 - 10.8) | 107 | - | - | 37 | - | - | 69 |
| 12 | 9.9 | (6.1 - 13.7) | 338 | 10.9 | (5.1 - 16.8) | 156 | 8.8 | (4.6 - 12.9) | 182 |
| 13 | 10.0 | (7.2 - 12.7) | 454 | 10.7 | (6.8 - 14.6) | 220 | 8.7 | (5.7 - 11.7) | 233 |
| 14 or older | 11.7 | (8.6 - 14.8) | 432 | 14.5 | (10.0 - 19.0) | 245 | 7.8 | (4.3 - 11.3) | 186 |
| Grade | | | | | | | | | |
| 6th | 9.7 | (5.4 - 14.1) | 291 | 10.1 | (5.3 - 14.9) | 137 | 8.4 | (3.2 - 13.5) | 153 |
| 7th | 9.0 | (5.7 - 12.4) | 505 | 11.9 | (8.0 - 15.8) | 239 | 5.6 | (2.4 - 8.8) | 265 |
| 8th | 11.4 | (8.3 - 14.5) | 519 | 12.3 | (7.5 - 17.0) | 270 | 10.6 | (7.2 - 14.0) | 249 |
| Race/Ethnicity | | | | | | | | | |
| Black | 10.3 | (7.7 - 12.8) | 477 | 12.0 | (7.7 - 16.3) | 224 | 7.5 | (4.4 - 10.5) | 251 |
| Hispanic/ Latino | 6.1 | (3.5 - 8.7) | 117 | - | - | 50 | - | - | 67 |
| White | 9.9 | (6.7 - 13.1) | 602 | 10.4 | (6.4 - 14.4) | 322 | 9.4 | (5.8 - 12.9) | 280 |
| All other races | - | - | 65 | - | - | 30 | - | - | 34 |
| Multiple races | - | - | 68 | - | - | 31 | - | - | 37 |

Note: There were 41 students who did not provide usable data for QN19.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN20: Percentage of students who smoked cigarettes on one or more of the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 11.7 | (8.7 - 14.6) | 1,366 | 12.5 | (8.8 - 16.1) | 684 | 10.3 | (8.1 - 12.5) | 679 |
| Age | | | | | | | | | |
| 11 or younger | 6.2 | (1.6 - 10.8) | 109 | - | - | 38 | - | - | 70 |
| 12 | 7.3 | (3.0 - 11.5) | 347 | 7.2 | (1.9 - 12.4) | 161 | 7.4 | (3.1 - 11.7) | 186 |
| 13 | 9.8 | (6.1 - 13.4) | 465 | 11.4 | (7.3 - 15.4) | 228 | 7.7 | (4.3 - 11.1) | 236 |
| 14 or older | 20.3 | (16.5 - 24.2) | 444 | 20.5 | (15.7 - 25.2) | 257 | 20.2 | (14.5 - 25.9) | 186 |
| Grade | | | | | | | | | |
| 6th | 6.3 | (2.6 - 10.0) | 300 | 7.3 | (1.4 - 13.3) | 143 | 4.2 | (1.2 - 7.1) | 156 |
| 7th | 9.9 | (6.1 - 13.6) | 515 | 11.0 | (6.8 - 15.3) | 244 | 8.2 | (3.9 - 12.4) | 270 |
| 8th | 18.3 | (15.2 - 21.4) | 534 | 18.3 | (14.0 - 22.5) | 285 | 18.4 | (14.8 - 22.0) | 249 |
| Race/Ethnicity | | | | | | | | | |
| Black | 15.5 | (10.8 - 20.2) | 495 | 19.1 | (14.2 - 23.9) | 238 | 10.9 | (6.6 - 15.3) | 255 |
| Hispanic/ Latino | 9.2 | (0.5 - 17.9) | 119 | - | - | 51 | - | - | 68 |
| White | 8.7 | (5.6 - 11.9) | 613 | 7.9 | (3.8 - 12.1) | 330 | 9.7 | (6.5 - 12.9) | 283 |
| All other races | - | - | 65 | - | - | 30 | - | - | 34 |
| Multiple races | - | - | 71 | - | - | 34 | - | - | 37 |

Note: There were 7 students who did not provide usable data for QN20.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QNFRICIG: Percentage of students who smoked cigarettes on 20 or more of the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 1.9 | (1.2 - 2.5) | 1,366 | 2.4 | (1.2 - 3.7) | 684 | 1.3 | (0.8 - 1.8) | 679 |
| Age | | | | | | | | | |
| 11 or younger | 1.2 | (0.0 - 3.6) | 109 | - | - | 38 | - | - | 70 |
| 12 | 1.0 | (0.0 - 2.1) | 347 | 1.0 | (0.0 - 2.9) | 161 | 1.0 | (0.0 - 2.0) | 186 |
| 13 | 1.2 | (0.3 - 2.2) | 465 | 1.9 | (0.0 - 3.7) | 228 | 0.6 | (0.0 - 1.4) | 236 |
| 14 or older | 3.8 | (2.4 - 5.1) | 444 | 5.0 | (3.0 - 7.0) | 257 | 2.2 | (0.9 - 3.4) | 186 |
| Grade | | | | | | | | | |
| 6th | 0.9 | (0.0 - 2.1) | 300 | 0.9 | (0.0 - 2.7) | 143 | 0.9 | (0.0 - 2.5) | 156 |
| 7th | 1.2 | (0.4 - 1.9) | 515 | 1.4 | (0.0 - 2.8) | 244 | 1.0 | (0.2 - 1.7) | 270 |
| 8th | 3.6 | (2.8 - 4.4) | 534 | 5.0 | (3.7 - 6.4) | 285 | 2.0 | (0.8 - 3.2) | 249 |
| Race/Ethnicity | | | | | | | | | |
| Black | 1.2 | (0.3 - 2.2) | 495 | 1.8 | (0.2 - 3.4) | 238 | 0.7 | (0.0 - 1.3) | 255 |
| Hispanic/ Latino | 1.9 | (0.0 - 3.7) | 119 | - | - | 51 | - | - | 68 |
| White | 2.4 | (1.2 - 3.6) | 613 | 2.9 | (1.0 - 4.8) | 330 | 1.7 | (0.5 - 3.0) | 283 |
| All other races | - | - | 65 | - | - | 30 | - | - | 34 |
| Multiple races | - | - | 71 | - | - | 34 | - | - | 37 |

Note: There were 7 students who did not provide usable data for QNFRICIG.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN26: Percentage of students who ever had a drink of alcohol, other than a few sips

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 37.2 | (33.3 - 41.1) | 1,265 | 38.9 | (33.3 - 44.5) | 618 | 35.3 | (31.6 - 39.0) | 646 |
| Age | | | | | | | | | |
| 11 or younger | 19.1 | (10.9 - 27.4) | 103 | - | - | 34 | - | - | 69 |
| 12 | 27.3 | (22.6 - 31.9) | 323 | 27.9 | (22.1 - 33.8) | 147 | 26.6 | (20.3 - 32.9) | 176 |
| 13 | 39.6 | (34.8 - 44.4) | 432 | 42.2 | (36.9 - 47.5) | 202 | 36.8 | (28.4 - 45.3) | 229 |
| 14 or older | 52.2 | (46.5 - 57.9) | 406 | 51.2 | (42.7 - 59.8) | 235 | 53.5 | (48.8 - 58.1) | 171 |
| Grade | | | | | | | | | |
| 6th | 24.0 | (18.4 - 29.7) | 276 | 27.7 | (19.7 - 35.7) | 129 | 20.2 | (12.0 - 28.3) | 147 |
| 7th | 37.5 | (31.5 - 43.5) | 484 | 41.0 | (34.7 - 47.4) | 220 | 33.8 | (24.9 - 42.6) | 263 |
| 8th | 49.2 | (43.8 - 54.7) | 490 | 46.9 | (40.7 - 53.2) | 258 | 51.6 | (44.6 - 58.5) | 232 |
| Race/Ethnicity | | | | | | | | | |
| Black | 39.5 | (33.3 - 45.6) | 448 | 44.1 | (37.0 - 51.3) | 208 | 35.0 | (27.3 - 42.7) | 239 |
| Hispanic/ Latino | 34.5 | (24.5 - 44.5) | 108 | - | - | 46 | - | - | 62 |
| White | 35.7 | (30.0 - 41.5) | 576 | 35.2 | (27.3 - 43.1) | 302 | 36.3 | (31.2 - 41.4) | 274 |
| All other races | - | - | 62 | - | - | 28 | - | - | 34 |
| Multiple races | - | - | 69 | - | - | 33 | - | - | 36 |

Note: There were 108 students who did not provide usable data for QN26.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN27: Percentage of students who had their first drink of alcohol other than a few sips before age 11 years

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 16.4 | (12.9 - 20.0) | 1,267 | 18.7 | (14.7 - 22.7) | 618 | 13.7 | (10.0 - 17.4) | 646 |
| Age | | | | | | | | | |
| 11 or younger | 18.5 | (9.4 - 27.6) | 102 | - | - | 34 | - | - | 67 |
| 12 | 17.4 | (11.1 - 23.7) | 320 | 19.8 | (11.3 - 28.4) | 144 | 14.9 | (8.8 - 21.0) | 176 |
| 13 | 16.8 | (11.0 - 22.6) | 435 | 19.6 | (14.8 - 24.4) | 203 | 13.7 | (6.4 - 21.0) | 231 |
| 14 or older | 14.3 | (10.1 - 18.4) | 409 | 16.8 | (11.2 - 22.5) | 237 | 11.0 | (6.6 - 15.3) | 171 |
| Grade | | | | | | | | | |
| 6th | 18.4 | (12.1 - 24.7) | 277 | 20.1 | (11.5 - 28.7) | 130 | 15.7 | (8.5 - 22.9) | 146 |
| 7th | 17.1 | (12.8 - 21.5) | 482 | 20.3 | (15.7 - 24.8) | 218 | 13.8 | (8.6 - 19.0) | 263 |
| 8th | 14.1 | (9.8 - 18.5) | 492 | 16.4 | (11.1 - 21.6) | 259 | 11.9 | (7.0 - 16.7) | 233 |
| Race/Ethnicity | | | | | | | | | |
| Black | 20.1 | (14.8 - 25.5) | 454 | 22.7 | (14.7 - 30.7) | 212 | 16.8 | (11.3 - 22.2) | 240 |
| Hispanic/ Latino | 13.6 | (5.9 - 21.3) | 107 | - | - | 45 | - | - | 62 |
| White | 13.8 | (10.3 - 17.3) | 574 | 16.0 | (10.9 - 21.0) | 299 | 11.4 | (8.9 - 13.9) | 275 |
| All other races | - | - | 62 | - | - | 28 | - | - | 33 |
| Multiple races | - | - | 68 | - | - | 33 | - | - | 35 |

Note: There were 106 students who did not provide usable data for QN27.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN28: Percentage of students who ever used marijuana

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 12.7 | (10.0 - 15.4) | 1,297 | 14.1 | (10.1 - 18.1) | 640 | 11.2 | (8.9 - 13.5) | 657 |
| Age | | | | | | | | | |
| 11 or younger | 0.9 | (0.0 - 2.6) | 104 | - | - | 36 | - | - | 68 |
| 12 | 5.0 | (2.2 - 7.7) | 335 | 5.7 | (1.9 - 9.5) | 155 | 4.1 | (1.2 - 6.9) | 180 |
| 13 | 13.3 | (8.2 - 18.4) | 437 | 14.1 | (6.8 - 21.4) | 207 | 12.6 | (7.8 - 17.3) | 230 |
| 14 or older | 24.8 | (18.9 - 30.7) | 420 | 25.8 | (19.0 - 32.6) | 242 | 23.5 | (15.1 - 31.9) | 178 |
| Grade | | | | | | | | | |
| 6th | 4.3 | (1.5 - 7.0) | 283 | 4.6 | (1.2 - 8.0) | 133 | 3.9 | (0.4 - 7.4) | 150 |
| 7th | 11.5 | (6.6 - 16.5) | 498 | 13.9 | (6.7 - 21.2) | 232 | 9.2 | (5.2 - 13.1) | 266 |
| 8th | 22.1 | (16.6 - 27.6) | 501 | 23.9 | (17.4 - 30.4) | 264 | 20.3 | (13.6 - 27.0) | 237 |
| Race/Ethnicity | | | | | | | | | |
| Black | 16.1 | (11.6 - 20.6) | 457 | 20.0 | (14.8 - 25.2) | 214 | 12.5 | (7.6 - 17.4) | 243 |
| Hispanic/ Latino | 11.4 | (5.0 - 17.8) | 113 | - | - | 47 | - | - | 66 |
| White | 9.7 | (6.7 - 12.8) | 596 | 9.7 | (4.7 - 14.7) | 319 | 9.8 | (6.9 - 12.7) | 277 |
| All other races | - | - | 59 | - | - | 27 | - | - | 32 |
| Multiple races | - | - | 69 | - | - | 32 | - | - | 37 |

Note: There were 76 students who did not provide usable data for QN28.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN29: Percentage of students who tried marijuana for the first time before age 11 years

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 3.9 | (2.6 - 5.3) | 1,327 | 5.1 | (2.7 - 7.4) | 658 | 2.8 | (1.8 - 3.8) | 667 |
| Age | | | | | | | | | |
| 11 or younger | 1.0 | (0.0 - 2.7) | 106 | - | - | 37 | - | - | 68 |
| 12 | 3.7 | (1.3 - 6.0) | 342 | 4.9 | (0.9 - 8.9) | 159 | 2.4 | (0.2 - 4.5) | 183 |
| 13 | 4.5 | (2.4 - 6.6) | 449 | 5.3 | (3.0 - 7.7) | 217 | 3.7 | (1.6 - 5.8) | 232 |
| 14 or older | 4.8 | (2.9 - 6.7) | 429 | 5.8 | (2.5 - 9.2) | 245 | 3.5 | (1.4 - 5.7) | 183 |
| Grade | | | | | | | | | |
| 6th | 2.6 | (0.4 - 4.7) | 290 | 4.1 | (0.4 - 7.9) | 138 | 0.9 | (0.0 - 2.5) | 151 |
| 7th | 3.9 | (1.6 - 6.2) | 506 | 5.0 | (2.2 - 7.7) | 238 | 2.8 | (0.3 - 5.3) | 268 |
| 8th | 5.4 | (3.1 - 7.7) | 515 | 6.2 | (2.9 - 9.5) | 271 | 4.5 | (1.6 - 7.5) | 244 |
| Race/Ethnicity | | | | | | | | | |
| Black | 4.7 | (3.1 - 6.4) | 473 | 5.9 | (3.3 - 8.4) | 221 | 3.7 | (1.7 - 5.8) | 251 |
| Hispanic/ Latino | 5.8 | (2.1 - 9.4) | 113 | - | - | 47 | - | - | 66 |
| White | 2.9 | (1.6 - 4.2) | 604 | 3.6 | (1.6 - 5.6) | 326 | 2.0 | (0.8 - 3.2) | 278 |
| All other races | - | - | 64 | - | - | 30 | - | - | 33 |
| Multiple races | - | - | 70 | - | - | 33 | - | - | 37 |

Note: There were 46 students who did not provide usable data for QN29.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN30: Percentage of students who ever used any form of cocaine, including powder, crack, or freebase

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 4.4 | (3.4 - 5.4) | 1,356 | 4.3 | (2.7 - 5.9) | 678 | 4.5 | (2.9 - 6.1) | 677 |
| Age | | | | | | | | | |
| 11 or younger | 0.9 | (0.0 - 2.7) | 111 | - | - | 39 | - | - | 71 |
| 12 | 4.1 | (2.2 - 5.9) | 343 | 3.2 | (0.4 - 6.0) | 159 | 4.9 | (1.7 - 8.2) | 184 |
| 13 | 5.9 | (3.7 - 8.1) | 461 | 6.5 | (2.7 - 10.3) | 225 | 5.3 | (3.0 - 7.6) | 236 |
| 14 or older | 4.5 | (2.3 - 6.7) | 440 | 3.9 | (1.3 - 6.4) | 255 | 5.4 | (1.7 - 9.1) | 185 |
| Grade | | | | | | | | | |
| 6th | 3.9 | (1.5 - 6.2) | 297 | 2.8 | (0.3 - 5.3) | 141 | 5.1 | (0.7 - 9.4) | 155 |
| 7th | 5.1 | (2.8 - 7.3) | 513 | 6.3 | (2.3 - 10.3) | 243 | 3.8 | (1.7 - 5.8) | 270 |
| 8th | 4.3 | (1.9 - 6.8) | 530 | 3.9 | (0.8 - 7.1) | 282 | 4.8 | (1.8 - 7.7) | 248 |
| Race/Ethnicity | | | | | | | | | |
| Black | 3.6 | (2.3 - 4.8) | 490 | 5.3 | (3.5 - 7.0) | 234 | 1.9 | (0.5 - 3.3) | 255 |
| Hispanic/ Latino | 5.3 | (0.7 - 10.0) | 116 | - | - | 50 | - | - | 66 |
| White | 4.5 | (2.4 - 6.6) | 609 | 3.6 | (0.9 - 6.3) | 327 | 5.6 | (2.8 - 8.4) | 282 |
| All other races | - | - | 66 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 72 | - | - | 34 | - | - | 38 |

Note: There were 17 students who did not provide usable data for QN30.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN31: Percentage of students who ever sniffed glue, breathed the contents of spray cans, or inhaled any paints or sprays to get high

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 14.7 | (11.6 - 17.8) | 1,363 | 13.6 | (9.3 - 18.0) | 682 | 15.6 | (11.8 - 19.4) | 680 |
| Age | | | | | | | | | |
| 11 or younger | 11.0 | (2.2 - 19.8) | 111 | - | - | 39 | - | - | 71 |
| 12 | 15.8 | (10.0 - 21.7) | 345 | 15.3 | (4.5 - 26.1) | 160 | 16.4 | (10.6 - 22.2) | 185 |
| 13 | 16.2 | (11.7 - 20.6) | 465 | 14.9 | (11.4 - 18.4) | 227 | 17.4 | (8.5 - 26.4) | 238 |
| 14 or older | 13.5 | (9.9 - 17.1) | 441 | 13.0 | (8.8 - 17.1) | 256 | 14.2 | (8.1 - 20.4) | 185 |
| Grade | | | | | | | | | |
| 6th | 15.6 | (9.3 - 21.9) | 298 | 13.6 | (3.2 - 24.1) | 142 | 16.8 | (10.9 - 22.7) | 155 |
| 7th | 14.3 | (10.0 - 18.6) | 516 | 14.1 | (10.1 - 18.0) | 244 | 14.5 | (8.3 - 20.7) | 272 |
| 8th | 14.1 | (9.0 - 19.1) | 533 | 12.8 | (7.8 - 17.7) | 284 | 15.4 | (8.5 - 22.3) | 249 |
| Race/Ethnicity | | | | | | | | | |
| Black | 12.6 | (8.4 - 16.8) | 495 | 13.5 | (7.9 - 19.0) | 237 | 11.0 | (5.5 - 16.6) | 257 |
| Hispanic/ Latino | 17.7 | (8.9 - 26.4) | 116 | - | - | 51 | - | - | 65 |
| White | 15.3 | (11.5 - 19.2) | 611 | 13.2 | (7.5 - 18.9) | 327 | 17.9 | (12.7 - 23.0) | 284 |
| All other races | - | - | 66 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 72 | - | - | 34 | - | - | 38 |

Note: There were 10 students who did not provide usable data for QN31.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN32: Percentage of students who ever used steroids

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 3.5 | (2.3 - 4.7) | 1,355 | 4.3 | (2.6 - 6.1) | 680 | 2.6 | (0.9 - 4.3) | 674 |
| Age | | | | | | | | | |
| 11 or younger | 5.3 | (0.7 - 9.9) | 111 | - | - | 39 | - | - | 71 |
| 12 | 2.4 | (0.5 - 4.4) | 342 | 1.6 | (0.0 - 4.1) | 160 | 3.4 | (0.5 - 6.3) | 182 |
| 13 | 2.8 | (1.0 - 4.7) | 459 | 3.9 | (1.4 - 6.3) | 224 | 1.8 | (0.0 - 4.0) | 235 |
| 14 or older | 4.5 | (2.7 - 6.4) | 442 | 6.4 | (2.9 - 9.9) | 257 | 2.0 | (0.0 - 4.0) | 185 |
| Grade | | | | | | | | | |
| 6th | 4.6 | (2.0 - 7.2) | 296 | 4.9 | (1.8 - 8.1) | 141 | 4.3 | (0.0 - 8.5) | 154 |
| 7th | 2.6 | (0.7 - 4.5) | 512 | 2.4 | (0.6 - 4.1) | 244 | 2.9 | (0.2 - 5.6) | 268 |
| 8th | 3.4 | (2.0 - 4.8) | 531 | 5.9 | (2.9 - 8.9) | 283 | 0.8 | (0.0 - 1.8) | 248 |
| Race/Ethnicity | | | | | | | | | |
| Black | 3.0 | (1.5 - 4.5) | 491 | 4.3 | (1.7 - 6.8) | 237 | 1.8 | (0.0 - 3.7) | 253 |
| Hispanic/ Latino | 1.7 | (0.0 - 3.7) | 115 | - | - | 49 | - | - | 66 |
| White | 4.1 | (2.1 - 6.0) | 609 | 4.6 | (1.9 - 7.3) | 327 | 3.5 | (0.8 - 6.2) | 282 |
| All other races | - | - | 66 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 71 | - | - | 34 | - | - | 37 |

Note: There were 18 students who did not provide usable data for QN32.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN33: Percentage of students who ever used a needle to inject any illegal drug into their body

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 3.4 | (2.4 - 4.5) | 1,359 | 3.3 | (1.7 - 4.8) | 682 | 3.6 | (2.1 - 5.1) | 677 |
| Age | | | | | | | | | |
| 11 or younger | 0.0 | (0.0 - 0.0) | 109 | - | - | 38 | - | - | 71 |
| 12 | 3.7 | (1.6 - 5.8) | 343 | 2.9 | (0.3 - 5.5) | 161 | 4.5 | (0.6 - 8.4) | 182 |
| 13 | 4.2 | (2.5 - 6.0) | 463 | 4.1 | (1.6 - 6.6) | 226 | 4.4 | (1.7 - 7.1) | 237 |
| 14 or older | 3.6 | (2.2 - 5.1) | 443 | 3.7 | (2.0 - 5.5) | 257 | 3.5 | (1.5 - 5.5) | 186 |
| Grade | | | | | | | | | |
| 6th | 2.3 | (0.0 - 4.8) | 297 | 1.5 | (0.0 - 4.3) | 142 | 3.3 | (0.0 - 7.7) | 155 |
| 7th | 4.2 | (1.5 - 6.8) | 512 | 3.5 | (0.5 - 6.5) | 243 | 4.8 | (1.4 - 8.2) | 269 |
| 8th | 3.8 | (2.3 - 5.3) | 534 | 4.9 | (2.5 - 7.3) | 285 | 2.7 | (1.5 - 3.9) | 249 |
| Race/Ethnicity | | | | | | | | | |
| Black | 5.5 | (3.2 - 7.9) | 491 | 4.9 | (2.1 - 7.7) | 237 | 6.2 | (2.6 - 9.7) | 254 |
| Hispanic/ Latino | 2.0 | (0.0 - 4.0) | 117 | - | - | 50 | - | - | 67 |
| White | 2.0 | (0.8 - 3.2) | 611 | 2.1 | (1.0 - 3.1) | 328 | 1.9 | (0.0 - 4.0) | 283 |
| All other races | - | - | 66 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 71 | - | - | 34 | - | - | 37 |

Note: There were 14 students who did not provide usable data for QN33.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QNROVWGT: Percentage of students who were at risk for becoming overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)*

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 17.7 | (15.7 - 19.7) | 1,099 | 16.7 | (13.4 - 20.1) | 567 | 18.8 | (14.3 - 23.2) | 532 |
| Age | | | | | | | | | |
| 11 or younger | - | - | 60 | - | - | 25 | - | - | 35 |
| 12 | 19.2 | (14.3 - 24.1) | 246 | 21.9 | (11.7 - 32.1) | 114 | 16.2 | (6.0 - 26.5) | 132 |
| 13 | 17.4 | (13.9 - 20.9) | 390 | 14.4 | (9.9 - 18.8) | 195 | 20.5 | (12.4 - 28.6) | 195 |
| 14 or older | 16.9 | (14.6 - 19.2) | 403 | 15.3 | (10.5 - 20.2) | 233 | 18.9 | (13.9 - 23.9) | 170 |
| Grade | | | | | | | | | |
| 6th | 16.9 | (12.9 - 20.8) | 187 | - | - | 92 | - | - | 95 |
| 7th | 18.5 | (15.1 - 21.9) | 417 | 17.1 | (12.4 - 21.8) | 204 | 20.0 | (12.3 - 27.7) | 213 |
| 8th | 17.9 | (15.7 - 20.2) | 485 | 15.9 | (11.8 - 19.9) | 264 | 20.2 | (15.3 - 25.0) | 221 |
| Race/Ethnicity | | | | | | | | | |
| Black | 20.6 | (16.7 - 24.5) | 399 | 15.6 | (10.9 - 20.3) | 189 | 25.3 | (19.4 - 31.1) | 210 |
| Hispanic/ Latino | - | - | 85 | - | - | 41 | - | - | 44 |
| White | 15.9 | (13.2 - 18.6) | 511 | 17.4 | (13.2 - 21.6) | 288 | 14.0 | (9.9 - 18.1) | 223 |
| All other races | - | - | 46 | - | - | 21 | - | - | 25 |
| Multiple races | - | - | 57 | - | - | 28 | - | - | 29 |

Note: There were 274 students who did not provide usable data for QNROVWGT.

N = Number of unweighted observations.

- = Fewer than 100 cases.

*Based on reference data from the National Health and Nutrition Examination Survey I.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QNOVWGT: Percentage of students who were overweight (i.e., at or above the 95th percentile for body mass index, by age and sex)*

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 17.4 | (15.1 - 19.7) | 1,099 | 18.3 | (14.0 - 22.6) | 567 | 16.4 | (14.0 - 18.9) | 532 |
| Age | | | | | | | | | |
| 11 or younger | - | - | 60 | - | - | 25 | - | - | 35 |
| 12 | 15.4 | (8.8 - 21.9) | 246 | 13.0 | (2.6 - 23.4) | 114 | 17.9 | (11.9 - 23.9) | 132 |
| 13 | 17.6 | (12.5 - 22.7) | 390 | 20.1 | (13.3 - 26.9) | 195 | 15.0 | (9.8 - 20.2) | 195 |
| 14 or older | 16.3 | (14.3 - 18.3) | 403 | 19.5 | (15.8 - 23.3) | 233 | 12.1 | (7.8 - 16.4) | 170 |
| Grade | | | | | | | | | |
| 6th | 19.4 | (15.1 - 23.6) | 187 | - | - | 92 | - | - | 95 |
| 7th | 15.9 | (10.5 - 21.2) | 417 | 15.9 | (8.4 - 23.4) | 204 | 15.8 | (10.7 - 21.0) | 213 |
| 8th | 17.0 | (15.4 - 18.7) | 485 | 21.1 | (17.7 - 24.5) | 264 | 12.6 | (8.7 - 16.5) | 221 |
| Race/Ethnicity | | | | | | | | | |
| Black | 21.8 | (18.1 - 25.5) | 399 | 24.3 | (17.4 - 31.2) | 189 | 19.4 | (16.5 - 22.4) | 210 |
| Hispanic/ Latino | - | - | 85 | - | - | 41 | - | - | 44 |
| White | 14.4 | (12.2 - 16.5) | 511 | 15.1 | (11.6 - 18.7) | 288 | 13.4 | (9.1 - 17.6) | 223 |
| All other races | - | - | 46 | - | - | 21 | - | - | 25 |
| Multiple races | - | - | 57 | - | - | 28 | - | - | 29 |

Note: There were 274 students who did not provide usable data for QNOVWGT.

N = Number of unweighted observations.

- = Fewer than 100 cases.

*Based on reference data from the National Health and Nutrition Examination Survey I.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN38: Percentage of students who described themselves as slightly or very overweight

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 24.7 | (21.9 - 27.4) | 1,356 | 21.2 | (17.6 - 24.9) | 682 | 28.4 | (25.4 - 31.4) | 671 |
| Age | | | | | | | | | |
| 11 or younger | 24.5 | (14.9 - 34.1) | 110 | - | - | 39 | - | - | 70 |
| 12 | 23.5 | (17.4 - 29.6) | 342 | 22.5 | (15.0 - 30.1) | 161 | 24.6 | (17.7 - 31.4) | 181 |
| 13 | 25.2 | (20.4 - 30.0) | 459 | 20.7 | (16.5 - 24.9) | 224 | 29.9 | (23.5 - 36.2) | 234 |
| 14 or older | 25.3 | (19.8 - 30.8) | 444 | 19.3 | (13.7 - 24.8) | 258 | 33.0 | (24.3 - 41.8) | 185 |
| Grade | | | | | | | | | |
| 6th | 22.2 | (18.0 - 26.3) | 293 | 21.2 | (15.2 - 27.2) | 141 | 23.5 | (17.1 - 29.8) | 151 |
| 7th | 25.0 | (18.9 - 31.0) | 514 | 20.3 | (14.1 - 26.5) | 244 | 30.0 | (23.1 - 36.8) | 269 |
| 8th | 27.0 | (21.8 - 32.1) | 532 | 22.5 | (16.7 - 28.2) | 285 | 31.7 | (25.4 - 37.9) | 247 |
| Race/Ethnicity | | | | | | | | | |
| Black | 23.5 | (18.9 - 28.1) | 491 | 18.2 | (12.4 - 23.9) | 237 | 29.0 | (23.9 - 34.0) | 252 |
| Hispanic/ Latino | 23.8 | (14.1 - 33.5) | 116 | - | - | 51 | - | - | 65 |
| White | 25.1 | (21.5 - 28.7) | 608 | 22.7 | (17.7 - 27.8) | 328 | 28.0 | (23.6 - 32.4) | 280 |
| All other races | - | - | 67 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 71 | - | - | 33 | - | - | 38 |

Note: There were 17 students who did not provide usable data for QN38.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN39: Percentage of students who were trying to lose weight

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 44.3 | (40.3 - 48.2) | 1,357 | 34.4 | (30.6 - 38.2) | 678 | 54.7 | (49.1 - 60.3) | 677 |
| Age | | | | | | | | | |
| 11 or younger | 39.4 | (27.6 - 51.2) | 111 | - | - | 39 | - | - | 71 |
| 12 | 43.8 | (37.9 - 49.7) | 345 | 34.5 | (24.9 - 44.2) | 161 | 54.1 | (46.2 - 62.0) | 184 |
| 13 | 45.9 | (40.8 - 50.9) | 462 | 37.5 | (30.1 - 44.8) | 224 | 54.4 | (47.4 - 61.4) | 237 |
| 14 or older | 44.9 | (38.1 - 51.8) | 438 | 33.5 | (26.6 - 40.4) | 254 | 60.0 | (51.0 - 69.0) | 184 |
| Grade | | | | | | | | | |
| 6th | 40.6 | (34.6 - 46.5) | 297 | 32.1 | (24.5 - 39.8) | 141 | 49.3 | (41.5 - 57.2) | 155 |
| 7th | 46.5 | (39.5 - 53.6) | 515 | 37.5 | (27.8 - 47.2) | 244 | 56.1 | (49.9 - 62.4) | 270 |
| 8th | 45.1 | (38.8 - 51.5) | 529 | 32.6 | (27.1 - 38.2) | 281 | 58.2 | (49.2 - 67.2) | 248 |
| Race/Ethnicity | | | | | | | | | |
| Black | 43.7 | (37.9 - 49.5) | 492 | 32.9 | (26.7 - 39.1) | 235 | 54.0 | (46.7 - 61.2) | 255 |
| Hispanic/ Latino | 50.9 | (42.5 - 59.4) | 114 | - | - | 49 | - | - | 65 |
| White | 43.9 | (38.8 - 49.0) | 612 | 34.2 | (28.6 - 39.7) | 329 | 55.6 | (47.7 - 63.5) | 283 |
| All other races | - | - | 66 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 70 | - | - | 32 | - | - | 38 |

Note: There were 16 students who did not provide usable data for QN39.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN40: Percentage of students who had ever exercised to lose weight or to keep from gaining weight

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 67.3 | (62.9 - 71.8) | 1,358 | 61.5 | (56.9 - 66.0) | 680 | 73.9 | (68.3 - 79.6) | 675 |
| Age | | | | | | | | | |
| 11 or younger | 56.2 | (42.6 - 69.7) | 111 | - | - | 39 | - | - | 71 |
| 12 | 66.5 | (59.2 - 73.7) | 345 | 58.7 | (48.6 - 68.8) | 161 | 74.9 | (65.7 - 84.2) | 184 |
| 13 | 70.2 | (64.0 - 76.5) | 458 | 65.0 | (57.6 - 72.3) | 224 | 76.0 | (68.2 - 83.7) | 233 |
| 14 or older | 69.6 | (64.5 - 74.7) | 443 | 66.7 | (61.6 - 71.7) | 256 | 73.4 | (65.8 - 81.0) | 186 |
| Grade | | | | | | | | | |
| 6th | 63.5 | (55.7 - 71.3) | 297 | 56.7 | (47.3 - 66.2) | 141 | 71.6 | (62.1 - 81.1) | 155 |
| 7th | 69.6 | (62.0 - 77.2) | 512 | 63.9 | (55.3 - 72.5) | 244 | 76.0 | (68.2 - 83.8) | 267 |
| 8th | 68.5 | (62.4 - 74.6) | 532 | 63.4 | (57.2 - 69.5) | 283 | 73.9 | (65.7 - 82.0) | 249 |
| Race/Ethnicity | | | | | | | | | |
| Black | 65.8 | (57.7 - 73.9) | 492 | 64.1 | (55.7 - 72.5) | 237 | 68.4 | (59.6 - 77.1) | 253 |
| Hispanic/ Latino | 67.4 | (60.6 - 74.2) | 116 | - | - | 50 | - | - | 66 |
| White | 68.5 | (64.5 - 72.5) | 610 | 59.4 | (53.0 - 65.8) | 328 | 79.5 | (75.6 - 83.4) | 282 |
| All other races | - | - | 66 | - | - | 31 | - | - | 34 |
| Multiple races | - | - | 71 | - | - | 33 | - | - | 38 |

Note: There were 15 students who did not provide usable data for QN40.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN41: Percentage of students who had ever eaten less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 43.1 | (39.2 - 47.0) | 1,357 | 33.6 | (29.9 - 37.3) | 681 | 53.3 | (47.6 - 59.0) | 674 |
| Age | | | | | | | | | |
| 11 or younger | 28.1 | (20.4 - 35.9) | 110 | - | - | 39 | - | - | 71 |
| 12 | 42.3 | (35.9 - 48.7) | 345 | 32.2 | (21.5 - 42.9) | 161 | 53.4 | (45.3 - 61.5) | 184 |
| 13 | 46.3 | (40.3 - 52.3) | 459 | 36.5 | (27.1 - 45.9) | 223 | 56.3 | (48.4 - 64.1) | 235 |
| 14 or older | 46.4 | (39.6 - 53.2) | 442 | 36.2 | (30.3 - 42.0) | 258 | 59.9 | (49.3 - 70.5) | 183 |
| Grade | | | | | | | | | |
| 6th | 37.1 | (30.4 - 43.7) | 296 | 30.3 | (20.9 - 39.7) | 141 | 44.5 | (35.7 - 53.2) | 155 |
| 7th | 45.5 | (38.6 - 52.5) | 512 | 37.1 | (27.8 - 46.4) | 243 | 54.6 | (45.1 - 64.1) | 268 |
| 8th | 46.6 | (39.6 - 53.6) | 532 | 33.1 | (26.7 - 39.6) | 285 | 60.8 | (52.7 - 68.9) | 247 |
| Race/Ethnicity | | | | | | | | | |
| Black | 39.4 | (33.3 - 45.4) | 489 | 32.2 | (26.6 - 37.7) | 237 | 46.7 | (40.4 - 52.9) | 251 |
| Hispanic/ Latino | 42.5 | (33.2 - 51.7) | 116 | - | - | 50 | - | - | 66 |
| White | 45.8 | (42.0 - 49.6) | 611 | 34.6 | (30.1 - 39.2) | 328 | 59.3 | (53.2 - 65.3) | 283 |
| All other races | - | - | 67 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 71 | - | - | 33 | - | - | 38 |

Note: There were 16 students who did not provide usable data for QN41.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN43: Percentage of students who had ever taken diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 5.4 | (4.5 - 6.3) | 1,348 | 4.1 | (2.6 - 5.6) | 674 | 6.7 | (5.2 - 8.2) | 672 |
| Age | | | | | | | | | |
| 11 or younger | 0.0 | (0.0 - 0.0) | 110 | - | - | 39 | - | - | 71 |
| 12 | 3.1 | (1.3 - 4.9) | 340 | 4.0 | (1.0 - 7.1) | 159 | 2.1 | (0.2 - 3.9) | 181 |
| 13 | 7.1 | (5.0 - 9.2) | 456 | 5.5 | (3.2 - 7.7) | 221 | 8.2 | (5.3 - 11.0) | 234 |
| 14 or older | 8.1 | (6.1 - 10.1) | 441 | 4.1 | (2.1 - 6.0) | 255 | 13.5 | (9.7 - 17.3) | 185 |
| Grade | | | | | | | | | |
| 6th | 2.2 | (0.2 - 4.2) | 293 | 3.2 | (0.0 - 6.7) | 140 | 1.0 | (0.0 - 2.6) | 153 |
| 7th | 3.9 | (2.1 - 5.6) | 510 | 3.9 | (1.7 - 6.0) | 241 | 3.4 | (1.2 - 5.5) | 268 |
| 8th | 10.2 | (7.7 - 12.6) | 528 | 5.3 | (3.5 - 7.2) | 281 | 15.3 | (11.5 - 19.0) | 247 |
| Race/Ethnicity | | | | | | | | | |
| Black | 5.6 | (4.0 - 7.1) | 488 | 4.1 | (1.6 - 6.5) | 235 | 6.7 | (3.8 - 9.5) | 252 |
| Hispanic/ Latino | 8.1 | (2.6 - 13.5) | 112 | - | - | 48 | - | - | 64 |
| White | 5.1 | (3.7 - 6.4) | 609 | 3.7 | (1.8 - 5.6) | 327 | 6.8 | (4.6 - 9.0) | 282 |
| All other races | - | - | 66 | - | - | 31 | - | - | 34 |
| Multiple races | - | - | 71 | - | - | 33 | - | - | 38 |

Note: There were 25 students who did not provide usable data for QN43.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN44: Percentage of students who had ever vomited or taken laxatives to lose weight or to keep from gaining weight

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 5.7 | (4.4 - 6.9) | 1,331 | 4.2 | (2.5 - 5.9) | 665 | 6.6 | (4.9 - 8.3) | 663 |
| Age | | | | | | | | | |
| 11 or younger | 6.0 | (1.1 - 10.9) | 108 | - | - | 38 | - | - | 69 |
| 12 | 2.5 | (0.8 - 4.2) | 335 | 1.0 | (0.0 - 2.2) | 156 | 4.2 | (1.0 - 7.4) | 179 |
| 13 | 5.3 | (3.3 - 7.3) | 455 | 3.9 | (1.7 - 6.1) | 220 | 6.1 | (2.6 - 9.5) | 234 |
| 14 or older | 9.2 | (6.8 - 11.5) | 432 | 7.2 | (3.9 - 10.5) | 251 | 11.4 | (8.0 - 14.7) | 180 |
| Grade | | | | | | | | | |
| 6th | 3.4 | (1.3 - 5.5) | 287 | 2.5 | (0.0 - 6.4) | 136 | 3.3 | (0.0 - 6.5) | 150 |
| 7th | 5.0 | (2.7 - 7.2) | 507 | 3.6 | (1.3 - 6.0) | 240 | 5.9 | (2.5 - 9.2) | 266 |
| 8th | 8.5 | (6.2 - 10.8) | 520 | 6.6 | (4.7 - 8.6) | 277 | 10.5 | (7.0 - 14.0) | 243 |
| Race/Ethnicity | | | | | | | | | |
| Black | 7.1 | (3.9 - 10.2) | 478 | 7.7 | (3.6 - 11.7) | 230 | 5.3 | (2.2 - 8.3) | 246 |
| Hispanic/ Latino | 4.2 | (0.9 - 7.5) | 115 | - | - | 50 | - | - | 65 |
| White | 4.3 | (2.4 - 6.1) | 606 | 1.8 | (0.5 - 3.1) | 324 | 7.1 | (4.1 - 10.2) | 282 |
| All other races | - | - | 64 | - | - | 30 | - | - | 33 |
| Multiple races | - | - | 66 | - | - | 31 | - | - | 35 |

Note: There were 42 students who did not provide usable data for QN44.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN46: Percentage of students who watched three or more hours per day of TV on an average school day

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 42.4 | (36.9 - 47.9) | 1,347 | 42.0 | (36.2 - 47.9) | 670 | 42.8 | (36.1 - 49.4) | 674 |
| Age | | | | | | | | | |
| 11 or younger | 33.2 | (24.2 - 42.2) | 106 | - | - | 37 | - | - | 68 |
| 12 | 37.4 | (29.6 - 45.1) | 340 | 30.8 | (23.3 - 38.3) | 156 | 44.3 | (33.4 - 55.2) | 184 |
| 13 | 43.9 | (36.5 - 51.4) | 460 | 42.9 | (33.3 - 52.5) | 223 | 44.6 | (36.0 - 53.2) | 236 |
| 14 or older | 49.5 | (41.2 - 57.7) | 440 | 49.5 | (40.2 - 58.8) | 254 | 49.2 | (38.9 - 59.5) | 185 |
| Grade | | | | | | | | | |
| 6th | 34.1 | (26.5 - 41.7) | 286 | 36.3 | (28.0 - 44.6) | 134 | 32.1 | (21.5 - 42.6) | 151 |
| 7th | 43.9 | (36.0 - 51.7) | 515 | 41.8 | (34.7 - 49.0) | 243 | 45.6 | (35.9 - 55.4) | 271 |
| 8th | 48.6 | (42.9 - 54.3) | 529 | 47.1 | (39.3 - 55.0) | 281 | 50.1 | (43.8 - 56.4) | 248 |
| Race/Ethnicity | | | | | | | | | |
| Black | 58.3 | (53.5 - 63.0) | 485 | 54.1 | (48.0 - 60.3) | 231 | 62.5 | (55.3 - 69.8) | 252 |
| Hispanic/ Latino | 51.4 | (42.0 - 60.7) | 116 | - | - | 50 | - | - | 66 |
| White | 29.1 | (24.5 - 33.6) | 609 | 33.1 | (27.2 - 39.0) | 326 | 24.3 | (19.3 - 29.2) | 283 |
| All other races | - | - | 66 | - | - | 31 | - | - | 34 |
| Multiple races | - | - | 68 | - | - | 31 | - | - | 37 |

Note: There were 26 students who did not provide usable data for QN46.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN47: Percentage of students who attended physical education (PE) classes one or more days during an average school week

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 74.1 | (66.1 - 82.1) | 1,354 | 74.6 | (66.9 - 82.2) | 672 | 73.5 | (64.1 - 82.8) | 679 |
| Age | | | | | | | | | |
| 11 or younger | 73.6 | (58.0 - 89.1) | 109 | - | - | 38 | - | - | 70 |
| 12 | 66.8 | (56.7 - 76.8) | 343 | 69.1 | (58.0 - 80.3) | 159 | 64.2 | (52.2 - 76.2) | 184 |
| 13 | 76.7 | (68.1 - 85.3) | 462 | 77.1 | (68.1 - 86.1) | 223 | 76.2 | (65.4 - 87.0) | 238 |
| 14 or older | 79.0 | (70.1 - 87.9) | 439 | 79.6 | (69.4 - 89.7) | 252 | 78.2 | (68.8 - 87.6) | 186 |
| Grade | | | | | | | | | |
| 6th | 71.1 | (59.7 - 82.4) | 292 | 72.6 | (58.5 - 86.7) | 137 | 69.1 | (55.9 - 82.2) | 154 |
| 7th | 69.9 | (60.0 - 79.9) | 516 | 68.5 | (59.3 - 77.7) | 244 | 71.3 | (58.8 - 83.7) | 271 |
| 8th | 81.3 | (73.0 - 89.7) | 529 | 82.2 | (73.8 - 90.7) | 279 | 80.4 | (71.4 - 89.4) | 250 |
| Race/Ethnicity | | | | | | | | | |
| Black | 78.5 | (69.8 - 87.3) | 489 | 82.8 | (75.0 - 90.6) | 232 | 74.2 | (63.0 - 85.3) | 255 |
| Hispanic/ Latino | 72.6 | (54.8 - 90.5) | 118 | - | - | 51 | - | - | 67 |
| White | 70.6 | (63.2 - 78.1) | 608 | 68.9 | (61.4 - 76.4) | 325 | 72.7 | (64.0 - 81.4) | 283 |
| All other races | - | - | 66 | - | - | 31 | - | - | 34 |
| Multiple races | - | - | 70 | - | - | 32 | - | - | 38 |

Note: There were 19 students who did not provide usable data for QN47.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QNDLYPE: Percentage of students who attended physical education (PE) classes daily in an average week when they were in school

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 49.5 | (38.6 - 60.4) | 1,354 | 46.4 | (36.2 - 56.7) | 672 | 53.1 | (41.2 - 65.0) | 679 |
| Age | | | | | | | | | |
| 11 or younger | 58.1 | (35.2 - 81.0) | 109 | - | - | 38 | - | - | 70 |
| 12 | 46.3 | (33.0 - 59.5) | 343 | 45.0 | (28.2 - 61.8) | 159 | 47.6 | (35.7 - 59.5) | 184 |
| 13 | 50.9 | (41.0 - 60.8) | 462 | 48.6 | (40.1 - 57.1) | 223 | 53.4 | (40.6 - 66.2) | 238 |
| 14 or older | 47.9 | (32.6 - 63.2) | 439 | 45.4 | (31.9 - 59.0) | 252 | 51.4 | (32.5 - 70.2) | 186 |
| Grade | | | | | | | | | |
| 6th | 51.9 | (34.6 - 69.2) | 292 | 48.3 | (28.8 - 67.9) | 137 | 56.3 | (39.8 - 72.8) | 154 |
| 7th | 45.6 | (34.8 - 56.5) | 516 | 43.0 | (32.6 - 53.4) | 244 | 48.6 | (35.5 - 61.7) | 271 |
| 8th | 51.4 | (35.0 - 67.8) | 529 | 47.8 | (32.7 - 62.9) | 279 | 55.1 | (36.8 - 73.3) | 250 |
| Race/Ethnicity | | | | | | | | | |
| Black | 47.3 | (34.7 - 59.9) | 489 | 47.6 | (36.6 - 58.6) | 232 | 47.6 | (32.2 - 62.9) | 255 |
| Hispanic/ Latino | 50.5 | (29.4 - 71.7) | 118 | - | - | 51 | - | - | 67 |
| White | 50.9 | (39.2 - 62.7) | 608 | 46.0 | (33.9 - 58.1) | 325 | 56.8 | (45.5 - 68.1) | 283 |
| All other races | - | - | 66 | - | - | 31 | - | - | 34 |
| Multiple races | - | - | 70 | - | - | 32 | - | - | 38 |

Note: There were 19 students who did not provide usable data for QNDLYPE.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN49: Percentage of students who had ever been taught in school about AIDS or HIV infection

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 72.2 | (67.1 - 77.3) | 1,362 | 73.6 | (67.5 - 79.8) | 682 | 70.9 | (65.0 - 76.8) | 678 |
| Age | | | | | | | | | |
| 11 or younger | 47.6 | (28.0 - 67.2) | 109 | - | - | 38 | - | - | 71 |
| 12 | 64.2 | (57.2 - 71.3) | 346 | 68.6 | (60.8 - 76.3) | 162 | 59.4 | (49.6 - 69.2) | 184 |
| 13 | 78.3 | (72.6 - 83.9) | 461 | 73.1 | (63.6 - 82.6) | 224 | 83.9 | (79.7 - 88.0) | 236 |
| 14 or older | 83.5 | (76.1 - 90.8) | 445 | 86.5 | (82.1 - 90.9) | 258 | 79.8 | (66.0 - 93.7) | 186 |
| Grade | | | | | | | | | |
| 6th | 53.1 | (41.9 - 64.2) | 295 | 55.7 | (44.7 - 66.8) | 141 | 50.2 | (38.1 - 62.2) | 154 |
| 7th | 76.2 | (69.2 - 83.3) | 517 | 76.1 | (66.9 - 85.2) | 245 | 76.8 | (69.7 - 83.9) | 271 |
| 8th | 86.1 | (78.8 - 93.4) | 533 | 88.4 | (83.1 - 93.7) | 284 | 83.7 | (73.3 - 94.2) | 249 |
| Race/Ethnicity | | | | | | | | | |
| Black | 76.6 | (71.2 - 82.1) | 494 | 77.0 | (69.9 - 84.1) | 237 | 76.7 | (69.0 - 84.3) | 256 |
| Hispanic/ Latino | 64.3 | (54.7 - 73.9) | 116 | - | - | 51 | - | - | 65 |
| White | 70.1 | (61.8 - 78.5) | 611 | 72.2 | (64.6 - 79.8) | 328 | 67.7 | (56.1 - 79.3) | 283 |
| All other races | - | - | 67 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 71 | - | - | 33 | - | - | 38 |

Note: There were 11 students who did not provide usable data for QN49.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN50: Percentage of students who received grades of mostly D's and F's in school during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 6.8 | (4.2 - 9.4) | 1,347 | 7.9 | (3.6 - 12.2) | 673 | 5.7 | (3.4 - 7.9) | 671 |
| Age | | | | | | | | | |
| 11 or younger | 5.6 | (3.1 - 8.2) | 108 | - | - | 38 | - | - | 69 |
| 12 | 5.5 | (1.9 - 9.2) | 345 | 6.9 | (1.5 - 12.2) | 160 | 4.1 | (0.9 - 7.2) | 185 |
| 13 | 7.8 | (4.5 - 11.2) | 457 | 9.3 | (2.6 - 16.0) | 223 | 6.4 | (3.7 - 9.2) | 233 |
| 14 or older | 7.5 | (4.2 - 10.9) | 436 | 9.1 | (4.5 - 13.7) | 252 | 5.4 | (1.8 - 9.1) | 183 |
| Grade | | | | | | | | | |
| 6th | 5.7 | (0.0 - 12.1) | 291 | 6.8 | (0.0 - 18.1) | 137 | 4.7 | (2.3 - 7.0) | 153 |
| 7th | 7.9 | (4.8 - 11.0) | 517 | 8.5 | (3.8 - 13.1) | 245 | 7.3 | (3.2 - 11.5) | 271 |
| 8th | 6.5 | (4.3 - 8.8) | 524 | 8.0 | (5.0 - 11.1) | 281 | 4.9 | (2.0 - 7.9) | 243 |
| Race/Ethnicity | | | | | | | | | |
| Black | 7.3 | (3.4 - 11.2) | 488 | 8.9 | (2.3 - 15.5) | 235 | 5.8 | (3.1 - 8.6) | 251 |
| Hispanic/ Latino | 8.2 | (3.2 - 13.2) | 116 | - | - | 49 | - | - | 67 |
| White | 6.3 | (3.9 - 8.7) | 610 | 7.3 | (3.7 - 10.9) | 327 | 5.1 | (2.1 - 8.1) | 283 |
| All other races | - | - | 64 | - | - | 31 | - | - | 32 |
| Multiple races | - | - | 67 | - | - | 30 | - | - | 37 |

Note: There were 26 students who did not provide usable data for QN50.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN51: Percentage of students who have been threatened or injured with a weapon, such as a gun, knife, or club, on school property one or more times during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 13.3 | (11.3 - 15.3) | 1,363 | 13.8 | (10.8 - 16.8) | 682 | 12.2 | (10.3 - 14.1) | 678 |
| Age | | | | | | | | | |
| 11 or younger | 16.5 | (7.2 - 25.7) | 111 | - | - | 39 | - | - | 71 |
| 12 | 12.4 | (8.5 - 16.3) | 347 | 12.7 | (7.9 - 17.5) | 162 | 12.1 | (7.9 - 16.3) | 185 |
| 13 | 13.1 | (9.9 - 16.4) | 463 | 15.0 | (10.6 - 19.5) | 225 | 10.8 | (8.0 - 13.6) | 237 |
| 14 or older | 13.1 | (10.4 - 15.7) | 441 | 13.4 | (9.8 - 16.9) | 256 | 12.3 | (7.5 - 17.1) | 184 |
| Grade | | | | | | | | | |
| 6th | 15.1 | (11.7 - 18.6) | 300 | 15.5 | (11.2 - 19.9) | 143 | 13.7 | (9.4 - 18.1) | 156 |
| 7th | 12.8 | (9.9 - 15.7) | 517 | 14.4 | (10.2 - 18.6) | 245 | 10.7 | (6.9 - 14.5) | 271 |
| 8th | 11.5 | (8.5 - 14.5) | 529 | 10.6 | (6.8 - 14.5) | 282 | 12.4 | (8.6 - 16.2) | 247 |
| Race/Ethnicity | | | | | | | | | |
| Black | 15.3 | (12.2 - 18.4) | 493 | 19.1 | (15.7 - 22.5) | 237 | 10.4 | (7.4 - 13.5) | 254 |
| Hispanic/ Latino | 13.8 | (3.5 - 24.1) | 118 | - | - | 51 | - | - | 67 |
| White | 11.2 | (8.3 - 14.0) | 611 | 9.7 | (5.2 - 14.2) | 328 | 12.9 | (9.6 - 16.2) | 283 |
| All other races | - | - | 67 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 71 | - | - | 33 | - | - | 38 |

Note: There were 10 students who did not provide usable data for QN51.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN52: Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 9.8 | (7.0 - 12.7) | 1,366 | 10.3 | (7.4 - 13.1) | 682 | 9.3 | (5.9 - 12.7) | 682 |
| Age | | | | | | | | | |
| 11 or younger | 4.8 | (0.2 - 9.4) | 110 | - | - | 38 | - | - | 71 |
| 12 | 7.7 | (4.1 - 11.2) | 346 | 5.8 | (1.7 - 9.9) | 160 | 9.7 | (5.4 - 13.9) | 186 |
| 13 | 12.8 | (8.2 - 17.5) | 467 | 16.1 | (11.1 - 21.2) | 228 | 9.0 | (2.2 - 15.9) | 238 |
| 14 or older | 10.8 | (7.4 - 14.2) | 442 | 11.2 | (7.2 - 15.2) | 256 | 10.3 | (4.8 - 15.8) | 186 |
| Grade | | | | | | | | | |
| 6th | 8.9 | (4.1 - 13.7) | 296 | 7.1 | (2.0 - 12.2) | 140 | 10.9 | (5.3 - 16.5) | 155 |
| 7th | 10.8 | (7.0 - 14.6) | 520 | 13.5 | (9.0 - 18.1) | 246 | 7.5 | (3.5 - 11.5) | 273 |
| 8th | 8.8 | (6.5 - 11.1) | 534 | 8.0 | (4.2 - 11.8) | 284 | 9.6 | (5.4 - 13.9) | 250 |
| Race/Ethnicity | | | | | | | | | |
| Black | 13.0 | (8.7 - 17.2) | 493 | 15.5 | (10.7 - 20.2) | 234 | 10.3 | (5.9 - 14.7) | 257 |
| Hispanic/ Latino | 10.1 | (1.6 - 18.6) | 119 | - | - | 51 | - | - | 68 |
| White | 7.5 | (3.8 - 11.2) | 613 | 6.9 | (3.7 - 10.0) | 330 | 8.3 | (2.4 - 14.2) | 283 |
| All other races | - | - | 66 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 72 | - | - | 34 | - | - | 38 |

Note: There were 7 students who did not provide usable data for QN52.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN53: Percentage of students whose property, such as their clothing or books, has been stolen or deliberately damaged on school property one or more times during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 38.9 | (34.7 - 43.0) | 1,361 | 40.0 | (35.5 - 44.5) | 680 | 37.3 | (32.1 - 42.6) | 678 |
| Age | | | | | | | | | |
| 11 or younger | 38.5 | (27.4 - 49.6) | 109 | - | - | 39 | - | - | 69 |
| 12 | 39.5 | (31.2 - 47.7) | 344 | 42.0 | (32.4 - 51.6) | 159 | 36.7 | (26.7 - 46.6) | 185 |
| 13 | 41.4 | (36.9 - 45.8) | 467 | 40.2 | (33.3 - 47.1) | 228 | 42.2 | (36.1 - 48.3) | 238 |
| 14 or older | 35.6 | (29.9 - 41.4) | 440 | 36.7 | (31.3 - 42.2) | 254 | 34.4 | (25.5 - 43.2) | 185 |
| Grade | | | | | | | | | |
| 6th | 37.5 | (28.8 - 46.2) | 295 | 36.8 | (25.7 - 47.9) | 142 | 37.5 | (28.7 - 46.4) | 152 |
| 7th | 41.6 | (35.8 - 47.4) | 518 | 43.0 | (37.0 - 49.1) | 244 | 39.9 | (33.1 - 46.7) | 273 |
| 8th | 37.0 | (31.6 - 42.4) | 531 | 39.3 | (34.1 - 44.5) | 282 | 34.6 | (26.4 - 42.9) | 249 |
| Race/Ethnicity | | | | | | | | | |
| Black | 37.6 | (32.6 - 42.6) | 493 | 40.5 | (33.2 - 47.7) | 235 | 34.0 | (29.8 - 38.3) | 256 |
| Hispanic/ Latino | 38.3 | (31.5 - 45.2) | 118 | - | - | 50 | - | - | 68 |
| White | 39.7 | (32.7 - 46.7) | 609 | 40.6 | (33.4 - 47.8) | 329 | 38.6 | (29.2 - 48.0) | 280 |
| All other races | - | - | 67 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 71 | - | - | 33 | - | - | 38 |

Note: There were 12 students who did not provide usable data for QN53.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN54: Percentage of students who have been harassed or bullied on school property one or more times during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 31.5 | (29.3 - 33.7) | 1,369 | 31.0 | (27.4 - 34.6) | 685 | 31.7 | (26.6 - 36.7) | 681 |
| Age | | | | | | | | | |
| 11 or younger | 39.0 | (31.2 - 46.7) | 111 | - | - | 39 | - | - | 71 |
| 12 | 35.1 | (29.2 - 41.1) | 348 | 37.2 | (29.1 - 45.3) | 162 | 32.9 | (23.9 - 41.8) | 186 |
| 13 | 32.2 | (28.0 - 36.3) | 467 | 33.0 | (26.0 - 39.9) | 228 | 31.0 | (26.5 - 35.5) | 238 |
| 14 or older | 24.0 | (19.8 - 28.2) | 442 | 21.0 | (14.9 - 27.1) | 256 | 28.0 | (21.1 - 34.9) | 185 |
| Grade | | | | | | | | | |
| 6th | 34.8 | (29.0 - 40.5) | 299 | 32.4 | (26.3 - 38.4) | 143 | 36.7 | (27.2 - 46.2) | 155 |
| 7th | 34.4 | (31.0 - 37.9) | 520 | 39.7 | (34.2 - 45.1) | 246 | 28.7 | (22.5 - 34.9) | 273 |
| 8th | 24.9 | (22.3 - 27.5) | 533 | 20.2 | (16.1 - 24.2) | 284 | 29.8 | (22.8 - 36.8) | 249 |
| Race/Ethnicity | | | | | | | | | |
| Black | 26.2 | (21.2 - 31.3) | 496 | 27.3 | (20.6 - 33.9) | 237 | 24.3 | (19.1 - 29.5) | 257 |
| Hispanic/ Latino | 37.6 | (28.5 - 46.8) | 119 | - | - | 51 | - | - | 68 |
| White | 34.6 | (31.2 - 38.0) | 612 | 33.4 | (26.8 - 40.0) | 330 | 36.0 | (27.7 - 44.3) | 282 |
| All other races | - | - | 67 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 72 | - | - | 34 | - | - | 38 |

Note: There were 4 students who did not provide usable data for QN54.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN55: Percentage of students who have been the victim of teasing or name calling during the past 30 days because of their weight, size, or physical appearance

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 33.4 | (30.0 - 36.7) | 1,366 | 30.7 | (27.0 - 34.5) | 680 | 36.1 | (31.8 - 40.4) | 683 |
| Age | | | | | | | | | |
| 11 or younger | 36.9 | (31.5 - 42.3) | 110 | - | - | 38 | - | - | 71 |
| 12 | 36.1 | (28.2 - 43.9) | 348 | 31.6 | (22.1 - 41.2) | 161 | 40.9 | (32.5 - 49.3) | 187 |
| 13 | 33.0 | (28.8 - 37.1) | 465 | 29.8 | (23.4 - 36.2) | 226 | 35.7 | (32.1 - 39.3) | 238 |
| 14 or older | 29.6 | (23.7 - 35.5) | 442 | 27.1 | (21.0 - 33.3) | 255 | 32.6 | (23.2 - 42.0) | 186 |
| Grade | | | | | | | | | |
| 6th | 34.4 | (27.6 - 41.1) | 298 | 31.2 | (24.7 - 37.8) | 141 | 38.1 | (29.5 - 46.7) | 156 |
| 7th | 34.7 | (29.9 - 39.5) | 519 | 32.8 | (27.1 - 38.5) | 245 | 36.3 | (29.4 - 43.1) | 273 |
| 8th | 30.7 | (25.7 - 35.6) | 532 | 27.6 | (21.6 - 33.7) | 282 | 33.8 | (27.0 - 40.5) | 250 |
| Race/Ethnicity | | | | | | | | | |
| Black | 33.6 | (28.3 - 38.9) | 494 | 30.5 | (25.4 - 35.6) | 235 | 36.6 | (29.2 - 43.9) | 257 |
| Hispanic/ Latino | 35.6 | (28.5 - 42.6) | 118 | - | - | 50 | - | - | 68 |
| White | 32.7 | (28.2 - 37.1) | 612 | 31.4 | (25.8 - 36.9) | 328 | 34.2 | (27.3 - 41.1) | 284 |
| All other races | - | - | 67 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 72 | - | - | 34 | - | - | 38 |

Note: There were 7 students who did not provide usable data for QN55.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN56: Percentage of students who ever felt so sad or hopeless almost every day for two weeks or more in a row during the past 12 months that they stopped doing some usual activities

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 27.4 | (23.8 - 30.9) | 1,366 | 22.4 | (17.4 - 27.4) | 682 | 32.2 | (28.2 - 36.3) | 681 |
| Age | | | | | | | | | |
| 11 or younger | 19.3 | (10.7 - 27.9) | 111 | - | - | 39 | - | - | 71 |
| 12 | 25.9 | (20.3 - 31.5) | 345 | 22.3 | (15.7 - 28.9) | 160 | 29.8 | (21.4 - 38.3) | 185 |
| 13 | 27.4 | (23.0 - 31.7) | 466 | 21.2 | (16.7 - 25.7) | 227 | 33.1 | (26.8 - 39.4) | 238 |
| 14 or older | 32.2 | (25.4 - 38.9) | 443 | 23.7 | (16.9 - 30.5) | 256 | 43.0 | (33.0 - 53.1) | 186 |
| Grade | | | | | | | | | |
| 6th | 25.2 | (18.7 - 31.7) | 299 | 24.1 | (13.4 - 34.8) | 143 | 25.6 | (19.9 - 31.4) | 155 |
| 7th | 25.0 | (20.1 - 29.9) | 516 | 20.8 | (15.1 - 26.4) | 243 | 28.9 | (20.1 - 37.7) | 272 |
| 8th | 31.3 | (27.5 - 35.1) | 534 | 21.6 | (17.6 - 25.6) | 284 | 41.4 | (35.4 - 47.5) | 250 |
| Race/Ethnicity | | | | | | | | | |
| Black | 27.6 | (23.5 - 31.7) | 496 | 23.8 | (16.9 - 30.7) | 238 | 30.5 | (24.3 - 36.7) | 256 |
| Hispanic/ Latino | 34.4 | (25.0 - 43.8) | 118 | - | - | 50 | - | - | 68 |
| White | 25.7 | (20.9 - 30.5) | 612 | 20.9 | (16.0 - 25.7) | 329 | 31.5 | (25.5 - 37.6) | 283 |
| All other races | - | - | 65 | - | - | 30 | - | - | 34 |
| Multiple races | - | - | 72 | - | - | 34 | - | - | 38 |

Note: There were 7 students who did not provide usable data for QN56.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN57: Percentage of students who ever tried to quit smoking cigarettes during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 10.3 | (8.0 - 12.6) | 1,359 | 9.2 | (6.0 - 12.4) | 677 | 11.1 | (9.0 - 13.2) | 679 |
| Age | | | | | | | | | |
| 11 or younger | 7.0 | (2.8 - 11.2) | 109 | - | - | 38 | - | - | 70 |
| 12 | 6.3 | (2.4 - 10.2) | 344 | 4.5 | (0.0 - 10.0) | 158 | 8.2 | (4.7 - 11.8) | 186 |
| 13 | 9.0 | (6.1 - 11.9) | 463 | 9.5 | (5.6 - 13.3) | 226 | 8.1 | (5.1 - 11.0) | 236 |
| 14 or older | 16.9 | (13.6 - 20.2) | 442 | 15.6 | (11.0 - 20.2) | 255 | 18.3 | (14.1 - 22.5) | 186 |
| Grade | | | | | | | | | |
| 6th | 4.8 | (1.5 - 8.0) | 296 | 3.3 | (0.0 - 7.3) | 140 | 6.4 | (2.1 - 10.7) | 155 |
| 7th | 10.1 | (5.9 - 14.2) | 515 | 10.9 | (5.9 - 15.9) | 243 | 8.7 | (4.0 - 13.4) | 271 |
| 8th | 15.4 | (12.2 - 18.6) | 532 | 12.9 | (9.2 - 16.6) | 283 | 18.0 | (14.4 - 21.7) | 249 |
| Race/Ethnicity | | | | | | | | | |
| Black | 11.4 | (7.6 - 15.2) | 492 | 13.0 | (8.1 - 17.9) | 234 | 9.5 | (5.9 - 13.1) | 256 |
| Hispanic/ Latino | 9.6 | (4.3 - 15.0) | 118 | - | - | 50 | - | - | 68 |
| White | 9.5 | (6.2 - 12.8) | 610 | 6.8 | (3.1 - 10.4) | 327 | 12.8 | (8.9 - 16.6) | 283 |
| All other races | - | - | 65 | - | - | 31 | - | - | 33 |
| Multiple races | - | - | 71 | - | - | 34 | - | - | 37 |

Note: There were 14 students who did not provide usable data for QN57.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN58: Percentage of students who usually got their alcohol by buying it at a store during the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 1.7 | (0.6 - 2.7) | 1,353 | 2.2 | (0.9 - 3.5) | 676 | 0.6 | (0.0 - 1.3) | 674 |
| Age | | | | | | | | | |
| 11 or younger | 1.5 | (0.0 - 4.3) | 108 | - | - | 38 | - | - | 69 |
| 12 | 0.8 | (0.0 - 2.3) | 341 | 0.8 | (0.0 - 2.4) | 156 | 0.7 | (0.0 - 2.1) | 185 |
| 13 | 2.0 | (0.6 - 3.3) | 460 | 2.7 | (0.1 - 5.2) | 225 | 0.7 | (0.0 - 2.1) | 234 |
| 14 or older | 2.3 | (0.9 - 3.8) | 443 | 3.6 | (1.4 - 5.9) | 257 | 0.7 | (0.0 - 1.8) | 185 |
| Grade | | | | | | | | | |
| 6th | 1.2 | (0.0 - 3.0) | 292 | 0.8 | (0.0 - 2.2) | 138 | 0.7 | (0.0 - 2.0) | 153 |
| 7th | 2.3 | (1.0 - 3.6) | 512 | 3.7 | (1.1 - 6.3) | 241 | 0.4 | (0.0 - 1.0) | 270 |
| 8th | 1.5 | (0.4 - 2.6) | 532 | 2.2 | (0.7 - 3.7) | 285 | 0.8 | (0.0 - 2.0) | 247 |
| Race/Ethnicity | | | | | | | | | |
| Black | 2.9 | (1.2 - 4.5) | 492 | 3.8 | (1.9 - 5.6) | 236 | 0.8 | (0.0 - 1.9) | 254 |
| Hispanic/ Latino | 1.2 | (0.0 - 3.1) | 118 | - | - | 51 | - | - | 67 |
| White | 0.8 | (0.0 - 1.7) | 606 | 1.1 | (0.0 - 2.3) | 325 | 0.5 | (0.0 - 1.3) | 281 |
| All other races | - | - | 65 | - | - | 31 | - | - | 33 |
| Multiple races | - | - | 69 | - | - | 32 | - | - | 37 |

Note: There were 20 students who did not provide usable data for QN58.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN59: Percentage of students who used marijuana one or more times during the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 8.9 | (6.0 - 11.9) | 1,362 | 10.6 | (6.5 - 14.6) | 684 | 6.8 | (4.2 - 9.4) | 676 |
| Age | | | | | | | | | |
| 11 or younger | 3.8 | (0.0 - 9.0) | 111 | - | - | 39 | - | - | 71 |
| 12 | 4.9 | (2.1 - 7.6) | 346 | 4.9 | (0.3 - 9.6) | 162 | 4.8 | (2.5 - 7.1) | 184 |
| 13 | 8.1 | (4.4 - 11.7) | 461 | 10.2 | (4.8 - 15.7) | 226 | 5.9 | (2.6 - 9.1) | 235 |
| 14 or older | 16.2 | (10.3 - 22.1) | 443 | 18.4 | (12.7 - 24.0) | 257 | 12.9 | (4.4 - 21.3) | 185 |
| Grade | | | | | | | | | |
| 6th | 4.9 | (1.9 - 7.8) | 299 | 4.8 | (0.9 - 8.7) | 143 | 3.9 | (0.9 - 6.9) | 155 |
| 7th | 7.5 | (3.3 - 11.7) | 514 | 9.5 | (2.9 - 16.2) | 244 | 5.4 | (1.5 - 9.3) | 270 |
| 8th | 14.2 | (9.0 - 19.4) | 532 | 17.3 | (11.7 - 22.8) | 285 | 11.0 | (4.7 - 17.2) | 247 |
| Race/Ethnicity | | | | | | | | | |
| Black | 12.1 | (8.1 - 16.2) | 496 | 16.0 | (9.4 - 22.5) | 239 | 7.6 | (3.7 - 11.6) | 256 |
| Hispanic/ Latino | 6.9 | (2.1 - 11.8) | 117 | - | - | 51 | - | - | 66 |
| White | 6.4 | (3.8 - 9.0) | 609 | 6.6 | (3.1 - 10.1) | 328 | 6.2 | (3.6 - 8.7) | 281 |
| All other races | - | - | 66 | - | - | 31 | - | - | 34 |
| Multiple races | - | - | 71 | - | - | 34 | - | - | 37 |

Note: There were 11 students who did not provide usable data for QN59.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN60: Percentage of students who used marijuana on school property one or more times during the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 3.9 | (2.5 - 5.3) | 1,356 | 4.7 | (2.8 - 6.6) | 679 | 2.6 | (1.4 - 3.8) | 675 |
| Age | | | | | | | | | |
| 11 or younger | 5.3 | (0.9 - 9.7) | 110 | - | - | 38 | - | - | 71 |
| 12 | 2.7 | (1.2 - 4.3) | 341 | 3.8 | (0.7 - 6.8) | 159 | 1.5 | (0.0 - 3.2) | 182 |
| 13 | 4.1 | (1.4 - 6.8) | 459 | 6.3 | (2.4 - 10.3) | 224 | 1.8 | (0.1 - 3.6) | 235 |
| 14 or older | 4.3 | (2.5 - 6.2) | 445 | 5.4 | (2.9 - 7.9) | 258 | 2.6 | (0.0 - 5.4) | 186 |
| Grade | | | | | | | | | |
| 6th | 4.8 | (1.6 - 8.0) | 296 | 4.7 | (0.0 - 9.7) | 141 | 3.8 | (1.6 - 6.0) | 154 |
| 7th | 2.9 | (0.4 - 5.4) | 511 | 4.0 | (1.1 - 7.0) | 242 | 1.7 | (0.0 - 3.9) | 269 |
| 8th | 4.0 | (2.2 - 5.9) | 532 | 5.5 | (2.8 - 8.3) | 284 | 2.4 | (0.1 - 4.7) | 248 |
| Race/Ethnicity | | | | | | | | | |
| Black | 5.2 | (2.8 - 7.7) | 495 | 7.7 | (3.5 - 11.8) | 238 | 2.1 | (0.0 - 4.7) | 256 |
| Hispanic/ Latino | 1.2 | (0.0 - 2.7) | 116 | - | - | 51 | - | - | 65 |
| White | 2.8 | (1.7 - 3.9) | 605 | 2.3 | (0.8 - 3.8) | 324 | 3.3 | (1.1 - 5.6) | 281 |
| All other races | - | - | 66 | - | - | 31 | - | - | 34 |
| Multiple races | - | - | 71 | - | - | 34 | - | - | 37 |

Note: There were 17 students who did not provide usable data for QN60.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN61: Percentage of students who have taken a prescription drug such as OxyContin, Percocet, Demerol, Adoral, Ritalin, or Zanax without a doctor's prescription one or more times during their life

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 11.4 | (9.6 - 13.2) | 1,362 | 11.6 | (8.2 - 14.9) | 685 | 11.1 | (8.7 - 13.5) | 675 |
| Age | | | | | | | | | |
| 11 or younger | 5.8 | (0.3 - 11.2) | 111 | - | - | 39 | - | - | 71 |
| 12 | 11.9 | (7.9 - 16.0) | 341 | 12.2 | (3.1 - 21.2) | 161 | 11.7 | (7.1 - 16.3) | 180 |
| 13 | 10.4 | (7.6 - 13.2) | 464 | 11.9 | (7.5 - 16.4) | 227 | 8.9 | (5.7 - 12.1) | 237 |
| 14 or older | 14.2 | (11.8 - 16.6) | 445 | 12.5 | (7.9 - 17.2) | 258 | 16.0 | (12.6 - 19.3) | 186 |
| Grade | | | | | | | | | |
| 6th | 10.5 | (5.3 - 15.7) | 298 | 11.1 | (2.7 - 19.6) | 142 | 9.9 | (2.5 - 17.4) | 155 |
| 7th | 9.3 | (5.6 - 13.0) | 514 | 10.5 | (5.9 - 15.2) | 245 | 8.1 | (3.7 - 12.4) | 269 |
| 8th | 14.1 | (12.2 - 16.1) | 533 | 13.5 | (9.9 - 17.2) | 286 | 14.8 | (11.6 - 18.0) | 247 |
| Race/Ethnicity | | | | | | | | | |
| Black | 11.2 | (8.0 - 14.3) | 491 | 10.9 | (6.3 - 15.5) | 238 | 11.5 | (7.1 - 15.8) | 252 |
| Hispanic/ Latino | 7.0 | (1.7 - 12.2) | 117 | - | - | 51 | - | - | 66 |
| White | 11.7 | (9.2 - 14.2) | 612 | 12.1 | (8.1 - 16.1) | 329 | 11.2 | (6.9 - 15.4) | 283 |
| All other races | - | - | 67 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 72 | - | - | 34 | - | - | 38 |

Note: There were 11 students who did not provide usable data for QN61.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN62: Percentage of students who have been offered, sold, or given an illegal drug on school property during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 11.0 | (9.1 - 13.0) | 1,349 | 12.7 | (10.3 - 15.1) | 678 | 9.1 | (6.7 - 11.5) | 670 |
| Age | | | | | | | | | |
| 11 or younger | 6.3 | (0.8 - 11.8) | 110 | - | - | 39 | - | - | 71 |
| 12 | 4.7 | (2.0 - 7.4) | 340 | 5.5 | (1.3 - 9.7) | 159 | 3.9 | (0.5 - 7.2) | 181 |
| 13 | 11.5 | (8.6 - 14.4) | 458 | 13.9 | (10.3 - 17.5) | 226 | 9.1 | (6.1 - 12.1) | 232 |
| 14 or older | 18.8 | (15.9 - 21.7) | 440 | 20.0 | (16.1 - 24.0) | 254 | 16.8 | (12.1 - 21.6) | 185 |
| Grade | | | | | | | | | |
| 6th | 5.9 | (3.1 - 8.8) | 295 | 7.1 | (4.1 - 10.1) | 142 | 4.6 | (0.2 - 9.0) | 153 |
| 7th | 9.3 | (7.1 - 11.4) | 508 | 10.8 | (8.5 - 13.0) | 242 | 7.8 | (4.6 - 10.9) | 266 |
| 8th | 17.3 | (14.4 - 20.1) | 529 | 19.7 | (15.7 - 23.8) | 282 | 14.7 | (10.7 - 18.7) | 247 |
| Race/Ethnicity | | | | | | | | | |
| Black | 12.3 | (10.6 - 14.0) | 488 | 15.2 | (12.3 - 18.2) | 236 | 9.4 | (7.1 - 11.6) | 252 |
| Hispanic/ Latino | 8.0 | (2.9 - 13.0) | 116 | - | - | 50 | - | - | 66 |
| White | 10.2 | (7.1 - 13.2) | 603 | 10.3 | (6.4 - 14.3) | 325 | 9.9 | (6.4 - 13.5) | 278 |
| All other races | - | - | 67 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 72 | - | - | 34 | - | - | 38 |

Note: There were 24 students who did not provide usable data for QN62.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN63: Percentage of students who have ever been taught about abstaining from sexual activity

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 66.6 | (61.5 - 71.7) | 1,363 | 63.6 | (55.5 - 71.7) | 683 | 69.9 | (66.3 - 73.4) | 678 |
| Age | | | | | | | | | |
| 11 or younger | 53.7 | (41.2 - 66.1) | 111 | - | - | 39 | - | - | 71 |
| 12 | 56.0 | (48.3 - 63.7) | 344 | 49.6 | (36.9 - 62.3) | 160 | 62.9 | (57.5 - 68.3) | 184 |
| 13 | 71.7 | (66.1 - 77.3) | 463 | 66.2 | (58.2 - 74.1) | 227 | 77.3 | (72.8 - 81.8) | 236 |
| 14 or older | 77.2 | (69.8 - 84.5) | 444 | 76.9 | (69.7 - 84.1) | 257 | 77.8 | (66.6 - 89.0) | 186 |
| Grade | | | | | | | | | |
| 6th | 51.5 | (42.2 - 60.7) | 298 | 47.4 | (33.0 - 61.8) | 141 | 55.3 | (48.7 - 61.9) | 156 |
| 7th | 69.2 | (63.0 - 75.4) | 515 | 66.5 | (58.0 - 75.0) | 246 | 72.0 | (65.9 - 78.1) | 269 |
| 8th | 78.6 | (72.4 - 84.8) | 533 | 76.3 | (70.3 - 82.3) | 284 | 81.0 | (73.4 - 88.5) | 249 |
| Race/Ethnicity | | | | | | | | | |
| Black | 71.5 | (67.6 - 75.4) | 494 | 68.4 | (60.7 - 76.2) | 237 | 74.3 | (69.9 - 78.7) | 256 |
| Hispanic/ Latino | 51.7 | (42.4 - 61.0) | 118 | - | - | 51 | - | - | 67 |
| White | 64.6 | (56.7 - 72.4) | 610 | 61.3 | (50.9 - 71.7) | 329 | 68.5 | (61.8 - 75.3) | 281 |
| All other races | - | - | 66 | - | - | 31 | - | - | 34 |
| Multiple races | - | - | 72 | - | - | 34 | - | - | 38 |

Note: There were 10 students who did not provide usable data for QN63.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN64: Percentage of students who have ever been taught about chlamydia, gonorrhea, syphilis, or Human Papillomavirus/genital warts (HPV)

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 43.4 | (37.5 - 49.3) | 1,364 | 42.9 | (34.2 - 51.6) | 683 | 44.2 | (39.4 - 49.0) | 678 |
| Age | | | | | | | | | |
| 11 or younger | 18.6 | (8.1 - 29.1) | 110 | - | - | 38 | - | - | 71 |
| 12 | 29.0 | (23.3 - 34.6) | 346 | 30.1 | (24.2 - 36.0) | 162 | 27.8 | (19.8 - 35.7) | 184 |
| 13 | 49.5 | (40.8 - 58.2) | 462 | 41.9 | (29.7 - 54.2) | 225 | 57.3 | (49.1 - 65.5) | 236 |
| 14 or older | 61.5 | (52.5 - 70.4) | 445 | 62.1 | (51.2 - 73.1) | 258 | 60.8 | (49.7 - 72.0) | 186 |
| Grade | | | | | | | | | |
| 6th | 21.8 | (15.5 - 28.1) | 297 | 22.0 | (13.9 - 30.1) | 141 | 21.8 | (15.4 - 28.3) | 155 |
| 7th | 41.9 | (32.1 - 51.7) | 516 | 43.0 | (29.8 - 56.2) | 245 | 41.1 | (33.3 - 48.9) | 270 |
| 8th | 65.2 | (56.5 - 73.8) | 534 | 62.5 | (51.7 - 73.2) | 285 | 68.0 | (58.0 - 78.1) | 249 |
| Race/Ethnicity | | | | | | | | | |
| Black | 54.4 | (47.7 - 61.0) | 495 | 54.3 | (44.5 - 64.0) | 238 | 55.2 | (48.4 - 61.9) | 255 |
| Hispanic/ Latino | 34.3 | (21.9 - 46.7) | 117 | - | - | 51 | - | - | 66 |
| White | 35.9 | (27.7 - 44.2) | 611 | 36.0 | (24.9 - 47.2) | 328 | 35.8 | (27.8 - 43.9) | 283 |
| All other races | - | - | 67 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 71 | - | - | 33 | - | - | 38 |

Note: There were 9 students who did not provide usable data for QN64.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN65: Percentage of students whose parents or other adults in their family ever talked with them about what they expect them to do or not to do when it comes to sex

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 65.2 | (62.3 - 68.2) | 1,332 | 61.0 | (55.0 - 67.0) | 662 | 69.7 | (65.1 - 74.3) | 668 |
| Age | | | | | | | | | |
| 11 or younger | 53.4 | (42.9 - 63.9) | 107 | - | - | 37 | - | - | 69 |
| 12 | 56.6 | (53.2 - 60.0) | 337 | 52.0 | (45.4 - 58.6) | 156 | 61.7 | (55.1 - 68.3) | 181 |
| 13 | 67.9 | (62.3 - 73.6) | 453 | 59.4 | (49.7 - 69.2) | 217 | 76.5 | (69.9 - 83.2) | 235 |
| 14 or older | 75.8 | (72.1 - 79.5) | 434 | 73.3 | (68.2 - 78.5) | 252 | 79.1 | (73.1 - 85.0) | 182 |
| Grade | | | | | | | | | |
| 6th | 55.9 | (51.7 - 60.2) | 290 | 50.2 | (41.5 - 58.9) | 137 | 61.7 | (53.3 - 70.0) | 152 |
| 7th | 64.5 | (60.2 - 68.8) | 502 | 59.0 | (50.5 - 67.5) | 234 | 70.5 | (64.7 - 76.3) | 267 |
| 8th | 75.0 | (71.1 - 79.0) | 524 | 73.5 | (68.6 - 78.4) | 279 | 76.6 | (69.8 - 83.4) | 245 |
| Race/Ethnicity | | | | | | | | | |
| Black | 72.8 | (67.8 - 77.7) | 486 | 71.1 | (62.0 - 80.1) | 234 | 74.5 | (67.8 - 81.2) | 250 |
| Hispanic/ Latino | 54.7 | (35.1 - 74.4) | 113 | - | - | 47 | - | - | 66 |
| White | 60.5 | (56.3 - 64.7) | 599 | 54.9 | (48.1 - 61.7) | 318 | 67.1 | (62.2 - 71.9) | 281 |
| All other races | - | - | 62 | - | - | 29 | - | - | 33 |
| Multiple races | - | - | 69 | - | - | 33 | - | - | 36 |

Note: There were 41 students who did not provide usable data for QN65.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN66: Percentage of students who eat fruit three or more times on a typical day

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 40.3 | (36.8 - 43.8) | 1,358 | 41.3 | (37.6 - 45.0) | 681 | 39.5 | (34.8 - 44.2) | 674 |
| Age | | | | | | | | | |
| 11 or younger | 48.4 | (39.7 - 57.2) | 111 | - | - | 39 | - | - | 71 |
| 12 | 44.3 | (37.4 - 51.2) | 343 | 42.1 | (34.2 - 50.0) | 161 | 46.7 | (38.7 - 54.8) | 182 |
| 13 | 33.9 | (27.8 - 40.0) | 460 | 36.0 | (29.3 - 42.6) | 225 | 32.1 | (24.8 - 39.3) | 234 |
| 14 or older | 39.8 | (36.1 - 43.5) | 443 | 40.6 | (35.1 - 46.2) | 256 | 38.8 | (32.6 - 45.0) | 186 |
| Grade | | | | | | | | | |
| 6th | 50.7 | (45.1 - 56.2) | 298 | 50.5 | (43.7 - 57.2) | 142 | 51.4 | (43.9 - 58.9) | 155 |
| 7th | 34.6 | (29.2 - 40.1) | 514 | 34.7 | (29.3 - 40.2) | 245 | 34.7 | (27.5 - 42.0) | 268 |
| 8th | 36.1 | (32.1 - 40.2) | 529 | 38.7 | (33.9 - 43.4) | 282 | 33.5 | (27.6 - 39.4) | 247 |
| Race/Ethnicity | | | | | | | | | |
| Black | 37.0 | (31.4 - 42.5) | 492 | 40.6 | (34.2 - 47.0) | 237 | 33.9 | (25.8 - 41.9) | 253 |
| Hispanic/ Latino | 60.6 | (51.5 - 69.7) | 117 | - | - | 51 | - | - | 66 |
| White | 40.4 | (35.9 - 45.0) | 608 | 39.6 | (34.0 - 45.3) | 327 | 41.4 | (35.4 - 47.3) | 281 |
| All other races | - | - | 67 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 71 | - | - | 33 | - | - | 38 |

Note: There were 15 students who did not provide usable data for QN66.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN67: Percentage of students who ate french fries three or more times during the past seven days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 42.0 | (36.2 - 47.9) | 1,343 | 41.9 | (35.5 - 48.3) | 671 | 42.3 | (35.3 - 49.3) | 669 |
| Age | | | | | | | | | |
| 11 or younger | 44.0 | (36.6 - 51.5) | 110 | - | - | 39 | - | - | 70 |
| 12 | 42.6 | (36.1 - 49.0) | 342 | 36.8 | (28.3 - 45.3) | 161 | 49.0 | (40.5 - 57.5) | 181 |
| 13 | 38.7 | (29.8 - 47.6) | 455 | 39.8 | (28.2 - 51.3) | 219 | 37.8 | (28.0 - 47.7) | 235 |
| 14 or older | 44.2 | (37.6 - 50.9) | 435 | 45.2 | (39.8 - 50.5) | 252 | 42.7 | (29.8 - 55.6) | 182 |
| Grade | | | | | | | | | |
| 6th | 44.4 | (37.0 - 51.8) | 296 | 41.9 | (32.9 - 50.9) | 142 | 47.7 | (38.9 - 56.5) | 153 |
| 7th | 37.6 | (29.5 - 45.7) | 509 | 38.9 | (30.9 - 46.9) | 240 | 36.5 | (24.5 - 48.5) | 268 |
| 8th | 43.8 | (34.8 - 52.7) | 521 | 44.5 | (37.1 - 51.9) | 277 | 43.0 | (30.1 - 55.9) | 244 |
| Race/Ethnicity | | | | | | | | | |
| Black | 46.5 | (39.6 - 53.5) | 484 | 47.1 | (38.7 - 55.5) | 233 | 46.5 | (36.0 - 57.0) | 249 |
| Hispanic/ Latino | 35.1 | (22.3 - 47.9) | 117 | - | - | 51 | - | - | 66 |
| White | 39.0 | (30.9 - 47.1) | 604 | 38.3 | (30.0 - 46.7) | 324 | 39.9 | (29.6 - 50.2) | 280 |
| All other races | - | - | 67 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 68 | - | - | 30 | - | - | 38 |

Note: There were 30 students who did not provide usable data for QN67.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN68: Percentage of students who eat vegetables three or more times on a typical day

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 34.2 | (31.7 - 36.8) | 1,358 | 32.6 | (28.9 - 36.3) | 682 | 35.9 | (32.1 - 39.7) | 673 |
| Age | | | | | | | | | |
| 11 or younger | 41.3 | (29.6 - 53.0) | 111 | - | - | 39 | - | - | 71 |
| 12 | 30.3 | (26.7 - 33.9) | 343 | 27.0 | (21.6 - 32.3) | 160 | 34.0 | (28.4 - 39.6) | 183 |
| 13 | 32.7 | (29.6 - 35.8) | 463 | 32.9 | (28.6 - 37.1) | 227 | 32.7 | (27.9 - 37.5) | 235 |
| 14 or older | 37.1 | (33.2 - 41.0) | 440 | 35.9 | (30.9 - 40.9) | 256 | 38.8 | (32.6 - 45.0) | 183 |
| Grade | | | | | | | | | |
| 6th | 36.1 | (31.9 - 40.2) | 295 | 31.1 | (24.3 - 37.9) | 140 | 40.8 | (32.5 - 49.1) | 154 |
| 7th | 30.7 | (28.0 - 33.4) | 515 | 30.8 | (26.9 - 34.7) | 246 | 30.8 | (25.2 - 36.3) | 268 |
| 8th | 36.2 | (32.6 - 39.8) | 531 | 35.6 | (30.2 - 41.0) | 284 | 36.8 | (31.9 - 41.7) | 247 |
| Race/Ethnicity | | | | | | | | | |
| Black | 31.4 | (28.4 - 34.3) | 491 | 30.8 | (25.0 - 36.5) | 238 | 31.5 | (27.4 - 35.7) | 251 |
| Hispanic/ Latino | 43.5 | (28.6 - 58.4) | 114 | - | - | 49 | - | - | 65 |
| White | 35.1 | (31.3 - 38.9) | 613 | 33.1 | (27.3 - 38.9) | 329 | 37.5 | (31.1 - 44.0) | 284 |
| All other races | - | - | 66 | - | - | 32 | - | - | 33 |
| Multiple races | - | - | 71 | - | - | 33 | - | - | 38 |

Note: There were 15 students who did not provide usable data for QN68.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN69: Percentage of students who drink a soft drink or sweetened beverage one or more times on a typical day

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 95.9 | (94.8 - 97.0) | 1,347 | 95.1 | (93.7 - 96.5) | 673 | 96.7 | (95.1 - 98.3) | 672 |
| Age | | | | | | | | | |
| 11 or younger | 96.5 | (92.5 -100.0) | 108 | - | - | 38 | - | - | 69 |
| 12 | 95.0 | (91.8 - 98.1) | 340 | 92.1 | (86.5 - 97.7) | 158 | 98.0 | (95.9 -100.0) | 182 |
| 13 | 96.6 | (94.7 - 98.4) | 461 | 97.6 | (95.6 - 99.6) | 224 | 95.5 | (92.4 - 98.6) | 236 |
| 14 or older | 95.9 | (93.4 - 98.4) | 437 | 94.9 | (92.1 - 97.7) | 253 | 97.1 | (93.9 -100.0) | 184 |
| Grade | | | | | | | | | |
| 6th | 95.8 | (93.7 - 98.0) | 292 | 94.6 | (91.1 - 98.2) | 139 | 97.1 | (94.4 - 99.7) | 152 |
| 7th | 95.8 | (94.0 - 97.7) | 512 | 95.8 | (93.3 - 98.3) | 242 | 95.8 | (92.8 - 98.8) | 269 |
| 8th | 96.1 | (94.1 - 98.0) | 527 | 95.0 | (92.1 - 98.0) | 280 | 97.1 | (94.9 - 99.3) | 247 |
| Race/Ethnicity | | | | | | | | | |
| Black | 96.9 | (95.9 - 98.0) | 489 | 95.5 | (93.3 - 97.7) | 234 | 98.3 | (96.5 -100.0) | 253 |
| Hispanic/ Latino | 90.3 | (84.3 - 96.3) | 115 | - | - | 49 | - | - | 66 |
| White | 95.6 | (94.1 - 97.2) | 608 | 95.4 | (93.2 - 97.5) | 327 | 96.0 | (93.8 - 98.2) | 281 |
| All other races | - | - | 65 | - | - | 31 | - | - | 34 |
| Multiple races | - | - | 67 | - | - | 31 | - | - | 36 |

Note: There were 26 students who did not provide usable data for QN69.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN70: Percentage of students who drank three or more glasses of milk per day during the past seven days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 12.8 | (10.9 - 14.8) | 1,356 | 15.9 | (12.1 - 19.8) | 677 | 9.6 | (7.3 - 11.9) | 676 |
| Age | | | | | | | | | |
| 11 or younger | 15.5 | (8.3 - 22.7) | 111 | - | - | 39 | - | - | 71 |
| 12 | 13.3 | (9.4 - 17.3) | 343 | 16.3 | (8.6 - 24.1) | 160 | 10.0 | (5.9 - 14.1) | 183 |
| 13 | 11.6 | (8.6 - 14.7) | 460 | 15.0 | (9.0 - 21.0) | 223 | 8.3 | (6.1 - 10.6) | 236 |
| 14 or older | 12.6 | (8.6 - 16.6) | 441 | 16.0 | (10.8 - 21.1) | 255 | 8.1 | (2.5 - 13.8) | 185 |
| Grade | | | | | | | | | |
| 6th | 12.7 | (8.7 - 16.7) | 296 | 14.7 | (8.5 - 20.9) | 141 | 10.6 | (6.3 - 15.0) | 154 |
| 7th | 14.2 | (10.9 - 17.6) | 512 | 17.3 | (11.5 - 23.1) | 241 | 11.2 | (7.2 - 15.2) | 270 |
| 8th | 11.9 | (8.7 - 15.1) | 532 | 16.4 | (11.4 - 21.4) | 284 | 7.2 | (4.8 - 9.5) | 248 |
| Race/Ethnicity | | | | | | | | | |
| Black | 5.6 | (3.6 - 7.7) | 488 | 7.4 | (3.7 - 11.2) | 233 | 4.0 | (1.6 - 6.4) | 253 |
| Hispanic/ Latino | 12.0 | (3.9 - 20.2) | 117 | - | - | 51 | - | - | 66 |
| White | 18.6 | (15.5 - 21.6) | 613 | 22.0 | (17.4 - 26.6) | 329 | 14.4 | (10.1 - 18.7) | 284 |
| All other races | - | - | 67 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 69 | - | - | 32 | - | - | 37 |

Note: There were 17 students who did not provide usable data for QN70.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN71: Percentage of students who bought food and/or drinks from vending machines at school one or more times during the past seven days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 51.8 | (42.8 - 60.7) | 1,356 | 52.3 | (41.7 - 62.9) | 678 | 51.2 | (41.9 - 60.4) | 675 |
| Age | | | | | | | | | |
| 11 or younger | 42.6 | (27.8 - 57.5) | 109 | - | - | 39 | - | - | 69 |
| 12 | 47.2 | (38.4 - 56.1) | 344 | 44.1 | (33.0 - 55.2) | 160 | 50.6 | (39.3 - 62.0) | 184 |
| 13 | 52.6 | (41.0 - 64.2) | 461 | 51.4 | (39.9 - 62.9) | 225 | 53.5 | (40.4 - 66.6) | 235 |
| 14 or older | 59.1 | (49.1 - 69.2) | 441 | 60.9 | (48.9 - 73.0) | 254 | 56.6 | (44.6 - 68.5) | 186 |
| Grade | | | | | | | | | |
| 6th | 45.5 | (35.6 - 55.3) | 293 | 47.4 | (33.9 - 60.9) | 140 | 43.8 | (32.1 - 55.6) | 152 |
| 7th | 50.8 | (38.1 - 63.5) | 515 | 50.4 | (37.2 - 63.6) | 245 | 50.9 | (37.8 - 64.1) | 269 |
| 8th | 58.5 | (47.7 - 69.3) | 531 | 58.3 | (45.8 - 70.8) | 281 | 58.7 | (45.5 - 71.9) | 250 |
| Race/Ethnicity | | | | | | | | | |
| Black | 65.1 | (55.7 - 74.5) | 495 | 66.6 | (54.2 - 79.0) | 237 | 64.0 | (53.2 - 74.8) | 256 |
| Hispanic/ Latino | 41.8 | (29.7 - 53.8) | 116 | - | - | 51 | - | - | 65 |
| White | 42.5 | (33.0 - 52.0) | 609 | 42.7 | (31.9 - 53.5) | 326 | 42.3 | (29.7 - 54.9) | 283 |
| All other races | - | - | 64 | - | - | 31 | - | - | 32 |
| Multiple races | - | - | 69 | - | - | 32 | - | - | 37 |

Note: There were 17 students who did not provide usable data for QN71.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN72: Percentage of students who ate breakfast on seven of the past seven days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 39.2 | (34.0 - 44.4) | 1,358 | 44.2 | (37.7 - 50.7) | 678 | 34.1 | (28.6 - 39.6) | 677 |
| Age | | | | | | | | | |
| 11 or younger | 52.3 | (40.4 - 64.2) | 110 | - | - | 39 | - | - | 70 |
| 12 | 41.1 | (32.5 - 49.7) | 346 | 47.7 | (38.1 - 57.2) | 161 | 33.9 | (24.1 - 43.6) | 185 |
| 13 | 38.4 | (29.5 - 47.2) | 460 | 44.6 | (29.7 - 59.6) | 222 | 32.5 | (25.7 - 39.2) | 237 |
| 14 or older | 32.9 | (26.1 - 39.6) | 441 | 35.8 | (29.6 - 41.9) | 256 | 29.2 | (19.5 - 38.8) | 184 |
| Grade | | | | | | | | | |
| 6th | 46.7 | (37.3 - 56.1) | 295 | 50.4 | (39.4 - 61.3) | 140 | 43.1 | (32.3 - 53.9) | 154 |
| 7th | 40.6 | (34.6 - 46.6) | 514 | 47.4 | (37.4 - 57.5) | 242 | 33.8 | (26.3 - 41.2) | 271 |
| 8th | 31.1 | (23.3 - 38.8) | 532 | 35.4 | (26.1 - 44.7) | 284 | 26.5 | (18.6 - 34.4) | 248 |
| Race/Ethnicity | | | | | | | | | |
| Black | 30.1 | (22.7 - 37.4) | 492 | 35.5 | (25.3 - 45.7) | 236 | 25.1 | (18.6 - 31.7) | 254 |
| Hispanic/ Latino | 46.3 | (38.9 - 53.6) | 118 | - | - | 51 | - | - | 67 |
| White | 45.4 | (37.6 - 53.3) | 609 | 49.5 | (39.2 - 59.8) | 327 | 40.6 | (34.7 - 46.4) | 282 |
| All other races | - | - | 67 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 69 | - | - | 31 | - | - | 38 |

Note: There were 15 students who did not provide usable data for QN72.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN73: Percentage of students who ate dinner at home with their family four or more times during the past seven days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 77.8 | (73.8 - 81.9) | 1,352 | 79.5 | (73.6 - 85.3) | 672 | 76.4 | (71.7 - 81.1) | 677 |
| Age | | | | | | | | | |
| 11 or younger | 80.6 | (70.9 - 90.2) | 110 | - | - | 39 | - | - | 70 |
| 12 | 79.7 | (75.0 - 84.4) | 344 | 83.2 | (75.5 - 90.8) | 159 | 75.9 | (68.8 - 83.1) | 185 |
| 13 | 79.9 | (75.2 - 84.6) | 460 | 80.4 | (73.4 - 87.4) | 224 | 79.3 | (72.2 - 86.3) | 235 |
| 14 or older | 72.5 | (67.0 - 78.1) | 437 | 73.3 | (67.2 - 79.4) | 250 | 71.8 | (63.9 - 79.7) | 186 |
| Grade | | | | | | | | | |
| 6th | 82.5 | (76.5 - 88.4) | 295 | 85.5 | (78.1 - 92.9) | 139 | 80.0 | (72.2 - 87.9) | 155 |
| 7th | 76.5 | (71.5 - 81.6) | 514 | 78.9 | (72.9 - 84.8) | 244 | 74.0 | (65.3 - 82.8) | 269 |
| 8th | 75.1 | (69.5 - 80.7) | 527 | 74.4 | (66.2 - 82.7) | 278 | 75.8 | (70.6 - 81.1) | 249 |
| Race/Ethnicity | | | | | | | | | |
| Black | 70.6 | (64.4 - 76.9) | 490 | 70.1 | (60.6 - 79.5) | 234 | 71.6 | (63.0 - 80.2) | 254 |
| Hispanic/ Latino | 80.8 | (69.7 - 91.9) | 117 | - | - | 51 | - | - | 66 |
| White | 83.3 | (79.8 - 86.9) | 606 | 87.3 | (83.3 - 91.2) | 323 | 78.7 | (73.4 - 84.0) | 283 |
| All other races | - | - | 67 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 69 | - | - | 31 | - | - | 38 |

Note: There were 21 students who did not provide usable data for QN73.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN74: Percentage of students who were physically active for a total of 60 minutes or more per day on five or more of the past seven days

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 52.1 | (45.9 - 58.2) | 1,359 | 58.0 | (51.3 - 64.7) | 681 | 46.0 | (39.2 - 52.8) | 675 |
| Age | | | | | | | | | |
| 11 or younger | 56.0 | (44.6 - 67.4) | 110 | - | - | 38 | - | - | 71 |
| 12 | 54.0 | (44.1 - 63.9) | 341 | 58.8 | (47.4 - 70.1) | 160 | 48.7 | (38.6 - 58.9) | 181 |
| 13 | 49.8 | (44.7 - 54.9) | 464 | 55.6 | (48.6 - 62.5) | 226 | 44.3 | (39.6 - 49.0) | 237 |
| 14 or older | 50.9 | (42.4 - 59.5) | 443 | 59.8 | (52.8 - 66.9) | 257 | 39.4 | (25.8 - 53.0) | 185 |
| Grade | | | | | | | | | |
| 6th | 55.3 | (47.0 - 63.5) | 294 | 58.9 | (48.8 - 69.1) | 139 | 51.9 | (41.1 - 62.6) | 154 |
| 7th | 47.5 | (40.8 - 54.2) | 515 | 54.8 | (47.1 - 62.4) | 245 | 40.2 | (32.1 - 48.3) | 269 |
| 8th | 53.2 | (44.9 - 61.5) | 533 | 60.3 | (51.9 - 68.7) | 285 | 45.8 | (35.8 - 55.8) | 248 |
| Race/Ethnicity | | | | | | | | | |
| Black | 42.8 | (37.1 - 48.5) | 493 | 48.5 | (41.0 - 56.1) | 236 | 37.8 | (29.1 - 46.4) | 255 |
| Hispanic/ Latino | 46.3 | (36.6 - 56.1) | 116 | - | - | 51 | - | - | 65 |
| White | 60.3 | (55.1 - 65.5) | 611 | 65.5 | (59.6 - 71.4) | 329 | 54.0 | (47.2 - 60.8) | 282 |
| All other races | - | - | 67 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 69 | - | - | 32 | - | - | 37 |

Note: There were 14 students who did not provide usable data for QN74.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN75: Percentage of students who spend 20 minutes or more being physically active on a typical school day

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 72.6 | (67.9 - 77.4) | 1,353 | 75.5 | (70.8 - 80.3) | 676 | 69.3 | (62.3 - 76.4) | 674 |
| Age | | | | | | | | | |
| 11 or younger | 71.8 | (65.7 - 77.8) | 110 | - | - | 38 | - | - | 71 |
| 12 | 71.8 | (63.1 - 80.4) | 344 | 77.4 | (70.7 - 84.1) | 160 | 65.6 | (53.7 - 77.5) | 184 |
| 13 | 72.6 | (66.9 - 78.3) | 461 | 75.0 | (66.6 - 83.4) | 224 | 70.0 | (62.7 - 77.3) | 236 |
| 14 or older | 73.9 | (68.7 - 79.2) | 437 | 74.4 | (69.1 - 79.7) | 254 | 73.2 | (64.7 - 81.7) | 182 |
| Grade | | | | | | | | | |
| 6th | 71.9 | (64.7 - 79.2) | 293 | 75.6 | (64.1 - 87.1) | 138 | 67.7 | (57.9 - 77.5) | 154 |
| 7th | 70.5 | (64.9 - 76.0) | 515 | 74.2 | (67.2 - 81.2) | 244 | 66.5 | (58.6 - 74.4) | 270 |
| 8th | 75.6 | (70.5 - 80.8) | 529 | 76.7 | (71.8 - 81.5) | 283 | 74.5 | (65.7 - 83.3) | 246 |
| Race/Ethnicity | | | | | | | | | |
| Black | 68.2 | (61.5 - 74.8) | 489 | 73.2 | (65.2 - 81.3) | 234 | 62.8 | (53.9 - 71.8) | 253 |
| Hispanic/ Latino | 65.2 | (56.2 - 74.2) | 115 | - | - | 51 | - | - | 64 |
| White | 76.7 | (72.3 - 81.2) | 609 | 77.3 | (72.2 - 82.3) | 326 | 76.1 | (68.5 - 83.6) | 283 |
| All other races | - | - | 67 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 70 | - | - | 32 | - | - | 38 |

Note: There were 20 students who did not provide usable data for QN75.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN76: Percentage of students who spend 20 minutes or more being physically active on a typical weekend day

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 79.7 | (75.7 - 83.8) | 1,345 | 86.4 | (82.3 - 90.6) | 672 | 72.8 | (66.5 - 79.2) | 670 |
| Age | | | | | | | | | |
| 11 or younger | 81.4 | (72.5 - 90.3) | 106 | - | - | 36 | - | - | 69 |
| 12 | 80.3 | (74.7 - 85.9) | 340 | 86.7 | (78.9 - 94.6) | 159 | 73.2 | (65.4 - 81.0) | 181 |
| 13 | 80.3 | (75.7 - 84.9) | 462 | 86.2 | (79.3 - 93.1) | 224 | 74.4 | (66.0 - 82.9) | 237 |
| 14 or older | 77.8 | (71.5 - 84.2) | 436 | 87.5 | (83.3 - 91.8) | 253 | 65.0 | (52.6 - 77.3) | 182 |
| Grade | | | | | | | | | |
| 6th | 81.0 | (73.7 - 88.3) | 287 | 85.3 | (74.2 - 96.4) | 135 | 77.2 | (69.1 - 85.3) | 151 |
| 7th | 80.0 | (75.4 - 84.5) | 514 | 85.3 | (79.8 - 90.8) | 244 | 74.3 | (68.9 - 79.7) | 269 |
| 8th | 77.9 | (72.9 - 83.0) | 527 | 88.4 | (86.0 - 90.8) | 281 | 67.0 | (57.7 - 76.4) | 246 |
| Race/Ethnicity | | | | | | | | | |
| Black | 70.3 | (66.8 - 73.8) | 489 | 81.4 | (76.3 - 86.5) | 233 | 60.0 | (54.1 - 66.0) | 254 |
| Hispanic/ Latino | 73.7 | (62.5 - 84.9) | 113 | - | - | 51 | - | - | 62 |
| White | 87.5 | (84.5 - 90.5) | 604 | 91.2 | (87.2 - 95.2) | 323 | 83.2 | (78.2 - 88.2) | 281 |
| All other races | - | - | 67 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 69 | - | - | 32 | - | - | 37 |

Note: There were 28 students who did not provide usable data for QN76.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN77: Among students enrolled in physical education (PE) class, the percentage who actually exercised or played sports more than 20 minutes during an average PE class

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 84.7 | (82.1 - 87.3) | 1,075 | 87.6 | (84.1 - 91.0) | 550 | 81.4 | (77.9 - 85.0) | 523 |
| Age | | | | | | | | | |
| 11 or younger | - | - | 85 | - | - | 27 | - | - | 58 |
| 12 | 87.2 | (82.4 - 92.0) | 251 | 86.2 | (78.1 - 94.4) | 122 | 88.4 | (82.0 - 94.9) | 129 |
| 13 | 85.6 | (82.5 - 88.8) | 370 | 90.4 | (84.4 - 96.5) | 183 | 80.6 | (76.5 - 84.7) | 186 |
| 14 or older | 78.8 | (75.1 - 82.6) | 368 | 84.0 | (79.4 - 88.6) | 218 | 71.6 | (64.7 - 78.5) | 149 |
| Grade | | | | | | | | | |
| 6th | 90.8 | (87.6 - 94.1) | 227 | 92.0 | (86.8 - 97.2) | 111 | 89.5 | (84.3 - 94.7) | 116 |
| 7th | 82.4 | (79.1 - 85.8) | 385 | 84.9 | (79.9 - 89.9) | 183 | 79.8 | (75.2 - 84.4) | 201 |
| 8th | 81.3 | (76.8 - 85.9) | 449 | 85.9 | (80.3 - 91.6) | 245 | 76.3 | (70.8 - 81.9) | 204 |
| Race/Ethnicity | | | | | | | | | |
| Black | 79.5 | (75.5 - 83.6) | 399 | 85.0 | (80.0 - 89.9) | 201 | 73.6 | (68.3 - 79.0) | 197 |
| Hispanic/ Latino | - | - | 88 | - | - | 40 | - | - | 48 |
| White | 88.2 | (84.6 - 91.9) | 476 | 88.9 | (84.7 - 93.2) | 256 | 87.4 | (83.1 - 91.6) | 220 |
| All other races | - | - | 51 | - | - | 24 | - | - | 26 |
| Multiple races | - | - | 58 | - | - | 28 | - | - | 30 |

Note: There were 298 students who did not provide usable data for QN77.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN78: Percentage of students who watch TV three or more hours per day on an average weekend day

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 59.9 | (56.3 - 63.4) | 1,362 | 58.7 | (53.6 - 63.7) | 679 | 61.4 | (56.5 - 66.2) | 680 |
| Age | | | | | | | | | |
| 11 or younger | 53.7 | (43.7 - 63.7) | 110 | - | - | 38 | - | - | 71 |
| 12 | 58.0 | (50.9 - 65.1) | 345 | 54.9 | (46.8 - 63.0) | 160 | 61.4 | (52.3 - 70.5) | 185 |
| 13 | 61.8 | (56.8 - 66.9) | 463 | 58.3 | (50.0 - 66.6) | 225 | 65.6 | (59.2 - 72.1) | 237 |
| 14 or older | 62.1 | (57.8 - 66.4) | 443 | 61.1 | (53.8 - 68.5) | 256 | 63.1 | (56.6 - 69.6) | 186 |
| Grade | | | | | | | | | |
| 6th | 54.4 | (46.7 - 62.1) | 293 | 57.4 | (47.4 - 67.4) | 137 | 51.8 | (41.3 - 62.2) | 155 |
| 7th | 61.8 | (55.7 - 67.8) | 518 | 58.0 | (50.6 - 65.4) | 246 | 66.0 | (59.1 - 72.9) | 271 |
| 8th | 62.8 | (57.8 - 67.7) | 535 | 60.1 | (52.2 - 68.1) | 285 | 65.5 | (59.9 - 71.1) | 250 |
| Race/Ethnicity | | | | | | | | | |
| Black | 70.9 | (67.0 - 74.7) | 497 | 68.3 | (61.5 - 75.1) | 238 | 74.2 | (68.8 - 79.6) | 257 |
| Hispanic/ Latino | 64.3 | (55.9 - 72.8) | 117 | - | - | 51 | - | - | 66 |
| White | 51.2 | (45.9 - 56.4) | 608 | 51.0 | (43.6 - 58.4) | 325 | 51.4 | (43.9 - 58.9) | 283 |
| All other races | - | - | 67 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 70 | - | - | 32 | - | - | 38 |

Note: There were 11 students who did not provide usable data for QN78.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN79: Percentage of students who spend three or more hours per day playing video games or using a computer for something that is not school work on an average day

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 26.5 | (22.8 - 30.1) | 1,357 | 31.8 | (26.4 - 37.1) | 674 | 21.0 | (15.5 - 26.6) | 680 |
| Age | | | | | | | | | |
| 11 or younger | 18.1 | (13.4 - 22.8) | 110 | - | - | 38 | - | - | 71 |
| 12 | 30.4 | (23.7 - 37.0) | 345 | 33.3 | (22.7 - 44.0) | 159 | 27.2 | (17.5 - 36.9) | 186 |
| 13 | 23.2 | (17.1 - 29.2) | 461 | 26.9 | (18.2 - 35.7) | 224 | 19.6 | (10.8 - 28.3) | 236 |
| 14 or older | 29.3 | (23.9 - 34.7) | 440 | 36.9 | (29.9 - 43.8) | 253 | 19.7 | (11.5 - 27.8) | 186 |
| Grade | | | | | | | | | |
| 6th | 25.9 | (19.9 - 32.0) | 293 | 30.5 | (20.2 - 40.8) | 136 | 21.4 | (13.5 - 29.3) | 156 |
| 7th | 24.3 | (19.3 - 29.4) | 515 | 30.3 | (25.0 - 35.6) | 244 | 18.3 | (11.6 - 25.1) | 270 |
| 8th | 28.7 | (22.6 - 34.9) | 533 | 34.2 | (26.5 - 41.9) | 283 | 23.0 | (13.0 - 33.0) | 250 |
| Race/Ethnicity | | | | | | | | | |
| Black | 29.2 | (23.2 - 35.1) | 493 | 39.7 | (33.6 - 45.9) | 236 | 19.2 | (12.3 - 26.2) | 255 |
| Hispanic/ Latino | 26.1 | (13.6 - 38.5) | 118 | - | - | 51 | - | - | 67 |
| White | 24.6 | (20.0 - 29.1) | 606 | 26.0 | (19.5 - 32.4) | 322 | 22.9 | (15.5 - 30.3) | 284 |
| All other races | - | - | 67 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 70 | - | - | 32 | - | - | 38 |

Note: There were 16 students who did not provide usable data for QN79.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN80: Percentage of students who never or rarely wear sunscreen with an SPF of 15 or higher when they are outside for more than one hour on a sunny day

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 78.0 | (75.5 - 80.5) | 1,345 | 80.5 | (76.9 - 84.1) | 668 | 75.3 | (72.0 - 78.6) | 674 |
| Age | | | | | | | | | |
| 11 or younger | 62.2 | (50.0 - 74.4) | 108 | - | - | 37 | - | - | 70 |
| 12 | 78.7 | (74.6 - 82.7) | 337 | 80.2 | (73.5 - 86.9) | 154 | 77.0 | (69.9 - 84.1) | 183 |
| 13 | 77.8 | (74.2 - 81.3) | 460 | 79.2 | (73.5 - 85.0) | 223 | 76.2 | (71.1 - 81.3) | 236 |
| 14 or older | 83.7 | (79.6 - 87.9) | 439 | 84.7 | (78.9 - 90.5) | 254 | 82.8 | (77.6 - 88.1) | 184 |
| Grade | | | | | | | | | |
| 6th | 72.2 | (66.7 - 77.7) | 285 | 77.1 | (70.8 - 83.4) | 132 | 66.8 | (57.3 - 76.2) | 152 |
| 7th | 78.9 | (75.2 - 82.7) | 514 | 81.3 | (74.3 - 88.3) | 242 | 76.4 | (71.9 - 80.9) | 271 |
| 8th | 82.0 | (78.0 - 86.1) | 530 | 82.4 | (76.5 - 88.4) | 283 | 81.6 | (77.4 - 85.9) | 247 |
| Race/Ethnicity | | | | | | | | | |
| Black | 86.1 | (82.3 - 89.9) | 487 | 84.9 | (79.4 - 90.3) | 230 | 87.1 | (83.8 - 90.4) | 255 |
| Hispanic/ Latino | 76.5 | (65.2 - 87.9) | 116 | - | - | 51 | - | - | 65 |
| White | 72.0 | (69.3 - 74.7) | 604 | 77.5 | (73.1 - 81.9) | 324 | 65.4 | (62.4 - 68.5) | 280 |
| All other races | - | - | 67 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 68 | - | - | 30 | - | - | 38 |

Note: There were 28 students who did not provide usable data for QN80.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN81: Percentage of students who never or rarely do one or more of the following to protect themselves from the sun when they are outside for more than one hour on a sunny day: stay in the shade, wear long pants, wear a long-sleeved shirt, or wear a hat that shades their face, ears, and neck

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 55.2 | (50.9 - 59.6) | 1,354 | 54.7 | (50.6 - 58.8) | 674 | 55.8 | (49.8 - 61.8) | 677 |
| Age | | | | | | | | | |
| 11 or younger | 54.3 | (44.8 - 63.7) | 110 | - | - | 38 | - | - | 71 |
| 12 | 56.9 | (50.5 - 63.4) | 343 | 54.7 | (46.9 - 62.5) | 158 | 59.4 | (53.1 - 65.7) | 185 |
| 13 | 53.5 | (47.0 - 60.0) | 461 | 53.3 | (44.1 - 62.5) | 223 | 54.0 | (47.3 - 60.7) | 237 |
| 14 or older | 55.7 | (50.6 - 60.8) | 439 | 55.5 | (47.8 - 63.2) | 255 | 56.2 | (49.5 - 62.9) | 183 |
| Grade | | | | | | | | | |
| 6th | 54.0 | (46.0 - 62.1) | 292 | 52.4 | (45.1 - 59.7) | 136 | 55.3 | (43.0 - 67.7) | 155 |
| 7th | 57.6 | (52.1 - 63.1) | 514 | 56.4 | (48.7 - 64.1) | 243 | 59.1 | (53.7 - 64.6) | 270 |
| 8th | 54.9 | (50.0 - 59.8) | 531 | 56.6 | (50.2 - 62.9) | 283 | 53.1 | (46.4 - 59.8) | 248 |
| Race/Ethnicity | | | | | | | | | |
| Black | 49.2 | (44.5 - 53.9) | 492 | 52.4 | (45.8 - 59.0) | 235 | 45.9 | (39.1 - 52.7) | 255 |
| Hispanic/ Latino | 54.3 | (42.8 - 65.7) | 118 | - | - | 51 | - | - | 67 |
| White | 60.6 | (56.4 - 64.8) | 606 | 56.9 | (51.9 - 61.9) | 324 | 65.0 | (59.7 - 70.3) | 282 |
| All other races | - | - | 66 | - | - | 31 | - | - | 34 |
| Multiple races | - | - | 69 | - | - | 32 | - | - | 37 |

Note: There were 19 students who did not provide usable data for QN81.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN82: Percentage of students who get approximately seven or more hours of sleep on an average school night

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 78.2 | (74.5 - 81.8) | 1,349 | 77.7 | (72.3 - 83.2) | 675 | 78.8 | (75.0 - 82.7) | 671 |
| Age | | | | | | | | | |
| 11 or younger | 85.6 | (76.4 - 94.7) | 108 | - | - | 37 | - | - | 70 |
| 12 | 80.9 | (77.0 - 84.9) | 341 | 80.9 | (76.0 - 85.9) | 158 | 80.9 | (74.0 - 87.8) | 183 |
| 13 | 80.4 | (75.4 - 85.3) | 457 | 81.6 | (74.2 - 89.1) | 223 | 79.0 | (72.4 - 85.6) | 233 |
| 14 or older | 70.2 | (66.6 - 73.7) | 442 | 70.6 | (64.5 - 76.6) | 257 | 69.5 | (62.2 - 76.8) | 184 |
| Grade | | | | | | | | | |
| 6th | 80.8 | (74.9 - 86.8) | 290 | 77.5 | (69.2 - 85.8) | 135 | 85.3 | (77.6 - 92.9) | 154 |
| 7th | 81.9 | (77.4 - 86.5) | 509 | 82.0 | (76.9 - 87.1) | 243 | 81.7 | (75.6 - 87.8) | 265 |
| 8th | 72.1 | (67.8 - 76.4) | 533 | 73.6 | (66.4 - 80.9) | 285 | 70.5 | (64.4 - 76.6) | 248 |
| Race/Ethnicity | | | | | | | | | |
| Black | 70.5 | (63.4 - 77.6) | 490 | 66.6 | (56.5 - 76.8) | 238 | 74.8 | (68.4 - 81.2) | 250 |
| Hispanic/ Latino | 83.1 | (77.4 - 88.8) | 116 | - | - | 50 | - | - | 66 |
| White | 84.1 | (80.4 - 87.9) | 605 | 85.8 | (81.5 - 90.2) | 323 | 82.1 | (76.7 - 87.6) | 282 |
| All other races | - | - | 67 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 68 | - | - | 31 | - | - | 37 |

Note: There were 24 students who did not provide usable data for QN82.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN83: Percentage of students who consider themselves to have a disability

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 12.4 | (10.6 - 14.2) | 1,324 | 11.3 | (9.0 - 13.5) | 658 | 13.1 | (10.4 - 15.8) | 664 |
| Age | | | | | | | | | |
| 11 or younger | 9.2 | (2.5 - 15.8) | 107 | - | - | 36 | - | - | 70 |
| 12 | 11.9 | (8.6 - 15.2) | 336 | 15.2 | (9.0 - 21.5) | 156 | 8.3 | (3.6 - 13.0) | 180 |
| 13 | 13.7 | (10.4 - 16.9) | 444 | 9.1 | (5.2 - 13.0) | 213 | 17.5 | (12.2 - 22.8) | 230 |
| 14 or older | 12.7 | (10.2 - 15.3) | 436 | 10.2 | (6.6 - 13.9) | 253 | 16.0 | (11.6 - 20.4) | 183 |
| Grade | | | | | | | | | |
| 6th | 12.6 | (8.4 - 16.8) | 285 | 14.9 | (8.5 - 21.2) | 133 | 9.2 | (1.4 - 17.0) | 151 |
| 7th | 12.9 | (9.5 - 16.3) | 499 | 9.4 | (4.9 - 13.9) | 236 | 16.0 | (11.9 - 20.2) | 262 |
| 8th | 11.7 | (8.6 - 14.7) | 524 | 9.6 | (6.4 - 12.8) | 277 | 13.8 | (8.4 - 19.2) | 247 |
| Race/Ethnicity | | | | | | | | | |
| Black | 13.0 | (10.6 - 15.4) | 482 | 12.0 | (7.8 - 16.3) | 230 | 12.8 | (8.7 - 16.9) | 250 |
| Hispanic/ Latino | 6.0 | (3.0 - 8.9) | 112 | - | - | 47 | - | - | 65 |
| White | 12.2 | (9.4 - 15.0) | 596 | 11.0 | (6.1 - 15.9) | 317 | 13.6 | (10.5 - 16.8) | 279 |
| All other races | - | - | 64 | - | - | 31 | - | - | 33 |
| Multiple races | - | - | 67 | - | - | 32 | - | - | 35 |

Note: There were 49 students who did not provide usable data for QN83.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN84: Percentage of students who are limited in some way in some activities because of some impairment or health problem

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 10.6 | (7.7 - 13.4) | 1,350 | 9.6 | (5.7 - 13.5) | 672 | 11.5 | (8.5 - 14.5) | 676 |
| Age | | | | | | | | | |
| 11 or younger | 4.2 | (0.0 - 9.3) | 109 | - | - | 38 | - | - | 70 |
| 12 | 9.3 | (4.4 - 14.1) | 342 | 9.1 | (3.4 - 14.9) | 157 | 9.4 | (3.2 - 15.6) | 185 |
| 13 | 13.0 | (8.0 - 17.9) | 458 | 10.0 | (2.8 - 17.2) | 221 | 15.3 | (10.5 - 20.0) | 236 |
| 14 or older | 11.9 | (9.0 - 14.7) | 440 | 10.2 | (6.2 - 14.2) | 256 | 14.1 | (8.7 - 19.4) | 184 |
| Grade | | | | | | | | | |
| 6th | 10.2 | (4.0 - 16.4) | 288 | 13.1 | (3.1 - 23.2) | 133 | 7.2 | (1.4 - 13.0) | 154 |
| 7th | 8.3 | (4.9 - 11.6) | 515 | 5.3 | (2.6 - 7.9) | 243 | 10.9 | (5.8 - 15.9) | 271 |
| 8th | 13.3 | (10.2 - 16.3) | 531 | 10.4 | (6.7 - 14.2) | 284 | 16.2 | (10.3 - 22.2) | 247 |
| Race/Ethnicity | | | | | | | | | |
| Black | 14.2 | (11.0 - 17.3) | 491 | 14.9 | (10.7 - 19.2) | 234 | 13.2 | (8.3 - 18.0) | 255 |
| Hispanic/ Latino | 5.6 | (1.2 - 10.0) | 116 | - | - | 51 | - | - | 65 |
| White | 8.3 | (5.0 - 11.7) | 605 | 6.3 | (2.5 - 10.1) | 323 | 10.7 | (7.2 - 14.2) | 282 |
| All other races | - | - | 66 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 70 | - | - | 32 | - | - | 38 |

Note: There were 23 students who did not provide usable data for QN84.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN85: Percentage of students who have some trouble learning, remembering, or concentrating because of some impairment or health problem

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 12.3 | (9.9 - 14.7) | 1,340 | 11.6 | (8.4 - 14.8) | 660 | 12.8 | (9.8 - 15.9) | 678 |
| Age | | | | | | | | | |
| 11 or younger | 4.7 | (0.7 - 8.7) | 108 | - | - | 38 | - | - | 69 |
| 12 | 11.1 | (5.2 - 16.9) | 339 | 10.1 | (1.7 - 18.6) | 153 | 12.0 | (6.8 - 17.2) | 186 |
| 13 | 14.4 | (11.3 - 17.6) | 456 | 15.5 | (10.7 - 20.3) | 218 | 12.9 | (8.1 - 17.8) | 237 |
| 14 or older | 14.2 | (10.4 - 17.9) | 436 | 12.0 | (8.5 - 15.6) | 251 | 16.9 | (9.4 - 24.4) | 185 |
| Grade | | | | | | | | | |
| 6th | 11.2 | (4.8 - 17.5) | 287 | 10.5 | (2.4 - 18.6) | 132 | 12.0 | (5.6 - 18.4) | 154 |
| 7th | 13.2 | (9.3 - 17.2) | 511 | 13.8 | (10.3 - 17.3) | 239 | 12.2 | (6.6 - 17.7) | 271 |
| 8th | 12.6 | (9.1 - 16.2) | 526 | 10.9 | (7.6 - 14.3) | 277 | 14.4 | (8.5 - 20.3) | 249 |
| Race/Ethnicity | | | | | | | | | |
| Black | 12.3 | (9.3 - 15.4) | 484 | 14.0 | (8.7 - 19.4) | 226 | 10.5 | (7.2 - 13.9) | 256 |
| Hispanic/ Latino | 15.4 | (9.1 - 21.6) | 116 | - | - | 49 | - | - | 67 |
| White | 11.5 | (8.2 - 14.8) | 605 | 9.8 | (6.2 - 13.4) | 323 | 13.6 | (8.8 - 18.4) | 282 |
| All other races | - | - | 64 | - | - | 30 | - | - | 34 |
| Multiple races | - | - | 69 | - | - | 32 | - | - | 37 |

Note: There were 33 students who did not provide usable data for QN85.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN86: Percentage of students who are alone without a parent or trusted adult for two or more hours on an average school day

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 37.9 | (33.2 - 42.7) | 1,352 | 41.9 | (36.5 - 47.4) | 673 | 33.4 | (28.8 - 38.0) | 677 |
| Age | | | | | | | | | |
| 11 or younger | 26.3 | (17.2 - 35.3) | 108 | - | - | 38 | - | - | 69 |
| 12 | 34.8 | (27.0 - 42.5) | 343 | 33.0 | (23.2 - 42.9) | 158 | 36.6 | (27.5 - 45.7) | 185 |
| 13 | 38.5 | (33.7 - 43.3) | 459 | 44.9 | (39.2 - 50.5) | 222 | 31.9 | (23.5 - 40.3) | 236 |
| 14 or older | 45.2 | (39.3 - 51.0) | 441 | 51.5 | (43.5 - 59.6) | 255 | 36.9 | (30.9 - 42.9) | 186 |
| Grade | | | | | | | | | |
| 6th | 30.0 | (21.6 - 38.4) | 291 | 30.9 | (18.4 - 43.5) | 137 | 28.3 | (22.0 - 34.5) | 153 |
| 7th | 40.4 | (36.0 - 44.8) | 514 | 44.8 | (38.7 - 50.9) | 243 | 35.6 | (30.3 - 40.9) | 270 |
| 8th | 42.4 | (35.5 - 49.4) | 532 | 48.6 | (40.5 - 56.6) | 282 | 36.1 | (29.0 - 43.2) | 250 |
| Race/Ethnicity | | | | | | | | | |
| Black | 41.5 | (36.3 - 46.6) | 491 | 44.5 | (37.7 - 51.4) | 234 | 37.8 | (31.8 - 43.7) | 255 |
| Hispanic/ Latino | 29.7 | (22.4 - 37.0) | 117 | - | - | 51 | - | - | 66 |
| White | 36.3 | (29.8 - 42.8) | 607 | 41.2 | (33.4 - 49.1) | 324 | 30.5 | (24.9 - 36.2) | 283 |
| All other races | - | - | 65 | - | - | 31 | - | - | 34 |
| Multiple races | - | - | 69 | - | - | 32 | - | - | 37 |

Note: There were 21 students who did not provide usable data for QN86.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN87: Percentage of students who participate in some extracurricular activities at school (such as sports, band, drama, clubs, S.O.S., etc.)

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 69.5 | (65.1 - 73.9) | 1,337 | 71.1 | (66.3 - 75.9) | 662 | 68.0 | (63.1 - 72.8) | 673 |
| Age | | | | | | | | | |
| 11 or younger | 75.2 | (63.4 - 87.1) | 107 | - | - | 38 | - | - | 69 |
| 12 | 67.9 | (60.6 - 75.2) | 340 | 70.5 | (61.1 - 80.0) | 156 | 65.1 | (57.4 - 72.8) | 184 |
| 13 | 72.0 | (67.6 - 76.3) | 452 | 74.6 | (66.9 - 82.3) | 217 | 69.9 | (63.4 - 76.4) | 234 |
| 14 or older | 66.4 | (61.8 - 70.9) | 437 | 67.1 | (61.9 - 72.3) | 251 | 65.2 | (56.8 - 73.7) | 185 |
| Grade | | | | | | | | | |
| 6th | 69.4 | (61.9 - 76.9) | 284 | 72.1 | (62.0 - 82.2) | 132 | 66.5 | (60.2 - 72.9) | 152 |
| 7th | 71.1 | (66.5 - 75.7) | 509 | 73.3 | (66.8 - 79.9) | 240 | 69.2 | (63.6 - 74.7) | 268 |
| 8th | 67.7 | (62.0 - 73.4) | 528 | 67.6 | (62.1 - 73.1) | 279 | 67.8 | (60.2 - 75.5) | 249 |
| Race/Ethnicity | | | | | | | | | |
| Black | 63.2 | (58.6 - 67.7) | 482 | 64.6 | (58.0 - 71.2) | 225 | 62.1 | (56.3 - 67.9) | 256 |
| Hispanic/ Latino | 61.3 | (50.0 - 72.5) | 115 | - | - | 49 | - | - | 66 |
| White | 75.2 | (70.9 - 79.4) | 604 | 75.8 | (71.3 - 80.3) | 324 | 74.4 | (68.4 - 80.4) | 280 |
| All other races | - | - | 66 | - | - | 32 | - | - | 33 |
| Multiple races | - | - | 67 | - | - | 31 | - | - | 36 |

Note: There were 36 students who did not provide usable data for QN87.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN88: Percentage of students who responded that the last time they saw a doctor or a nurse for a check-up or physical exam when they were not sick or injured was during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 54.1 | (50.2 - 58.0) | 1,348 | 55.9 | (51.3 - 60.6) | 670 | 52.5 | (46.8 - 58.2) | 675 |
| Age | | | | | | | | | |
| 11 or younger | 51.3 | (41.4 - 61.2) | 107 | - | - | 38 | - | - | 68 |
| 12 | 47.9 | (39.6 - 56.2) | 344 | 50.1 | (41.3 - 58.8) | 159 | 45.6 | (35.1 - 56.1) | 185 |
| 13 | 57.7 | (50.8 - 64.7) | 457 | 57.7 | (49.2 - 66.2) | 219 | 58.1 | (49.6 - 66.6) | 237 |
| 14 or older | 57.6 | (52.1 - 63.2) | 439 | 61.0 | (53.7 - 68.2) | 254 | 53.5 | (43.1 - 63.9) | 184 |
| Grade | | | | | | | | | |
| 6th | 47.1 | (39.3 - 54.9) | 290 | 48.6 | (39.4 - 57.8) | 137 | 46.0 | (34.7 - 57.2) | 152 |
| 7th | 56.2 | (51.6 - 60.8) | 512 | 57.2 | (50.1 - 64.3) | 240 | 55.5 | (49.3 - 61.7) | 271 |
| 8th | 58.6 | (53.4 - 63.8) | 530 | 61.5 | (54.8 - 68.1) | 282 | 55.6 | (46.6 - 64.6) | 248 |
| Race/Ethnicity | | | | | | | | | |
| Black | 50.6 | (45.4 - 55.7) | 486 | 52.8 | (47.5 - 58.0) | 229 | 49.1 | (40.5 - 57.7) | 255 |
| Hispanic/ Latino | 55.6 | (46.0 - 65.2) | 117 | - | - | 51 | - | - | 66 |
| White | 56.3 | (52.0 - 60.6) | 608 | 58.4 | (53.3 - 63.6) | 326 | 53.8 | (46.1 - 61.6) | 282 |
| All other races | - | - | 66 | - | - | 32 | - | - | 33 |
| Multiple races | - | - | 68 | - | - | 31 | - | - | 37 |

Note: There were 25 students who did not provide usable data for QN88.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN89: Percentage of students who responded that the last time they saw a dentist for a check-up, exam, teeth cleaning, or other dental work was during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 57.8 | (52.0 - 63.6) | 1,349 | 59.8 | (53.2 - 66.4) | 667 | 55.8 | (48.9 - 62.6) | 679 |
| Age | | | | | | | | | |
| 11 or younger | 63.3 | (44.9 - 81.7) | 110 | - | - | 38 | - | - | 71 |
| 12 | 55.9 | (43.9 - 68.0) | 340 | 62.1 | (48.5 - 75.6) | 157 | 49.3 | (37.4 - 61.2) | 183 |
| 13 | 61.6 | (56.2 - 67.0) | 457 | 62.6 | (55.5 - 69.6) | 218 | 60.5 | (53.0 - 68.0) | 238 |
| 14 or older | 53.5 | (49.9 - 57.1) | 441 | 52.4 | (45.2 - 59.6) | 254 | 54.7 | (49.0 - 60.5) | 186 |
| Grade | | | | | | | | | |
| 6th | 54.8 | (41.1 - 68.4) | 291 | 63.0 | (47.8 - 78.2) | 136 | 46.5 | (32.9 - 60.2) | 154 |
| 7th | 62.0 | (56.8 - 67.2) | 510 | 64.5 | (57.2 - 71.8) | 238 | 59.2 | (53.8 - 64.6) | 271 |
| 8th | 56.8 | (51.7 - 62.0) | 532 | 52.7 | (44.5 - 60.9) | 282 | 61.0 | (55.3 - 66.8) | 250 |
| Race/Ethnicity | | | | | | | | | |
| Black | 47.4 | (44.8 - 50.0) | 488 | 46.7 | (41.4 - 52.1) | 229 | 48.2 | (44.2 - 52.2) | 257 |
| Hispanic/ Latino | 44.1 | (35.2 - 53.0) | 115 | - | - | 50 | - | - | 65 |
| White | 67.7 | (61.7 - 73.8) | 606 | 71.0 | (65.3 - 76.8) | 323 | 63.8 | (54.2 - 73.5) | 283 |
| All other races | - | - | 67 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 70 | - | - | 32 | - | - | 38 |

Note: There were 24 students who did not provide usable data for QN89.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN90: Percentage of students who had ever been told by a doctor or nurse that they had asthma

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 19.4 | (16.6 - 22.2) | 1,345 | 18.8 | (14.8 - 22.7) | 669 | 19.8 | (16.2 - 23.4) | 673 |
| Age | | | | | | | | | |
| 11 or younger | 17.4 | (7.8 - 27.0) | 110 | - | - | 38 | - | - | 71 |
| 12 | 16.1 | (11.9 - 20.4) | 338 | 16.4 | (9.5 - 23.3) | 156 | 15.8 | (10.9 - 20.8) | 182 |
| 13 | 21.1 | (17.4 - 24.8) | 457 | 20.2 | (15.1 - 25.4) | 221 | 22.1 | (16.5 - 27.7) | 235 |
| 14 or older | 21.8 | (18.0 - 25.6) | 439 | 19.0 | (14.9 - 23.0) | 254 | 25.2 | (18.1 - 32.3) | 184 |
| Grade | | | | | | | | | |
| 6th | 18.7 | (13.7 - 23.7) | 290 | 19.7 | (11.2 - 28.2) | 136 | 16.7 | (11.4 - 21.9) | 153 |
| 7th | 19.4 | (15.2 - 23.5) | 508 | 19.7 | (14.2 - 25.2) | 240 | 19.1 | (13.8 - 24.5) | 267 |
| 8th | 20.5 | (16.0 - 25.0) | 531 | 17.7 | (12.3 - 23.2) | 282 | 23.4 | (15.5 - 31.2) | 249 |
| Race/Ethnicity | | | | | | | | | |
| Black | 21.7 | (17.4 - 26.0) | 484 | 23.5 | (16.9 - 30.1) | 231 | 19.5 | (13.6 - 25.4) | 251 |
| Hispanic/ Latino | 10.0 | (5.2 - 14.7) | 116 | - | - | 51 | - | - | 65 |
| White | 18.4 | (14.6 - 22.1) | 606 | 16.5 | (11.6 - 21.4) | 323 | 20.6 | (16.1 - 25.1) | 283 |
| All other races | - | - | 66 | - | - | 31 | - | - | 34 |
| Multiple races | - | - | 70 | - | - | 32 | - | - | 38 |

Note: There were 28 students who did not provide usable data for QN90.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN91: Percentage of students who have ever been told by a doctor or nurse that they had asthma and who have asthma but had not had an episode of asthma or an asthma attack during the past 12 months or who had an episode of asthma or an asthma attack during the past 12 months (i.e., current asthma)

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 15.9 | (13.5 - 18.3) | 1,338 | 14.7 | (11.3 - 18.2) | 664 | 16.8 | (14.0 - 19.7) | 671 |
| Age | | | | | | | | | |
| 11 or younger | 15.2 | (6.8 - 23.6) | 110 | - | - | 38 | - | - | 71 |
| 12 | 14.6 | (10.4 - 18.9) | 336 | 13.9 | (7.7 - 20.1) | 155 | 15.5 | (10.5 - 20.5) | 181 |
| 13 | 15.9 | (12.4 - 19.5) | 455 | 14.0 | (10.0 - 17.9) | 219 | 17.9 | (13.2 - 22.5) | 235 |
| 14 or older | 17.6 | (13.3 - 21.8) | 436 | 15.4 | (10.5 - 20.3) | 252 | 20.1 | (14.3 - 25.9) | 183 |
| Grade | | | | | | | | | |
| 6th | 15.7 | (11.4 - 20.1) | 289 | 15.9 | (8.7 - 23.1) | 136 | 14.6 | (9.4 - 19.8) | 152 |
| 7th | 15.0 | (11.4 - 18.5) | 505 | 14.0 | (10.2 - 17.8) | 238 | 16.0 | (10.6 - 21.5) | 266 |
| 8th | 17.3 | (12.9 - 21.8) | 529 | 14.8 | (9.4 - 20.2) | 280 | 19.9 | (13.6 - 26.2) | 249 |
| Race/Ethnicity | | | | | | | | | |
| Black | 17.8 | (14.2 - 21.4) | 481 | 17.5 | (12.0 - 22.9) | 229 | 17.5 | (12.4 - 22.6) | 250 |
| Hispanic/ Latino | 8.3 | (4.5 - 12.1) | 113 | - | - | 49 | - | - | 64 |
| White | 15.4 | (12.2 - 18.6) | 606 | 13.3 | (9.3 - 17.4) | 323 | 17.9 | (14.4 - 21.4) | 283 |
| All other races | - | - | 65 | - | - | 30 | - | - | 34 |
| Multiple races | - | - | 70 | - | - | 32 | - | - | 38 |

Note: There were 35 students who did not provide usable data for QN91.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN92: Percentage of students who agree or strongly agree they feel good about themselves

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 78.0 | (74.8 - 81.1) | 1,353 | 81.4 | (78.4 - 84.3) | 675 | 74.2 | (70.2 - 78.2) | 675 |
| Age | | | | | | | | | |
| 11 or younger | 85.9 | (78.8 - 92.9) | 110 | - | - | 38 | - | - | 71 |
| 12 | 77.4 | (72.6 - 82.2) | 339 | 81.2 | (74.7 - 87.6) | 159 | 73.3 | (66.2 - 80.3) | 180 |
| 13 | 78.1 | (73.6 - 82.7) | 461 | 81.4 | (74.2 - 88.6) | 223 | 74.8 | (69.8 - 79.8) | 237 |
| 14 or older | 75.2 | (68.7 - 81.8) | 442 | 80.4 | (73.4 - 87.3) | 255 | 68.4 | (59.1 - 77.8) | 186 |
| Grade | | | | | | | | | |
| 6th | 80.4 | (76.2 - 84.6) | 292 | 81.5 | (75.7 - 87.4) | 137 | 79.0 | (72.3 - 85.6) | 154 |
| 7th | 79.0 | (73.2 - 84.9) | 511 | 81.1 | (74.3 - 87.8) | 243 | 76.8 | (71.4 - 82.2) | 267 |
| 8th | 75.4 | (70.2 - 80.7) | 533 | 82.9 | (76.3 - 89.5) | 283 | 67.7 | (60.4 - 75.1) | 250 |
| Race/Ethnicity | | | | | | | | | |
| Black | 79.7 | (75.5 - 83.8) | 491 | 79.6 | (74.1 - 85.1) | 235 | 79.5 | (74.4 - 84.5) | 254 |
| Hispanic/ Latino | 71.8 | (64.5 - 79.1) | 114 | - | - | 50 | - | - | 64 |
| White | 77.8 | (73.6 - 82.1) | 608 | 83.4 | (79.9 - 86.9) | 325 | 71.2 | (64.4 - 78.0) | 283 |
| All other races | - | - | 67 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 70 | - | - | 32 | - | - | 38 |

Note: There were 20 students who did not provide usable data for QN92.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN93: Percentage of students who agree or strongly agree they feel alone in their life

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 16.3 | (13.7 - 18.9) | 1,354 | 13.9 | (11.4 - 16.3) | 676 | 18.8 | (15.5 - 22.1) | 675 |
| Age | | | | | | | | | |
| 11 or younger | 13.9 | (6.3 - 21.6) | 110 | - | - | 38 | - | - | 71 |
| 12 | 11.5 | (6.4 - 16.5) | 342 | 8.8 | (3.9 - 13.7) | 159 | 14.4 | (7.6 - 21.1) | 183 |
| 13 | 16.3 | (12.4 - 20.3) | 458 | 12.2 | (8.3 - 16.1) | 222 | 20.0 | (13.7 - 26.2) | 235 |
| 14 or older | 22.1 | (18.7 - 25.5) | 443 | 20.0 | (16.5 - 23.5) | 257 | 25.0 | (18.1 - 31.8) | 185 |
| Grade | | | | | | | | | |
| 6th | 12.5 | (6.9 - 18.1) | 293 | 9.4 | (4.3 - 14.4) | 138 | 16.1 | (8.7 - 23.5) | 154 |
| 7th | 14.2 | (10.6 - 17.9) | 511 | 15.7 | (11.5 - 19.8) | 241 | 12.3 | (7.2 - 17.4) | 269 |
| 8th | 21.5 | (18.5 - 24.5) | 533 | 15.9 | (12.4 - 19.5) | 285 | 27.4 | (23.3 - 31.5) | 248 |
| Race/Ethnicity | | | | | | | | | |
| Black | 18.6 | (15.4 - 21.9) | 490 | 18.2 | (13.7 - 22.7) | 235 | 18.8 | (13.5 - 24.1) | 253 |
| Hispanic/ Latino | 23.6 | (15.8 - 31.3) | 115 | - | - | 51 | - | - | 64 |
| White | 13.1 | (9.3 - 16.8) | 610 | 10.1 | (6.9 - 13.4) | 326 | 16.6 | (11.0 - 22.1) | 284 |
| All other races | - | - | 67 | - | - | 32 | - | - | 34 |
| Multiple races | - | - | 69 | - | - | 31 | - | - | 38 |

Note: There were 19 students who did not provide usable data for QN93.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN94: Percentage of students who agree or strongly agree that drugs are a problem at their school

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 23.5 | (18.1 - 28.8) | 1,339 | 21.5 | (14.5 - 28.6) | 663 | 25.3 | (20.8 - 29.9) | 673 |
| Age | | | | | | | | | |
| 11 or younger | 21.6 | (8.4 - 34.9) | 108 | - | - | 37 | - | - | 70 |
| 12 | 17.3 | (11.3 - 23.3) | 339 | 15.6 | (7.7 - 23.4) | 158 | 19.2 | (12.8 - 25.6) | 181 |
| 13 | 24.5 | (19.4 - 29.5) | 455 | 22.2 | (15.1 - 29.3) | 217 | 26.8 | (22.4 - 31.1) | 237 |
| 14 or older | 29.5 | (22.4 - 36.6) | 436 | 27.2 | (20.5 - 33.9) | 251 | 32.6 | (22.0 - 43.3) | 184 |
| Grade | | | | | | | | | |
| 6th | 18.8 | (10.8 - 26.8) | 289 | 16.8 | (7.3 - 26.3) | 137 | 20.1 | (9.4 - 30.8) | 151 |
| 7th | 21.9 | (15.5 - 28.3) | 505 | 21.2 | (12.6 - 29.7) | 235 | 22.7 | (17.0 - 28.4) | 269 |
| 8th | 28.8 | (21.5 - 36.1) | 528 | 25.7 | (18.6 - 32.9) | 279 | 31.9 | (23.0 - 40.9) | 249 |
| Race/Ethnicity | | | | | | | | | |
| Black | 26.8 | (19.0 - 34.5) | 489 | 26.4 | (13.8 - 39.1) | 233 | 26.6 | (21.0 - 32.3) | 254 |
| Hispanic/ Latino | 17.4 | (11.3 - 23.6) | 111 | - | - | 48 | - | - | 63 |
| White | 21.4 | (14.4 - 28.5) | 602 | 19.1 | (10.7 - 27.6) | 320 | 24.1 | (16.3 - 32.0) | 282 |
| All other races | - | - | 66 | - | - | 31 | - | - | 34 |
| Multiple races | - | - | 68 | - | - | 30 | - | - | 38 |

Note: There were 34 students who did not provide usable data for QN94.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN95: Percentage of students who agree or strongly agree that harassment and bullying by other students is a problem at their school

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 44.9 | (40.7 - 49.1) | 1,343 | 39.8 | (35.9 - 43.8) | 667 | 50.3 | (45.0 - 55.6) | 673 |
| Age | | | | | | | | | |
| 11 or younger | 43.6 | (31.9 - 55.4) | 107 | - | - | 36 | - | - | 70 |
| 12 | 45.8 | (38.8 - 52.7) | 339 | 40.4 | (32.8 - 47.9) | 158 | 51.7 | (43.8 - 59.5) | 181 |
| 13 | 45.2 | (38.9 - 51.5) | 457 | 41.4 | (36.3 - 46.4) | 219 | 48.6 | (39.8 - 57.4) | 237 |
| 14 or older | 44.1 | (37.6 - 50.6) | 439 | 37.5 | (30.5 - 44.5) | 254 | 53.0 | (43.0 - 63.0) | 184 |
| Grade | | | | | | | | | |
| 6th | 41.7 | (33.8 - 49.6) | 288 | 38.2 | (28.8 - 47.5) | 136 | 46.0 | (38.2 - 53.8) | 151 |
| 7th | 49.8 | (44.1 - 55.4) | 505 | 43.0 | (36.6 - 49.5) | 235 | 56.2 | (49.1 - 63.3) | 269 |
| 8th | 42.9 | (37.2 - 48.5) | 533 | 37.5 | (29.1 - 45.9) | 284 | 48.5 | (40.4 - 56.6) | 249 |
| Race/Ethnicity | | | | | | | | | |
| Black | 43.6 | (37.4 - 49.9) | 489 | 39.7 | (31.9 - 47.5) | 233 | 47.5 | (38.8 - 56.2) | 254 |
| Hispanic/ Latino | 45.8 | (34.6 - 57.0) | 112 | - | - | 49 | - | - | 63 |
| White | 45.5 | (38.1 - 52.9) | 604 | 40.4 | (32.8 - 48.0) | 322 | 51.5 | (42.5 - 60.5) | 282 |
| All other races | - | - | 66 | - | - | 31 | - | - | 34 |
| Multiple races | - | - | 69 | - | - | 31 | - | - | 38 |

Note: There were 30 students who did not provide usable data for QN95.

N = Number of unweighted observations.

- = Fewer than 100 cases.

2005 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) Middle School Survey
Summary Table - Weighted Data

QN96: Percentage of students who usually walk or ride their bike to school three or more days per week

| | Percentage | Total 95% confidence interval | N | Percentage | Males 95% confidence interval | N | Percentage | Females 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|--|-----|------------|--|-----|
| Total | 10.8 | (8.4 - 13.3) | 1,314 | 11.5 | (8.7 - 14.4) | 656 | 10.2 | (7.5 - 12.8) | 655 |
| Age | | | | | | | | | |
| 11 or younger | 6.0 | (1.5 - 10.5) | 107 | - | - | 37 | - | - | 69 |
| 12 | 8.8 | (5.6 - 11.9) | 329 | 7.8 | (2.8 - 12.8) | 155 | 9.9 | (5.7 - 14.0) | 174 |
| 13 | 13.0 | (8.9 - 17.0) | 451 | 16.5 | (12.2 - 20.8) | 216 | 9.6 | (5.0 - 14.2) | 234 |
| 14 or older | 12.6 | (8.9 - 16.3) | 426 | 12.3 | (5.8 - 18.9) | 248 | 13.0 | (8.1 - 17.9) | 177 |
| Grade | | | | | | | | | |
| 6th | 8.0 | (4.7 - 11.4) | 280 | 8.4 | (2.5 - 14.4) | 135 | 7.7 | (3.8 - 11.6) | 144 |
| 7th | 11.5 | (8.6 - 14.5) | 500 | 12.9 | (9.1 - 16.6) | 232 | 10.3 | (6.6 - 14.0) | 267 |
| 8th | 12.5 | (8.1 - 16.9) | 519 | 12.6 | (6.2 - 19.0) | 279 | 12.4 | (7.3 - 17.5) | 240 |
| Race/Ethnicity | | | | | | | | | |
| Black | 13.6 | (8.2 - 18.9) | 477 | 16.0 | (7.3 - 24.7) | 229 | 11.4 | (7.4 - 15.4) | 246 |
| Hispanic/ Latino | 18.7 | (6.4 - 31.1) | 112 | - | - | 49 | - | - | 63 |
| White | 7.9 | (3.8 - 11.9) | 591 | 7.4 | (3.0 - 11.8) | 317 | 8.5 | (3.8 - 13.2) | 274 |
| All other races | - | - | 66 | - | - | 31 | - | - | 34 |
| Multiple races | - | - | 65 | - | - | 29 | - | - | 36 |

Note: There were 59 students who did not provide usable data for QN96.

N = Number of unweighted observations.

- = Fewer than 100 cases.