


2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet



QN8 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else



QN9 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol



QN10 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol



QN11 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days



QN12 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days



QN14 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school



QN15 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months



QN16 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who were in a physical fight one or more times during the past 12 months



QN17 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse



QN18 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who were in a physical fight on school property one or more times during the past 12 months



QN19 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months



QN20 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to



QN21 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who had ever been bullied on school property during the past 12 months



QN22 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months



QN23 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who seriously considered attempting suicide during the past 12 months



QN24 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who made a plan about how they would attempt suicide during the past 12 months



QN25 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who actually attempted suicide one or more times during the past 12 months



QN26 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who smoked a whole cigarette for the first time before age 13 years



QN29 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who smoked cigarettes on one or more of the past 30 days



QN30 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who smoked cigarettes on 20 or more of the past 30 days



QNFRIG - Weighted Data

*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months



QN35 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who had their first drink of alcohol other than a few sips before age 13 years



QN40 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who had at least one drink of alcohol on one or more of the past 30 days



QN41 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days



QN42 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days



QN43 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days



QN44 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who used marijuana one or more times during their life



QN45 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who tried marijuana for the first time before age 13 years



QN46 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who used marijuana one or more times during the past 30 days



QN47 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who used marijuana on school property one or more times during the past 30 days



QN48 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life



QN49 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life



QN51 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who used heroin one or more times during their life



QN52 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who used methamphetamines one or more times during their life



QN53 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who used ecstasy one or more times during their life



QN54 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life



QN55 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life



QN56 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months



QN57 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who ever had sexual intercourse



QN58 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who had sexual intercourse for the first time before age 13 years



QN59 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who had sexual intercourse with four or more people during their life



QN60 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who had sexual intercourse with one or more people during the past three months



QN61 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse



QN62 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse



QN63 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**



**QNOWT - Weighted Data - Based on reference data from the 2000 CDC Growth Charts.


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)**



**QNOBESE - Weighted Data - Based on reference data from the 2000 CDC Growth Charts.


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who described themselves as slightly or very overweight



QN65 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who were trying to lose weight



QN66 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days



QN67 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days



QN68 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days



QN70 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days



QN71 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who drank 100% fruit juices one or more times during the past seven days



QN72 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who ate fruit one or more times during the past seven days



QN73 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who ate green salad one or more times during the past seven days



QN74 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who ate potatoes one or more times during the past seven days



QN75 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who ate carrots one or more times during the past seven days



QN76 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who ate other vegetables one or more times during the past seven days



QN77 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who ate fruits and vegetables five or more times per day during the past seven days



QNFRVG - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who ate fruits two or more times per day during the past seven days



QNFRUIT - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who ate vegetables three or more times per day during the past seven days



QNVEG - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days



QN78 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days



QN80 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who watched three or more hours per day of TV on an average school day



QN81 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day



QN82 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who had ever been told by a doctor or nurse that they had asthma



QN86 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who had been told by a doctor or nurse that they had asthma and who still have asthma



QN87 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who would describe their grades in school as mostly D's or F's during the past 12 months



QN88 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who rode in a car or other vehicle driven by someone who had been recklessly speeding one or more times during the past 30 days



QN89 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who drove a car or other vehicle under the influence of drugs other than tobacco one or more times during the past 30 days



QN90 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who have ever been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging, during the past 12 months



QN91 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who have seen other students being bullied in their school



QN92 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students whose property such as their car, clothing, or books had been stolen or deliberately damaged on school property one or more times during the past 12 months



QN93 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who usually talk with teacher or other adult in this school when they feel sad, empty, hopeless, angry, or anxious



QN94 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, Adderall, Ritalin, or Xanax) without a doctor's prescription one or more times during their life



QN95 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students whose partner was three or more years older the last time they had sexual intercourse



QN96 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who usually talk with teacher or other adult in this school when they have questions about sexually transmitted diseases (STD), HIV, AIDS, or pregnancy prevention



QN97 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who skipped meals to lose weight or keep from gaining weight during the past 30 days



QN98 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who drank a can, bottle, or glass of any other sweetened beverage one or more times per day during the past seven days



QN99 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who ate breakfast on seven of the past seven days



QN100 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who ate dinner at home with their family on three or more of the past seven days



QN101 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who, when they eat out, never or rarely choose foods that are low in fat, sugar, or calories, compared to the other foods available at that restaurant



QN102 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who watch TV, play video games, or use a computer for something that is not school work three or more hours per day on an average Saturday or Sunday



QN103 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who most of the time or always wear sunscreen with an SPF of 15 or higher when they are outside for more than one hour on a sunny day



QN104 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who get eight or more hours of sleep on an average school night



QN105 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who consider themselves to have a disability



QN106 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who are alone without a parent or adult three or more hours per day on an average school day



QN107 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who last saw a doctor or nurse for a check-up or physical exam when they were not sick or injured during the past 12 months



QN108 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who last saw a dentist for a check-up, exam, teeth cleaning, or other dental work during the past 12 months



QN109 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who have ever been tested for HIV, the virus that causes AIDS



QN110 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who strongly agree or agree that they feel alone in their life



QN111 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who strongly agree or agree that they feel good about themselves



QN112 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who strongly agree or agree that their teachers really care about them and give them a lot of encouragement



QN113 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who strongly agree or agree that drugs are a problem at their school



QN114 - Weighted Data


*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

2009 Youth Risk Behavior Survey Results

North Carolina (Region 1) High School Survey

Percentage of students who strongly agree or agree that gangs are a problem at their school



QN115 - Weighted Data

*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.