

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN8: Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 93.0 | (89.7 - 95.3) | 615 | 92.6 | (89.1 - 95.1) | 350 | 93.6 | (87.9 - 96.7) | 265 |
| Age | | | | | | | | | |
| 15 or younger | 93.8 | (88.4 - 96.8) | 247 | 93.6 | (87.8 - 96.8) | 133 | 94.1 | (85.2 - 97.8) | 114 |
| 16 or 17 | 92.5 | (88.6 - 95.1) | 313 | 91.6 | (85.3 - 95.3) | 180 | 94.0 | (86.6 - 97.4) | 133 |
| 18 or older | - | - | 55 | - | - | 37 | - | - | 18 |
| Grade | | | | | | | | | |
| 9th | 94.4 | (90.2 - 96.9) | 213 | 94.1 | (88.1 - 97.2) | 128 | - | - | 85 |
| 10th | 93.8 | (87.7 - 97.0) | 194 | 94.0 | (87.5 - 97.2) | 111 | - | - | 83 |
| 11th | 87.9 | (80.7 - 92.7) | 119 | - | - | 60 | - | - | 59 |
| 12th | - | - | 83 | - | - | 46 | - | - | 37 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 97.4 | (91.7 - 99.2) | 203 | 96.2 | (86.5 - 99.0) | 116 | - | - | 87 |
| Hispanic/Latino | - | - | 49 | - | - | 25 | - | - | 24 |
| White* | 90.0 | (84.3 - 93.8) | 301 | 90.2 | (83.2 - 94.5) | 174 | 89.7 | (81.4 - 94.5) | 127 |
| All other races | - | - | 15 | - | - | 8 | - | - | 7 |
| Multiple races | - | - | 29 | - | - | 19 | - | - | 10 |

Note: There were 443 students who were excluded from the analysis for QN8.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN9: Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 8.7 | (6.5 - 11.5) | 1,053 | 9.7 | (7.0 - 13.3) | 482 | 7.7 | (4.9 - 12.0) | 570 |
| Age | | | | | | | | | |
| 15 or younger | 8.0 | (5.5 - 11.6) | 360 | 10.2 | (6.4 - 15.7) | 163 | 6.1 | (3.2 - 11.1) | 196 |
| 16 or 17 | 9.3 | (6.6 - 12.9) | 589 | 10.2 | (6.4 - 15.9) | 261 | 8.3 | (4.8 - 14.0) | 328 |
| 18 or older | 8.2 | (4.1 - 15.7) | 104 | - | - | 58 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 9.3 | (6.2 - 13.8) | 297 | 10.4 | (7.2 - 14.7) | 152 | 8.2 | (4.1 - 15.9) | 145 |
| 10th | 7.7 | (5.5 - 10.9) | 318 | 9.5 | (5.6 - 15.7) | 142 | 6.0 | (3.5 - 9.9) | 175 |
| 11th | 9.1 | (5.3 - 15.4) | 258 | 10.5 | (5.4 - 19.7) | 101 | 7.8 | (3.7 - 15.7) | 157 |
| 12th | 8.2 | (4.4 - 14.6) | 170 | - | - | 80 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 9.0 | (6.0 - 13.4) | 378 | 11.1 | (7.4 - 16.3) | 165 | 7.1 | (3.6 - 13.5) | 213 |
| Hispanic/Latino | - | - | 87 | - | - | 37 | - | - | 49 |
| White* | 8.8 | (5.6 - 13.4) | 480 | 8.5 | (5.3 - 13.3) | 228 | 9.1 | (4.6 - 17.1) | 252 |
| All other races | - | - | 34 | - | - | 17 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 5 students who were excluded from the analysis for QN9.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN10: Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 17.7 | (15.2 - 20.5) | 1,055 | 17.5 | (13.3 - 22.7) | 482 | 17.8 | (14.1 - 22.1) | 572 |
| Age | | | | | | | | | |
| 15 or younger | 16.7 | (13.1 - 21.2) | 360 | 14.3 | (9.4 - 21.2) | 163 | 18.9 | (12.1 - 28.2) | 196 |
| 16 or 17 | 17.4 | (14.2 - 21.2) | 592 | 18.9 | (14.0 - 25.0) | 262 | 15.9 | (11.5 - 21.7) | 330 |
| 18 or older | 21.4 | (12.5 - 34.2) | 103 | - | - | 57 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 17.3 | (14.7 - 20.2) | 296 | 15.1 | (9.9 - 22.5) | 152 | 19.7 | (14.3 - 26.5) | 144 |
| 10th | 16.2 | (11.7 - 22.1) | 318 | 16.8 | (12.6 - 22.0) | 142 | 15.4 | (7.9 - 27.9) | 175 |
| 11th | 19.1 | (13.9 - 25.6) | 262 | 21.1 | (13.9 - 30.9) | 102 | 17.1 | (12.3 - 23.3) | 160 |
| 12th | 18.0 | (10.3 - 29.4) | 169 | - | - | 79 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 17.3 | (14.1 - 21.0) | 379 | 16.2 | (12.8 - 20.3) | 165 | 18.3 | (12.3 - 26.3) | 214 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 17.8 | (14.1 - 22.4) | 480 | 17.5 | (12.4 - 24.2) | 228 | 18.2 | (13.6 - 23.9) | 252 |
| All other races | - | - | 34 | - | - | 17 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 3 students who were excluded from the analysis for QN10.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN11: Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 8.6 | (6.4 - 11.4) | 1,045 | 11.2 | (8.1 - 15.2) | 474 | 5.9 | (3.6 - 9.8) | 570 |
| Age | | | | | | | | | |
| 15 or younger | 5.2 | (2.3 - 11.2) | 359 | 5.7 | (2.9 - 10.6) | 161 | 4.8 | (1.1 - 18.5) | 197 |
| 16 or 17 | 10.7 | (7.8 - 14.3) | 584 | 15.5 | (10.7 - 21.8) | 257 | 5.9 | (3.5 - 9.9) | 327 |
| 18 or older | 8.9 | (4.0 - 18.7) | 102 | - | - | 56 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 7.4 | (3.8 - 13.9) | 296 | 8.6 | (5.1 - 14.4) | 151 | 6.0 | (1.6 - 20.2) | 145 |
| 10th | 4.8 | (3.3 - 7.0) | 315 | 7.8 | (5.7 - 10.6) | 140 | 1.8 | (0.8 - 4.3) | 174 |
| 11th | 11.3 | (7.3 - 17.2) | 257 | - | - | 98 | 7.4 | (3.6 - 14.8) | 159 |
| 12th | 12.2 | (6.4 - 21.9) | 168 | - | - | 78 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 7.3 | (4.9 - 10.6) | 375 | 9.7 | (6.1 - 15.1) | 162 | 5.1 | (2.3 - 11.0) | 213 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 9.7 | (6.6 - 14.0) | 475 | 12.3 | (8.1 - 18.1) | 224 | 6.9 | (3.5 - 13.1) | 251 |
| All other races | - | - | 34 | - | - | 17 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 13 students who were excluded from the analysis for QN11.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN12: Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 23.0 | (18.3 - 28.4) | 1,046 | 38.3 | (31.4 - 45.7) | 474 | 7.7 | (5.1 - 11.5) | 571 |
| Age | | | | | | | | | |
| 15 or younger | 24.0 | (17.1 - 32.6) | 358 | 39.7 | (29.3 - 51.1) | 161 | 9.5 | (6.2 - 14.1) | 196 |
| 16 or 17 | 22.9 | (18.6 - 27.8) | 584 | 39.9 | (32.3 - 47.9) | 255 | 6.4 | (3.4 - 11.6) | 329 |
| 18 or older | 20.6 | (14.4 - 28.6) | 104 | - | - | 58 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 25.5 | (17.8 - 35.2) | 293 | 41.1 | (29.6 - 53.6) | 148 | 9.2 | (5.4 - 15.2) | 145 |
| 10th | 26.2 | (20.0 - 33.4) | 315 | 44.8 | (36.7 - 53.3) | 140 | 7.3 | (4.8 - 10.9) | 174 |
| 11th | 21.4 | (16.0 - 28.0) | 259 | 36.2 | (24.7 - 49.5) | 100 | 7.4 | (4.0 - 13.4) | 159 |
| 12th | 17.2 | (12.1 - 24.0) | 169 | - | - | 79 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 17.3 | (13.4 - 22.1) | 374 | 27.9 | (21.2 - 35.8) | 160 | 8.0 | (4.3 - 14.3) | 214 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 26.5 | (20.3 - 33.9) | 478 | 44.5 | (35.4 - 54.0) | 227 | 7.4 | (3.8 - 13.8) | 251 |
| All other races | - | - | 34 | - | - | 17 | - | - | 17 |
| Multiple races | - | - | 48 | - | - | 22 | - | - | 26 |

Note: There were 12 students who were excluded from the analysis for QN12.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN14: Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 4.8 | (3.1 - 7.3) | 1,049 | 7.7 | (4.9 - 12.0) | 476 | 1.8 | (0.9 - 3.8) | 572 |
| Age | | | | | | | | | |
| 15 or younger | 4.3 | (1.8 - 9.7) | 359 | 6.9 | (2.3 - 18.9) | 162 | 1.8 | (0.7 - 4.7) | 196 |
| 16 or 17 | 5.6 | (3.7 - 8.5) | 587 | 10.0 | (6.5 - 15.0) | 257 | 1.4 | (0.5 - 3.8) | 330 |
| 18 or older | 2.5 | (0.7 - 8.2) | 103 | - | - | 57 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 5.1 | (2.3 - 11.1) | 294 | 8.8 | (3.7 - 19.6) | 149 | 1.2 | (0.3 - 5.4) | 145 |
| 10th | 4.6 | (2.9 - 7.3) | 316 | 8.5 | (5.4 - 13.3) | 141 | 0.6 | (0.1 - 4.1) | 174 |
| 11th | 6.1 | (3.4 - 10.6) | 261 | 9.8 | (4.9 - 18.8) | 101 | 2.5 | (0.9 - 6.7) | 160 |
| 12th | 3.2 | (1.2 - 8.1) | 168 | - | - | 78 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 3.6 | (1.9 - 6.8) | 376 | 5.3 | (2.7 - 10.1) | 162 | 2.0 | (0.7 - 5.8) | 214 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 5.4 | (3.0 - 9.5) | 480 | 8.6 | (4.5 - 15.7) | 228 | 1.9 | (0.6 - 6.1) | 252 |
| All other races | - | - | 34 | - | - | 17 | - | - | 17 |
| Multiple races | - | - | 49 | - | - | 23 | - | - | 26 |

Note: There were 9 students who were excluded from the analysis for QN14.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN15: Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 6.2 | (3.9 - 9.6) | 1,056 | 5.2 | (2.8 - 9.5) | 482 | 7.2 | (4.1 - 12.1) | 573 |
| Age | | | | | | | | | |
| 15 or younger | 5.3 | (2.7 - 9.9) | 360 | 3.4 | (1.4 - 8.3) | 162 | 7.0 | (3.3 - 14.0) | 197 |
| 16 or 17 | 7.2 | (4.3 - 11.8) | 592 | 7.6 | (3.9 - 14.1) | 262 | 6.8 | (3.6 - 12.4) | 330 |
| 18 or older | 4.3 | (1.8 - 10.1) | 104 | - | - | 58 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 5.9 | (2.8 - 11.9) | 296 | 2.9 | (1.1 - 7.8) | 151 | 9.0 | (4.3 - 18.0) | 145 |
| 10th | 5.9 | (3.7 - 9.1) | 318 | 5.6 | (2.4 - 12.4) | 142 | 6.2 | (3.5 - 10.7) | 175 |
| 11th | 7.2 | (3.5 - 14.1) | 262 | 8.5 | (3.1 - 21.1) | 102 | 5.9 | (2.5 - 13.2) | 160 |
| 12th | 5.5 | (2.7 - 11.0) | 170 | - | - | 80 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 5.1 | (2.7 - 9.6) | 380 | 3.1 | (1.0 - 9.3) | 165 | 7.0 | (3.8 - 12.6) | 215 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 6.4 | (3.8 - 10.5) | 481 | 5.2 | (2.5 - 10.5) | 229 | 7.7 | (3.9 - 14.9) | 252 |
| All other races | - | - | 34 | - | - | 17 | - | - | 17 |
| Multiple races | - | - | 49 | - | - | 23 | - | - | 26 |

Note: There were 2 students who were excluded from the analysis for QN15.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN16: Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 5.6 | (4.2 - 7.4) | 1,057 | 7.4 | (5.2 - 10.5) | 483 | 3.7 | (2.5 - 5.6) | 573 |
| Age | | | | | | | | | |
| 15 or younger | 6.3 | (4.2 - 9.5) | 361 | 8.1 | (4.6 - 13.9) | 163 | 4.7 | (2.4 - 8.8) | 197 |
| 16 or 17 | 5.2 | (3.2 - 8.4) | 592 | 7.3 | (4.0 - 13.0) | 262 | 3.1 | (1.6 - 5.9) | 330 |
| 18 or older | 5.2 | (2.9 - 8.9) | 104 | - | - | 58 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 5.4 | (3.1 - 9.1) | 297 | 6.8 | (3.7 - 12.3) | 152 | 3.9 | (1.7 - 8.5) | 145 |
| 10th | 6.3 | (3.2 - 12.2) | 318 | 8.0 | (4.4 - 14.2) | 142 | 4.6 | (1.7 - 12.4) | 175 |
| 11th | 6.2 | (3.8 - 10.0) | 262 | 9.4 | (5.0 - 16.8) | 102 | 3.1 | (1.3 - 7.5) | 160 |
| 12th | 4.5 | (2.5 - 8.0) | 170 | - | - | 80 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 5.1 | (3.2 - 7.9) | 380 | 5.4 | (3.2 - 9.2) | 165 | 4.7 | (2.6 - 8.6) | 215 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 5.5 | (3.8 - 7.9) | 481 | 7.9 | (5.1 - 11.9) | 229 | 3.0 | (1.5 - 5.8) | 252 |
| All other races | - | - | 34 | - | - | 17 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There was 1 student who was excluded from the analysis for QN16.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN17: Percentage of students who were in a physical fight one or more times during the past 12 months

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 32.3 | (27.8 - 37.1) | 1,034 | 43.2 | (36.7 - 49.9) | 472 | 21.4 | (18.2 - 25.0) | 561 |
| Age | | | | | | | | | |
| 15 or younger | 34.7 | (28.5 - 41.5) | 350 | 48.3 | (42.4 - 54.3) | 159 | 21.9 | (15.2 - 30.5) | 190 |
| 16 or 17 | 31.7 | (26.5 - 37.5) | 583 | 43.9 | (34.1 - 54.3) | 256 | 19.9 | (15.9 - 24.6) | 327 |
| 18 or older | 28.0 | (17.7 - 41.4) | 101 | - | - | 57 | - | - | 44 |
| Grade | | | | | | | | | |
| 9th | 39.1 | (32.6 - 46.0) | 288 | 54.6 | (46.2 - 62.7) | 149 | 22.0 | (15.5 - 30.1) | 139 |
| 10th | 31.8 | (22.8 - 42.5) | 310 | 43.7 | (31.9 - 56.2) | 138 | 19.9 | (13.8 - 27.7) | 171 |
| 11th | 29.3 | (23.4 - 35.9) | 257 | - | - | 99 | 22.1 | (16.0 - 29.8) | 158 |
| 12th | 26.4 | (18.6 - 35.9) | 169 | - | - | 79 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 39.6 | (34.7 - 44.8) | 368 | 50.3 | (43.2 - 57.4) | 162 | 29.7 | (22.9 - 37.4) | 206 |
| Hispanic/Latino | - | - | 86 | - | - | 36 | - | - | 49 |
| White* | 27.0 | (20.3 - 34.9) | 477 | 38.7 | (30.0 - 48.2) | 227 | 14.5 | (8.9 - 22.8) | 250 |
| All other races | - | - | 34 | - | - | 17 | - | - | 17 |
| Multiple races | - | - | 48 | - | - | 22 | - | - | 26 |

Note: There were 24 students who were excluded from the analysis for QN17.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN18: Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 2.5 | (1.5 - 3.9) | 1,045 | 4.2 | (2.5 - 7.1) | 473 | 0.7 | (0.2 - 2.2) | 571 |
| Age | | | | | | | | | |
| 15 or younger | 1.7 | (0.7 - 4.2) | 356 | 3.6 | (1.4 - 9.3) | 159 | 0.0 | (- - -) | 196 |
| 16 or 17 | 3.1 | (1.7 - 5.4) | 586 | 5.3 | (2.8 - 9.7) | 257 | 0.9 | (0.3 - 3.3) | 329 |
| 18 or older | 2.0 | (0.5 - 7.3) | 103 | - | - | 57 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 2.6 | (1.3 - 5.0) | 293 | 5.1 | (2.5 - 10.1) | 149 | 0.0 | (- - -) | 144 |
| 10th | 2.7 | (1.1 - 6.4) | 315 | 4.3 | (1.5 - 11.7) | 139 | 1.0 | (0.2 - 4.5) | 175 |
| 11th | 1.6 | (0.5 - 4.9) | 258 | - | - | 99 | 1.0 | (0.1 - 6.9) | 159 |
| 12th | 2.6 | (0.9 - 7.9) | 169 | - | - | 79 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 3.1 | (1.7 - 5.7) | 377 | 5.2 | (2.4 - 10.9) | 163 | 1.2 | (0.3 - 4.7) | 214 |
| Hispanic/Latino | - | - | 87 | - | - | 36 | - | - | 50 |
| White* | 1.9 | (0.8 - 4.3) | 477 | 3.2 | (1.5 - 6.7) | 226 | 0.5 | (0.1 - 3.6) | 251 |
| All other races | - | - | 34 | - | - | 17 | - | - | 17 |
| Multiple races | - | - | 49 | - | - | 23 | - | - | 26 |

Note: There were 13 students who were excluded from the analysis for QN18.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN19: Percentage of students who were in a physical fight on school property one or more times during the past 12 months

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 11.0 | (8.5 - 14.1) | 1,047 | 15.3 | (11.3 - 20.4) | 478 | 6.6 | (4.5 - 9.4) | 568 |
| Age | | | | | | | | | |
| 15 or younger | 13.9 | (9.9 - 19.3) | 355 | 20.0 | (13.4 - 28.7) | 161 | 8.2 | (5.6 - 11.9) | 193 |
| 16 or 17 | 9.1 | (6.1 - 13.4) | 588 | 13.8 | (8.8 - 20.8) | 259 | 4.6 | (2.8 - 7.3) | 329 |
| 18 or older | 10.6 | (4.7 - 22.2) | 104 | - | - | 58 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 17.8 | (14.0 - 22.3) | 294 | 25.9 | (20.0 - 33.0) | 151 | 8.9 | (5.8 - 13.4) | 143 |
| 10th | 8.3 | (5.3 - 12.8) | 312 | 12.7 | (8.3 - 19.0) | 139 | 3.7 | (1.8 - 7.7) | 172 |
| 11th | 5.8 | (3.5 - 9.6) | 261 | 5.2 | (1.9 - 13.2) | 101 | 6.4 | (3.2 - 12.3) | 160 |
| 12th | 9.2 | (5.0 - 16.2) | 170 | - | - | 80 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 14.3 | (11.4 - 17.9) | 374 | 19.5 | (14.1 - 26.4) | 164 | 9.5 | (6.2 - 14.3) | 210 |
| Hispanic/Latino | - | - | 87 | - | - | 36 | - | - | 50 |
| White* | 8.1 | (5.3 - 12.2) | 481 | 11.4 | (7.3 - 17.6) | 229 | 4.5 | (2.1 - 9.3) | 252 |
| All other races | - | - | 34 | - | - | 17 | - | - | 17 |
| Multiple races | - | - | 48 | - | - | 22 | - | - | 26 |

Note: There were 11 students who were excluded from the analysis for QN19.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN20: Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 13.8 | (11.8 - 16.1) | 1,054 | 14.0 | (11.4 - 16.9) | 480 | 13.6 | (10.9 - 16.9) | 573 |
| Age | | | | | | | | | |
| 15 or younger | 10.7 | (8.8 - 12.9) | 360 | 9.8 | (5.7 - 16.5) | 162 | 11.5 | (6.8 - 18.8) | 197 |
| 16 or 17 | 15.2 | (12.7 - 18.1) | 590 | 16.7 | (12.8 - 21.6) | 260 | 13.8 | (9.9 - 18.8) | 330 |
| 18 or older | 15.9 | (9.4 - 25.7) | 104 | - | - | 58 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 11.2 | (9.6 - 13.1) | 295 | 10.3 | (5.7 - 17.7) | 151 | 12.3 | (8.2 - 18.0) | 144 |
| 10th | 11.7 | (8.4 - 15.9) | 319 | 11.8 | (8.1 - 17.1) | 142 | 11.5 | (7.1 - 18.1) | 176 |
| 11th | 17.2 | (13.0 - 22.5) | 261 | 18.1 | (12.4 - 25.6) | 101 | 16.4 | (10.3 - 25.2) | 160 |
| 12th | 16.8 | (11.3 - 24.3) | 169 | - | - | 79 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 14.5 | (10.7 - 19.4) | 381 | 11.5 | (7.0 - 18.4) | 165 | 17.2 | (11.8 - 24.4) | 216 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 12.7 | (9.6 - 16.5) | 479 | 14.0 | (9.5 - 20.1) | 228 | 11.2 | (7.5 - 16.4) | 251 |
| All other races | - | - | 34 | - | - | 17 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 4 students who were excluded from the analysis for QN20.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN21: Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 8.6 | (6.5 - 11.4) | 1,052 | 5.5 | (3.3 - 8.9) | 481 | 11.9 | (8.9 - 15.6) | 570 |
| Age | | | | | | | | | |
| 15 or younger | 6.1 | (3.9 - 9.4) | 358 | 3.1 | (1.4 - 6.7) | 162 | 8.9 | (5.1 - 15.1) | 195 |
| 16 or 17 | 10.3 | (7.5 - 14.2) | 591 | 7.9 | (4.2 - 14.3) | 261 | 12.8 | (9.5 - 17.1) | 330 |
| 18 or older | 8.4 | (4.5 - 15.2) | 103 | - | - | 58 | - | - | 45 |
| Grade | | | | | | | | | |
| 9th | 6.9 | (4.3 - 10.9) | 294 | 3.1 | (1.3 - 7.3) | 151 | 11.0 | (5.9 - 19.7) | 143 |
| 10th | 7.5 | (5.3 - 10.5) | 318 | 4.8 | (2.5 - 9.2) | 142 | 10.3 | (6.4 - 16.1) | 175 |
| 11th | 10.5 | (6.3 - 16.9) | 261 | 6.1 | (2.1 - 16.2) | 101 | 14.7 | (9.5 - 21.9) | 160 |
| 12th | 10.5 | (6.4 - 16.9) | 169 | - | - | 80 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 10.5 | (7.5 - 14.6) | 379 | 7.4 | (4.4 - 12.4) | 165 | 13.4 | (8.5 - 20.4) | 214 |
| Hispanic/Latino | - | - | 87 | - | - | 37 | - | - | 49 |
| White* | 6.7 | (4.2 - 10.7) | 480 | 2.8 | (0.9 - 8.2) | 229 | 11.0 | (6.6 - 17.7) | 251 |
| All other races | - | - | 34 | - | - | 17 | - | - | 17 |
| Multiple races | - | - | 49 | - | - | 23 | - | - | 26 |

Note: There were 6 students who were excluded from the analysis for QN21.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN22: Percentage of students who had ever been bullied on school property during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 14.0 | (10.9 - 17.9) | 1,051 | 10.0 | (7.2 - 13.6) | 477 | 18.0 | (13.7 - 23.4) | 573 |
| Age | | | | | | | | | |
| 15 or younger | 16.1 | (11.9 - 21.4) | 359 | 10.6 | (6.1 - 17.9) | 161 | 21.2 | (13.8 - 31.3) | 197 |
| 16 or 17 | 13.9 | (10.5 - 18.2) | 589 | 10.3 | (6.2 - 16.4) | 259 | 17.5 | (13.5 - 22.4) | 330 |
| 18 or older | 8.5 | (3.4 - 20.1) | 103 | - | - | 57 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 17.0 | (12.5 - 22.7) | 295 | 12.1 | (7.8 - 18.3) | 150 | 22.3 | (14.6 - 32.5) | 145 |
| 10th | 12.7 | (9.1 - 17.6) | 318 | 8.4 | (4.3 - 15.9) | 141 | 17.1 | (11.6 - 24.5) | 176 |
| 11th | 14.6 | (9.9 - 21.0) | 259 | 10.9 | (5.8 - 19.6) | 100 | 18.1 | (13.1 - 24.5) | 159 |
| 12th | 11.0 | (6.2 - 19.0) | 169 | - | - | 79 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 10.3 | (6.1 - 16.8) | 379 | 4.3 | (1.7 - 10.4) | 164 | 15.8 | (9.6 - 24.9) | 215 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 16.1 | (13.3 - 19.3) | 478 | 13.0 | (9.9 - 16.9) | 226 | 19.3 | (14.3 - 25.5) | 252 |
| All other races | - | - | 34 | - | - | 17 | - | - | 17 |
| Multiple races | - | - | 49 | - | - | 23 | - | - | 26 |

Note: There were 7 students who were excluded from the analysis for QN22.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN23: Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 26.1 | (22.5 - 30.1) | 1,052 | 21.1 | (16.7 - 26.4) | 479 | 31.1 | (26.0 - 36.6) | 572 |
| Age | | | | | | | | | |
| 15 or younger | 25.0 | (20.9 - 29.7) | 359 | 19.0 | (12.9 - 27.2) | 161 | 30.4 | (23.7 - 38.2) | 197 |
| 16 or 17 | 27.1 | (22.6 - 32.1) | 589 | 22.6 | (16.4 - 30.2) | 260 | 31.6 | (25.9 - 37.9) | 329 |
| 18 or older | 24.7 | (13.3 - 41.4) | 104 | - | - | 58 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 25.3 | (19.9 - 31.7) | 295 | 18.3 | (12.5 - 26.2) | 150 | 32.8 | (25.1 - 41.4) | 145 |
| 10th | 28.4 | (23.1 - 34.4) | 316 | 23.8 | (18.0 - 30.7) | 141 | 32.9 | (25.9 - 40.7) | 174 |
| 11th | 24.4 | (17.1 - 33.6) | 261 | 20.0 | (12.8 - 29.8) | 101 | 28.7 | (17.2 - 43.8) | 160 |
| 12th | 26.6 | (18.0 - 37.4) | 170 | - | - | 80 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 26.4 | (22.7 - 30.4) | 380 | 19.1 | (14.0 - 25.6) | 165 | 33.0 | (28.0 - 38.5) | 215 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 23.4 | (18.6 - 28.9) | 479 | 18.6 | (13.4 - 25.3) | 227 | 28.4 | (20.8 - 37.4) | 252 |
| All other races | - | - | 33 | - | - | 17 | - | - | 16 |
| Multiple races | - | - | 49 | - | - | 23 | - | - | 26 |

Note: There were 6 students who were excluded from the analysis for QN23.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN24: Percentage of students who seriously considered attempting suicide during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 11.6 | (9.1 - 14.5) | 1,055 | 9.2 | (6.9 - 12.1) | 482 | 14.0 | (10.4 - 18.5) | 572 |
| Age | | | | | | | | | |
| 15 or younger | 11.6 | (7.5 - 17.7) | 360 | 8.1 | (3.7 - 17.1) | 162 | 14.9 | (10.0 - 21.6) | 197 |
| 16 or 17 | 12.2 | (9.0 - 16.3) | 591 | 10.2 | (6.1 - 16.3) | 262 | 14.2 | (10.0 - 19.8) | 329 |
| 18 or older | 8.7 | (4.4 - 16.7) | 104 | - | - | 58 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 11.6 | (7.6 - 17.2) | 296 | 8.6 | (4.1 - 17.1) | 151 | 14.8 | (9.0 - 23.3) | 145 |
| 10th | 11.0 | (8.0 - 14.9) | 318 | 8.4 | (5.9 - 11.7) | 142 | 13.7 | (8.6 - 21.0) | 175 |
| 11th | 12.9 | (7.0 - 22.7) | 261 | 8.4 | (3.8 - 17.6) | 102 | 17.3 | (9.6 - 29.2) | 159 |
| 12th | 10.7 | (6.4 - 17.1) | 170 | - | - | 80 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 11.1 | (7.8 - 15.4) | 380 | 8.3 | (4.5 - 14.5) | 165 | 13.7 | (9.1 - 20.0) | 215 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 11.0 | (8.3 - 14.4) | 481 | 8.8 | (5.8 - 13.1) | 229 | 13.3 | (9.3 - 18.6) | 252 |
| All other races | - | - | 33 | - | - | 17 | - | - | 16 |
| Multiple races | - | - | 49 | - | - | 23 | - | - | 26 |

Note: There were 3 students who were excluded from the analysis for QN24.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN25: Percentage of students who made a plan about how they would attempt suicide during the past 12 months

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 9.2 | (7.7 - 10.9) | 1,048 | 9.2 | (6.6 - 12.9) | 479 | 9.1 | (6.9 - 12.1) | 568 |
| Age | | | | | | | | | |
| 15 or younger | 9.8 | (7.1 - 13.5) | 358 | 9.7 | (5.3 - 17.0) | 159 | 10.0 | (5.4 - 17.7) | 198 |
| 16 or 17 | 8.9 | (6.8 - 11.6) | 586 | 8.9 | (5.6 - 13.9) | 262 | 8.9 | (6.5 - 12.0) | 324 |
| 18 or older | 8.6 | (4.2 - 16.5) | 104 | - | - | 58 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 8.9 | (6.7 - 11.8) | 292 | 9.1 | (5.5 - 14.8) | 148 | 8.6 | (4.0 - 17.8) | 144 |
| 10th | 9.0 | (6.2 - 12.8) | 318 | 7.8 | (4.2 - 14.1) | 142 | 10.2 | (6.2 - 16.4) | 175 |
| 11th | 10.4 | (6.4 - 16.5) | 258 | 10.1 | (4.1 - 22.6) | 102 | 10.7 | (6.7 - 16.6) | 156 |
| 12th | 8.9 | (5.1 - 15.1) | 170 | - | - | 80 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 8.5 | (6.4 - 11.2) | 376 | 8.3 | (4.7 - 14.2) | 163 | 8.7 | (6.1 - 12.1) | 213 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 8.2 | (6.0 - 11.1) | 478 | 8.1 | (5.3 - 12.4) | 228 | 8.2 | (5.4 - 12.3) | 250 |
| All other races | - | - | 33 | - | - | 17 | - | - | 16 |
| Multiple races | - | - | 49 | - | - | 23 | - | - | 26 |

Note: There were 10 students who were excluded from the analysis for QN25.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN26: Percentage of students who actually attempted suicide one or more times during the past 12 months

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 7.7 | (6.2 - 9.5) | 1,053 | 8.2 | (6.2 - 10.7) | 481 | 7.2 | (4.7 - 11.0) | 571 |
| Age | | | | | | | | | |
| 15 or younger | 7.2 | (4.4 - 11.8) | 361 | 8.0 | (3.4 - 17.8) | 162 | 6.5 | (3.7 - 11.2) | 198 |
| 16 or 17 | 8.2 | (6.1 - 11.0) | 588 | 9.7 | (6.6 - 13.9) | 261 | 6.7 | (3.7 - 11.9) | 327 |
| 18 or older | 6.9 | (3.3 - 13.8) | 104 | - | - | 58 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 7.7 | (4.9 - 11.8) | 296 | 10.7 | (6.3 - 17.4) | 151 | 4.4 | (1.8 - 10.5) | 145 |
| 10th | 10.2 | (8.3 - 12.5) | 317 | 11.7 | (8.1 - 16.5) | 141 | 8.7 | (5.6 - 13.3) | 175 |
| 11th | 7.4 | (3.9 - 13.7) | 261 | 5.1 | (1.8 - 13.7) | 102 | 9.6 | (4.2 - 20.7) | 159 |
| 12th | 4.9 | (2.5 - 9.5) | 170 | - | - | 80 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 11.0 | (8.6 - 13.9) | 379 | 12.7 | (8.1 - 19.4) | 164 | 9.5 | (5.6 - 15.7) | 215 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 5.0 | (3.7 - 6.7) | 480 | 5.5 | (3.3 - 9.0) | 229 | 4.4 | (2.4 - 8.0) | 251 |
| All other races | - | - | 33 | - | - | 17 | - | - | 16 |
| Multiple races | - | - | 49 | - | - | 23 | - | - | 26 |

Note: There were 5 students who were excluded from the analysis for QN26.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN29: Percentage of students who smoked a whole cigarette for the first time before age 13 years

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 14.5 | (11.7 - 17.7) | 1,046 | 19.7 | (15.5 - 24.7) | 474 | 9.2 | (6.8 - 12.4) | 571 |
| Age | | | | | | | | | |
| 15 or younger | 13.7 | (9.9 - 18.7) | 360 | 16.6 | (11.4 - 23.6) | 161 | 10.8 | (6.7 - 16.9) | 198 |
| 16 or 17 | 15.8 | (13.1 - 18.8) | 582 | 23.2 | (18.6 - 28.6) | 255 | 8.5 | (5.6 - 12.8) | 327 |
| 18 or older | 11.3 | (5.4 - 22.0) | 104 | - | - | 58 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 15.4 | (11.0 - 21.0) | 294 | 20.7 | (15.5 - 27.2) | 150 | 9.6 | (5.3 - 16.9) | 144 |
| 10th | 13.8 | (9.5 - 19.6) | 313 | 16.6 | (10.7 - 24.7) | 137 | 10.9 | (6.4 - 17.8) | 175 |
| 11th | 15.6 | (10.5 - 22.6) | 259 | 23.0 | (14.2 - 35.1) | 100 | 8.5 | (5.1 - 14.1) | 159 |
| 12th | 12.8 | (7.4 - 21.4) | 170 | - | - | 80 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 11.1 | (7.9 - 15.4) | 376 | 18.2 | (13.0 - 25.0) | 161 | 4.8 | (2.8 - 8.0) | 215 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 15.9 | (12.1 - 20.5) | 477 | 19.3 | (13.6 - 26.7) | 227 | 12.2 | (8.3 - 17.5) | 250 |
| All other races | - | - | 34 | - | - | 17 | - | - | 17 |
| Multiple races | - | - | 48 | - | - | 22 | - | - | 26 |

Note: There were 12 students who were excluded from the analysis for QN29.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN30: Percentage of students who smoked cigarettes on one or more of the past 30 days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 20.8 | (16.4 - 26.0) | 1,044 | 25.2 | (18.5 - 33.2) | 474 | 16.4 | (11.9 - 22.0) | 569 |
| Age | | | | | | | | | |
| 15 or younger | 17.7 | (13.1 - 23.6) | 355 | 24.5 | (17.8 - 32.8) | 160 | 11.4 | (7.3 - 17.5) | 194 |
| 16 or 17 | 22.5 | (17.6 - 28.3) | 587 | 27.8 | (19.8 - 37.5) | 258 | 17.2 | (12.1 - 24.0) | 329 |
| 18 or older | 21.7 | (13.2 - 33.8) | 102 | - | - | 56 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 17.3 | (12.4 - 23.5) | 292 | 22.3 | (15.2 - 31.5) | 149 | 11.9 | (7.9 - 17.5) | 143 |
| 10th | 20.6 | (13.7 - 29.9) | 313 | 28.9 | (17.1 - 44.5) | 138 | 12.4 | (8.3 - 18.2) | 174 |
| 11th | 19.6 | (14.3 - 26.3) | 261 | 20.0 | (11.8 - 31.9) | 102 | 19.3 | (13.6 - 26.6) | 159 |
| 12th | 26.0 | (17.1 - 37.6) | 168 | - | - | 78 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 14.5 | (8.3 - 23.9) | 371 | 21.0 | (10.5 - 37.6) | 159 | 8.6 | (5.2 - 13.9) | 212 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 25.5 | (19.8 - 32.2) | 477 | 27.7 | (20.5 - 36.2) | 226 | 23.1 | (15.5 - 33.1) | 251 |
| All other races | - | - | 34 | - | - | 17 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 14 students who were excluded from the analysis for QN30.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QNFRICIG: Percentage of students who smoked cigarettes on 20 or more of the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 8.2 | (5.9 - 11.4) | 1,044 | 11.4 | (7.5 - 16.9) | 474 | 5.1 | (2.8 - 9.1) | 569 |
| Age | | | | | | | | | |
| 15 or younger | 5.5 | (3.0 - 9.9) | 355 | 8.7 | (4.4 - 16.6) | 160 | 2.6 | (0.8 - 7.8) | 194 |
| 16 or 17 | 9.9 | (6.6 - 14.7) | 587 | 13.3 | (7.5 - 22.6) | 258 | 6.6 | (4.0 - 10.9) | 329 |
| 18 or older | 8.4 | (4.6 - 14.8) | 102 | - | - | 56 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 4.4 | (2.6 - 7.5) | 292 | 6.2 | (3.1 - 11.9) | 149 | 2.5 | (0.7 - 9.2) | 143 |
| 10th | 8.7 | (5.0 - 14.7) | 313 | 14.8 | (7.9 - 26.0) | 138 | 2.6 | (1.2 - 5.5) | 174 |
| 11th | 10.2 | (6.7 - 15.1) | 261 | 8.8 | (4.5 - 16.5) | 102 | 11.5 | (7.1 - 18.0) | 159 |
| 12th | 10.5 | (6.5 - 16.5) | 168 | - | - | 78 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 5.4 | (1.9 - 14.6) | 371 | 9.0 | (3.0 - 24.1) | 159 | 2.2 | (0.7 - 6.3) | 212 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 10.3 | (7.9 - 13.3) | 477 | 12.5 | (8.4 - 18.0) | 226 | 8.0 | (4.1 - 14.8) | 251 |
| All other races | - | - | 34 | - | - | 17 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 14 students who were excluded from the analysis for QNFRICIG.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN35: Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 61.1 | (54.7 - 67.2) | 195 | 58.2 | (47.6 - 68.1) | 108 | - | - | 87 |
| Age | | | | | | | | | |
| 15 or younger | - | - | 54 | - | - | 34 | - | - | 20 |
| 16 or 17 | 64.7 | (54.2 - 73.9) | 119 | - | - | 64 | - | - | 55 |
| 18 or older | - | - | 22 | - | - | 10 | - | - | 12 |
| Grade | | | | | | | | | |
| 9th | - | - | 45 | - | - | 30 | - | - | 15 |
| 10th | - | - | 59 | - | - | 37 | - | - | 22 |
| 11th | - | - | 46 | - | - | 18 | - | - | 28 |
| 12th | - | - | 41 | - | - | 22 | - | - | 19 |
| Race/Ethnicity | | | | | | | | | |
| Black* | - | - | 47 | - | - | 28 | - | - | 19 |
| Hispanic/Latino | - | - | 19 | - | - | 10 | - | - | 9 |
| White* | 63.4 | (52.7 - 72.9) | 112 | - | - | 60 | - | - | 52 |
| All other races | - | - | 6 | - | - | 4 | - | - | 2 |
| Multiple races | - | - | 7 | - | - | 2 | - | - | 5 |

Note: There were 863 students who were excluded from the analysis for QN35.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN40: Percentage of students who had their first drink of alcohol other than a few sips before age 13 years

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 18.2 | (15.1 - 21.8) | 1,048 | 22.6 | (17.5 - 28.7) | 477 | 13.9 | (12.1 - 15.8) | 570 |
| Age | | | | | | | | | |
| 15 or younger | 23.9 | (18.4 - 30.4) | 358 | 28.0 | (22.7 - 34.0) | 162 | 19.9 | (13.4 - 28.4) | 195 |
| 16 or 17 | 15.7 | (12.4 - 19.7) | 589 | 20.6 | (14.3 - 28.6) | 260 | 10.9 | (8.0 - 14.7) | 329 |
| 18 or older | 13.3 | (7.7 - 21.9) | 101 | - | - | 55 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 25.1 | (19.5 - 31.6) | 294 | 28.8 | (22.8 - 35.7) | 152 | 21.0 | (13.8 - 30.6) | 142 |
| 10th | 18.3 | (13.8 - 23.9) | 316 | 23.9 | (17.6 - 31.5) | 140 | 12.5 | (7.8 - 19.3) | 175 |
| 11th | 13.3 | (8.7 - 19.7) | 260 | 17.9 | (9.1 - 32.2) | 100 | 9.0 | (5.7 - 14.0) | 160 |
| 12th | 14.4 | (9.7 - 20.8) | 168 | - | - | 78 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 19.7 | (15.7 - 24.5) | 374 | 22.1 | (15.4 - 30.6) | 160 | 17.6 | (13.8 - 22.2) | 214 |
| Hispanic/Latino | - | - | 87 | - | - | 37 | - | - | 49 |
| White* | 16.8 | (12.5 - 22.3) | 480 | 22.7 | (15.6 - 31.9) | 228 | 10.6 | (7.4 - 14.8) | 252 |
| All other races | - | - | 34 | - | - | 17 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 10 students who were excluded from the analysis for QN40.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN41: Percentage of students who had at least one drink of alcohol on one or more of the past 30 days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 37.8 | (33.7 - 42.1) | 979 | 39.5 | (35.2 - 43.9) | 450 | 36.2 | (30.6 - 42.1) | 528 |
| Age | | | | | | | | | |
| 15 or younger | 29.8 | (25.1 - 35.1) | 340 | 29.1 | (23.7 - 35.2) | 153 | 30.6 | (23.7 - 38.5) | 186 |
| 16 or 17 | 42.0 | (36.6 - 47.6) | 544 | 45.5 | (39.8 - 51.4) | 242 | 38.4 | (31.8 - 45.4) | 302 |
| 18 or older | - | - | 95 | - | - | 55 | - | - | 40 |
| Grade | | | | | | | | | |
| 9th | 30.3 | (24.3 - 36.9) | 272 | 30.2 | (24.4 - 36.6) | 140 | 30.4 | (22.1 - 40.1) | 132 |
| 10th | 35.2 | (26.3 - 45.2) | 295 | 38.7 | (28.1 - 50.6) | 133 | 31.5 | (22.3 - 42.5) | 161 |
| 11th | 43.4 | (37.6 - 49.4) | 245 | - | - | 93 | 35.7 | (27.1 - 45.4) | 152 |
| 12th | 46.2 | (36.2 - 56.5) | 158 | - | - | 77 | - | - | 81 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 31.6 | (26.9 - 36.6) | 340 | 34.2 | (26.4 - 43.0) | 152 | 29.1 | (22.7 - 36.4) | 188 |
| Hispanic/Latino | - | - | 83 | - | - | 34 | - | - | 48 |
| White* | 43.6 | (38.1 - 49.3) | 454 | 44.4 | (37.4 - 51.6) | 215 | 42.7 | (36.0 - 49.8) | 239 |
| All other races | - | - | 34 | - | - | 17 | - | - | 17 |
| Multiple races | - | - | 48 | - | - | 23 | - | - | 25 |

Note: There were 79 students who were excluded from the analysis for QN41.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN42: Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 19.8 | (16.1 - 24.1) | 1,043 | 24.2 | (19.9 - 29.2) | 475 | 15.4 | (11.6 - 20.1) | 567 |
| Age | | | | | | | | | |
| 15 or younger | 14.5 | (9.0 - 22.5) | 359 | 14.6 | (8.5 - 23.8) | 160 | 14.5 | (7.9 - 25.2) | 198 |
| 16 or 17 | 22.1 | (18.7 - 25.9) | 583 | 29.4 | (24.5 - 34.8) | 258 | 14.9 | (11.4 - 19.1) | 325 |
| 18 or older | 25.0 | (15.6 - 37.6) | 101 | - | - | 57 | - | - | 44 |
| Grade | | | | | | | | | |
| 9th | 17.4 | (11.2 - 25.8) | 293 | 18.1 | (12.1 - 26.2) | 149 | 16.5 | (8.9 - 28.8) | 144 |
| 10th | 15.6 | (11.2 - 21.2) | 316 | 20.4 | (14.0 - 28.7) | 141 | 10.8 | (6.4 - 17.5) | 174 |
| 11th | 24.9 | (20.5 - 29.8) | 257 | - | - | 99 | 17.2 | (12.7 - 23.1) | 158 |
| 12th | 22.9 | (13.9 - 35.3) | 167 | - | - | 79 | - | - | 88 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 12.3 | (8.7 - 17.1) | 373 | 17.1 | (10.6 - 26.4) | 163 | 7.9 | (4.7 - 12.9) | 210 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 25.9 | (20.8 - 31.7) | 476 | 30.0 | (24.0 - 36.9) | 225 | 21.5 | (15.9 - 28.5) | 251 |
| All other races | - | - | 34 | - | - | 17 | - | - | 17 |
| Multiple races | - | - | 49 | - | - | 23 | - | - | 26 |

Note: There were 15 students who were excluded from the analysis for QN42.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN43: Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 38.7 | (33.3 - 44.5) | 354 | 30.3 | (21.5 - 40.8) | 170 | 48.3 | (40.1 - 56.6) | 184 |
| Age | | | | | | | | | |
| 15 or younger | - | - | 97 | - | - | 42 | - | - | 55 |
| 16 or 17 | 41.7 | (37.0 - 46.4) | 217 | 33.6 | (23.7 - 45.2) | 105 | 51.5 | (40.4 - 62.4) | 112 |
| 18 or older | - | - | 40 | - | - | 23 | - | - | 17 |
| Grade | | | | | | | | | |
| 9th | - | - | 79 | - | - | 40 | - | - | 39 |
| 10th | 36.8 | (27.0 - 47.9) | 101 | - | - | 51 | - | - | 50 |
| 11th | 44.4 | (34.0 - 55.4) | 101 | - | - | 46 | - | - | 55 |
| 12th | - | - | 71 | - | - | 32 | - | - | 39 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 43.1 | (33.2 - 53.5) | 107 | - | - | 53 | - | - | 54 |
| Hispanic/Latino | - | - | 26 | - | - | 12 | - | - | 14 |
| White* | 37.5 | (30.6 - 45.0) | 189 | - | - | 90 | - | - | 99 |
| All other races | - | - | 9 | - | - | 4 | - | - | 5 |
| Multiple races | - | - | 15 | - | - | 6 | - | - | 9 |

Note: There were 704 students who were excluded from the analysis for QN43.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN44: Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 4.5 | (3.0 - 6.8) | 1,038 | 5.7 | (3.8 - 8.5) | 468 | 3.3 | (1.7 - 6.2) | 569 |
| Age | | | | | | | | | |
| 15 or younger | 4.5 | (2.3 - 8.6) | 355 | 5.3 | (2.4 - 11.1) | 160 | 3.7 | (1.5 - 8.8) | 194 |
| 16 or 17 | 4.8 | (3.2 - 7.2) | 581 | 6.8 | (4.0 - 11.3) | 252 | 2.9 | (1.3 - 6.6) | 329 |
| 18 or older | 3.4 | (1.1 - 10.2) | 102 | - | - | 56 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 5.1 | (2.8 - 9.1) | 290 | 8.2 | (4.9 - 13.5) | 148 | 1.8 | (0.4 - 7.8) | 142 |
| 10th | 5.3 | (2.7 - 10.4) | 313 | 5.2 | (3.0 - 9.0) | 138 | 5.5 | (1.9 - 14.4) | 174 |
| 11th | 3.1 | (1.4 - 7.0) | 257 | - | - | 97 | 3.4 | (1.4 - 7.8) | 160 |
| 12th | 4.3 | (1.6 - 10.9) | 168 | - | - | 78 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 5.7 | (3.6 - 8.9) | 369 | 7.7 | (4.4 - 13.2) | 156 | 3.9 | (1.8 - 8.4) | 213 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 3.4 | (1.7 - 6.7) | 477 | 4.1 | (2.1 - 7.9) | 226 | 2.7 | (1.0 - 6.7) | 251 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 49 | - | - | 24 | - | - | 25 |

Note: There were 20 students who were excluded from the analysis for QN44.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN45: Percentage of students who used marijuana one or more times during their life

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 38.5 | (35.0 - 42.2) | 1,030 | 46.4 | (40.3 - 52.5) | 463 | 30.9 | (27.0 - 35.0) | 566 |
| Age | | | | | | | | | |
| 15 or younger | 27.4 | (23.5 - 31.7) | 351 | 33.1 | (26.0 - 41.0) | 154 | 22.2 | (16.0 - 30.0) | 196 |
| 16 or 17 | 44.1 | (39.6 - 48.8) | 577 | 54.1 | (47.0 - 61.2) | 252 | 34.4 | (28.0 - 41.5) | 325 |
| 18 or older | 45.2 | (35.9 - 54.9) | 102 | - | - | 57 | - | - | 45 |
| Grade | | | | | | | | | |
| 9th | 29.0 | (23.2 - 35.6) | 292 | 35.1 | (26.4 - 44.9) | 148 | 22.5 | (15.1 - 32.3) | 144 |
| 10th | 40.0 | (34.0 - 46.4) | 307 | 51.5 | (43.0 - 59.8) | 133 | 28.9 | (22.9 - 35.6) | 173 |
| 11th | 44.3 | (35.8 - 53.2) | 255 | - | - | 98 | 38.1 | (28.1 - 49.2) | 157 |
| 12th | 43.6 | (36.4 - 51.1) | 166 | - | - | 77 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 40.5 | (35.2 - 46.1) | 369 | 51.3 | (41.5 - 61.1) | 158 | 30.8 | (25.8 - 36.3) | 211 |
| Hispanic/Latino | - | - | 86 | - | - | 36 | - | - | 49 |
| White* | 37.0 | (31.4 - 43.0) | 473 | 41.8 | (35.0 - 48.9) | 221 | 32.1 | (25.0 - 40.2) | 252 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 48 | - | - | 23 | - | - | 25 |

Note: There were 28 students who were excluded from the analysis for QN45.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN46: Percentage of students who tried marijuana for the first time before age 13 years

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 8.6 | (7.0 - 10.7) | 1,034 | 13.3 | (10.3 - 16.9) | 465 | 4.1 | (2.9 - 5.8) | 568 |
| Age | | | | | | | | | |
| 15 or younger | 8.0 | (5.6 - 11.4) | 352 | 10.5 | (5.8 - 18.1) | 155 | 5.9 | (3.3 - 10.2) | 196 |
| 16 or 17 | 9.5 | (7.0 - 12.8) | 581 | 16.4 | (12.1 - 21.9) | 254 | 2.8 | (1.6 - 4.9) | 327 |
| 18 or older | 6.5 | (2.7 - 14.9) | 101 | - | - | 56 | - | - | 45 |
| Grade | | | | | | | | | |
| 9th | 9.5 | (6.4 - 13.9) | 292 | 13.8 | (9.2 - 20.2) | 148 | 5.0 | (2.0 - 12.2) | 144 |
| 10th | 8.8 | (5.6 - 13.7) | 310 | 14.6 | (9.5 - 21.7) | 135 | 3.2 | (1.7 - 6.1) | 174 |
| 11th | 9.5 | (5.9 - 14.8) | 257 | - | - | 99 | 4.8 | (2.2 - 10.4) | 158 |
| 12th | 6.4 | (3.1 - 12.9) | 165 | - | - | 76 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 10.3 | (7.0 - 14.7) | 370 | 14.5 | (9.0 - 22.7) | 159 | 6.4 | (4.0 - 10.1) | 211 |
| Hispanic/Latino | - | - | 87 | - | - | 36 | - | - | 50 |
| White* | 7.7 | (5.8 - 10.1) | 472 | 12.6 | (8.3 - 18.6) | 220 | 2.7 | (1.4 - 5.1) | 252 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 24 students who were excluded from the analysis for QN46.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN47: Percentage of students who used marijuana one or more times during the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 20.7 | (17.1 - 24.8) | 1,034 | 28.5 | (22.6 - 35.3) | 465 | 13.0 | (10.6 - 15.9) | 568 |
| Age | | | | | | | | | |
| 15 or younger | 13.8 | (10.6 - 17.7) | 355 | 18.7 | (12.2 - 27.7) | 157 | 9.4 | (6.4 - 13.5) | 197 |
| 16 or 17 | 25.5 | (21.0 - 30.7) | 579 | 36.5 | (28.5 - 45.3) | 254 | 14.7 | (10.9 - 19.7) | 325 |
| 18 or older | 19.1 | (11.0 - 31.0) | 100 | - | - | 54 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 15.8 | (12.2 - 20.3) | 292 | 23.6 | (16.6 - 32.5) | 147 | 7.8 | (4.4 - 13.3) | 145 |
| 10th | 22.4 | (17.5 - 28.2) | 311 | 30.4 | (23.1 - 38.8) | 137 | 14.4 | (9.8 - 20.8) | 173 |
| 11th | 24.0 | (18.8 - 30.0) | 256 | - | - | 98 | 17.8 | (11.8 - 26.0) | 158 |
| 12th | 21.7 | (14.3 - 31.6) | 165 | - | - | 76 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 22.5 | (17.8 - 28.2) | 371 | 31.6 | (22.9 - 41.8) | 158 | 14.5 | (11.3 - 18.4) | 213 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 19.0 | (14.6 - 24.4) | 474 | 25.6 | (19.0 - 33.4) | 223 | 12.2 | (8.7 - 16.9) | 251 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 47 | - | - | 23 | - | - | 24 |

Note: There were 24 students who were excluded from the analysis for QN47.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN48: Percentage of students who used marijuana on school property one or more times during the past 30 days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 3.7 | (2.5 - 5.4) | 1,044 | 5.5 | (3.6 - 8.3) | 471 | 1.9 | (0.8 - 4.1) | 572 |
| Age | | | | | | | | | |
| 15 or younger | 2.6 | (1.3 - 5.2) | 357 | 2.6 | (0.8 - 8.1) | 159 | 2.6 | (0.9 - 7.1) | 197 |
| 16 or 17 | 4.4 | (2.7 - 7.1) | 585 | 7.4 | (4.3 - 12.4) | 256 | 1.4 | (0.5 - 3.7) | 329 |
| 18 or older | 3.6 | (1.0 - 12.2) | 102 | - | - | 56 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 3.0 | (1.4 - 6.3) | 293 | 4.5 | (1.9 - 10.5) | 148 | 1.4 | (0.2 - 9.2) | 145 |
| 10th | 3.9 | (2.6 - 5.9) | 316 | 5.9 | (3.2 - 10.6) | 141 | 1.8 | (0.5 - 6.3) | 174 |
| 11th | 4.8 | (2.4 - 9.3) | 258 | - | - | 98 | 4.2 | (1.8 - 9.4) | 160 |
| 12th | 2.6 | (0.8 - 8.1) | 167 | - | - | 77 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 3.1 | (1.6 - 6.0) | 377 | 4.1 | (2.0 - 8.3) | 162 | 2.2 | (0.7 - 6.5) | 215 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 3.6 | (2.1 - 5.9) | 475 | 5.8 | (3.2 - 10.2) | 224 | 1.3 | (0.3 - 5.8) | 251 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 49 | - | - | 23 | - | - | 26 |

Note: There were 14 students who were excluded from the analysis for QN48.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN49: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 4.9 | (3.5 - 6.8) | 1,052 | 7.2 | (4.8 - 10.6) | 480 | 2.5 | (1.4 - 4.3) | 571 |
| Age | | | | | | | | | |
| 15 or younger | 4.3 | (2.4 - 7.8) | 361 | 4.5 | (2.5 - 8.0) | 163 | 4.0 | (1.7 - 9.2) | 197 |
| 16 or 17 | 5.5 | (3.7 - 7.9) | 588 | 9.4 | (5.7 - 15.1) | 260 | 1.5 | (0.5 - 4.4) | 328 |
| 18 or older | 3.9 | (1.6 - 9.3) | 103 | - | - | 57 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 5.3 | (2.5 - 10.7) | 297 | 6.7 | (3.3 - 13.2) | 152 | 3.8 | (1.3 - 10.5) | 145 |
| 10th | 3.3 | (1.5 - 7.2) | 317 | 5.3 | (2.2 - 12.3) | 142 | 1.0 | (0.2 - 4.6) | 174 |
| 11th | 5.0 | (2.7 - 8.9) | 261 | 7.1 | (3.3 - 14.8) | 102 | 2.9 | (1.2 - 6.9) | 159 |
| 12th | 6.2 | (3.0 - 12.1) | 167 | - | - | 77 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 2.6 | (1.3 - 5.1) | 379 | 3.5 | (1.3 - 8.9) | 165 | 1.8 | (0.9 - 3.4) | 214 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 5.6 | (3.5 - 8.8) | 479 | 8.1 | (4.7 - 13.4) | 228 | 3.0 | (1.3 - 7.0) | 251 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 6 students who were excluded from the analysis for QN49.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN51: Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 12.6 | (9.9 - 15.8) | 1,048 | 13.3 | (10.3 - 17.0) | 478 | 11.9 | (8.0 - 17.2) | 569 |
| Age | | | | | | | | | |
| 15 or younger | 16.1 | (10.9 - 23.2) | 360 | 15.1 | (10.1 - 22.1) | 161 | 17.0 | (9.3 - 29.2) | 198 |
| 16 or 17 | 11.9 | (8.7 - 16.0) | 585 | 14.5 | (10.1 - 20.5) | 260 | 9.2 | (5.7 - 14.6) | 325 |
| 18 or older | 5.6 | (2.2 - 13.5) | 103 | - | - | 57 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 15.1 | (11.4 - 19.8) | 293 | 11.1 | (6.9 - 17.5) | 149 | 19.3 | (11.7 - 30.2) | 144 |
| 10th | 14.7 | (8.8 - 23.6) | 319 | 18.7 | (11.5 - 29.1) | 142 | 10.7 | (5.4 - 20.1) | 176 |
| 11th | 11.6 | (7.6 - 17.5) | 259 | 14.6 | (8.4 - 24.1) | 102 | 8.7 | (4.5 - 16.3) | 157 |
| 12th | 7.6 | (3.4 - 16.5) | 167 | - | - | 78 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 9.0 | (6.2 - 12.8) | 376 | 13.7 | (9.3 - 19.6) | 163 | 4.8 | (2.4 - 9.1) | 213 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 13.8 | (10.1 - 18.5) | 478 | 12.0 | (8.1 - 17.5) | 228 | 15.6 | (9.8 - 24.0) | 250 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 10 students who were excluded from the analysis for QN51.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN52: Percentage of students who used heroin one or more times during their life

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 2.1 | (1.3 - 3.3) | 1,055 | 2.9 | (1.8 - 4.6) | 481 | 1.3 | (0.5 - 3.2) | 573 |
| Age | | | | | | | | | |
| 15 or younger | 2.2 | (1.1 - 4.3) | 362 | 1.6 | (0.6 - 4.3) | 163 | 2.8 | (1.0 - 7.3) | 198 |
| 16 or 17 | 2.2 | (1.4 - 3.6) | 590 | 4.5 | (2.7 - 7.4) | 261 | 0.0 | (- - -) | 329 |
| 18 or older | 1.1 | (0.1 - 8.3) | 103 | - | - | 57 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 2.4 | (1.2 - 4.5) | 297 | 2.3 | (0.8 - 6.5) | 152 | 2.4 | (0.8 - 7.0) | 145 |
| 10th | 1.5 | (0.4 - 5.9) | 319 | 2.3 | (0.7 - 7.3) | 142 | 0.7 | (0.1 - 5.5) | 176 |
| 11th | 3.2 | (1.9 - 5.6) | 261 | 6.0 | (3.7 - 9.6) | 102 | 0.5 | (0.1 - 4.2) | 159 |
| 12th | 1.2 | (0.3 - 4.4) | 168 | - | - | 78 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 2.0 | (0.7 - 5.3) | 380 | 3.3 | (1.0 - 10.2) | 165 | 0.8 | (0.2 - 3.6) | 215 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 2.0 | (0.9 - 4.4) | 480 | 2.2 | (0.8 - 6.0) | 228 | 1.8 | (0.5 - 6.1) | 252 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 3 students who were excluded from the analysis for QN52.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN53: Percentage of students who used methamphetamines one or more times during their life

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 3.5 | (2.4 - 5.1) | 1,053 | 5.0 | (3.5 - 7.2) | 480 | 1.9 | (0.9 - 4.0) | 572 |
| Age | | | | | | | | | |
| 15 or younger | 3.6 | (1.8 - 7.1) | 361 | 4.7 | (2.7 - 8.2) | 163 | 2.6 | (0.9 - 7.2) | 197 |
| 16 or 17 | 2.9 | (1.6 - 5.0) | 589 | 5.0 | (2.6 - 9.6) | 260 | 0.7 | (0.2 - 2.7) | 329 |
| 18 or older | 5.8 | (2.2 - 14.3) | 103 | - | - | 57 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 2.6 | (1.0 - 6.7) | 297 | 3.2 | (1.4 - 6.9) | 152 | 2.1 | (0.6 - 7.2) | 145 |
| 10th | 3.8 | (1.8 - 7.8) | 317 | 5.8 | (2.9 - 11.2) | 141 | 1.8 | (0.5 - 5.6) | 175 |
| 11th | 3.8 | (1.6 - 8.5) | 261 | 6.5 | (2.5 - 16.0) | 102 | 1.1 | (0.3 - 4.6) | 159 |
| 12th | 4.1 | (1.9 - 8.6) | 168 | - | - | 78 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 1.1 | (0.4 - 2.8) | 380 | 1.4 | (0.5 - 4.0) | 165 | 0.8 | (0.2 - 3.6) | 215 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 4.7 | (3.1 - 7.1) | 479 | 6.1 | (3.8 - 9.9) | 227 | 3.1 | (1.4 - 6.9) | 252 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 5 students who were excluded from the analysis for QN53.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN54: Percentage of students who used ecstasy one or more times during their life

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 4.3 | (2.8 - 6.5) | 1,052 | 6.1 | (3.8 - 9.5) | 479 | 2.5 | (1.3 - 4.8) | 572 |
| Age | | | | | | | | | |
| 15 or younger | 3.1 | (1.8 - 5.3) | 360 | 3.5 | (1.5 - 8.1) | 162 | 2.8 | (1.1 - 7.1) | 197 |
| 16 or 17 | 4.8 | (3.2 - 7.2) | 588 | 7.3 | (4.4 - 12.0) | 259 | 2.3 | (1.0 - 5.3) | 329 |
| 18 or older | 5.2 | (1.7 - 15.4) | 104 | - | - | 58 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 3.2 | (2.2 - 4.8) | 297 | 3.6 | (2.0 - 6.3) | 152 | 2.8 | (1.0 - 7.5) | 145 |
| 10th | 3.8 | (2.0 - 7.2) | 316 | 6.4 | (3.3 - 12.0) | 140 | 1.2 | (0.3 - 4.7) | 175 |
| 11th | 5.4 | (3.3 - 8.9) | 260 | 6.9 | (3.1 - 14.7) | 101 | 4.0 | (1.8 - 8.7) | 159 |
| 12th | 5.3 | (1.7 - 15.2) | 169 | - | - | 79 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 2.3 | (1.2 - 4.5) | 379 | 3.9 | (1.8 - 8.2) | 164 | 0.8 | (0.2 - 3.7) | 215 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 5.3 | (3.3 - 8.2) | 480 | 6.4 | (3.7 - 11.1) | 228 | 4.0 | (1.9 - 8.2) | 252 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 6 students who were excluded from the analysis for QN54.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN55: Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 2.9 | (1.7 - 5.1) | 1,056 | 3.9 | (2.2 - 6.9) | 482 | 1.9 | (0.9 - 4.3) | 573 |
| Age | | | | | | | | | |
| 15 or younger | 3.1 | (1.3 - 7.2) | 362 | 3.0 | (1.0 - 8.5) | 163 | 3.3 | (1.4 - 7.6) | 198 |
| 16 or 17 | 3.0 | (1.7 - 5.1) | 590 | 5.6 | (3.0 - 10.2) | 261 | 0.4 | (0.1 - 1.9) | 329 |
| 18 or older | 2.1 | (0.3 - 14.0) | 104 | - | - | 58 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 3.0 | (1.1 - 7.7) | 297 | 3.6 | (1.2 - 10.2) | 152 | 2.4 | (0.8 - 7.2) | 145 |
| 10th | 2.6 | (1.0 - 6.5) | 319 | 3.8 | (1.6 - 8.7) | 142 | 1.4 | (0.3 - 5.5) | 176 |
| 11th | 4.3 | (2.9 - 6.4) | 261 | 7.1 | (4.2 - 11.9) | 102 | 1.5 | (0.6 - 4.2) | 159 |
| 12th | 1.8 | (0.4 - 8.3) | 169 | - | - | 79 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 2.3 | (0.9 - 6.0) | 380 | 3.8 | (1.2 - 11.3) | 165 | 1.0 | (0.3 - 3.3) | 215 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 3.2 | (1.8 - 5.8) | 481 | 3.5 | (1.6 - 7.8) | 229 | 2.9 | (1.0 - 8.0) | 252 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 2 students who were excluded from the analysis for QN55.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN56: Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 1.3 | (0.6 - 2.9) | 1,053 | 2.1 | (0.9 - 5.0) | 479 | 0.4 | (0.1 - 1.5) | 573 |
| Age | | | | | | | | | |
| 15 or younger | 1.1 | (0.3 - 4.4) | 360 | 1.4 | (0.3 - 6.5) | 161 | 0.9 | (0.2 - 4.4) | 198 |
| 16 or 17 | 1.7 | (0.8 - 3.4) | 589 | 3.2 | (1.4 - 7.1) | 260 | 0.2 | (0.0 - 1.8) | 329 |
| 18 or older | 0.0 | (- - -) | 104 | - | - | 58 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 0.7 | (0.2 - 3.2) | 295 | 1.4 | (0.3 - 6.4) | 150 | 0.0 | (- - -) | 145 |
| 10th | 1.3 | (0.3 - 6.4) | 319 | 2.0 | (0.5 - 7.6) | 142 | 0.7 | (0.1 - 5.5) | 176 |
| 11th | 2.0 | (0.7 - 6.0) | 260 | 3.0 | (0.8 - 10.5) | 101 | 1.1 | (0.3 - 4.6) | 159 |
| 12th | 1.2 | (0.3 - 4.9) | 169 | - | - | 79 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 0.8 | (0.3 - 2.5) | 379 | 0.9 | (0.3 - 2.6) | 164 | 0.8 | (0.2 - 3.6) | 215 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 1.6 | (0.6 - 4.0) | 480 | 2.8 | (0.9 - 8.2) | 228 | 0.3 | (0.0 - 2.0) | 252 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 49 | - | - | 23 | - | - | 26 |

Note: There were 5 students who were excluded from the analysis for QN56.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN57: Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 26.1 | (22.7 - 29.8) | 1,052 | 34.4 | (29.5 - 39.5) | 478 | 17.9 | (14.3 - 22.0) | 573 |
| Age | | | | | | | | | |
| 15 or younger | 28.7 | (24.2 - 33.6) | 360 | 41.7 | (35.2 - 48.5) | 161 | 16.7 | (12.9 - 21.4) | 198 |
| 16 or 17 | 26.5 | (22.2 - 31.2) | 588 | 32.7 | (26.6 - 39.4) | 259 | 20.4 | (15.0 - 27.1) | 329 |
| 18 or older | 17.5 | (10.6 - 27.4) | 104 | - | - | 58 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 28.2 | (24.7 - 32.0) | 296 | 37.4 | (31.4 - 43.7) | 151 | 18.3 | (14.5 - 22.9) | 145 |
| 10th | 27.2 | (20.9 - 34.5) | 317 | 36.3 | (26.0 - 48.0) | 140 | 18.1 | (12.8 - 24.9) | 176 |
| 11th | 27.4 | (20.5 - 35.6) | 260 | 34.3 | (23.7 - 46.8) | 101 | 20.8 | (13.3 - 31.1) | 159 |
| 12th | 19.3 | (14.5 - 25.3) | 169 | - | - | 79 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 21.1 | (18.2 - 24.2) | 379 | 29.2 | (23.5 - 35.7) | 163 | 13.8 | (11.3 - 16.7) | 216 |
| Hispanic/Latino | - | - | 87 | - | - | 37 | - | - | 49 |
| White* | 29.4 | (24.7 - 34.6) | 481 | 37.8 | (31.5 - 44.6) | 229 | 20.4 | (15.0 - 27.1) | 252 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 49 | - | - | 23 | - | - | 26 |

Note: There were 6 students who were excluded from the analysis for QN57.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN58: Percentage of students who ever had sexual intercourse

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 61.7 | (56.6 - 66.6) | 991 | 64.2 | (57.1 - 70.7) | 439 | 59.3 | (53.5 - 64.9) | 551 |
| Age | | | | | | | | | |
| 15 or younger | 47.6 | (40.2 - 55.0) | 342 | 50.1 | (42.6 - 57.5) | 151 | 45.2 | (34.8 - 56.1) | 190 |
| 16 or 17 | 67.3 | (60.3 - 73.5) | 555 | 69.6 | (58.5 - 78.8) | 235 | 65.1 | (57.7 - 71.9) | 320 |
| 18 or older | - | - | 94 | - | - | 53 | - | - | 41 |
| Grade | | | | | | | | | |
| 9th | 49.5 | (39.8 - 59.2) | 277 | 50.1 | (40.2 - 60.0) | 138 | 48.9 | (36.5 - 61.4) | 139 |
| 10th | 60.1 | (49.1 - 70.2) | 304 | 68.6 | (55.4 - 79.3) | 135 | 51.5 | (39.8 - 63.0) | 168 |
| 11th | 63.7 | (54.0 - 72.4) | 242 | - | - | 87 | 62.9 | (50.1 - 74.0) | 155 |
| 12th | 78.9 | (71.5 - 84.8) | 159 | - | - | 72 | - | - | 87 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 72.4 | (66.0 - 78.0) | 355 | 81.2 | (71.7 - 88.1) | 150 | 64.9 | (56.8 - 72.2) | 205 |
| Hispanic/Latino | - | - | 80 | - | - | 34 | - | - | 45 |
| White* | 53.7 | (46.7 - 60.5) | 457 | 51.6 | (42.8 - 60.2) | 211 | 55.8 | (46.6 - 64.6) | 246 |
| All other races | - | - | 31 | - | - | 14 | - | - | 17 |
| Multiple races | - | - | 49 | - | - | 23 | - | - | 26 |

Note: There were 67 students who were excluded from the analysis for QN58.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN59: Percentage of students who had sexual intercourse for the first time before age 13 years

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-----|------------|---------------------------------------|-----|------------|---|-----|
| Total | 11.2 | (7.9 - 15.6) | 989 | 16.9 | (11.6 - 23.8) | 438 | 5.8 | (3.5 - 9.6) | 550 |
| Age | | | | | | | | | |
| 15 or younger | 13.2 | (9.6 - 17.8) | 342 | 16.2 | (11.5 - 22.4) | 151 | 10.5 | (6.2 - 17.3) | 190 |
| 16 or 17 | 9.7 | (5.5 - 16.5) | 553 | 18.0 | (10.2 - 29.7) | 234 | 2.1 | (0.8 - 5.3) | 319 |
| 18 or older | - | - | 94 | - | - | 53 | - | - | 41 |
| Grade | | | | | | | | | |
| 9th | 13.9 | (9.1 - 20.5) | 277 | 18.1 | (11.0 - 28.3) | 139 | 9.5 | (5.2 - 16.6) | 138 |
| 10th | 13.1 | (8.1 - 20.7) | 302 | 21.5 | (12.3 - 34.9) | 132 | 5.0 | (2.8 - 8.7) | 169 |
| 11th | 6.0 | (2.7 - 13.1) | 242 | - | - | 88 | 0.6 | (0.1 - 4.3) | 154 |
| 12th | 10.2 | (5.4 - 18.6) | 159 | - | - | 72 | - | - | 87 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 18.7 | (14.1 - 24.4) | 352 | 28.1 | (20.0 - 38.0) | 149 | 10.5 | (6.4 - 16.6) | 203 |
| Hispanic/Latino | - | - | 80 | - | - | 34 | - | - | 45 |
| White* | 5.3 | (2.8 - 9.9) | 458 | 8.4 | (4.5 - 15.1) | 211 | 2.1 | (0.7 - 6.2) | 247 |
| All other races | - | - | 31 | - | - | 14 | - | - | 17 |
| Multiple races | - | - | 49 | - | - | 23 | - | - | 26 |

Note: There were 69 students who were excluded from the analysis for QN59.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN60: Percentage of students who had sexual intercourse with four or more people during their life

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 20.5 | (16.9 - 24.6) | 986 | 26.4 | (20.9 - 32.8) | 436 | 14.7 | (11.6 - 18.5) | 549 |
| Age | | | | | | | | | |
| 15 or younger | 11.6 | (8.2 - 16.1) | 343 | 14.6 | (8.9 - 23.2) | 151 | 8.6 | (4.5 - 16.0) | 191 |
| 16 or 17 | 23.8 | (18.4 - 30.3) | 552 | 32.7 | (24.5 - 42.2) | 233 | 15.7 | (11.9 - 20.5) | 319 |
| 18 or older | - | - | 91 | - | - | 52 | - | - | 39 |
| Grade | | | | | | | | | |
| 9th | 13.6 | (8.8 - 20.5) | 278 | 18.3 | (10.4 - 30.1) | 138 | 8.9 | (4.3 - 17.8) | 140 |
| 10th | 17.0 | (11.0 - 25.3) | 302 | 23.8 | (15.7 - 34.4) | 133 | 10.0 | (5.8 - 16.8) | 168 |
| 11th | 24.0 | (18.9 - 30.0) | 241 | - | - | 87 | 16.3 | (11.8 - 22.1) | 154 |
| 12th | 30.5 | (22.6 - 39.8) | 156 | - | - | 71 | - | - | 85 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 28.8 | (23.4 - 34.8) | 350 | 40.9 | (31.9 - 50.6) | 147 | 18.5 | (12.7 - 26.0) | 203 |
| Hispanic/Latino | - | - | 81 | - | - | 34 | - | - | 46 |
| White* | 14.0 | (10.3 - 18.9) | 456 | 16.4 | (12.4 - 21.5) | 211 | 11.6 | (6.6 - 19.5) | 245 |
| All other races | - | - | 31 | - | - | 14 | - | - | 17 |
| Multiple races | - | - | 49 | - | - | 23 | - | - | 26 |

Note: There were 72 students who were excluded from the analysis for QN60.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN61: Percentage of students who had sexual intercourse with one or more people during the past three months

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 43.2 | (37.9 - 48.7) | 986 | 43.8 | (36.0 - 51.9) | 436 | 42.6 | (38.2 - 47.1) | 549 |
| Age | | | | | | | | | |
| 15 or younger | 26.9 | (21.2 - 33.5) | 341 | 26.3 | (19.6 - 34.3) | 151 | 27.5 | (19.9 - 36.6) | 189 |
| 16 or 17 | 49.6 | (43.5 - 55.7) | 552 | 51.3 | (42.0 - 60.6) | 232 | 48.1 | (42.8 - 53.5) | 320 |
| 18 or older | - | - | 93 | - | - | 53 | - | - | 40 |
| Grade | | | | | | | | | |
| 9th | 27.7 | (19.8 - 37.2) | 276 | 26.1 | (16.3 - 39.0) | 138 | 29.3 | (20.0 - 40.7) | 138 |
| 10th | 41.1 | (32.6 - 50.1) | 302 | 44.5 | (34.3 - 55.1) | 132 | 37.8 | (28.4 - 48.3) | 169 |
| 11th | 49.2 | (41.6 - 56.8) | 241 | - | - | 87 | 45.9 | (37.4 - 54.6) | 154 |
| 12th | 61.9 | (53.5 - 69.6) | 158 | - | - | 72 | - | - | 86 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 46.6 | (38.5 - 54.9) | 348 | 51.2 | (37.7 - 64.5) | 146 | 42.6 | (37.1 - 48.4) | 202 |
| Hispanic/Latino | - | - | 80 | - | - | 34 | - | - | 45 |
| White* | 40.8 | (35.6 - 46.2) | 459 | 38.2 | (31.6 - 45.2) | 212 | 43.5 | (36.9 - 50.4) | 247 |
| All other races | - | - | 31 | - | - | 14 | - | - | 17 |
| Multiple races | - | - | 49 | - | - | 23 | - | - | 26 |

Note: There were 72 students who were excluded from the analysis for QN61.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN62: Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 19.8 | (14.7 - 26.0) | 409 | 26.2 | (18.9 - 35.2) | 183 | 13.4 | (8.9 - 19.8) | 226 |
| Age | | | | | | | | | |
| 15 or younger | - | - | 91 | - | - | 39 | - | - | 52 |
| 16 or 17 | 18.4 | (13.7 - 24.3) | 261 | 25.4 | (18.0 - 34.6) | 114 | 11.6 | (6.5 - 19.7) | 147 |
| 18 or older | - | - | 57 | - | - | 30 | - | - | 27 |
| Grade | | | | | | | | | |
| 9th | - | - | 73 | - | - | 35 | - | - | 38 |
| 10th | 17.8 | (13.9 - 22.4) | 122 | - | - | 59 | - | - | 63 |
| 11th | 25.8 | (18.1 - 35.4) | 117 | - | - | 45 | - | - | 72 |
| 12th | - | - | 94 | - | - | 43 | - | - | 51 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 18.4 | (11.5 - 28.0) | 161 | - | - | 74 | - | - | 87 |
| Hispanic/Latino | - | - | 27 | - | - | 12 | - | - | 15 |
| White* | 21.0 | (14.0 - 30.3) | 182 | - | - | 79 | 13.5 | (6.4 - 26.2) | 103 |
| All other races | - | - | 12 | - | - | 6 | - | - | 6 |
| Multiple races | - | - | 16 | - | - | 6 | - | - | 10 |

Note: There were 649 students who were excluded from the analysis for QN62.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN63: Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-----|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 62.1 | (58.2 - 65.9) | 408 | 66.5 | (59.5 - 72.8) | 183 | 57.8 | (51.0 - 64.4) | 225 |
| Age | | | | | | | | | |
| 15 or younger | - | - | 91 | - | - | 39 | - | - | 52 |
| 16 or 17 | 60.3 | (54.5 - 65.8) | 260 | 62.9 | (53.8 - 71.1) | 114 | 57.8 | (48.3 - 66.7) | 146 |
| 18 or older | - | - | 57 | - | - | 30 | - | - | 27 |
| Grade | | | | | | | | | |
| 9th | - | - | 74 | - | - | 36 | - | - | 38 |
| 10th | 62.5 | (51.9 - 71.9) | 120 | - | - | 59 | - | - | 61 |
| 11th | 66.5 | (55.4 - 76.1) | 117 | - | - | 45 | - | - | 72 |
| 12th | - | - | 94 | - | - | 42 | - | - | 52 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 61.6 | (54.5 - 68.2) | 161 | - | - | 73 | - | - | 88 |
| Hispanic/Latino | - | - | 27 | - | - | 12 | - | - | 15 |
| White* | 61.6 | (55.4 - 67.4) | 180 | - | - | 79 | 60.3 | (50.9 - 69.0) | 101 |
| All other races | - | - | 12 | - | - | 6 | - | - | 6 |
| Multiple races | - | - | 17 | - | - | 7 | - | - | 10 |

Note: There were 650 students who were excluded from the analysis for QN63.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QNOWT: Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 14.2 | (11.9 - 16.9) | 1,010 | 15.6 | (11.3 - 21.2) | 472 | 12.7 | (10.0 - 15.9) | 538 |
| Age | | | | | | | | | |
| 15 or younger | 12.9 | (8.8 - 18.6) | 341 | 17.5 | (8.7 - 32.0) | 156 | 8.6 | (6.1 - 12.1) | 185 |
| 16 or 17 | 14.9 | (11.9 - 18.5) | 570 | 14.6 | (9.4 - 22.1) | 259 | 15.2 | (12.0 - 19.0) | 311 |
| 18 or older | - | - | 99 | - | - | 57 | - | - | 42 |
| Grade | | | | | | | | | |
| 9th | 13.8 | (9.5 - 19.4) | 275 | 18.5 | (10.3 - 31.0) | 144 | 8.4 | (4.6 - 14.9) | 131 |
| 10th | 14.0 | (10.8 - 18.0) | 307 | 15.7 | (10.5 - 22.8) | 141 | 12.1 | (7.9 - 18.3) | 166 |
| 11th | 13.4 | (8.7 - 20.1) | 254 | 12.5 | (6.3 - 23.2) | 101 | 14.4 | (9.0 - 22.2) | 153 |
| 12th | 16.4 | (11.6 - 22.7) | 164 | - | - | 79 | - | - | 85 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 14.5 | (11.0 - 18.8) | 363 | 13.9 | (8.9 - 21.0) | 158 | 15.0 | (11.3 - 19.6) | 205 |
| Hispanic/Latino | - | - | 83 | - | - | 37 | - | - | 46 |
| White* | 13.4 | (9.9 - 17.7) | 460 | 16.2 | (10.7 - 23.7) | 226 | 10.1 | (6.9 - 14.7) | 234 |
| All other races | - | - | 32 | - | - | 17 | - | - | 15 |
| Multiple races | - | - | 49 | - | - | 23 | - | - | 26 |

Note: There were 48 students who were excluded from the analysis for QNOWT.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

**Based on reference data from the 2000 CDC Growth Charts.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QNOBESE: Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)**

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 16.6 | (13.6 - 20.2) | 1,010 | 18.0 | (14.5 - 22.2) | 472 | 15.2 | (9.9 - 22.6) | 538 |
| Age | | | | | | | | | |
| 15 or younger | 17.5 | (13.8 - 21.9) | 341 | 18.6 | (14.4 - 23.7) | 156 | 16.5 | (9.7 - 26.5) | 185 |
| 16 or 17 | 14.8 | (10.2 - 21.0) | 570 | 15.3 | (10.4 - 22.1) | 259 | 14.3 | (8.6 - 22.9) | 311 |
| 18 or older | - | - | 99 | - | - | 57 | - | - | 42 |
| Grade | | | | | | | | | |
| 9th | 19.2 | (14.8 - 24.5) | 275 | 16.7 | (12.9 - 21.3) | 144 | 22.0 | (13.8 - 33.2) | 131 |
| 10th | 12.0 | (9.9 - 14.5) | 307 | 17.0 | (13.0 - 21.9) | 141 | 6.6 | (3.6 - 12.0) | 166 |
| 11th | 13.1 | (8.3 - 20.0) | 254 | 12.0 | (6.2 - 22.2) | 101 | 14.2 | (7.7 - 24.5) | 153 |
| 12th | 22.2 | (14.3 - 32.6) | 164 | - | - | 79 | - | - | 85 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 26.9 | (21.8 - 32.6) | 363 | 29.7 | (23.2 - 37.2) | 158 | 24.3 | (16.7 - 34.0) | 205 |
| Hispanic/Latino | - | - | 83 | - | - | 37 | - | - | 46 |
| White* | 10.3 | (7.8 - 13.6) | 460 | 11.8 | (8.9 - 15.4) | 226 | 8.6 | (4.0 - 17.5) | 234 |
| All other races | - | - | 32 | - | - | 17 | - | - | 15 |
| Multiple races | - | - | 49 | - | - | 23 | - | - | 26 |

Note: There were 48 students who were excluded from the analysis for QNOBESE.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

**Based on reference data from the 2000 CDC Growth Charts.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN65: Percentage of students who described themselves as slightly or very overweight

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 27.7 | (23.5 - 32.3) | 1,050 | 24.2 | (19.2 - 29.9) | 480 | 31.3 | (25.4 - 37.7) | 569 |
| Age | | | | | | | | | |
| 15 or younger | 27.9 | (22.5 - 34.0) | 358 | 26.0 | (20.1 - 33.0) | 162 | 29.7 | (22.6 - 38.1) | 195 |
| 16 or 17 | 26.5 | (22.4 - 31.1) | 589 | 21.6 | (16.0 - 28.5) | 260 | 31.4 | (25.8 - 37.5) | 329 |
| 18 or older | 32.1 | (20.6 - 46.4) | 103 | - | - | 58 | - | - | 45 |
| Grade | | | | | | | | | |
| 9th | 27.5 | (21.7 - 34.1) | 295 | 23.6 | (16.6 - 32.3) | 151 | 31.7 | (23.2 - 41.6) | 144 |
| 10th | 28.3 | (23.0 - 34.4) | 316 | 28.3 | (20.3 - 37.9) | 141 | 28.4 | (22.2 - 35.6) | 174 |
| 11th | 22.8 | (17.1 - 29.6) | 261 | 16.7 | (9.6 - 27.4) | 102 | 28.7 | (21.2 - 37.6) | 159 |
| 12th | 33.1 | (24.8 - 42.5) | 168 | - | - | 79 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 30.5 | (24.5 - 37.3) | 376 | 27.7 | (20.4 - 36.4) | 164 | 33.1 | (24.2 - 43.4) | 212 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 24.7 | (20.1 - 30.1) | 480 | 22.2 | (16.9 - 28.7) | 229 | 27.5 | (21.3 - 34.6) | 251 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 49 | - | - | 23 | - | - | 26 |

Note: There were 8 students who were excluded from the analysis for QN65.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN66: Percentage of students who were trying to lose weight

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 47.1 | (42.5 - 51.7) | 1,050 | 34.0 | (29.9 - 38.4) | 479 | 60.2 | (54.5 - 65.7) | 570 |
| Age | | | | | | | | | |
| 15 or younger | 45.7 | (39.3 - 52.3) | 357 | 33.0 | (24.6 - 42.5) | 162 | 57.7 | (50.3 - 64.8) | 194 |
| 16 or 17 | 47.5 | (42.5 - 52.5) | 589 | 34.3 | (29.0 - 39.9) | 259 | 60.6 | (55.6 - 65.4) | 330 |
| 18 or older | 49.0 | (37.1 - 61.0) | 104 | - | - | 58 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 43.0 | (34.4 - 51.9) | 295 | 31.3 | (22.2 - 42.2) | 151 | 55.6 | (47.3 - 63.5) | 144 |
| 10th | 47.0 | (41.0 - 53.1) | 315 | 36.3 | (29.3 - 43.8) | 140 | 57.8 | (49.9 - 65.3) | 174 |
| 11th | 44.9 | (37.4 - 52.8) | 261 | 30.0 | (22.1 - 39.4) | 102 | 59.5 | (50.1 - 68.2) | 159 |
| 12th | 54.5 | (46.2 - 62.5) | 169 | - | - | 79 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 46.8 | (40.2 - 53.5) | 376 | 37.2 | (30.4 - 44.5) | 163 | 55.5 | (45.6 - 64.9) | 213 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 47.0 | (41.5 - 52.6) | 479 | 32.2 | (25.3 - 39.9) | 228 | 63.0 | (55.6 - 69.9) | 251 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 8 students who were excluded from the analysis for QN66.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN67: Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 59.6 | (55.6 - 63.5) | 1,035 | 58.7 | (54.4 - 62.8) | 469 | 60.5 | (54.3 - 66.3) | 565 |
| Age | | | | | | | | | |
| 15 or younger | 61.8 | (57.7 - 65.7) | 351 | 59.9 | (53.0 - 66.4) | 157 | 63.4 | (57.5 - 68.8) | 193 |
| 16 or 17 | 57.8 | (53.1 - 62.4) | 584 | 55.6 | (51.0 - 60.1) | 256 | 60.0 | (52.7 - 66.9) | 328 |
| 18 or older | 61.2 | (50.7 - 70.8) | 100 | - | - | 56 | - | - | 44 |
| Grade | | | | | | | | | |
| 9th | 61.3 | (54.5 - 67.6) | 288 | 61.0 | (53.3 - 68.3) | 146 | 61.5 | (53.1 - 69.3) | 142 |
| 10th | 60.1 | (54.7 - 65.3) | 313 | 58.4 | (49.5 - 66.8) | 138 | 61.7 | (52.5 - 70.2) | 174 |
| 11th | 54.3 | (46.5 - 62.0) | 259 | 52.4 | (43.1 - 61.6) | 101 | 56.2 | (47.6 - 64.4) | 158 |
| 12th | 63.0 | (54.1 - 71.1) | 165 | - | - | 77 | - | - | 88 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 58.4 | (53.2 - 63.3) | 371 | 61.5 | (53.6 - 68.7) | 159 | 55.6 | (48.3 - 62.7) | 212 |
| Hispanic/Latino | - | - | 87 | - | - | 37 | - | - | 49 |
| White* | 60.1 | (54.4 - 65.5) | 472 | 56.0 | (50.2 - 61.6) | 224 | 64.5 | (54.9 - 73.1) | 248 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 49 | - | - | 23 | - | - | 26 |

Note: There were 23 students who were excluded from the analysis for QN67.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN68: Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 34.0 | (28.8 - 39.8) | 1,042 | 24.8 | (19.6 - 30.9) | 472 | 43.3 | (37.1 - 49.6) | 569 |
| Age | | | | | | | | | |
| 15 or younger | 33.1 | (28.2 - 38.5) | 354 | 25.0 | (18.7 - 32.7) | 158 | 40.6 | (35.2 - 46.3) | 195 |
| 16 or 17 | 34.6 | (29.2 - 40.3) | 587 | 23.6 | (18.2 - 30.0) | 257 | 45.3 | (38.3 - 52.5) | 330 |
| 18 or older | 34.3 | (23.4 - 47.2) | 101 | - | - | 57 | - | - | 44 |
| Grade | | | | | | | | | |
| 9th | 31.3 | (26.0 - 37.0) | 291 | 22.9 | (15.6 - 32.3) | 147 | 40.1 | (33.7 - 46.8) | 144 |
| 10th | 34.3 | (28.3 - 40.8) | 316 | 26.6 | (20.3 - 34.0) | 140 | 42.1 | (35.0 - 49.5) | 175 |
| 11th | 31.3 | (24.6 - 38.8) | 259 | 19.2 | (10.9 - 31.5) | 100 | 42.8 | (34.4 - 51.6) | 159 |
| 12th | 41.7 | (33.1 - 50.9) | 166 | - | - | 78 | - | - | 88 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 28.7 | (21.4 - 37.4) | 375 | 23.6 | (14.7 - 35.5) | 163 | 33.4 | (24.9 - 43.2) | 212 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 38.5 | (32.7 - 44.7) | 474 | 26.4 | (20.6 - 33.2) | 223 | 51.2 | (45.0 - 57.4) | 251 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 49 | - | - | 23 | - | - | 26 |

Note: There were 16 students who were excluded from the analysis for QN68.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN70: Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 4.4 | (3.0 - 6.5) | 1,041 | 4.3 | (2.5 - 7.3) | 471 | 4.6 | (2.9 - 7.1) | 569 |
| Age | | | | | | | | | |
| 15 or younger | 3.9 | (2.2 - 6.8) | 354 | 4.0 | (1.7 - 9.1) | 160 | 3.7 | (1.8 - 7.6) | 193 |
| 16 or 17 | 5.0 | (3.0 - 8.2) | 585 | 4.8 | (2.6 - 8.8) | 255 | 5.2 | (3.0 - 9.1) | 330 |
| 18 or older | 3.3 | (2.3 - 4.6) | 102 | - | - | 56 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 4.1 | (2.6 - 6.3) | 292 | 3.6 | (1.7 - 7.5) | 149 | 4.6 | (2.4 - 8.5) | 143 |
| 10th | 4.1 | (2.3 - 7.2) | 314 | 4.9 | (2.3 - 10.1) | 139 | 3.3 | (1.2 - 8.7) | 174 |
| 11th | 4.4 | (2.0 - 9.4) | 258 | - | - | 99 | 3.3 | (1.4 - 7.2) | 159 |
| 12th | 5.4 | (2.6 - 11.2) | 167 | - | - | 77 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 2.6 | (1.2 - 5.6) | 376 | 3.8 | (1.3 - 10.4) | 163 | 1.5 | (0.5 - 4.3) | 213 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 5.4 | (3.5 - 8.2) | 473 | 3.9 | (1.9 - 8.2) | 223 | 6.9 | (4.4 - 10.6) | 250 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 49 | - | - | 23 | - | - | 26 |

Note: There were 17 students who were excluded from the analysis for QN70.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN71: Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 4.3 | (2.8 - 6.5) | 1,038 | 3.3 | (1.9 - 5.5) | 468 | 5.3 | (3.3 - 8.6) | 569 |
| Age | | | | | | | | | |
| 15 or younger | 5.4 | (2.8 - 10.2) | 356 | 5.4 | (2.2 - 12.4) | 160 | 5.5 | (2.3 - 12.7) | 195 |
| 16 or 17 | 4.3 | (2.7 - 6.7) | 584 | 2.8 | (1.3 - 5.9) | 254 | 5.7 | (3.5 - 9.0) | 330 |
| 18 or older | - | - | 98 | - | - | 54 | - | - | 44 |
| Grade | | | | | | | | | |
| 9th | 5.8 | (2.9 - 11.1) | 291 | 4.7 | (1.9 - 11.0) | 147 | 7.0 | (3.2 - 14.6) | 144 |
| 10th | 2.8 | (1.2 - 6.6) | 315 | 2.7 | (0.9 - 7.7) | 139 | 3.0 | (1.0 - 8.8) | 175 |
| 11th | 3.6 | (1.8 - 6.9) | 260 | 2.5 | (0.8 - 7.5) | 101 | 4.6 | (2.2 - 9.1) | 159 |
| 12th | 4.9 | (2.1 - 11.2) | 163 | - | - | 75 | - | - | 88 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 2.8 | (1.4 - 5.7) | 373 | 2.9 | (1.2 - 7.1) | 161 | 2.8 | (1.0 - 7.3) | 212 |
| Hispanic/Latino | - | - | 87 | - | - | 36 | - | - | 50 |
| White* | 4.8 | (2.6 - 8.8) | 474 | 2.9 | (1.3 - 6.4) | 223 | 6.8 | (3.2 - 14.0) | 251 |
| All other races | - | - | 32 | - | - | 15 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 20 students who were excluded from the analysis for QN71.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN72: Percentage of students who drank 100% fruit juices one or more times during the past seven days

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 76.9 | (73.5 - 80.0) | 1,043 | 80.1 | (76.2 - 83.6) | 474 | 73.7 | (68.4 - 78.3) | 568 |
| Age | | | | | | | | | |
| 15 or younger | 74.9 | (68.7 - 80.2) | 355 | 75.3 | (68.8 - 80.8) | 160 | 74.5 | (64.2 - 82.6) | 194 |
| 16 or 17 | 77.1 | (73.1 - 80.6) | 586 | 82.2 | (76.8 - 86.5) | 258 | 72.0 | (66.6 - 76.8) | 328 |
| 18 or older | 81.7 | (71.7 - 88.8) | 102 | - | - | 56 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 75.2 | (66.6 - 82.2) | 292 | 79.9 | (71.9 - 86.0) | 149 | 70.2 | (57.7 - 80.3) | 143 |
| 10th | 77.0 | (71.9 - 81.5) | 315 | 75.7 | (65.9 - 83.3) | 140 | 78.3 | (72.9 - 82.9) | 174 |
| 11th | 77.5 | (71.0 - 82.9) | 261 | 81.8 | (68.6 - 90.3) | 102 | 73.3 | (65.2 - 80.1) | 159 |
| 12th | 79.5 | (71.7 - 85.5) | 166 | - | - | 77 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 80.3 | (76.4 - 83.7) | 373 | 85.5 | (78.3 - 90.6) | 160 | 75.7 | (68.8 - 81.5) | 213 |
| Hispanic/Latino | - | - | 85 | - | - | 36 | - | - | 48 |
| White* | 72.8 | (67.2 - 77.7) | 478 | 75.0 | (67.7 - 81.0) | 227 | 70.4 | (62.5 - 77.2) | 251 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 15 students who were excluded from the analysis for QN72.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN73: Percentage of students who ate fruit one or more times during the past seven days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 80.9 | (77.5 - 83.9) | 1,043 | 82.0 | (78.4 - 85.2) | 473 | 79.8 | (75.8 - 83.2) | 570 |
| Age | | | | | | | | | |
| 15 or younger | 78.3 | (72.9 - 82.9) | 355 | 78.5 | (72.0 - 83.9) | 161 | 78.2 | (68.4 - 85.6) | 194 |
| 16 or 17 | 80.8 | (76.3 - 84.6) | 586 | 83.5 | (77.5 - 88.1) | 256 | 78.1 | (73.0 - 82.5) | 330 |
| 18 or older | 88.4 | (79.0 - 93.9) | 102 | - | - | 56 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 77.3 | (71.6 - 82.1) | 294 | 78.9 | (70.9 - 85.2) | 150 | 75.6 | (66.9 - 82.6) | 144 |
| 10th | 81.4 | (75.3 - 86.2) | 314 | 82.4 | (77.3 - 86.6) | 140 | 80.3 | (69.7 - 87.9) | 174 |
| 11th | 79.7 | (71.8 - 85.8) | 259 | 83.1 | (73.7 - 89.6) | 100 | 76.4 | (68.4 - 82.9) | 159 |
| 12th | 87.3 | (80.1 - 92.1) | 167 | - | - | 77 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 79.2 | (75.4 - 82.6) | 375 | 79.5 | (72.6 - 85.1) | 161 | 78.9 | (75.0 - 82.4) | 214 |
| Hispanic/Latino | - | - | 86 | - | - | 36 | - | - | 50 |
| White* | 81.9 | (75.4 - 86.9) | 475 | 83.4 | (77.4 - 88.0) | 225 | 80.2 | (72.1 - 86.4) | 250 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 15 students who were excluded from the analysis for QN73.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN74: Percentage of students who ate green salad one or more times during the past seven days

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 50.5 | (45.3 - 55.8) | 1,048 | 48.4 | (42.4 - 54.5) | 477 | 52.6 | (46.2 - 59.0) | 570 |
| Age | | | | | | | | | |
| 15 or younger | 46.3 | (41.0 - 51.7) | 357 | 43.6 | (36.0 - 51.5) | 162 | 48.7 | (39.9 - 57.6) | 194 |
| 16 or 17 | 51.9 | (46.0 - 57.8) | 589 | 49.4 | (43.2 - 55.6) | 259 | 54.4 | (46.7 - 61.9) | 330 |
| 18 or older | 56.2 | (40.9 - 70.4) | 102 | - | - | 56 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 44.1 | (38.4 - 49.9) | 295 | 42.9 | (34.9 - 51.4) | 151 | 45.3 | (37.2 - 53.7) | 144 |
| 10th | 52.5 | (43.7 - 61.1) | 316 | 49.7 | (39.3 - 60.1) | 141 | 55.3 | (44.4 - 65.7) | 174 |
| 11th | 54.9 | (47.6 - 61.9) | 261 | 54.9 | (43.8 - 65.5) | 102 | 54.8 | (45.2 - 64.0) | 159 |
| 12th | 52.4 | (44.0 - 60.7) | 167 | - | - | 77 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 39.6 | (34.0 - 45.5) | 376 | 39.1 | (31.8 - 46.9) | 163 | 40.1 | (33.7 - 46.9) | 213 |
| Hispanic/Latino | - | - | 87 | - | - | 36 | - | - | 50 |
| White* | 58.5 | (53.5 - 63.4) | 478 | 55.6 | (49.6 - 61.4) | 227 | 61.7 | (53.7 - 69.2) | 251 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 10 students who were excluded from the analysis for QN74.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN75: Percentage of students who ate potatoes one or more times during the past seven days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 63.2 | (58.5 - 67.7) | 1,048 | 63.2 | (56.4 - 69.5) | 477 | 63.3 | (58.8 - 67.6) | 570 |
| Age | | | | | | | | | |
| 15 or younger | 61.7 | (53.1 - 69.6) | 357 | 61.2 | (49.4 - 71.9) | 162 | 62.2 | (53.5 - 70.1) | 194 |
| 16 or 17 | 64.8 | (60.3 - 69.0) | 589 | 65.6 | (57.7 - 72.7) | 259 | 64.0 | (58.4 - 69.2) | 330 |
| 18 or older | 60.9 | (46.4 - 73.8) | 102 | - | - | 56 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 64.0 | (54.7 - 72.4) | 295 | 66.9 | (54.4 - 77.4) | 151 | 60.9 | (51.0 - 70.0) | 144 |
| 10th | 62.0 | (57.9 - 65.9) | 316 | 58.9 | (51.8 - 65.6) | 141 | 65.4 | (58.7 - 71.5) | 174 |
| 11th | 63.3 | (57.0 - 69.3) | 261 | 62.8 | (50.4 - 73.7) | 102 | 63.9 | (53.8 - 72.9) | 159 |
| 12th | 63.3 | (49.7 - 75.1) | 167 | - | - | 77 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 52.0 | (45.6 - 58.3) | 376 | 53.3 | (45.2 - 61.2) | 163 | 50.8 | (43.8 - 57.7) | 213 |
| Hispanic/Latino | - | - | 87 | - | - | 36 | - | - | 50 |
| White* | 72.1 | (66.1 - 77.5) | 478 | 70.2 | (61.0 - 78.0) | 227 | 74.2 | (66.4 - 80.6) | 251 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 10 students who were excluded from the analysis for QN75.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN76: Percentage of students who ate carrots one or more times during the past seven days

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 29.7 | (25.0 - 35.0) | 1,047 | 33.2 | (26.8 - 40.3) | 476 | 26.3 | (22.1 - 31.0) | 570 |
| Age | | | | | | | | | |
| 15 or younger | 27.8 | (22.6 - 33.6) | 357 | 26.8 | (20.4 - 34.3) | 161 | 28.7 | (23.1 - 35.1) | 195 |
| 16 or 17 | 27.9 | (22.5 - 34.0) | 588 | 31.7 | (23.3 - 41.6) | 259 | 24.2 | (19.9 - 29.0) | 329 |
| 18 or older | 43.1 | (33.4 - 53.3) | 102 | - | - | 56 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 29.5 | (24.8 - 34.8) | 294 | 28.0 | (21.9 - 35.1) | 150 | 31.1 | (24.8 - 38.2) | 144 |
| 10th | 26.5 | (19.1 - 35.5) | 316 | 29.3 | (19.9 - 40.8) | 141 | 23.8 | (16.2 - 33.5) | 174 |
| 11th | 32.5 | (25.1 - 40.9) | 261 | 37.7 | (27.3 - 49.4) | 102 | 27.4 | (20.3 - 35.7) | 159 |
| 12th | 30.5 | (21.1 - 41.7) | 167 | - | - | 77 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 17.0 | (12.7 - 22.3) | 376 | 20.6 | (14.2 - 28.9) | 162 | 13.8 | (9.4 - 19.7) | 214 |
| Hispanic/Latino | - | - | 87 | - | - | 36 | - | - | 50 |
| White* | 38.4 | (31.3 - 46.1) | 477 | 41.0 | (32.1 - 50.5) | 227 | 35.6 | (28.7 - 43.2) | 250 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 11 students who were excluded from the analysis for QN76.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN77: Percentage of students who ate other vegetables one or more times during the past seven days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 80.8 | (77.4 - 83.8) | 1,047 | 78.3 | (73.7 - 82.2) | 476 | 83.3 | (79.9 - 86.1) | 570 |
| Age | | | | | | | | | |
| 15 or younger | 77.2 | (72.6 - 81.2) | 356 | 74.9 | (68.4 - 80.5) | 161 | 79.3 | (73.3 - 84.2) | 194 |
| 16 or 17 | 82.8 | (78.7 - 86.2) | 589 | 79.7 | (72.9 - 85.2) | 259 | 85.7 | (82.4 - 88.6) | 330 |
| 18 or older | 82.0 | (72.5 - 88.7) | 102 | - | - | 56 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 76.1 | (70.2 - 81.1) | 294 | 73.2 | (65.4 - 79.8) | 150 | 79.1 | (71.6 - 85.1) | 144 |
| 10th | 80.8 | (76.3 - 84.5) | 316 | 78.6 | (74.0 - 82.5) | 141 | 83.0 | (75.2 - 88.7) | 174 |
| 11th | 86.3 | (82.6 - 89.3) | 261 | 86.0 | (78.2 - 91.3) | 102 | 86.6 | (80.4 - 91.0) | 159 |
| 12th | 81.2 | (73.6 - 87.0) | 167 | - | - | 77 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 76.7 | (72.1 - 80.7) | 376 | 73.5 | (65.3 - 80.3) | 163 | 79.6 | (74.5 - 83.9) | 213 |
| Hispanic/Latino | - | - | 87 | - | - | 36 | - | - | 50 |
| White* | 83.6 | (79.8 - 86.7) | 477 | 80.8 | (76.0 - 84.8) | 226 | 86.5 | (81.1 - 90.5) | 251 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 11 students who were excluded from the analysis for QN77.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QNFRVG: Percentage of students who ate fruits and vegetables five or more times per day during the past seven days

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 15.6 | (13.0 - 18.5) | 1,033 | 18.5 | (14.8 - 22.8) | 468 | 12.7 | (9.8 - 16.4) | 565 |
| Age | | | | | | | | | |
| 15 or younger | 14.1 | (10.7 - 18.2) | 349 | 14.5 | (10.0 - 20.6) | 157 | 13.7 | (9.2 - 19.9) | 192 |
| 16 or 17 | 16.6 | (12.7 - 21.4) | 582 | 21.1 | (16.0 - 27.2) | 255 | 12.2 | (8.1 - 18.2) | 327 |
| 18 or older | 15.3 | (9.7 - 23.2) | 102 | - | - | 56 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 15.9 | (11.6 - 21.3) | 289 | 19.1 | (14.5 - 24.7) | 146 | 12.5 | (7.3 - 20.5) | 143 |
| 10th | 13.6 | (9.3 - 19.5) | 311 | 16.4 | (11.2 - 23.4) | 139 | 10.7 | (6.6 - 16.9) | 172 |
| 11th | 15.2 | (11.1 - 20.4) | 258 | 18.6 | (11.7 - 28.2) | 100 | 11.9 | (8.5 - 16.3) | 158 |
| 12th | 17.6 | (11.1 - 26.8) | 166 | - | - | 77 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 19.8 | (14.8 - 26.0) | 369 | 23.3 | (15.8 - 32.9) | 157 | 16.7 | (11.9 - 23.1) | 212 |
| Hispanic/Latino | - | - | 84 | - | - | 36 | - | - | 48 |
| White* | 12.0 | (8.8 - 16.2) | 473 | 14.4 | (9.4 - 21.3) | 224 | 9.5 | (6.9 - 13.0) | 249 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 25 students who were excluded from the analysis for QNFRVG.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QNFRUIT: Percentage of students who ate fruits two or more times per day during the past seven days

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 26.6 | (23.0 - 30.6) | 1,037 | 31.4 | (27.7 - 35.4) | 470 | 21.9 | (16.7 - 28.1) | 567 |
| Age | | | | | | | | | |
| 15 or younger | 25.3 | (20.9 - 30.2) | 352 | 23.8 | (18.5 - 29.9) | 159 | 26.7 | (19.0 - 36.2) | 193 |
| 16 or 17 | 27.7 | (23.2 - 32.6) | 583 | 35.4 | (30.5 - 40.7) | 255 | 20.1 | (14.3 - 27.5) | 328 |
| 18 or older | 26.0 | (17.5 - 36.9) | 102 | - | - | 56 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 28.4 | (21.9 - 35.9) | 291 | 28.9 | (21.8 - 37.1) | 148 | 27.9 | (18.6 - 39.5) | 143 |
| 10th | 24.2 | (20.4 - 28.4) | 312 | 30.0 | (24.0 - 36.7) | 139 | 18.4 | (12.8 - 25.7) | 173 |
| 11th | 26.3 | (18.5 - 35.9) | 259 | 33.8 | (22.5 - 47.3) | 100 | 19.2 | (13.4 - 26.6) | 159 |
| 12th | 27.5 | (20.4 - 35.9) | 166 | - | - | 77 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 33.3 | (27.0 - 40.3) | 371 | 41.5 | (33.6 - 49.9) | 158 | 26.1 | (19.0 - 34.6) | 213 |
| Hispanic/Latino | - | - | 84 | - | - | 36 | - | - | 48 |
| White* | 21.1 | (16.5 - 26.7) | 475 | 23.7 | (17.4 - 31.5) | 225 | 18.4 | (12.5 - 26.2) | 250 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 21 students who were excluded from the analysis for QNFRUIT.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QNVEG: Percentage of students who ate vegetables three or more times per day during the past seven days

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 7.6 | (6.3 - 9.2) | 1,045 | 8.2 | (5.9 - 11.3) | 475 | 7.0 | (5.2 - 9.4) | 569 |
| Age | | | | | | | | | |
| 15 or younger | 6.6 | (4.7 - 9.0) | 355 | 6.9 | (4.2 - 11.3) | 160 | 6.3 | (3.5 - 11.0) | 194 |
| 16 or 17 | 8.6 | (6.8 - 10.8) | 588 | 8.9 | (6.1 - 12.9) | 259 | 8.3 | (5.8 - 11.6) | 329 |
| 18 or older | 6.4 | (2.7 - 14.0) | 102 | - | - | 56 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 7.2 | (5.0 - 10.2) | 293 | 8.2 | (5.6 - 11.8) | 149 | 6.1 | (2.9 - 12.4) | 144 |
| 10th | 6.9 | (4.2 - 11.1) | 316 | 7.5 | (3.4 - 15.4) | 141 | 6.3 | (4.2 - 9.4) | 174 |
| 11th | 8.7 | (5.7 - 13.1) | 260 | 10.0 | (5.5 - 17.6) | 102 | 7.4 | (4.2 - 12.6) | 158 |
| 12th | 7.8 | (3.6 - 16.1) | 167 | - | - | 77 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 7.4 | (5.2 - 10.3) | 375 | 6.9 | (4.2 - 11.2) | 162 | 7.7 | (5.0 - 11.8) | 213 |
| Hispanic/Latino | - | - | 87 | - | - | 36 | - | - | 50 |
| White* | 7.8 | (5.9 - 10.2) | 476 | 9.1 | (6.2 - 13.1) | 226 | 6.4 | (4.4 - 9.2) | 250 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 13 students who were excluded from the analysis for QNVEG.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN78: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 40.6 | (35.1 - 46.3) | 1,043 | 42.0 | (36.1 - 48.1) | 473 | 39.2 | (32.8 - 46.0) | 569 |
| Age | | | | | | | | | |
| 15 or younger | 42.3 | (36.8 - 48.0) | 357 | 44.5 | (38.8 - 50.4) | 161 | 40.3 | (30.9 - 50.4) | 195 |
| 16 or 17 | 40.7 | (33.3 - 48.6) | 584 | 41.3 | (33.1 - 49.9) | 256 | 40.1 | (32.5 - 48.3) | 328 |
| 18 or older | 35.3 | (23.8 - 48.9) | 102 | - | - | 56 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 45.2 | (40.7 - 49.7) | 293 | 46.7 | (41.3 - 52.1) | 149 | 43.6 | (36.0 - 51.5) | 144 |
| 10th | 39.8 | (30.8 - 49.6) | 315 | 42.0 | (30.0 - 55.1) | 141 | 37.6 | (27.4 - 49.1) | 173 |
| 11th | 35.5 | (28.1 - 43.7) | 259 | 36.0 | (24.6 - 49.1) | 100 | 35.0 | (25.7 - 45.7) | 159 |
| 12th | 40.7 | (27.9 - 54.8) | 167 | - | - | 77 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 37.8 | (31.2 - 44.9) | 376 | 36.4 | (30.8 - 42.5) | 162 | 39.1 | (30.2 - 48.7) | 214 |
| Hispanic/Latino | - | - | 85 | - | - | 35 | - | - | 49 |
| White* | 43.3 | (37.0 - 49.7) | 475 | 46.6 | (38.2 - 55.3) | 225 | 39.7 | (32.5 - 47.3) | 250 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 15 students who were excluded from the analysis for QN78.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN80: Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 44.7 | (40.3 - 49.2) | 1,043 | 56.1 | (51.1 - 60.9) | 475 | 33.3 | (27.1 - 40.2) | 567 |
| Age | | | | | | | | | |
| 15 or younger | 51.1 | (42.9 - 59.3) | 353 | 60.4 | (50.4 - 69.7) | 161 | 42.4 | (34.5 - 50.6) | 191 |
| 16 or 17 | 41.5 | (36.5 - 46.7) | 588 | 54.8 | (48.5 - 61.0) | 258 | 28.4 | (21.4 - 36.6) | 330 |
| 18 or older | 41.3 | (31.6 - 51.7) | 102 | - | - | 56 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 50.1 | (40.6 - 59.5) | 291 | 59.8 | (47.2 - 71.2) | 150 | 39.3 | (29.6 - 50.0) | 141 |
| 10th | 44.6 | (39.2 - 50.0) | 316 | 58.7 | (51.6 - 65.5) | 141 | 30.2 | (23.5 - 37.9) | 174 |
| 11th | 45.6 | (37.7 - 53.7) | 260 | 57.4 | (45.9 - 68.1) | 101 | 34.2 | (24.8 - 45.0) | 159 |
| 12th | 36.5 | (27.7 - 46.4) | 167 | - | - | 77 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 38.6 | (34.2 - 43.2) | 375 | 51.2 | (45.8 - 56.6) | 162 | 27.3 | (21.5 - 33.9) | 213 |
| Hispanic/Latino | - | - | 86 | - | - | 36 | - | - | 49 |
| White* | 51.8 | (46.2 - 57.4) | 475 | 63.3 | (57.0 - 69.3) | 226 | 39.4 | (30.7 - 48.8) | 249 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 15 students who were excluded from the analysis for QN80.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN81: Percentage of students who watched three or more hours per day of TV on an average school day

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 41.7 | (35.8 - 47.7) | 1,037 | 45.0 | (38.5 - 51.7) | 470 | 38.3 | (31.9 - 45.3) | 566 |
| Age | | | | | | | | | |
| 15 or younger | 44.2 | (36.0 - 52.8) | 351 | 50.5 | (42.5 - 58.4) | 159 | 38.4 | (28.2 - 49.8) | 191 |
| 16 or 17 | 40.1 | (32.5 - 48.3) | 583 | 41.2 | (31.2 - 52.0) | 254 | 39.1 | (30.8 - 48.0) | 329 |
| 18 or older | 41.2 | (28.7 - 55.0) | 103 | - | - | 57 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 48.7 | (41.8 - 55.6) | 288 | 53.4 | (45.4 - 61.3) | 147 | 43.5 | (33.2 - 54.4) | 141 |
| 10th | 39.0 | (31.5 - 47.1) | 314 | 42.4 | (31.6 - 54.0) | 139 | 35.7 | (28.8 - 43.3) | 174 |
| 11th | 33.3 | (24.1 - 43.8) | 258 | 32.4 | (21.5 - 45.5) | 100 | 34.1 | (24.9 - 44.8) | 158 |
| 12th | 43.5 | (32.6 - 55.1) | 168 | - | - | 78 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 54.7 | (48.7 - 60.6) | 374 | 52.2 | (42.9 - 61.3) | 162 | 57.0 | (51.2 - 62.7) | 212 |
| Hispanic/Latino | - | - | 85 | - | - | 35 | - | - | 49 |
| White* | 31.0 | (24.6 - 38.2) | 472 | 39.6 | (30.9 - 49.1) | 223 | 21.8 | (16.0 - 29.0) | 249 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 49 | - | - | 23 | - | - | 26 |

Note: There were 21 students who were excluded from the analysis for QN81.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN82: Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 23.7 | (20.8 - 26.9) | 1,035 | 28.6 | (23.9 - 33.9) | 469 | 18.8 | (16.1 - 21.8) | 565 |
| Age | | | | | | | | | |
| 15 or younger | 28.3 | (22.7 - 34.7) | 349 | 33.9 | (25.0 - 44.1) | 158 | 23.1 | (19.3 - 27.4) | 190 |
| 16 or 17 | 21.6 | (17.7 - 26.0) | 587 | 24.5 | (19.0 - 31.0) | 257 | 18.7 | (15.1 - 23.0) | 330 |
| 18 or older | - | - | 99 | - | - | 54 | - | - | 45 |
| Grade | | | | | | | | | |
| 9th | 32.4 | (27.9 - 37.4) | 287 | 36.9 | (30.2 - 44.2) | 147 | 27.6 | (22.2 - 33.7) | 140 |
| 10th | 18.7 | (14.5 - 23.9) | 315 | 19.9 | (13.4 - 28.5) | 140 | 17.6 | (12.3 - 24.5) | 174 |
| 11th | 20.6 | (16.6 - 25.4) | 260 | 25.2 | (19.4 - 32.1) | 101 | 16.2 | (11.6 - 22.2) | 159 |
| 12th | 20.2 | (14.3 - 27.9) | 164 | - | - | 75 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 27.4 | (23.1 - 32.2) | 371 | 29.2 | (22.8 - 36.6) | 159 | 25.8 | (21.5 - 30.6) | 212 |
| Hispanic/Latino | - | - | 85 | - | - | 35 | - | - | 49 |
| White* | 20.6 | (16.0 - 26.1) | 473 | 27.5 | (21.6 - 34.3) | 225 | 13.1 | (8.5 - 19.5) | 248 |
| All other races | - | - | 32 | - | - | 15 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 23 students who were excluded from the analysis for QN82.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN86: Percentage of students who had ever been told by a doctor or nurse that they had asthma

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 22.0 | (20.0 - 24.2) | 1,028 | 23.9 | (21.0 - 27.0) | 460 | 20.3 | (17.5 - 23.4) | 567 |
| Age | | | | | | | | | |
| 15 or younger | 23.4 | (19.8 - 27.4) | 349 | 24.7 | (19.3 - 30.9) | 156 | 22.2 | (17.9 - 27.2) | 192 |
| 16 or 17 | 22.2 | (19.2 - 25.5) | 581 | 24.0 | (20.2 - 28.3) | 251 | 20.5 | (16.0 - 25.8) | 330 |
| 18 or older | - | - | 98 | - | - | 53 | - | - | 45 |
| Grade | | | | | | | | | |
| 9th | 22.5 | (19.1 - 26.2) | 283 | 25.4 | (19.9 - 31.8) | 143 | 19.4 | (15.0 - 24.7) | 140 |
| 10th | 22.4 | (17.3 - 28.5) | 316 | 24.1 | (17.5 - 32.3) | 140 | 20.7 | (14.1 - 29.1) | 175 |
| 11th | 21.9 | (16.8 - 28.1) | 256 | - | - | 96 | 22.9 | (17.6 - 29.3) | 160 |
| 12th | 20.2 | (15.5 - 25.9) | 164 | - | - | 75 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 25.0 | (22.0 - 28.3) | 371 | 29.7 | (25.3 - 34.7) | 158 | 20.7 | (17.1 - 24.9) | 213 |
| Hispanic/Latino | - | - | 85 | - | - | 35 | - | - | 49 |
| White* | 20.6 | (17.7 - 23.8) | 467 | 20.6 | (16.3 - 25.6) | 218 | 20.6 | (16.1 - 26.0) | 249 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 48 | - | - | 22 | - | - | 26 |

Note: There were 30 students who were excluded from the analysis for QN86.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN87: Percentage of students who had been told by a doctor or nurse that they had asthma and who still have asthma

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 9.6 | (7.8 - 11.8) | 1,026 | 8.3 | (5.8 - 11.8) | 458 | 11.0 | (8.9 - 13.5) | 567 |
| Age | | | | | | | | | |
| 15 or younger | 10.3 | (8.3 - 12.7) | 349 | 7.0 | (3.9 - 12.2) | 156 | 13.3 | (9.9 - 17.8) | 192 |
| 16 or 17 | 9.8 | (7.1 - 13.4) | 579 | 9.4 | (5.9 - 14.5) | 249 | 10.2 | (7.3 - 14.2) | 330 |
| 18 or older | - | - | 98 | - | - | 53 | - | - | 45 |
| Grade | | | | | | | | | |
| 9th | 9.2 | (6.9 - 12.3) | 282 | 6.8 | (4.0 - 11.5) | 142 | 11.7 | (8.1 - 16.6) | 140 |
| 10th | 12.1 | (7.4 - 19.1) | 315 | 10.4 | (5.5 - 18.9) | 139 | 13.8 | (8.0 - 22.9) | 175 |
| 11th | 9.8 | (6.0 - 15.7) | 256 | - | - | 96 | 9.2 | (5.7 - 14.6) | 160 |
| 12th | 7.3 | (4.4 - 11.9) | 164 | - | - | 75 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 11.3 | (8.0 - 15.9) | 371 | 10.4 | (5.6 - 18.4) | 158 | 12.2 | (9.1 - 16.2) | 213 |
| Hispanic/Latino | - | - | 85 | - | - | 35 | - | - | 49 |
| White* | 9.0 | (6.7 - 11.9) | 465 | 7.0 | (4.1 - 11.6) | 216 | 11.0 | (8.0 - 15.0) | 249 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 48 | - | - | 22 | - | - | 26 |

Note: There were 32 students who were excluded from the analysis for QN87.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN88: Percentage of students who would describe their grades in school as mostly D's or F's during the past 12 months

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 6.5 | (4.6 - 9.2) | 1,054 | 10.0 | (7.3 - 13.5) | 481 | 3.0 | (1.6 - 5.7) | 572 |
| Age | | | | | | | | | |
| 15 or younger | 4.5 | (3.1 - 6.5) | 360 | 5.4 | (3.0 - 9.5) | 163 | 3.6 | (1.5 - 8.3) | 196 |
| 16 or 17 | 7.6 | (4.6 - 12.2) | 590 | 12.5 | (7.5 - 20.2) | 260 | 2.7 | (1.3 - 5.4) | 330 |
| 18 or older | 7.8 | (3.5 - 16.2) | 104 | - | - | 58 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 5.8 | (3.9 - 8.5) | 295 | 7.3 | (3.9 - 13.2) | 152 | 4.1 | (1.8 - 9.1) | 143 |
| 10th | 8.4 | (5.4 - 12.8) | 319 | 14.8 | (9.3 - 22.7) | 142 | 1.9 | (0.6 - 6.3) | 176 |
| 11th | 6.4 | (2.8 - 14.1) | 261 | 10.4 | (3.9 - 24.8) | 101 | 2.6 | (1.1 - 5.8) | 160 |
| 12th | 5.2 | (2.5 - 10.4) | 169 | - | - | 79 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 7.4 | (4.4 - 12.3) | 380 | 11.8 | (6.5 - 20.3) | 165 | 3.4 | (1.6 - 7.0) | 215 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 5.8 | (3.1 - 10.5) | 479 | 8.5 | (4.6 - 15.0) | 228 | 2.9 | (1.1 - 7.4) | 251 |
| All other races | - | - | 34 | - | - | 17 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 4 students who were excluded from the analysis for QN88.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN89: Percentage of students who rode in a car or other vehicle driven by someone who had been recklessly speeding one or more times during the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 49.1 | (45.6 - 52.7) | 1,056 | 47.9 | (44.2 - 51.7) | 482 | 50.3 | (44.3 - 56.2) | 573 |
| Age | | | | | | | | | |
| 15 or younger | 44.7 | (39.4 - 50.2) | 361 | 42.3 | (36.8 - 47.9) | 163 | 46.9 | (38.5 - 55.5) | 197 |
| 16 or 17 | 52.6 | (47.4 - 57.7) | 592 | 54.2 | (48.5 - 59.8) | 262 | 51.0 | (43.6 - 58.3) | 330 |
| 18 or older | 46.3 | (34.2 - 58.9) | 103 | - | - | 57 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 45.0 | (38.1 - 52.2) | 297 | 45.2 | (39.2 - 51.4) | 152 | 44.9 | (34.4 - 55.8) | 145 |
| 10th | 50.1 | (43.1 - 57.1) | 318 | 48.7 | (40.6 - 56.8) | 142 | 51.4 | (38.5 - 64.1) | 175 |
| 11th | 55.0 | (48.0 - 61.8) | 262 | 55.5 | (47.3 - 63.5) | 102 | 54.5 | (45.2 - 63.5) | 160 |
| 12th | 46.7 | (38.8 - 54.8) | 169 | - | - | 79 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 44.3 | (39.6 - 49.0) | 380 | 46.5 | (40.5 - 52.6) | 165 | 42.2 | (34.3 - 50.6) | 215 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 52.4 | (48.9 - 56.0) | 480 | 49.7 | (42.6 - 56.8) | 228 | 55.3 | (50.4 - 60.2) | 252 |
| All other races | - | - | 34 | - | - | 17 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 2 students who were excluded from the analysis for QN89.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN90: Percentage of students who drove a car or other vehicle under the influence of drugs other than tobacco one or more times during the past 30 days

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 12.7 | (10.3 - 15.6) | 1,056 | 17.2 | (12.7 - 22.7) | 482 | 8.2 | (6.4 - 10.5) | 573 |
| Age | | | | | | | | | |
| 15 or younger | 7.1 | (5.3 - 9.6) | 361 | 6.0 | (3.1 - 11.3) | 163 | 8.2 | (4.1 - 15.7) | 197 |
| 16 or 17 | 15.6 | (12.1 - 19.8) | 592 | 23.5 | (16.4 - 32.4) | 262 | 7.7 | (5.0 - 11.8) | 330 |
| 18 or older | 15.7 | (8.1 - 28.3) | 103 | - | - | 57 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 7.8 | (5.4 - 11.0) | 297 | 9.4 | (5.7 - 15.1) | 152 | 6.0 | (2.3 - 14.9) | 145 |
| 10th | 11.8 | (7.6 - 17.8) | 318 | 13.7 | (7.9 - 22.7) | 142 | 9.9 | (6.0 - 16.0) | 175 |
| 11th | 17.2 | (12.2 - 23.5) | 262 | 24.8 | (16.1 - 36.1) | 102 | 9.8 | (5.5 - 16.8) | 160 |
| 12th | 16.0 | (9.5 - 25.7) | 169 | - | - | 79 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 13.9 | (9.6 - 19.8) | 380 | 20.1 | (11.9 - 31.8) | 165 | 8.3 | (5.9 - 11.6) | 215 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 11.3 | (8.4 - 15.0) | 480 | 13.9 | (8.6 - 21.7) | 228 | 8.5 | (5.9 - 12.2) | 252 |
| All other races | - | - | 34 | - | - | 17 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 2 students who were excluded from the analysis for QN90.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN91: Percentage of students who have ever been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging, during the past 12 months

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 12.7 | (10.7 - 15.1) | 1,049 | 8.8 | (6.0 - 12.6) | 479 | 16.7 | (14.6 - 19.1) | 569 |
| Age | | | | | | | | | |
| 15 or younger | 11.0 | (8.4 - 14.1) | 357 | 3.7 | (1.4 - 9.6) | 161 | 17.8 | (13.5 - 23.0) | 195 |
| 16 or 17 | 13.4 | (10.7 - 16.6) | 589 | 11.6 | (7.4 - 18.0) | 261 | 15.1 | (12.2 - 18.5) | 328 |
| 18 or older | 14.9 | (7.7 - 26.9) | 103 | - | - | 57 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 9.5 | (6.6 - 13.5) | 293 | 5.6 | (2.7 - 11.3) | 149 | 13.8 | (8.0 - 22.7) | 144 |
| 10th | 14.3 | (11.8 - 17.3) | 317 | 7.2 | (4.0 - 12.9) | 142 | 21.6 | (17.2 - 26.7) | 174 |
| 11th | 11.9 | (8.6 - 16.2) | 261 | 11.0 | (6.6 - 17.8) | 102 | 12.7 | (8.2 - 19.2) | 159 |
| 12th | 16.2 | (10.7 - 23.8) | 169 | - | - | 79 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 9.0 | (6.7 - 12.1) | 377 | 5.8 | (2.7 - 12.2) | 164 | 11.9 | (7.8 - 17.8) | 213 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 14.9 | (12.3 - 18.1) | 477 | 10.3 | (6.4 - 16.1) | 227 | 19.9 | (16.5 - 23.8) | 250 |
| All other races | - | - | 34 | - | - | 17 | - | - | 17 |
| Multiple races | - | - | 49 | - | - | 23 | - | - | 26 |

Note: There were 9 students who were excluded from the analysis for QN91.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN92: Percentage of students who have seen other students being bullied in their school

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 63.6 | (57.8 - 68.9) | 1,054 | 60.9 | (51.8 - 69.3) | 481 | 66.3 | (61.4 - 70.9) | 572 |
| Age | | | | | | | | | |
| 15 or younger | 67.3 | (62.1 - 72.1) | 360 | 64.8 | (53.8 - 74.4) | 163 | 69.8 | (65.6 - 73.8) | 196 |
| 16 or 17 | 60.0 | (52.5 - 67.0) | 592 | 55.7 | (46.9 - 64.1) | 262 | 64.3 | (56.7 - 71.2) | 330 |
| 18 or older | 68.7 | (57.6 - 78.0) | 102 | - | - | 56 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 66.3 | (60.3 - 71.7) | 297 | 65.9 | (56.4 - 74.4) | 152 | 66.6 | (60.7 - 72.0) | 145 |
| 10th | 64.8 | (54.3 - 74.0) | 318 | 55.5 | (38.6 - 71.3) | 142 | 74.4 | (66.0 - 81.3) | 175 |
| 11th | 60.4 | (51.3 - 68.9) | 261 | 60.4 | (45.1 - 73.9) | 102 | 60.5 | (53.0 - 67.5) | 159 |
| 12th | 61.7 | (50.6 - 71.7) | 168 | - | - | 78 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 59.6 | (49.9 - 68.6) | 379 | 59.2 | (46.0 - 71.2) | 165 | 60.0 | (49.7 - 69.4) | 214 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 65.7 | (59.2 - 71.6) | 480 | 61.6 | (51.0 - 71.2) | 228 | 70.0 | (64.9 - 74.6) | 252 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 4 students who were excluded from the analysis for QN92.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN93: Percentage of students whose property such as their car, clothing, or books had been stolen or deliberately damaged on school property one or more times during the past 12 months

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 27.3 | (22.4 - 32.7) | 1,055 | 32.5 | (26.2 - 39.4) | 482 | 22.0 | (17.6 - 27.2) | 572 |
| Age | | | | | | | | | |
| 15 or younger | 28.8 | (21.2 - 37.7) | 361 | 36.1 | (27.3 - 45.8) | 163 | 22.0 | (15.2 - 30.7) | 197 |
| 16 or 17 | 26.8 | (21.6 - 32.8) | 591 | 31.0 | (23.7 - 39.4) | 261 | 22.7 | (17.6 - 28.7) | 330 |
| 18 or older | 25.0 | (17.4 - 34.4) | 103 | - | - | 58 | - | - | 45 |
| Grade | | | | | | | | | |
| 9th | 28.3 | (20.6 - 37.5) | 297 | 35.7 | (26.7 - 45.9) | 152 | 20.3 | (13.8 - 28.9) | 145 |
| 10th | 27.7 | (21.2 - 35.3) | 318 | 29.2 | (20.5 - 39.9) | 142 | 26.2 | (19.2 - 34.7) | 175 |
| 11th | 25.9 | (20.5 - 32.2) | 262 | 30.5 | (23.0 - 39.3) | 102 | 21.5 | (14.0 - 31.4) | 160 |
| 12th | 26.4 | (18.0 - 37.0) | 168 | - | - | 79 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 23.6 | (18.2 - 30.0) | 379 | 29.3 | (21.6 - 38.5) | 165 | 18.3 | (13.3 - 24.7) | 214 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 29.7 | (23.8 - 36.3) | 481 | 33.4 | (25.8 - 41.9) | 229 | 25.7 | (20.2 - 32.0) | 252 |
| All other races | - | - | 34 | - | - | 17 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 3 students who were excluded from the analysis for QN93.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN94: Percentage of students who usually talk with teacher or other adult in this school when they feel sad, empty, hopeless, angry, or anxious

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 1.8 | (1.2 - 2.8) | 1,046 | 1.4 | (0.5 - 3.7) | 479 | 2.2 | (1.3 - 3.9) | 566 |
| Age | | | | | | | | | |
| 15 or younger | 0.9 | (0.3 - 2.8) | 357 | 0.0 | (- - -) | 161 | 1.8 | (0.6 - 5.4) | 195 |
| 16 or 17 | 2.5 | (1.3 - 4.8) | 587 | 2.3 | (0.8 - 6.5) | 260 | 2.7 | (1.5 - 4.8) | 327 |
| 18 or older | 1.5 | (0.4 - 6.0) | 102 | - | - | 58 | - | - | 44 |
| Grade | | | | | | | | | |
| 9th | 0.8 | (0.2 - 3.2) | 293 | 0.0 | (- - -) | 150 | 1.7 | (0.4 - 6.7) | 143 |
| 10th | 1.9 | (0.7 - 4.8) | 316 | 1.7 | (0.5 - 5.6) | 141 | 2.1 | (0.7 - 5.8) | 174 |
| 11th | 3.2 | (1.2 - 8.5) | 259 | 3.4 | (0.7 - 14.5) | 101 | 3.0 | (1.1 - 8.1) | 158 |
| 12th | 1.2 | (0.3 - 5.6) | 168 | - | - | 80 | - | - | 88 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 2.9 | (1.7 - 5.1) | 373 | 2.6 | (0.7 - 9.3) | 162 | 3.2 | (1.4 - 7.5) | 211 |
| Hispanic/Latino | - | - | 87 | - | - | 37 | - | - | 49 |
| White* | 1.3 | (0.6 - 3.0) | 479 | 0.9 | (0.2 - 3.5) | 229 | 1.9 | (0.9 - 4.0) | 250 |
| All other races | - | - | 34 | - | - | 17 | - | - | 17 |
| Multiple races | - | - | 49 | - | - | 23 | - | - | 26 |

Note: There were 12 students who were excluded from the analysis for QN94.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN95: Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, Adderall, Ritalin, or Xanax) without a doctor's prescription one or more times during their life

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 21.9 | (17.5 - 26.9) | 1,053 | 24.6 | (19.8 - 30.0) | 480 | 19.2 | (14.5 - 24.8) | 572 |
| Age | | | | | | | | | |
| 15 or younger | 18.3 | (13.9 - 23.8) | 361 | 21.3 | (15.8 - 28.2) | 162 | 15.6 | (11.0 - 21.6) | 198 |
| 16 or 17 | 24.5 | (18.8 - 31.4) | 588 | 28.1 | (21.1 - 36.3) | 260 | 21.0 | (15.6 - 27.7) | 328 |
| 18 or older | 20.1 | (13.0 - 29.9) | 104 | - | - | 58 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 20.9 | (15.6 - 27.3) | 296 | 23.6 | (16.5 - 32.6) | 151 | 17.9 | (13.7 - 23.1) | 145 |
| 10th | 23.1 | (16.5 - 31.4) | 318 | 25.7 | (18.0 - 35.2) | 141 | 20.6 | (14.4 - 28.6) | 176 |
| 11th | 21.0 | (16.2 - 26.7) | 260 | 23.7 | (16.8 - 32.4) | 102 | 18.3 | (12.5 - 26.0) | 158 |
| 12th | 22.6 | (13.6 - 35.1) | 169 | - | - | 79 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 12.5 | (8.2 - 18.6) | 377 | 17.3 | (11.2 - 25.9) | 163 | 8.1 | (4.6 - 13.7) | 214 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 29.5 | (25.0 - 34.4) | 481 | 29.6 | (23.9 - 36.1) | 229 | 29.3 | (23.1 - 36.3) | 252 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 5 students who were excluded from the analysis for QN95.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN96: Percentage of students whose partner was three or more years older the last time they had sexual intercourse

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 13.3 | (10.7 - 16.4) | 1,045 | 8.6 | (6.2 - 11.9) | 477 | 18.0 | (13.7 - 23.3) | 567 |
| Age | | | | | | | | | |
| 15 or younger | 14.7 | (9.9 - 21.3) | 358 | 10.5 | (7.4 - 14.7) | 161 | 18.5 | (11.2 - 28.9) | 196 |
| 16 or 17 | 13.3 | (10.1 - 17.2) | 584 | 8.2 | (5.0 - 13.3) | 258 | 18.3 | (12.9 - 25.2) | 326 |
| 18 or older | 9.6 | (4.9 - 18.0) | 103 | - | - | 58 | - | - | 45 |
| Grade | | | | | | | | | |
| 9th | 15.2 | (9.7 - 23.1) | 292 | 10.5 | (7.0 - 15.5) | 150 | 20.3 | (11.8 - 32.6) | 142 |
| 10th | 12.1 | (8.6 - 16.7) | 316 | 10.7 | (4.9 - 21.6) | 140 | 13.3 | (7.7 - 22.1) | 175 |
| 11th | 12.0 | (7.7 - 18.3) | 259 | 4.2 | (1.6 - 10.7) | 101 | 19.6 | (12.9 - 28.6) | 158 |
| 12th | 12.8 | (8.0 - 19.7) | 168 | - | - | 79 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 17.9 | (14.3 - 22.3) | 373 | 14.4 | (10.6 - 19.4) | 162 | 21.2 | (14.9 - 29.2) | 211 |
| Hispanic/Latino | - | - | 88 | - | - | 37 | - | - | 50 |
| White* | 10.5 | (7.2 - 15.1) | 477 | 5.8 | (3.1 - 10.7) | 227 | 15.5 | (9.9 - 23.5) | 250 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 13 students who were excluded from the analysis for QN96.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN97: Percentage of students who usually talk with teacher or other adult in this school when they have questions about sexually transmitted diseases (STD), HIV, AIDS, or pregnancy prevention

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 4.4 | (3.0 - 6.5) | 1,040 | 4.1 | (2.6 - 6.3) | 474 | 4.8 | (2.9 - 7.8) | 565 |
| Age | | | | | | | | | |
| 15 or younger | 8.1 | (4.7 - 13.4) | 352 | 8.1 | (4.1 - 15.6) | 158 | 8.0 | (4.1 - 15.0) | 193 |
| 16 or 17 | 3.0 | (2.1 - 4.3) | 585 | 2.7 | (1.3 - 5.6) | 258 | 3.3 | (2.0 - 5.3) | 327 |
| 18 or older | 0.7 | (0.1 - 5.4) | 103 | - | - | 58 | - | - | 45 |
| Grade | | | | | | | | | |
| 9th | 7.7 | (4.9 - 11.9) | 288 | 8.6 | (4.8 - 14.9) | 148 | 6.8 | (3.3 - 13.4) | 140 |
| 10th | 5.8 | (4.2 - 7.8) | 315 | 4.6 | (2.5 - 8.3) | 139 | 7.0 | (4.3 - 11.1) | 175 |
| 11th | 1.7 | (0.6 - 4.7) | 259 | 1.1 | (0.3 - 3.7) | 101 | 2.3 | (0.5 - 9.4) | 158 |
| 12th | 0.7 | (0.1 - 5.1) | 168 | - | - | 79 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 6.3 | (3.6 - 11.1) | 371 | 5.1 | (2.8 - 9.2) | 160 | 7.5 | (3.9 - 13.8) | 211 |
| Hispanic/Latino | - | - | 87 | - | - | 37 | - | - | 49 |
| White* | 2.9 | (1.4 - 5.9) | 475 | 3.3 | (1.1 - 9.4) | 226 | 2.5 | (0.9 - 6.9) | 249 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 18 students who were excluded from the analysis for QN97.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN98: Percentage of students who skipped meals to lose weight or keep from gaining weight during the past 30 days

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 21.0 | (17.6 - 24.9) | 1,036 | 15.8 | (12.6 - 19.5) | 468 | 26.2 | (20.9 - 32.1) | 567 |
| Age | | | | | | | | | |
| 15 or younger | 20.3 | (15.4 - 26.3) | 354 | 13.6 | (9.4 - 19.2) | 158 | 26.3 | (18.6 - 35.8) | 195 |
| 16 or 17 | 22.0 | (17.9 - 26.7) | 581 | 16.7 | (11.8 - 23.1) | 255 | 27.2 | (20.3 - 35.4) | 326 |
| 18 or older | 18.6 | (9.8 - 32.5) | 101 | - | - | 55 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 19.8 | (15.1 - 25.5) | 291 | 13.6 | (8.5 - 20.9) | 147 | 26.4 | (20.8 - 32.8) | 144 |
| 10th | 22.4 | (18.2 - 27.4) | 312 | 18.1 | (14.0 - 23.2) | 138 | 26.5 | (18.7 - 36.3) | 173 |
| 11th | 19.3 | (13.3 - 27.2) | 259 | 13.0 | (6.1 - 25.6) | 101 | 25.4 | (18.7 - 33.5) | 158 |
| 12th | 23.2 | (14.2 - 35.5) | 165 | - | - | 76 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 20.1 | (16.5 - 24.1) | 374 | 19.3 | (14.4 - 25.2) | 161 | 20.8 | (15.6 - 27.2) | 213 |
| Hispanic/Latino | - | - | 86 | - | - | 35 | - | - | 50 |
| White* | 20.0 | (15.2 - 25.8) | 474 | 12.0 | (9.4 - 15.2) | 225 | 28.5 | (21.1 - 37.2) | 249 |
| All other races | - | - | 31 | - | - | 15 | - | - | 16 |
| Multiple races | - | - | 49 | - | - | 23 | - | - | 26 |

Note: There were 22 students who were excluded from the analysis for QN98.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN99: Percentage of students who drank a can, bottle, or glass of any other sweetened beverage one or more times per day during the past seven days

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 45.2 | (41.0 - 49.5) | 1,029 | 49.7 | (43.7 - 55.8) | 464 | 40.8 | (36.0 - 45.8) | 564 |
| Age | | | | | | | | | |
| 15 or younger | 47.3 | (38.9 - 55.8) | 353 | 53.7 | (43.6 - 63.5) | 161 | 41.2 | (33.8 - 49.0) | 191 |
| 16 or 17 | 45.4 | (41.0 - 49.9) | 575 | 49.3 | (43.2 - 55.5) | 248 | 41.7 | (35.2 - 48.4) | 327 |
| 18 or older | 38.8 | (26.4 - 52.9) | 101 | - | - | 55 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 50.8 | (42.8 - 58.8) | 290 | 57.3 | (48.3 - 65.9) | 149 | 43.6 | (35.5 - 52.1) | 141 |
| 10th | 42.4 | (34.9 - 50.2) | 307 | 49.1 | (38.9 - 59.5) | 134 | 35.9 | (26.3 - 46.7) | 172 |
| 11th | 44.5 | (36.5 - 52.7) | 257 | - | - | 99 | 41.8 | (33.9 - 50.1) | 158 |
| 12th | 41.0 | (26.5 - 57.2) | 166 | - | - | 76 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 51.8 | (47.3 - 56.2) | 370 | 53.1 | (46.2 - 59.9) | 158 | 50.6 | (43.5 - 57.7) | 212 |
| Hispanic/Latino | - | - | 85 | - | - | 35 | - | - | 49 |
| White* | 41.6 | (36.0 - 47.5) | 471 | 48.0 | (38.3 - 57.8) | 223 | 34.9 | (29.4 - 40.8) | 248 |
| All other races | - | - | 31 | - | - | 15 | - | - | 16 |
| Multiple races | - | - | 49 | - | - | 23 | - | - | 26 |

Note: There were 29 students who were excluded from the analysis for QN99.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN100: Percentage of students who ate breakfast on seven of the past seven days

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 28.2 | (25.1 - 31.5) | 1,042 | 30.1 | (25.5 - 35.0) | 474 | 26.3 | (22.2 - 31.0) | 567 |
| Age | | | | | | | | | |
| 15 or younger | 33.2 | (28.5 - 38.3) | 354 | 39.3 | (31.2 - 48.0) | 161 | 27.5 | (21.4 - 34.7) | 192 |
| 16 or 17 | 24.9 | (20.3 - 30.3) | 586 | 24.7 | (19.3 - 31.1) | 257 | 25.1 | (19.6 - 31.6) | 329 |
| 18 or older | 28.5 | (19.7 - 39.4) | 102 | - | - | 56 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 32.4 | (26.8 - 38.5) | 292 | 38.4 | (31.0 - 46.4) | 150 | 25.7 | (18.3 - 34.8) | 142 |
| 10th | 28.7 | (25.2 - 32.5) | 315 | 32.5 | (26.2 - 39.5) | 140 | 24.9 | (19.2 - 31.7) | 174 |
| 11th | 23.4 | (18.1 - 29.6) | 260 | 19.9 | (12.2 - 30.9) | 101 | 26.7 | (19.2 - 35.8) | 159 |
| 12th | 27.1 | (18.6 - 37.7) | 166 | - | - | 77 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 22.6 | (18.3 - 27.6) | 373 | 26.9 | (21.6 - 32.9) | 161 | 18.7 | (13.3 - 25.6) | 212 |
| Hispanic/Latino | - | - | 85 | - | - | 35 | - | - | 49 |
| White* | 32.9 | (28.5 - 37.7) | 477 | 34.4 | (29.0 - 40.2) | 227 | 31.4 | (23.9 - 40.0) | 250 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 16 students who were excluded from the analysis for QN100.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN101: Percentage of students who ate dinner at home with their family on three or more of the past seven days

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 76.1 | (72.7 - 79.1) | 1,038 | 77.9 | (72.5 - 82.6) | 473 | 74.2 | (70.4 - 77.6) | 564 |
| Age | | | | | | | | | |
| 15 or younger | 81.3 | (76.2 - 85.6) | 354 | 84.9 | (77.5 - 90.1) | 161 | 77.9 | (70.8 - 83.7) | 192 |
| 16 or 17 | 73.9 | (69.6 - 77.8) | 583 | 74.0 | (68.6 - 78.7) | 256 | 73.9 | (69.0 - 78.2) | 327 |
| 18 or older | 70.9 | (57.0 - 81.7) | 101 | - | - | 56 | - | - | 45 |
| Grade | | | | | | | | | |
| 9th | 80.9 | (73.1 - 86.8) | 291 | 86.0 | (78.3 - 91.3) | 150 | 75.2 | (64.9 - 83.2) | 141 |
| 10th | 78.6 | (73.8 - 82.7) | 313 | 76.0 | (69.1 - 81.8) | 140 | 81.1 | (73.7 - 86.8) | 172 |
| 11th | 75.0 | (68.0 - 80.9) | 260 | 74.8 | (64.9 - 82.6) | 101 | 75.2 | (67.2 - 81.7) | 159 |
| 12th | 67.7 | (57.2 - 76.7) | 165 | - | - | 76 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 72.9 | (66.5 - 78.6) | 372 | 73.9 | (62.7 - 82.6) | 161 | 72.1 | (66.3 - 77.3) | 211 |
| Hispanic/Latino | - | - | 85 | - | - | 35 | - | - | 49 |
| White* | 80.4 | (75.6 - 84.4) | 474 | 83.0 | (76.5 - 88.1) | 226 | 77.5 | (71.8 - 82.4) | 248 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 20 students who were excluded from the analysis for QN101.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN102: Percentage of students who, when they eat out, never or rarely choose foods that are low in fat, sugar, or calories, compared to the other foods available at that restaurant

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 66.2 | (61.2 - 70.9) | 1,024 | 70.2 | (65.0 - 74.9) | 460 | 62.3 | (55.5 - 68.6) | 563 |
| Age | | | | | | | | | |
| 15 or younger | 66.3 | (60.0 - 72.1) | 349 | 69.6 | (60.5 - 77.5) | 157 | 63.4 | (55.4 - 70.7) | 191 |
| 16 or 17 | 64.8 | (58.2 - 71.0) | 574 | 69.0 | (62.8 - 74.6) | 248 | 60.9 | (51.6 - 69.4) | 326 |
| 18 or older | 71.5 | (56.2 - 83.1) | 101 | - | - | 55 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 63.7 | (57.7 - 69.3) | 284 | 64.6 | (55.8 - 72.5) | 144 | 62.8 | (56.1 - 69.1) | 140 |
| 10th | 68.3 | (60.7 - 75.0) | 309 | 70.8 | (62.5 - 77.8) | 136 | 66.0 | (57.6 - 73.5) | 172 |
| 11th | 69.4 | (61.9 - 76.1) | 256 | - | - | 98 | 63.8 | (51.2 - 74.7) | 158 |
| 12th | 63.7 | (52.7 - 73.4) | 166 | - | - | 76 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 73.5 | (68.0 - 78.5) | 367 | 72.3 | (63.2 - 79.9) | 155 | 74.6 | (66.8 - 81.1) | 212 |
| Hispanic/Latino | - | - | 84 | - | - | 34 | - | - | 49 |
| White* | 60.6 | (53.4 - 67.4) | 468 | 68.0 | (60.6 - 74.6) | 222 | 52.7 | (44.2 - 61.0) | 246 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 48 | - | - | 22 | - | - | 26 |

Note: There were 34 students who were excluded from the analysis for QN102.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN103: Percentage of students who watch TV, play video games, or use a computer for something that is not school work three or more hours per day on an average Saturday or Sunday

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 52.6 | (48.0 - 57.2) | 1,041 | 55.4 | (48.4 - 62.1) | 473 | 49.9 | (44.1 - 55.7) | 567 |
| Age | | | | | | | | | |
| 15 or younger | 59.1 | (52.3 - 65.6) | 350 | 61.6 | (49.9 - 72.1) | 158 | 57.0 | (48.2 - 65.4) | 191 |
| 16 or 17 | 49.3 | (44.8 - 53.8) | 589 | 52.3 | (45.3 - 59.2) | 259 | 46.3 | (38.0 - 54.8) | 330 |
| 18 or older | 49.5 | (37.7 - 61.3) | 102 | - | - | 56 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 63.6 | (57.9 - 69.0) | 287 | 62.3 | (52.2 - 71.4) | 147 | 65.0 | (57.2 - 72.1) | 140 |
| 10th | 48.6 | (43.1 - 54.1) | 316 | 50.7 | (41.6 - 59.7) | 141 | 46.6 | (40.8 - 52.5) | 174 |
| 11th | 50.3 | (43.9 - 56.8) | 262 | 54.1 | (45.1 - 62.9) | 102 | 46.7 | (36.1 - 57.6) | 160 |
| 12th | 44.5 | (35.9 - 53.4) | 167 | - | - | 77 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 58.0 | (50.9 - 64.7) | 373 | 58.4 | (45.8 - 70.0) | 160 | 57.6 | (47.8 - 66.9) | 213 |
| Hispanic/Latino | - | - | 86 | - | - | 36 | - | - | 49 |
| White* | 47.5 | (42.6 - 52.4) | 475 | 51.7 | (46.5 - 57.0) | 226 | 42.9 | (36.3 - 49.7) | 249 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 17 students who were excluded from the analysis for QN103.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN104: Percentage of students who most of the time or always wear sunscreen with an SPF of 15 or higher when they are outside for more than one hour on a sunny day

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 7.3 | (5.6 - 9.6) | 1,037 | 5.8 | (3.9 - 8.5) | 470 | 8.9 | (6.4 - 12.3) | 566 |
| Age | | | | | | | | | |
| 15 or younger | 6.2 | (3.7 - 10.2) | 350 | 4.7 | (2.1 - 10.4) | 158 | 7.6 | (4.7 - 12.0) | 191 |
| 16 or 17 | 7.8 | (5.8 - 10.4) | 585 | 6.0 | (3.6 - 9.8) | 256 | 9.6 | (6.4 - 14.3) | 329 |
| 18 or older | 8.3 | (3.1 - 20.3) | 102 | - | - | 56 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 7.4 | (4.2 - 12.8) | 288 | 7.0 | (3.8 - 12.6) | 148 | 7.9 | (3.9 - 15.1) | 140 |
| 10th | 6.4 | (3.6 - 11.0) | 312 | 1.6 | (0.3 - 7.8) | 138 | 11.2 | (6.6 - 18.4) | 173 |
| 11th | 9.8 | (6.1 - 15.4) | 261 | 5.7 | (2.7 - 11.5) | 101 | 13.7 | (7.3 - 24.3) | 160 |
| 12th | 5.9 | (2.4 - 14.0) | 167 | - | - | 77 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 5.2 | (2.7 - 9.9) | 372 | 5.5 | (1.9 - 15.1) | 160 | 4.9 | (2.8 - 8.5) | 212 |
| Hispanic/Latino | - | - | 85 | - | - | 35 | - | - | 49 |
| White* | 9.3 | (6.9 - 12.5) | 474 | 6.0 | (3.4 - 10.4) | 225 | 12.8 | (8.5 - 18.9) | 249 |
| All other races | - | - | 32 | - | - | 15 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 21 students who were excluded from the analysis for QN104.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN105: Percentage of students who get eight or more hours of sleep on an average school night

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 29.4 | (25.7 - 33.3) | 1,040 | 28.3 | (24.6 - 32.2) | 474 | 30.5 | (24.8 - 36.9) | 565 |
| Age | | | | | | | | | |
| 15 or younger | 37.2 | (33.0 - 41.6) | 353 | 34.0 | (26.0 - 43.1) | 160 | 40.3 | (36.0 - 44.7) | 192 |
| 16 or 17 | 26.7 | (22.4 - 31.6) | 585 | 28.1 | (23.0 - 33.9) | 258 | 25.3 | (19.5 - 32.3) | 327 |
| 18 or older | 19.6 | (11.1 - 32.2) | 102 | - | - | 56 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 40.6 | (36.7 - 44.7) | 289 | 35.7 | (29.1 - 42.8) | 149 | 46.1 | (41.1 - 51.2) | 140 |
| 10th | 32.4 | (28.0 - 37.1) | 316 | 33.4 | (26.7 - 40.8) | 141 | 31.4 | (25.1 - 38.5) | 174 |
| 11th | 20.5 | (15.2 - 26.9) | 261 | 22.3 | (14.6 - 32.5) | 101 | 18.7 | (12.9 - 26.4) | 160 |
| 12th | 18.7 | (11.9 - 28.3) | 165 | - | - | 77 | - | - | 88 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 27.2 | (22.0 - 33.1) | 376 | 23.7 | (17.4 - 31.4) | 163 | 30.5 | (24.6 - 37.0) | 213 |
| Hispanic/Latino | - | - | 85 | - | - | 35 | - | - | 49 |
| White* | 32.4 | (27.5 - 37.7) | 473 | 33.1 | (27.8 - 38.7) | 225 | 31.7 | (23.9 - 40.6) | 248 |
| All other races | - | - | 32 | - | - | 16 | - | - | 16 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 18 students who were excluded from the analysis for QN105.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN106: Percentage of students who consider themselves to have a disability

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 8.7 | (6.6 - 11.4) | 1,027 | 7.8 | (5.4 - 11.0) | 461 | 9.6 | (6.7 - 13.7) | 565 |
| Age | | | | | | | | | |
| 15 or younger | 7.4 | (4.4 - 12.3) | 344 | 5.8 | (2.7 - 12.2) | 152 | 8.9 | (5.2 - 14.8) | 191 |
| 16 or 17 | 10.2 | (7.1 - 14.6) | 582 | 9.5 | (5.9 - 15.0) | 254 | 11.0 | (6.6 - 17.6) | 328 |
| 18 or older | 5.5 | (1.4 - 19.0) | 101 | - | - | 55 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 6.8 | (3.4 - 13.2) | 283 | 3.5 | (1.3 - 9.0) | 142 | 10.3 | (5.1 - 19.7) | 141 |
| 10th | 12.7 | (9.6 - 16.6) | 314 | 15.7 | (11.0 - 21.9) | 139 | 9.7 | (6.3 - 14.8) | 174 |
| 11th | 9.7 | (6.6 - 14.1) | 255 | - | - | 97 | 12.7 | (7.8 - 19.9) | 158 |
| 12th | 5.2 | (1.8 - 14.3) | 166 | - | - | 77 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 10.0 | (6.9 - 14.2) | 371 | 9.3 | (6.2 - 13.8) | 158 | 10.5 | (7.0 - 15.5) | 213 |
| Hispanic/Latino | - | - | 83 | - | - | 34 | - | - | 48 |
| White* | 7.7 | (5.2 - 11.2) | 469 | 5.8 | (2.9 - 11.1) | 220 | 9.6 | (5.9 - 15.2) | 249 |
| All other races | - | - | 32 | - | - | 16 | - | - | 16 |
| Multiple races | - | - | 49 | - | - | 23 | - | - | 26 |

Note: There were 31 students who were excluded from the analysis for QN106.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN107: Percentage of students who are alone without a parent or adult three or more hours per day on an average school day

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 26.8 | (24.5 - 29.2) | 1,032 | 29.2 | (25.3 - 33.3) | 465 | 24.5 | (19.5 - 30.2) | 566 |
| Age | | | | | | | | | |
| 15 or younger | 19.6 | (15.6 - 24.3) | 350 | 21.1 | (15.3 - 28.4) | 158 | 18.2 | (14.1 - 23.2) | 191 |
| 16 or 17 | 31.8 | (28.8 - 35.1) | 582 | 34.0 | (28.6 - 40.0) | 253 | 29.7 | (22.1 - 38.6) | 329 |
| 18 or older | 24.3 | (17.7 - 32.3) | 100 | - | - | 54 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 19.7 | (15.8 - 24.4) | 285 | 20.4 | (14.6 - 27.9) | 145 | 19.0 | (13.6 - 25.9) | 140 |
| 10th | 25.7 | (18.7 - 34.4) | 314 | 31.9 | (22.2 - 43.5) | 139 | 19.6 | (13.0 - 28.3) | 174 |
| 11th | 33.8 | (28.3 - 39.7) | 257 | - | - | 98 | 30.7 | (23.6 - 38.8) | 159 |
| 12th | 30.7 | (25.9 - 36.0) | 167 | - | - | 77 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 31.5 | (26.4 - 37.0) | 372 | 30.2 | (23.0 - 38.4) | 159 | 32.6 | (23.9 - 42.7) | 213 |
| Hispanic/Latino | - | - | 85 | - | - | 35 | - | - | 49 |
| White* | 22.3 | (20.0 - 24.8) | 472 | 27.3 | (23.3 - 31.6) | 223 | 17.1 | (13.3 - 21.7) | 249 |
| All other races | - | - | 32 | - | - | 15 | - | - | 17 |
| Multiple races | - | - | 48 | - | - | 23 | - | - | 25 |

Note: There were 26 students who were excluded from the analysis for QN107.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN108: Percentage of students who last saw a doctor or nurse for a check-up or physical exam when they were not sick or injured during the past 12 months

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 61.3 | (56.4 - 65.9) | 1,018 | 61.7 | (55.3 - 67.7) | 457 | 60.9 | (54.5 - 66.9) | 560 |
| Age | | | | | | | | | |
| 15 or younger | 61.9 | (53.8 - 69.3) | 341 | 67.3 | (57.2 - 76.0) | 153 | 56.9 | (47.7 - 65.7) | 187 |
| 16 or 17 | 60.9 | (55.5 - 66.1) | 579 | 59.3 | (51.7 - 66.5) | 250 | 62.4 | (54.6 - 69.7) | 329 |
| 18 or older | - | - | 98 | - | - | 54 | - | - | 44 |
| Grade | | | | | | | | | |
| 9th | 60.1 | (50.9 - 68.6) | 277 | 67.7 | (56.8 - 76.9) | 141 | 52.1 | (41.4 - 62.6) | 136 |
| 10th | 61.2 | (54.7 - 67.2) | 311 | 60.0 | (48.6 - 70.3) | 136 | 62.5 | (55.4 - 69.1) | 174 |
| 11th | 64.2 | (57.5 - 70.3) | 256 | - | - | 98 | 65.3 | (57.6 - 72.2) | 158 |
| 12th | 59.4 | (51.2 - 67.1) | 165 | - | - | 76 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 60.5 | (52.7 - 67.8) | 361 | 59.1 | (46.2 - 70.9) | 152 | 61.7 | (54.7 - 68.3) | 209 |
| Hispanic/Latino | - | - | 82 | - | - | 34 | - | - | 47 |
| White* | 64.0 | (57.5 - 70.1) | 468 | 65.6 | (57.1 - 73.1) | 220 | 62.4 | (52.0 - 71.7) | 248 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 40 students who were excluded from the analysis for QN108.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN109: Percentage of students who last saw a dentist for a check-up, exam, teeth cleaning, or other dental work during the past 12 months

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 61.1 | (56.7 - 65.4) | 1,036 | 58.4 | (52.6 - 64.0) | 468 | 63.9 | (58.6 - 68.9) | 567 |
| Age | | | | | | | | | |
| 15 or younger | 62.7 | (56.4 - 68.6) | 352 | 60.1 | (51.9 - 67.7) | 159 | 65.3 | (54.5 - 74.7) | 192 |
| 16 or 17 | 62.6 | (56.6 - 68.3) | 583 | 61.4 | (53.6 - 68.6) | 253 | 63.8 | (56.6 - 70.5) | 330 |
| 18 or older | 50.3 | (38.8 - 61.8) | 101 | - | - | 56 | - | - | 45 |
| Grade | | | | | | | | | |
| 9th | 59.6 | (51.1 - 67.5) | 286 | 58.6 | (50.1 - 66.7) | 146 | 60.6 | (48.7 - 71.4) | 140 |
| 10th | 60.1 | (52.5 - 67.2) | 317 | 54.1 | (45.4 - 62.5) | 141 | 66.4 | (57.4 - 74.3) | 175 |
| 11th | 68.8 | (59.4 - 76.9) | 257 | - | - | 97 | 71.7 | (61.7 - 80.0) | 160 |
| 12th | 56.4 | (47.2 - 65.2) | 167 | - | - | 78 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 51.9 | (47.4 - 56.3) | 373 | 51.6 | (44.5 - 58.7) | 160 | 52.1 | (47.1 - 57.0) | 213 |
| Hispanic/Latino | - | - | 85 | - | - | 35 | - | - | 49 |
| White* | 69.9 | (65.0 - 74.4) | 471 | 64.6 | (57.5 - 71.1) | 222 | 75.5 | (68.7 - 81.2) | 249 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 22 students who were excluded from the analysis for QN109.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN110: Percentage of students who have ever been tested for HIV, the virus that causes AIDS

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 17.6 | (14.7 - 20.9) | 1,031 | 12.4 | (9.2 - 16.5) | 462 | 22.7 | (19.3 - 26.4) | 568 |
| Age | | | | | | | | | |
| 15 or younger | 11.1 | (7.3 - 16.7) | 349 | 6.6 | (3.2 - 13.0) | 156 | 15.4 | (10.2 - 22.5) | 192 |
| 16 or 17 | 19.4 | (15.0 - 24.6) | 582 | 14.0 | (9.4 - 20.3) | 252 | 24.5 | (19.4 - 30.3) | 330 |
| 18 or older | 27.3 | (18.5 - 38.4) | 100 | - | - | 54 | - | - | 46 |
| Grade | | | | | | | | | |
| 9th | 10.1 | (5.9 - 16.8) | 283 | 7.5 | (4.2 - 13.0) | 143 | 12.9 | (7.0 - 22.6) | 140 |
| 10th | 14.8 | (10.2 - 21.1) | 317 | 8.7 | (4.3 - 16.6) | 141 | 21.1 | (14.2 - 30.2) | 175 |
| 11th | 24.9 | (19.9 - 30.7) | 256 | - | - | 96 | 27.8 | (21.9 - 34.5) | 160 |
| 12th | 23.1 | (16.6 - 31.1) | 166 | - | - | 76 | - | - | 90 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 20.3 | (17.0 - 24.1) | 372 | 12.6 | (8.6 - 18.2) | 158 | 27.1 | (22.0 - 32.9) | 214 |
| Hispanic/Latino | - | - | 85 | - | - | 35 | - | - | 49 |
| White* | 14.4 | (10.2 - 19.8) | 469 | 10.3 | (6.5 - 16.0) | 220 | 18.6 | (12.8 - 26.1) | 249 |
| All other races | - | - | 32 | - | - | 15 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 27 students who were excluded from the analysis for QN110.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN111: Percentage of students who strongly agree or agree that they feel alone in their life

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 17.9 | (14.5 - 21.8) | 1,033 | 18.2 | (14.7 - 22.4) | 467 | 17.5 | (13.2 - 22.7) | 565 |
| Age | | | | | | | | | |
| 15 or younger | 16.8 | (11.7 - 23.5) | 349 | 14.8 | (9.1 - 23.1) | 158 | 18.4 | (12.5 - 26.3) | 190 |
| 16 or 17 | 17.8 | (13.6 - 22.9) | 584 | 17.5 | (12.6 - 23.7) | 254 | 18.0 | (13.1 - 24.3) | 330 |
| 18 or older | 21.5 | (15.8 - 28.7) | 100 | - | - | 55 | - | - | 45 |
| Grade | | | | | | | | | |
| 9th | 19.5 | (13.6 - 27.1) | 284 | 17.9 | (12.3 - 25.2) | 146 | 21.3 | (13.1 - 32.7) | 138 |
| 10th | 16.9 | (11.7 - 23.7) | 317 | 16.3 | (9.6 - 26.2) | 141 | 17.2 | (12.1 - 24.0) | 175 |
| 11th | 17.0 | (12.1 - 23.4) | 257 | - | - | 97 | 16.0 | (8.1 - 29.2) | 160 |
| 12th | 18.2 | (13.7 - 23.7) | 166 | - | - | 77 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 19.0 | (13.8 - 25.6) | 372 | 17.3 | (12.1 - 24.1) | 160 | 20.6 | (14.1 - 29.1) | 212 |
| Hispanic/Latino | - | - | 85 | - | - | 35 | - | - | 49 |
| White* | 16.2 | (12.5 - 20.7) | 470 | 17.8 | (13.1 - 23.6) | 221 | 14.5 | (10.7 - 19.4) | 249 |
| All other races | - | - | 32 | - | - | 16 | - | - | 16 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 25 students who were excluded from the analysis for QN111.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN112: Percentage of students who strongly agree or agree that they feel good about themselves

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 78.0 | (73.0 - 82.4) | 1,033 | 82.4 | (75.5 - 87.8) | 465 | 73.7 | (68.4 - 78.3) | 567 |
| Age | | | | | | | | | |
| 15 or younger | 77.6 | (70.2 - 83.6) | 349 | 83.3 | (70.9 - 91.1) | 156 | 72.3 | (64.5 - 79.0) | 192 |
| 16 or 17 | 78.2 | (72.3 - 83.1) | 584 | 81.7 | (73.5 - 87.8) | 254 | 74.8 | (67.0 - 81.3) | 330 |
| 18 or older | 78.4 | (69.3 - 85.3) | 100 | - | - | 55 | - | - | 45 |
| Grade | | | | | | | | | |
| 9th | 78.7 | (69.6 - 85.7) | 284 | 85.6 | (76.3 - 91.7) | 144 | 71.4 | (59.3 - 81.1) | 140 |
| 10th | 76.6 | (69.1 - 82.7) | 317 | 81.9 | (72.6 - 88.5) | 141 | 71.1 | (63.0 - 78.1) | 175 |
| 11th | 78.1 | (71.4 - 83.6) | 257 | - | - | 97 | 76.1 | (70.0 - 81.3) | 160 |
| 12th | 79.8 | (72.7 - 85.4) | 166 | - | - | 77 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 83.8 | (78.0 - 88.2) | 373 | 88.2 | (84.3 - 91.2) | 160 | 79.8 | (71.1 - 86.3) | 213 |
| Hispanic/Latino | - | - | 85 | - | - | 35 | - | - | 49 |
| White* | 75.0 | (67.8 - 81.1) | 469 | 81.0 | (69.6 - 88.8) | 220 | 68.9 | (62.9 - 74.2) | 249 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 49 | - | - | 23 | - | - | 26 |

Note: There were 25 students who were excluded from the analysis for QN112.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN113: Percentage of students who strongly agree or agree that their teachers really care about them and give them a lot of encouragement

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 53.4 | (50.1 - 56.6) | 1,033 | 55.5 | (50.3 - 60.7) | 466 | 51.2 | (46.4 - 55.9) | 566 |
| Age | | | | | | | | | |
| 15 or younger | 53.1 | (48.7 - 57.4) | 349 | 54.6 | (45.9 - 63.0) | 157 | 51.5 | (46.7 - 56.4) | 191 |
| 16 or 17 | 53.9 | (48.7 - 59.0) | 584 | 56.9 | (48.6 - 64.8) | 254 | 51.0 | (44.0 - 57.9) | 330 |
| 18 or older | 51.8 | (41.2 - 62.4) | 100 | - | - | 55 | - | - | 45 |
| Grade | | | | | | | | | |
| 9th | 55.0 | (48.0 - 61.8) | 284 | 51.9 | (41.1 - 62.5) | 145 | 58.3 | (52.5 - 63.8) | 139 |
| 10th | 49.2 | (43.3 - 55.2) | 317 | 53.2 | (46.4 - 60.0) | 141 | 45.0 | (37.7 - 52.6) | 175 |
| 11th | 56.0 | (47.4 - 64.2) | 257 | - | - | 97 | 47.0 | (37.2 - 57.0) | 160 |
| 12th | 53.5 | (43.8 - 62.9) | 166 | - | - | 77 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 48.8 | (44.4 - 53.2) | 373 | 45.7 | (40.4 - 51.1) | 160 | 51.6 | (44.3 - 58.7) | 213 |
| Hispanic/Latino | - | - | 85 | - | - | 35 | - | - | 49 |
| White* | 56.7 | (51.2 - 62.1) | 469 | 62.8 | (54.0 - 70.9) | 221 | 50.3 | (45.1 - 55.6) | 248 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 49 | - | - | 23 | - | - | 26 |

Note: There were 25 students who were excluded from the analysis for QN113.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN114: Percentage of students who strongly agree or agree that drugs are a problem at their school

| | Percentage | Total 95% confidence interval | N | Percentage | Male 95% confidence interval | N | Percentage | Female 95% confidence interval | N |
|-----------------------|------------|--|-------|------------|---------------------------------------|-----|------------|---|-----|
| Total | 51.9 | (49.4 - 54.4) | 1,032 | 49.8 | (45.0 - 54.7) | 466 | 53.9 | (49.8 - 57.9) | 565 |
| Age | | | | | | | | | |
| 15 or younger | 53.5 | (47.9 - 59.0) | 348 | 57.3 | (49.3 - 64.9) | 156 | 49.9 | (41.6 - 58.2) | 191 |
| 16 or 17 | 51.0 | (46.5 - 55.4) | 584 | 45.4 | (38.2 - 52.8) | 255 | 56.4 | (50.8 - 61.8) | 329 |
| 18 or older | 51.5 | (40.1 - 62.8) | 100 | - | - | 55 | - | - | 45 |
| Grade | | | | | | | | | |
| 9th | 54.8 | (48.8 - 60.6) | 283 | 57.4 | (48.5 - 65.8) | 144 | 52.0 | (42.3 - 61.5) | 139 |
| 10th | 48.3 | (42.1 - 54.6) | 317 | 44.5 | (36.0 - 53.4) | 141 | 52.0 | (42.7 - 61.2) | 175 |
| 11th | 53.4 | (47.8 - 58.9) | 257 | - | - | 98 | 55.7 | (46.7 - 64.4) | 159 |
| 12th | 50.7 | (42.2 - 59.2) | 166 | - | - | 77 | - | - | 89 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 44.5 | (41.1 - 48.0) | 372 | 41.4 | (34.1 - 49.1) | 159 | 47.4 | (42.6 - 52.2) | 213 |
| Hispanic/Latino | - | - | 85 | - | - | 35 | - | - | 49 |
| White* | 56.9 | (52.6 - 61.1) | 468 | 55.2 | (48.3 - 61.8) | 221 | 58.7 | (50.8 - 66.2) | 247 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 26 students who were excluded from the analysis for QN114.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina (Region 1) High School Survey
Summary Table - Weighted Data

QN115: Percentage of students who strongly agree or agree that gangs are a problem at their school

| | Total | | | Male | | | Female | | |
|-----------------------|------------|-------------------------|-------|------------|-------------------------|-----|------------|-------------------------|-----|
| | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N | Percentage | 95% confidence interval | N |
| Total | 50.2 | (43.4 - 57.0) | 1,023 | 51.0 | (42.1 - 59.9) | 460 | 49.4 | (42.4 - 56.3) | 562 |
| Age | | | | | | | | | |
| 15 or younger | 48.5 | (40.0 - 57.0) | 344 | 56.0 | (44.9 - 66.6) | 154 | 41.3 | (32.9 - 50.3) | 189 |
| 16 or 17 | 50.3 | (43.5 - 57.2) | 581 | 47.3 | (38.5 - 56.4) | 252 | 53.2 | (45.7 - 60.5) | 329 |
| 18 or older | - | - | 98 | - | - | 54 | - | - | 44 |
| Grade | | | | | | | | | |
| 9th | 51.1 | (42.9 - 59.3) | 280 | 58.2 | (50.0 - 66.0) | 143 | 43.5 | (31.0 - 56.9) | 137 |
| 10th | 51.0 | (38.4 - 63.5) | 313 | 50.4 | (33.5 - 67.2) | 138 | 51.5 | (40.6 - 62.3) | 174 |
| 11th | 51.5 | (42.1 - 60.7) | 257 | - | - | 97 | 52.7 | (40.3 - 64.7) | 160 |
| 12th | 47.4 | (37.6 - 57.3) | 164 | - | - | 76 | - | - | 88 |
| Race/Ethnicity | | | | | | | | | |
| Black* | 53.2 | (44.9 - 61.4) | 370 | 50.9 | (39.8 - 62.0) | 157 | 55.3 | (46.0 - 64.2) | 213 |
| Hispanic/Latino | - | - | 84 | - | - | 34 | - | - | 49 |
| White* | 48.2 | (39.1 - 57.5) | 462 | 51.8 | (38.9 - 64.5) | 218 | 44.4 | (34.0 - 55.4) | 244 |
| All other races | - | - | 33 | - | - | 16 | - | - | 17 |
| Multiple races | - | - | 50 | - | - | 24 | - | - | 26 |

Note: There were 35 students who were excluded from the analysis for QN115.

N = Number of students.

*Non-Hispanic.

- = Less than 100 students in the subgroup.