

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN8: Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	84.1	( 79.1 - 88.1 )	3,405	85.7	( 80.5 - 89.7 )	1,903	82.1	( 76.4 - 86.7 )	1,490
<b>Age</b>									
15 or younger	84.3	( 79.7 - 88.0 )	1,625	87.4	( 82.5 - 91.1 )	842	81.1	( 75.9 - 85.4 )	775
16 or 17	84.7	( 78.8 - 89.2 )	1,464	84.5	( 78.6 - 89.0 )	846	85.0	( 77.1 - 90.5 )	615
18 or older	81.1	( 72.3 - 87.6 )	315	84.4	( 75.1 - 90.7 )	214	72.6	( 56.1 - 84.5 )	100
<b>Grade</b>									
9th	83.2	( 77.9 - 87.5 )	1,260	86.0	( 78.9 - 91.1 )	685	80.1	( 74.4 - 84.7 )	571
10th	88.3	( 84.8 - 91.0 )	975	90.3	( 87.8 - 92.2 )	539	85.4	( 78.3 - 90.5 )	433
11th	81.1	( 70.3 - 88.5 )	635	82.3	( 70.5 - 90.0 )	349	79.2	( 65.3 - 88.5 )	286
12th	82.8	( 74.8 - 88.7 )	510	81.6	( 73.1 - 87.9 )	316	85.7	( 75.9 - 92.0 )	192
<b>Race/Ethnicity</b>									
Black*	91.7	( 87.1 - 94.8 )	486	92.5	( 85.0 - 96.5 )	273	90.6	( 86.9 - 93.4 )	213
Hispanic/Latino	88.7	( 79.9 - 93.9 )	266	90.4	( 83.8 - 94.5 )	157	85.9	( 63.1 - 95.6 )	108
White*	80.8	( 74.8 - 85.7 )	2,296	81.9	( 75.4 - 87.0 )	1,255	79.4	( 72.0 - 85.3 )	1,038
All other races	82.3	( 66.3 - 91.7 )	131	-	-	83	-	-	45
Multiple races	89.6	( 76.2 - 95.8 )	162	92.1	( 80.3 - 97.1 )	105	-	-	57

Note: There were 2297 students who were excluded from the analysis for QN8.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN9: Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	7.0	( 5.8 - 8.5 )	5,677	7.8	( 6.1 - 9.9 )	2,751	6.2	( 5.0 - 7.7 )	2,906
<b>Age</b>									
15 or younger	6.6	( 5.3 - 8.2 )	2,343	6.5	( 4.6 - 9.2 )	1,083	6.4	( 4.9 - 8.4 )	1,249
16 or 17	7.0	( 5.5 - 8.8 )	2,698	7.4	( 5.6 - 9.7 )	1,303	6.6	( 4.9 - 8.9 )	1,389
18 or older	8.5	( 6.0 - 11.8 )	634	12.0	( 8.2 - 17.3 )	364	3.9	( 2.2 - 7.1 )	268
<b>Grade</b>									
9th	7.3	( 5.3 - 10.0 )	1,792	7.7	( 5.4 - 10.7 )	880	7.0	( 4.9 - 9.9 )	907
10th	7.2	( 5.6 - 9.2 )	1,594	7.2	( 4.8 - 10.4 )	744	7.3	( 5.1 - 10.3 )	844
11th	5.3	( 3.5 - 8.0 )	1,207	6.4	( 3.7 - 10.9 )	555	4.2	( 2.5 - 7.0 )	652
12th	7.7	( 5.5 - 10.9 )	1,036	10.0	( 7.1 - 13.9 )	545	5.2	( 3.0 - 8.9 )	489
<b>Race/Ethnicity</b>									
Black*	8.2	( 5.8 - 11.5 )	940	9.4	( 5.7 - 15.0 )	414	7.2	( 5.2 - 10.1 )	525
Hispanic/Latino	5.8	( 3.8 - 8.7 )	463	6.0	( 2.9 - 11.9 )	230	5.6	( 2.6 - 11.4 )	229
White*	6.1	( 4.7 - 7.9 )	3,655	6.4	( 4.7 - 8.7 )	1,781	5.9	( 4.2 - 8.0 )	1,871
All other races	7.6	( 3.9 - 14.1 )	251	11.3	( 5.3 - 22.5 )	146	2.8	( 0.8 - 9.1 )	102
Multiple races	5.7	( 2.6 - 11.9 )	270	6.2	( 2.4 - 15.0 )	135	5.4	( 2.3 - 12.1 )	134

Note: There were 25 students who were excluded from the analysis for QN9.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN10: Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	20.7	( 17.9 - 23.8 )	5,688	20.2	( 16.4 - 24.7 )	2,758	21.0	( 17.8 - 24.6 )	2,912
<b>Age</b>									
15 or younger	19.8	( 17.1 - 23.0 )	2,348	17.4	( 13.9 - 21.7 )	1,084	21.5	( 17.6 - 26.1 )	1,252
16 or 17	19.7	( 16.6 - 23.2 )	2,704	19.4	( 14.9 - 24.9 )	1,309	19.9	( 16.3 - 24.0 )	1,392
18 or older	27.0	( 20.8 - 34.3 )	634	29.7	( 22.2 - 38.4 )	364	23.7	( 17.2 - 31.6 )	268
<b>Grade</b>									
9th	18.9	( 15.6 - 22.8 )	1,795	14.8	( 12.0 - 18.2 )	883	22.3	( 17.1 - 28.4 )	906
10th	20.5	( 17.2 - 24.3 )	1,594	19.8	( 14.6 - 26.3 )	744	21.3	( 16.6 - 26.9 )	845
11th	19.6	( 16.5 - 23.2 )	1,214	21.6	( 16.4 - 28.0 )	557	17.7	( 13.4 - 23.0 )	657
12th	24.3	( 18.7 - 31.0 )	1,037	26.2	( 19.2 - 34.7 )	546	22.0	( 16.4 - 28.9 )	489
<b>Race/Ethnicity</b>									
Black*	19.7	( 17.5 - 22.1 )	942	21.5	( 16.4 - 27.8 )	414	18.1	( 14.1 - 22.9 )	527
Hispanic/Latino	26.2	( 19.0 - 35.0 )	468	28.0	( 19.1 - 39.0 )	234	23.3	( 13.3 - 37.7 )	230
White*	20.1	( 16.4 - 24.5 )	3,661	18.0	( 13.7 - 23.4 )	1,784	22.2	( 18.2 - 26.7 )	1,874
All other races	19.9	( 14.0 - 27.4 )	250	17.6	( 11.3 - 26.4 )	145	22.6	( 13.4 - 35.7 )	102
Multiple races	23.1	( 13.8 - 35.9 )	271	25.0	( 10.4 - 48.8 )	136	21.7	( 16.6 - 27.8 )	134

Note: There were 14 students who were excluded from the analysis for QN10.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN11: Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	8.2	( 6.4 - 10.4 )	5,615	10.6	( 8.5 - 13.1 )	2,712	5.9	( 4.1 - 8.6 )	2,884
<b>Age</b>									
15 or younger	4.9	( 3.5 - 6.8 )	2,323	6.2	( 4.4 - 8.6 )	1,071	3.6	( 2.2 - 5.9 )	1,242
16 or 17	8.2	( 6.7 - 10.0 )	2,670	10.3	( 7.8 - 13.4 )	1,288	6.2	( 4.2 - 9.0 )	1,376
18 or older	18.2	( 13.5 - 24.1 )	620	22.3	( 15.9 - 30.4 )	352	13.2	( 9.2 - 18.5 )	266
<b>Grade</b>									
9th	4.7	( 2.9 - 7.5 )	1,776	6.2	( 3.8 - 9.9 )	875	3.1	( 1.6 - 5.8 )	895
10th	6.7	( 5.2 - 8.6 )	1,581	8.9	( 6.2 - 12.8 )	734	4.5	( 2.9 - 7.1 )	841
11th	8.8	( 7.4 - 10.4 )	1,193	10.9	( 8.6 - 13.7 )	542	6.8	( 4.4 - 10.3 )	651
12th	14.7	( 10.9 - 19.6 )	1,018	18.9	( 14.3 - 24.6 )	534	10.9	( 6.7 - 17.2 )	483
<b>Race/Ethnicity</b>									
Black*	5.7	( 4.6 - 7.1 )	922	9.2	( 6.7 - 12.5 )	402	2.9	( 1.7 - 4.9 )	519
Hispanic/Latino	7.6	( 5.5 - 10.4 )	456	7.3	( 4.3 - 12.3 )	226	7.8	( 5.3 - 11.1 )	226
White*	9.3	( 6.8 - 12.5 )	3,632	11.3	( 8.3 - 15.4 )	1,769	7.3	( 5.1 - 10.4 )	1,860
All other races	7.9	( 4.6 - 13.1 )	243	11.5	( 6.8 - 18.8 )	140	2.6	( 0.8 - 8.7 )	100
Multiple races	9.1	( 4.3 - 18.3 )	270	13.4	( 5.7 - 28.5 )	135	4.6	( 1.6 - 12.4 )	134

Note: There were 87 students who were excluded from the analysis for QN11.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN12: Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	19.6	( 17.8 - 21.6 )	5,631	32.0	( 28.4 - 35.8 )	2,713	8.0	( 6.8 - 9.4 )	2,900
<b>Age</b>									
15 or younger	18.9	( 16.5 - 21.5 )	2,328	31.6	( 27.6 - 36.0 )	1,068	8.2	( 5.8 - 11.5 )	1,249
16 or 17	20.3	( 17.9 - 23.0 )	2,673	33.0	( 28.4 - 38.0 )	1,285	8.3	( 6.3 - 10.7 )	1,384
18 or older	19.3	( 16.1 - 23.0 )	628	29.7	( 22.6 - 37.8 )	359	6.3	( 3.4 - 11.3 )	267
<b>Grade</b>									
9th	20.1	( 16.9 - 23.6 )	1,778	33.8	( 29.3 - 38.7 )	869	8.3	( 5.3 - 12.7 )	904
10th	22.4	( 19.1 - 26.1 )	1,580	36.3	( 31.6 - 41.2 )	734	8.7	( 5.7 - 12.9 )	841
11th	18.0	( 14.4 - 22.3 )	1,200	28.4	( 21.2 - 36.9 )	545	8.0	( 5.2 - 12.2 )	655
12th	17.0	( 15.0 - 19.3 )	1,027	27.6	( 23.2 - 32.5 )	539	6.6	( 3.9 - 11.0 )	486
<b>Race/Ethnicity</b>									
Black*	14.5	( 12.1 - 17.2 )	932	22.8	( 18.2 - 28.0 )	406	7.6	( 5.3 - 10.6 )	525
Hispanic/Latino	20.9	( 16.5 - 26.0 )	462	30.1	( 22.0 - 39.7 )	230	10.6	( 6.1 - 17.8 )	228
White*	21.8	( 19.4 - 24.5 )	3,632	37.1	( 32.7 - 41.7 )	1,762	7.0	( 5.4 - 9.0 )	1,867
All other races	17.6	( 12.0 - 25.1 )	245	23.2	( 14.0 - 36.0 )	142	10.0	( 4.2 - 21.9 )	101
Multiple races	24.3	( 18.4 - 31.3 )	264	36.0	( 26.3 - 47.1 )	130	13.0	( 7.8 - 21.1 )	133

Note: There were 71 students who were excluded from the analysis for QN12.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN14: Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	4.7	( 3.7 - 6.0)	5,638	7.0	( 5.4 - 9.0)	2,719	2.5	( 1.7 - 3.7)	2,901
<b>Age</b>									
15 or younger	4.2	( 2.6 - 6.8)	2,331	6.6	( 4.1 - 10.3)	1,073	2.1	( 0.9 - 4.7)	1,247
16 or 17	5.1	( 3.9 - 6.6)	2,682	7.1	( 5.0 - 9.9)	1,291	3.2	( 1.9 - 5.2)	1,387
18 or older	5.0	( 3.5 - 7.1)	623	7.8	( 5.1 - 11.8)	354	1.5	( 0.6 - 3.8)	267
<b>Grade</b>									
9th	4.2	( 2.3 - 7.4)	1,782	7.1	( 4.0 - 12.2)	875	1.6	( 0.7 - 3.9)	902
10th	4.9	( 3.1 - 7.7)	1,581	6.5	( 4.5 - 9.2)	733	3.4	( 1.3 - 8.8)	842
11th	5.0	( 3.4 - 7.3)	1,204	7.4	( 4.7 - 11.4)	548	2.8	( 1.4 - 5.4)	656
12th	4.9	( 3.4 - 7.0)	1,025	7.3	( 5.1 - 10.2)	535	2.3	( 0.9 - 5.7)	488
<b>Race/Ethnicity</b>									
Black*	3.5	( 2.4 - 5.1)	931	4.3	( 2.4 - 7.4)	407	2.8	( 1.4 - 5.5)	523
Hispanic/Latino	6.0	( 3.5 - 10.2)	462	8.3	( 4.6 - 14.4)	229	3.7	( 1.6 - 8.5)	229
White*	4.9	( 4.0 - 6.0)	3,643	8.0	( 6.6 - 9.8)	1,769	1.9	( 1.2 - 2.8)	1,871
All other races	6.2	( 3.3 - 11.3)	243	10.5	( 5.5 - 19.1)	141	0.6	( 0.1 - 4.5)	100
Multiple races	3.0	( 1.3 - 6.6)	265	3.3	( 1.4 - 7.8)	131	2.8	( 0.6 - 12.0)	133

Note: There were 64 students who were excluded from the analysis for QN14.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN15: Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	5.6	( 4.4 - 7.0 )	5,690	5.3	( 3.9 - 7.2 )	2,756	5.6	( 4.2 - 7.5 )	2,913
<b>Age</b>									
15 or younger	6.3	( 4.6 - 8.4 )	2,352	5.3	( 2.7 - 10.2 )	1,085	6.6	( 5.0 - 8.6 )	1,254
16 or 17	4.6	( 3.3 - 6.5 )	2,702	4.4	( 3.1 - 6.4 )	1,306	4.8	( 3.1 - 7.3 )	1,391
18 or older	7.1	( 4.1 - 12.1 )	634	8.2	( 4.8 - 13.5 )	364	5.8	( 2.6 - 12.6 )	268
<b>Grade</b>									
9th	6.0	( 4.2 - 8.4 )	1,798	2.8	( 1.5 - 5.2 )	884	8.4	( 6.3 - 11.2 )	908
10th	6.0	( 3.7 - 9.6 )	1,591	6.9	( 3.5 - 13.1 )	740	5.1	( 2.9 - 8.8 )	845
11th	4.3	( 2.2 - 8.3 )	1,214	4.0	( 2.0 - 7.9 )	557	4.6	( 2.0 - 10.5 )	657
12th	5.6	( 3.9 - 8.0 )	1,038	8.4	( 5.5 - 12.7 )	547	2.6	( 1.2 - 5.5 )	489
<b>Race/Ethnicity</b>									
Black*	6.5	( 4.6 - 9.0 )	939	7.0	( 4.1 - 11.7 )	411	6.0	( 3.9 - 9.2 )	527
Hispanic/Latino	11.6	( 8.1 - 16.3 )	468	11.3	( 7.4 - 17.0 )	233	11.7	( 6.8 - 19.3 )	230
White*	3.9	( 2.9 - 5.2 )	3,662	3.5	( 2.3 - 5.2 )	1,785	4.2	( 3.0 - 5.9 )	1,874
All other races	7.9	( 4.1 - 14.6 )	251	5.7	( 2.3 - 13.2 )	146	10.6	( 4.5 - 22.6 )	102
Multiple races	5.9	( 2.8 - 12.3 )	270	3.7	( 1.0 - 12.2 )	135	8.7	( 4.1 - 17.4 )	134

Note: There were 12 students who were excluded from the analysis for QN15.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN16: Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	6.8	( 5.7 - 8.1 )	5,698	8.4	( 6.7 - 10.6 )	2,762	5.1	( 4.2 - 6.2 )	2,915
<b>Age</b>									
15 or younger	8.8	( 6.6 - 11.6 )	2,354	9.9	( 6.9 - 13.9 )	1,087	7.6	( 5.6 - 10.3 )	1,254
16 or 17	4.9	( 3.7 - 6.4 )	2,707	6.8	( 5.1 - 9.0 )	1,309	2.9	( 2.0 - 4.2 )	1,393
18 or older	7.9	( 5.3 - 11.4 )	635	10.2	( 6.6 - 15.4 )	365	4.9	( 2.1 - 10.9 )	268
<b>Grade</b>									
9th	7.8	( 5.3 - 11.4 )	1,799	8.1	( 4.6 - 13.7 )	885	7.4	( 5.4 - 10.0 )	908
10th	7.3	( 5.5 - 9.7 )	1,596	9.4	( 6.9 - 12.5 )	744	5.3	( 3.5 - 8.0 )	846
11th	5.8	( 4.5 - 7.4 )	1,214	7.7	( 5.4 - 10.8 )	557	3.9	( 2.2 - 7.0 )	657
12th	5.5	( 4.0 - 7.5 )	1,039	8.7	( 5.8 - 12.9 )	548	2.2	( 1.0 - 5.0 )	489
<b>Race/Ethnicity</b>									
Black*	5.8	( 4.3 - 7.7 )	943	6.6	( 3.9 - 10.8 )	414	5.1	( 3.5 - 7.2 )	528
Hispanic/Latino	10.2	( 5.7 - 17.4 )	470	12.1	( 7.1 - 20.0 )	235	6.7	( 2.4 - 17.2 )	230
White*	6.7	( 5.1 - 8.6 )	3,664	8.5	( 6.5 - 11.2 )	1,786	4.8	( 3.5 - 6.6 )	1,875
All other races	8.8	( 5.3 - 14.1 )	251	9.2	( 4.5 - 17.9 )	146	7.9	( 3.8 - 15.6 )	102
Multiple races	6.5	( 2.4 - 16.4 )	270	9.4	( 3.0 - 25.7 )	135	3.6	( 1.1 - 11.1 )	134

Note: There were 4 students who were excluded from the analysis for QN16.

N = Number of students.

\*Non-Hispanic.



2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN17: Percentage of students who were in a physical fight one or more times during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	28.6	( 26.7 - 30.5 )	5,581	38.1	( 34.7 - 41.5 )	2,697	19.6	( 17.5 - 21.8 )	2,866
<b>Age</b>									
15 or younger	30.1	( 27.7 - 32.6 )	2,298	41.4	( 36.7 - 46.2 )	1,060	20.3	( 16.9 - 24.1 )	1,228
16 or 17	28.4	( 25.4 - 31.5 )	2,659	37.7	( 33.8 - 41.8 )	1,281	19.5	( 16.1 - 23.3 )	1,373
18 or older	25.0	( 19.7 - 31.2 )	622	31.1	( 23.2 - 40.2 )	355	17.4	( 9.3 - 30.3 )	265
<b>Grade</b>									
9th	31.3	( 28.1 - 34.7 )	1,756	42.6	( 37.4 - 48.1 )	864	21.1	( 16.5 - 26.4 )	886
10th	31.7	( 28.1 - 35.5 )	1,564	41.8	( 36.5 - 47.3 )	728	21.8	( 17.2 - 27.3 )	831
11th	27.5	( 24.4 - 30.9 )	1,188	37.0	( 31.7 - 42.7 )	541	18.3	( 15.1 - 22.0 )	647
12th	21.7	( 18.7 - 25.0 )	1,026	27.6	( 22.3 - 33.5 )	538	15.8	( 11.7 - 21.1 )	487
<b>Race/Ethnicity</b>									
Black*	32.5	( 27.8 - 37.5 )	917	41.2	( 34.3 - 48.5 )	405	25.0	( 20.4 - 30.2 )	511
Hispanic/Latino	33.1	( 28.6 - 38.0 )	454	38.6	( 32.0 - 45.5 )	227	27.7	( 21.3 - 35.1 )	224
White*	25.5	( 23.2 - 28.0 )	3,614	36.2	( 31.4 - 41.3 )	1,756	15.2	( 12.4 - 18.5 )	1,855
All other races	25.1	( 17.9 - 34.0 )	242	29.7	( 18.4 - 44.0 )	140	18.3	( 12.0 - 26.8 )	100
Multiple races	35.9	( 25.2 - 48.1 )	266	44.1	( 29.1 - 60.3 )	131	28.0	( 19.2 - 38.8 )	134

Note: There were 121 students who were excluded from the analysis for QN17.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN18: Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	3.7	( 3.0 - 4.6 )	5,227	5.2	( 4.1 - 6.6 )	2,532	2.2	( 1.4 - 3.3 )	2,676
<b>Age</b>									
15 or younger	3.1	( 1.8 - 5.1 )	2,156	4.2	( 2.4 - 7.2 )	990	1.8	( 0.9 - 3.6 )	1,154
16 or 17	4.0	( 2.9 - 5.5 )	2,477	5.8	( 3.8 - 8.7 )	1,201	2.2	( 1.2 - 4.3 )	1,272
18 or older	4.6	( 2.8 - 7.5 )	592	5.7	( 2.6 - 12.0 )	340	3.0	( 1.3 - 7.2 )	250
<b>Grade</b>									
9th	3.5	( 2.1 - 6.0 )	1,678	4.5	( 2.8 - 7.1 )	827	2.7	( 1.2 - 5.9 )	845
10th	3.1	( 2.0 - 4.8 )	1,409	4.4	( 2.7 - 7.0 )	655	1.8	( 0.8 - 4.1 )	749
11th	3.5	( 2.0 - 6.1 )	1,129	5.6	( 2.8 - 10.8 )	515	1.4	( 0.6 - 3.4 )	614
12th	4.2	( 2.6 - 6.7 )	963	5.7	( 3.2 - 10.0 )	508	2.2	( 0.8 - 5.9 )	454
<b>Race/Ethnicity</b>									
Black*	3.8	( 2.6 - 5.6 )	801	5.5	( 3.4 - 8.9 )	354	2.3	( 1.0 - 5.4 )	446
Hispanic/Latino	4.7	( 2.6 - 8.4 )	421	5.5	( 2.5 - 11.5 )	206	3.3	( 1.1 - 10.0 )	211
White*	2.8	( 2.1 - 3.6 )	3,449	4.1	( 3.1 - 5.4 )	1,680	1.5	( 0.8 - 2.6 )	1,766
All other races	6.7	( 3.1 - 14.0 )	227	8.2	( 3.3 - 19.3 )	132	-	-	92
Multiple races	7.7	( 3.0 - 18.4 )	246	10.5	( 3.5 - 27.5 )	123	4.9	( 1.3 - 16.2 )	122

Note: There were 475 students who were excluded from the analysis for QN18.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN19: Percentage of students who were in a physical fight on school property one or more times during the past 12 months

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	9.4	( 8.6 - 10.3 )	5,632	13.0	( 11.3 - 15.0 )	2,725	5.9	( 4.8 - 7.1 )	2,888
<b>Age</b>									
15 or younger	11.0	( 9.4 - 12.8 )	2,322	16.5	( 13.2 - 20.4 )	1,074	6.0	( 5.1 - 7.1 )	1,237
16 or 17	8.1	( 6.8 - 9.7 )	2,679	10.1	( 8.1 - 12.5 )	1,290	6.2	( 4.6 - 8.4 )	1,384
18 or older	9.5	( 6.8 - 13.0 )	629	14.0	( 9.4 - 20.5 )	360	3.8	( 1.5 - 9.0 )	267
<b>Grade</b>									
9th	11.6	( 10.0 - 13.3 )	1,775	17.2	( 14.4 - 20.4 )	875	6.3	( 4.7 - 8.5 )	894
10th	9.4	( 7.4 - 12.0 )	1,574	11.4	( 8.0 - 16.0 )	733	7.4	( 4.6 - 11.7 )	836
11th	7.8	( 6.1 - 10.1 )	1,203	10.6	( 7.9 - 14.1 )	549	5.2	( 3.1 - 8.5 )	654
12th	7.5	( 5.7 - 9.7 )	1,032	11.6	( 8.7 - 15.3 )	542	3.6	( 1.6 - 7.9 )	489
<b>Race/Ethnicity</b>									
Black*	10.3	( 8.5 - 12.4 )	929	13.0	( 8.9 - 18.5 )	409	8.0	( 5.5 - 11.5 )	519
Hispanic/Latino	12.6	( 9.1 - 17.0 )	460	12.8	( 8.8 - 18.3 )	228	11.8	( 7.2 - 18.9 )	228
White*	7.9	( 6.6 - 9.3 )	3,638	12.3	( 10.0 - 15.1 )	1,772	3.6	( 2.5 - 5.1 )	1,863
All other races	10.1	( 6.1 - 16.2 )	247	14.8	( 8.3 - 25.2 )	143	3.1	( 1.2 - 7.8 )	102
Multiple races	15.2	( 10.3 - 21.9 )	266	20.0	( 12.7 - 30.1 )	132	10.5	( 6.5 - 16.4 )	133

Note: There were 70 students who were excluded from the analysis for QN19.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN20: Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	12.6	( 11.2 - 14.2 )	5,651	13.0	( 10.9 - 15.6 )	2,734	12.2	( 10.4 - 14.3 )	2,903
<b>Age</b>									
15 or younger	10.1	( 8.7 - 11.7 )	2,329	9.8	( 7.3 - 12.9 )	1,074	10.2	( 8.4 - 12.4 )	1,247
16 or 17	13.2	( 11.6 - 15.1 )	2,691	13.6	( 10.7 - 17.2 )	1,299	12.8	( 10.4 - 15.8 )	1,389
18 or older	18.1	( 14.0 - 23.1 )	629	19.1	( 12.9 - 27.5 )	360	16.9	( 10.5 - 26.0 )	267
<b>Grade</b>									
9th	9.6	( 8.6 - 10.8 )	1,784	9.8	( 7.5 - 12.9 )	877	9.5	( 8.0 - 11.2 )	902
10th	12.4	( 9.6 - 16.0 )	1,586	11.1	( 8.0 - 15.2 )	737	13.4	( 9.6 - 18.4 )	844
11th	13.0	( 9.8 - 17.0 )	1,206	13.7	( 8.5 - 21.5 )	552	12.3	( 8.9 - 16.7 )	654
12th	17.2	( 13.8 - 21.1 )	1,029	19.4	( 14.4 - 25.7 )	541	15.1	( 10.9 - 20.6 )	488
<b>Race/Ethnicity</b>									
Black*	13.4	( 10.3 - 17.2 )	935	11.9	( 8.2 - 16.9 )	408	14.7	( 9.8 - 21.5 )	526
Hispanic/Latino	12.5	( 8.3 - 18.2 )	463	13.5	( 8.9 - 20.1 )	232	11.4	( 5.3 - 22.9 )	229
White*	11.6	( 10.1 - 13.3 )	3,650	13.4	( 10.9 - 16.4 )	1,778	9.9	( 8.0 - 12.2 )	1,869
All other races	14.1	( 9.2 - 21.1 )	245	13.6	( 8.5 - 21.2 )	143	14.8	( 7.6 - 26.9 )	100
Multiple races	14.4	( 8.3 - 23.8 )	269	9.4	( 4.6 - 18.5 )	134	16.8	( 9.5 - 28.0 )	134

Note: There were 51 students who were excluded from the analysis for QN20.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN21: Percentage of students who had ever been physically forced to have sexual intercourse when they did not want to

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	8.6	( 7.5 - 9.9 )	5,663	4.7	( 3.7 - 5.9 )	2,745	12.4	( 10.6 - 14.3 )	2,901
<b>Age</b>									
15 or younger	6.5	( 5.1 - 8.3 )	2,333	3.4	( 2.2 - 5.2 )	1,077	9.0	( 6.9 - 11.5 )	1,245
16 or 17	9.4	( 7.5 - 11.9 )	2,698	4.9	( 3.4 - 7.2 )	1,304	13.8	( 10.8 - 17.5 )	1,391
18 or older	12.0	( 9.2 - 15.4 )	630	6.8	( 4.5 - 10.3 )	363	18.6	( 13.6 - 24.8 )	265
<b>Grade</b>									
9th	7.4	( 5.9 - 9.4 )	1,786	3.7	( 2.4 - 5.6 )	879	10.8	( 8.6 - 13.5 )	901
10th	7.9	( 5.8 - 10.6 )	1,589	3.1	( 2.1 - 4.5 )	740	12.3	( 8.8 - 17.1 )	843
11th	9.7	( 7.8 - 11.9 )	1,209	4.6	( 2.4 - 8.8 )	553	14.5	( 11.1 - 18.8 )	656
12th	10.2	( 8.6 - 12.0 )	1,033	8.0	( 5.4 - 11.8 )	546	12.2	( 10.0 - 15.0 )	486
<b>Race/Ethnicity</b>									
Black*	10.7	( 9.0 - 12.7 )	938	5.1	( 3.1 - 8.3 )	413	15.5	( 12.8 - 18.7 )	524
Hispanic/Latino	13.8	( 9.1 - 20.4 )	464	7.7	( 4.0 - 14.3 )	234	19.9	( 12.9 - 29.4 )	227
White*	6.8	( 5.4 - 8.4 )	3,654	3.4	( 2.3 - 5.1 )	1,782	10.1	( 7.9 - 12.8 )	1,869
All other races	10.4	( 6.0 - 17.5 )	248	9.0	( 4.7 - 16.5 )	143	12.0	( 5.1 - 25.8 )	102
Multiple races	7.5	( 3.8 - 14.0 )	269	5.1	( 1.7 - 14.2 )	134	6.9	( 2.8 - 16.0 )	134

Note: There were 39 students who were excluded from the analysis for QN21.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN22: Percentage of students who had ever been bullied on school property during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	16.6	( 14.7 - 18.6)	5,653	13.7	( 11.5 - 16.1)	2,735	19.2	( 16.3 - 22.4)	2,901
<b>Age</b>									
15 or younger	21.2	( 17.6 - 25.3)	2,333	18.3	( 14.4 - 22.9)	1,074	23.8	( 19.5 - 28.8)	1,249
16 or 17	13.4	( 11.4 - 15.6)	2,692	10.7	( 8.5 - 13.4)	1,301	15.7	( 13.4 - 18.3)	1,387
18 or older	14.4	( 11.1 - 18.4)	626	12.1	( 8.1 - 17.6)	359	17.3	( 11.9 - 24.3)	265
<b>Grade</b>									
9th	21.0	( 17.1 - 25.4)	1,785	17.9	( 14.5 - 22.1)	877	23.8	( 18.8 - 29.5)	902
10th	18.5	( 15.9 - 21.4)	1,592	14.1	( 11.7 - 16.8)	739	22.8	( 19.2 - 26.8)	847
11th	11.6	( 8.3 - 16.0)	1,204	9.2	( 5.5 - 15.0)	551	14.0	( 9.3 - 20.4)	653
12th	13.1	( 10.4 - 16.4)	1,027	12.0	( 8.1 - 17.5)	541	13.9	( 10.1 - 18.7)	485
<b>Race/Ethnicity</b>									
Black*	11.0	( 8.9 - 13.6)	935	6.6	( 3.7 - 11.5)	408	14.7	( 10.8 - 19.7)	526
Hispanic/Latino	18.1	( 14.8 - 21.9)	462	16.4	( 11.9 - 22.2)	231	19.0	( 13.8 - 25.6)	227
White*	19.1	( 17.3 - 21.1)	3,649	16.4	( 13.9 - 19.3)	1,776	21.8	( 18.9 - 24.9)	1,870
All other races	18.5	( 10.1 - 31.4)	250	14.1	( 7.3 - 25.4)	145	24.5	( 11.1 - 45.8)	102
Multiple races	21.9	( 14.9 - 31.0)	269	22.4	( 11.2 - 39.9)	135	22.1	( 16.4 - 29.1)	133

Note: There were 49 students who were excluded from the analysis for QN22.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN23: Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	27.4	( 25.9 - 29.0 )	5,635	21.6	( 19.8 - 23.5 )	2,721	32.8	( 30.6 - 35.1 )	2,896
<b>Age</b>									
15 or younger	25.9	( 22.7 - 29.3 )	2,324	19.8	( 16.7 - 23.3 )	1,068	30.9	( 26.5 - 35.7 )	1,245
16 or 17	27.9	( 24.8 - 31.3 )	2,683	20.7	( 16.8 - 25.2 )	1,292	34.7	( 31.1 - 38.5 )	1,387
18 or older	30.0	( 25.5 - 35.0 )	626	28.9	( 23.0 - 35.6 )	360	31.5	( 24.2 - 39.7 )	264
<b>Grade</b>									
9th	24.1	( 21.4 - 26.9 )	1,776	19.1	( 16.7 - 21.8 )	871	28.5	( 24.5 - 32.8 )	900
10th	30.1	( 27.0 - 33.4 )	1,583	21.0	( 17.7 - 24.7 )	737	38.8	( 34.5 - 43.2 )	840
11th	28.7	( 26.3 - 31.2 )	1,201	21.2	( 18.1 - 24.8 )	545	35.8	( 31.5 - 40.5 )	656
12th	27.9	( 24.5 - 31.5 )	1,028	26.6	( 21.6 - 32.4 )	541	29.2	( 23.5 - 35.7 )	485
<b>Race/Ethnicity</b>									
Black*	26.2	( 23.4 - 29.2 )	934	21.4	( 18.4 - 24.7 )	408	30.3	( 26.7 - 34.3 )	525
Hispanic/Latino	32.7	( 24.6 - 41.9 )	464	28.5	( 19.7 - 39.2 )	230	37.2	( 27.5 - 48.0 )	229
White*	26.7	( 25.0 - 28.4 )	3,637	20.0	( 17.6 - 22.5 )	1,769	33.2	( 30.3 - 36.3 )	1,865
All other races	29.5	( 22.2 - 38.1 )	245	25.3	( 15.8 - 38.1 )	142	34.7	( 23.1 - 48.4 )	101
Multiple races	32.5	( 25.8 - 40.1 )	267	25.8	( 15.4 - 39.9 )	133	37.7	( 24.4 - 53.2 )	133

Note: There were 67 students who were excluded from the analysis for QN23.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN24: Percentage of students who seriously considered attempting suicide during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	13.2	( 12.0 - 14.6 )	5,639	10.3	( 8.7 - 12.1 )	2,734	16.1	( 14.2 - 18.2 )	2,888
<b>Age</b>									
15 or younger	14.1	( 11.4 - 17.3 )	2,330	9.1	( 6.1 - 13.3 )	1,077	18.4	( 15.0 - 22.4 )	1,243
16 or 17	12.5	( 10.6 - 14.6 )	2,685	9.9	( 7.6 - 12.8 )	1,299	14.9	( 12.5 - 17.8 )	1,382
18 or older	13.7	( 11.0 - 17.0 )	622	14.5	( 10.6 - 19.4 )	357	12.8	( 8.0 - 19.8 )	263
<b>Grade</b>									
9th	12.9	( 10.7 - 15.5 )	1,776	8.1	( 5.6 - 11.7 )	873	17.2	( 13.6 - 21.4 )	897
10th	13.9	( 11.6 - 16.5 )	1,587	9.8	( 7.3 - 13.0 )	738	18.1	( 13.7 - 23.5 )	843
11th	14.2	( 11.8 - 17.1 )	1,206	10.9	( 7.3 - 16.0 )	555	17.5	( 13.7 - 22.0 )	651
12th	11.9	( 9.6 - 14.6 )	1,025	13.1	( 10.3 - 16.5 )	541	10.7	( 7.4 - 15.4 )	483
<b>Race/Ethnicity</b>									
Black*	12.0	( 10.1 - 14.2 )	931	7.7	( 5.1 - 11.4 )	406	15.6	( 12.4 - 19.5 )	524
Hispanic/Latino	13.2	( 10.5 - 16.5 )	463	10.7	( 6.8 - 16.4 )	231	15.9	( 11.3 - 21.9 )	228
White*	13.0	( 11.6 - 14.6 )	3,641	10.7	( 8.7 - 13.0 )	1,777	15.3	( 13.4 - 17.5 )	1,861
All other races	22.8	( 16.0 - 31.4 )	244	22.4	( 11.8 - 38.3 )	143	-	-	98
Multiple races	15.4	( 10.6 - 21.8 )	267	10.2	( 4.9 - 20.0 )	133	21.4	( 13.1 - 33.1 )	133

Note: There were 63 students who were excluded from the analysis for QN24.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.



2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN25: Percentage of students who made a plan about how they would attempt suicide during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	10.1	( 9.3 - 10.9 )	5,622	8.6	( 7.0 - 10.7 )	2,715	11.3	( 9.8 - 13.0 )	2,891
<b>Age</b>									
15 or younger	10.5	( 9.0 - 12.1 )	2,323	9.6	( 7.0 - 12.9 )	1,064	11.2	( 9.7 - 12.9 )	1,250
16 or 17	9.5	( 7.8 - 11.6 )	2,674	7.2	( 5.3 - 9.8 )	1,295	11.6	( 8.7 - 15.2 )	1,375
18 or older	10.7	( 7.5 - 15.0 )	623	10.8	( 6.7 - 17.2 )	355	10.5	( 6.0 - 17.9 )	266
<b>Grade</b>									
9th	9.4	( 7.8 - 11.3 )	1,774	8.7	( 6.2 - 12.0 )	867	10.0	( 8.0 - 12.4 )	902
10th	11.5	( 8.9 - 14.7 )	1,586	8.2	( 5.4 - 12.4 )	738	14.6	( 10.0 - 20.7 )	842
11th	10.4	( 8.8 - 12.2 )	1,194	7.8	( 4.7 - 12.6 )	548	12.9	( 9.7 - 17.0 )	646
12th	8.9	( 6.8 - 11.6 )	1,024	10.0	( 6.5 - 14.9 )	536	8.0	( 5.5 - 11.5 )	487
<b>Race/Ethnicity</b>									
Black*	9.7	( 8.0 - 11.8 )	928	7.1	( 4.6 - 10.7 )	406	11.9	( 8.6 - 16.2 )	521
Hispanic/Latino	10.4	( 7.8 - 13.8 )	462	8.6	( 4.5 - 15.9 )	230	12.4	( 9.3 - 16.3 )	228
White*	9.4	( 8.1 - 10.9 )	3,626	8.9	( 6.6 - 11.8 )	1,761	10.0	( 8.5 - 11.7 )	1,862
All other races	15.4	( 9.8 - 23.3 )	247	11.5	( 6.0 - 21.1 )	144	20.2	( 9.9 - 36.9 )	100
Multiple races	11.2	( 7.6 - 16.1 )	267	6.7	( 2.8 - 15.3 )	132	16.1	( 9.6 - 25.7 )	134

Note: There were 80 students who were excluded from the analysis for QN25.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN26: Percentage of students who actually attempted suicide one or more times during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	9.9	( 8.6 - 11.3 )	5,680	9.9	( 8.6 - 11.3 )	2,754	9.7	( 7.7 - 12.2 )	2,906
<b>Age</b>									
15 or younger	10.7	( 9.1 - 12.5 )	2,348	10.5	( 7.8 - 13.9 )	1,085	10.4	( 8.1 - 13.2 )	1,251
16 or 17	8.8	( 7.2 - 10.7 )	2,697	9.2	( 7.4 - 11.3 )	1,305	8.5	( 6.3 - 11.3 )	1,387
18 or older	11.4	( 6.7 - 18.8 )	633	10.8	( 6.1 - 18.5 )	363	12.1	( 5.6 - 24.3 )	268
<b>Grade</b>									
9th	9.7	( 7.7 - 12.2 )	1,792	10.7	( 7.7 - 14.6 )	883	8.5	( 6.6 - 11.0 )	903
10th	11.8	( 8.7 - 15.9 )	1,593	11.4	( 8.3 - 15.4 )	742	12.4	( 8.0 - 18.6 )	845
11th	8.9	( 6.5 - 12.0 )	1,211	7.0	( 4.8 - 10.3 )	555	10.7	( 7.0 - 15.9 )	656
12th	8.6	( 5.6 - 13.1 )	1,036	10.1	( 5.8 - 16.8 )	546	6.9	( 3.6 - 12.9 )	488
<b>Race/Ethnicity</b>									
Black*	10.4	( 7.5 - 14.3 )	938	9.5	( 6.0 - 14.6 )	411	11.2	( 7.9 - 15.7 )	526
Hispanic/Latino	11.7	( 8.4 - 16.1 )	467	9.3	( 5.2 - 16.1 )	234	14.4	( 10.0 - 20.5 )	229
White*	8.1	( 6.9 - 9.5 )	3,659	8.8	( 7.4 - 10.3 )	1,785	7.4	( 5.9 - 9.3 )	1,871
All other races	14.3	( 7.9 - 24.3 )	248	12.4	( 5.8 - 24.7 )	144	16.4	( 6.1 - 37.3 )	101
Multiple races	19.0	( 9.9 - 33.4 )	270	26.4	( 11.6 - 49.5 )	135	11.4	( 6.6 - 18.9 )	134

Note: There were 22 students who were excluded from the analysis for QN26.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN29: Percentage of students who smoked a whole cigarette for the first time before age 13 years

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	12.4	( 10.8 - 14.1 )	5,624	15.4	( 13.0 - 18.1 )	2,717	9.4	( 7.8 - 11.4 )	2,888
<b>Age</b>									
15 or younger	10.5	( 8.7 - 12.7 )	2,321	13.1	( 9.8 - 17.3 )	1,068	8.1	( 6.4 - 10.1 )	1,242
16 or 17	14.3	( 11.9 - 17.2 )	2,672	18.0	( 15.0 - 21.4 )	1,289	10.9	( 8.3 - 14.3 )	1,378
18 or older	10.8	( 7.0 - 16.1 )	629	12.8	( 7.5 - 21.0 )	359	8.2	( 4.2 - 15.5 )	268
<b>Grade</b>									
9th	10.9	( 8.7 - 13.6 )	1,771	13.9	( 10.7 - 17.8 )	871	8.4	( 6.5 - 10.7 )	896
10th	13.1	( 10.6 - 16.2 )	1,571	15.8	( 11.8 - 20.8 )	726	10.6	( 8.3 - 13.3 )	839
11th	15.6	( 12.0 - 20.0 )	1,203	18.5	( 13.1 - 25.5 )	551	12.8	( 9.4 - 17.2 )	652
12th	9.4	( 7.4 - 11.9 )	1,030	12.9	( 9.3 - 17.6 )	541	5.8	( 3.9 - 8.6 )	487
<b>Race/Ethnicity</b>									
Black*	11.4	( 9.2 - 14.0 )	925	15.8	( 12.3 - 20.1 )	400	7.8	( 5.7 - 10.4 )	524
Hispanic/Latino	18.2	( 14.0 - 23.3 )	463	20.8	( 15.4 - 27.4 )	230	15.3	( 9.9 - 22.9 )	228
White*	12.0	( 10.1 - 14.3 )	3,631	14.0	( 11.0 - 17.7 )	1,770	10.1	( 8.1 - 12.5 )	1,858
All other races	11.0	( 7.4 - 15.9 )	246	17.1	( 10.8 - 26.1 )	143	3.2	( 1.2 - 8.3 )	101
Multiple races	14.1	( 9.9 - 19.7 )	265	16.6	( 9.3 - 27.9 )	132	11.8	( 7.2 - 18.8 )	132

Note: There were 78 students who were excluded from the analysis for QN29.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN30: Percentage of students who smoked cigarettes on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	17.7	( 14.8 - 21.0)	5,579	20.6	( 17.7 - 23.9)	2,687	14.9	( 11.5 - 19.1)	2,873
<b>Age</b>									
15 or younger	14.0	( 11.1 - 17.5)	2,307	17.3	( 13.7 - 21.7)	1,060	11.2	( 8.2 - 15.1)	1,236
16 or 17	19.6	( 16.6 - 23.0)	2,658	22.6	( 19.0 - 26.6)	1,276	16.6	( 12.5 - 21.7)	1,377
18 or older	21.8	( 16.4 - 28.5)	612	22.3	( 17.0 - 28.6)	350	21.3	( 13.9 - 31.1)	260
<b>Grade</b>									
9th	12.5	( 9.4 - 16.5)	1,767	15.6	( 12.0 - 20.0)	866	9.9	( 6.7 - 14.4)	895
10th	18.4	( 14.9 - 22.5)	1,563	21.3	( 16.4 - 27.3)	722	15.3	( 11.3 - 20.3)	836
11th	20.3	( 16.0 - 25.3)	1,194	22.7	( 18.2 - 27.8)	546	17.9	( 12.6 - 24.9)	648
12th	21.2	( 16.8 - 26.4)	1,007	24.6	( 19.5 - 30.5)	527	18.2	( 13.1 - 24.8)	479
<b>Race/Ethnicity</b>									
Black*	11.0	( 7.4 - 16.0)	924	16.8	( 11.9 - 23.3)	401	6.1	( 3.2 - 11.6)	522
Hispanic/Latino	18.7	( 14.6 - 23.6)	455	20.9	( 14.8 - 28.6)	229	16.3	( 12.2 - 21.6)	221
White*	21.3	( 18.5 - 24.4)	3,593	22.4	( 19.1 - 26.0)	1,741	20.3	( 16.5 - 24.6)	1,850
All other races	18.7	( 12.8 - 26.7)	244	26.0	( 16.4 - 38.7)	139	9.2	( 3.6 - 21.6)	102
Multiple races	15.2	( 9.0 - 24.4)	267	16.3	( 9.1 - 27.4)	134	14.5	( 7.6 - 25.8)	132

Note: There were 123 students who were excluded from the analysis for QN30.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QNFRDIG: Percentage of students who smoked cigarettes on 20 or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	6.3	( 5.1 - 7.8 )	5,579	7.3	( 5.8 - 9.0 )	2,687	5.3	( 3.8 - 7.3 )	2,873
<b>Age</b>									
15 or younger	3.4	( 2.4 - 4.9 )	2,307	4.0	( 2.5 - 6.3 )	1,060	3.0	( 1.9 - 4.7 )	1,236
16 or 17	7.7	( 6.2 - 9.6 )	2,658	8.8	( 6.5 - 11.6 )	1,276	6.5	( 4.6 - 9.3 )	1,377
18 or older	9.6	( 7.2 - 12.8 )	612	10.5	( 7.6 - 14.3 )	350	8.6	( 5.1 - 14.1 )	260
<b>Grade</b>									
9th	2.9	( 1.8 - 4.5 )	1,767	3.4	( 1.9 - 6.1 )	866	2.4	( 1.4 - 4.1 )	895
10th	5.9	( 4.1 - 8.5 )	1,563	6.9	( 4.2 - 11.2 )	722	4.6	( 3.1 - 6.9 )	836
11th	9.1	( 6.3 - 13.1 )	1,194	8.8	( 5.8 - 13.1 )	546	9.5	( 5.9 - 15.0 )	648
12th	8.4	( 6.2 - 11.3 )	1,007	11.3	( 7.8 - 16.0 )	527	5.7	( 3.5 - 9.3 )	479
<b>Race/Ethnicity</b>									
Black*	3.8	( 2.0 - 7.2 )	924	6.1	( 2.9 - 12.4 )	401	1.9	( 0.8 - 4.2 )	522
Hispanic/Latino	5.0	( 2.8 - 8.7 )	455	5.6	( 2.6 - 11.4 )	229	4.4	( 1.9 - 9.8 )	221
White*	7.6	( 6.2 - 9.2 )	3,593	7.6	( 6.2 - 9.2 )	1,741	7.7	( 5.6 - 10.3 )	1,850
All other races	11.0	( 7.5 - 15.9 )	244	17.8	( 10.8 - 27.8 )	139	2.4	( 0.7 - 8.0 )	102
Multiple races	4.4	( 2.4 - 8.2 )	267	4.3	( 2.1 - 8.4 )	134	4.8	( 1.6 - 13.6 )	132

Note: There were 123 students who were excluded from the analysis for QNFRDIG.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN35: Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	56.2	( 49.9 - 62.4 )	1,055	52.5	( 45.1 - 59.8 )	581	61.3	( 52.6 - 69.4 )	469
<b>Age</b>									
15 or younger	55.2	( 44.9 - 65.0 )	339	52.6	( 40.5 - 64.5 )	181	58.7	( 44.8 - 71.2 )	156
16 or 17	57.5	( 50.6 - 64.1 )	556	53.9	( 45.1 - 62.4 )	306	62.8	( 51.1 - 73.2 )	248
18 or older	54.1	( 39.9 - 67.6 )	159	-	-	93	-	-	65
<b>Grade</b>									
9th	60.2	( 49.6 - 70.0 )	252	55.8	( 42.8 - 68.0 )	145	67.0	( 50.8 - 79.9 )	105
10th	50.6	( 38.9 - 62.2 )	296	53.4	( 40.9 - 65.6 )	159	47.9	( 33.3 - 62.9 )	136
11th	63.8	( 55.6 - 71.2 )	256	55.9	( 38.4 - 72.1 )	129	72.6	( 58.9 - 83.1 )	127
12th	50.6	( 39.3 - 61.8 )	234	45.3	( 31.6 - 59.7 )	138	-	-	96
<b>Race/Ethnicity</b>									
Black*	54.4	( 43.2 - 65.2 )	107	-	-	64	-	-	42
Hispanic/Latino	-	-	86	-	-	52	-	-	33
White*	55.7	( 48.3 - 62.8 )	751	49.1	( 42.1 - 56.2 )	392	62.8	( 51.6 - 72.7 )	358
All other races	-	-	48	-	-	38	-	-	9
Multiple races	-	-	45	-	-	25	-	-	20

Note: There were 4647 students who were excluded from the analysis for QN35.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN40: Percentage of students who had their first drink of alcohol other than a few sips before age 13 years

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	19.0	( 16.3 - 22.1 )	5,630	22.5	( 18.5 - 27.2 )	2,720	15.7	( 13.1 - 18.8 )	2,890
<b>Age</b>									
15 or younger	21.9	( 18.5 - 25.6 )	2,324	26.4	( 21.1 - 32.6 )	1,071	17.9	( 15.5 - 20.7 )	1,240
16 or 17	17.6	( 14.0 - 21.8 )	2,682	20.3	( 15.2 - 26.6 )	1,295	15.0	( 11.4 - 19.5 )	1,383
18 or older	16.0	( 12.2 - 20.7 )	623	20.2	( 14.5 - 27.6 )	354	10.8	( 5.6 - 19.9 )	267
<b>Grade</b>									
9th	21.8	( 16.8 - 27.8 )	1,782	25.7	( 18.2 - 35.0 )	876	18.6	( 15.3 - 22.4 )	900
10th	21.3	( 16.9 - 26.4 )	1,571	24.6	( 19.3 - 30.8 )	731	18.1	( 13.6 - 23.6 )	834
11th	17.7	( 14.3 - 21.6 )	1,203	21.9	( 17.3 - 27.3 )	549	13.5	( 8.7 - 20.5 )	654
12th	13.6	( 11.1 - 16.5 )	1,024	16.2	( 13.0 - 20.1 )	536	10.7	( 6.6 - 17.0 )	487
<b>Race/Ethnicity</b>									
Black*	21.8	( 18.0 - 26.1 )	922	24.8	( 19.1 - 31.7 )	399	19.2	( 14.4 - 25.2 )	522
Hispanic/Latino	28.2	( 21.1 - 36.6 )	465	30.9	( 21.6 - 42.0 )	233	25.0	( 18.3 - 33.2 )	228
White*	15.9	( 13.7 - 18.5 )	3,628	19.4	( 15.6 - 23.9 )	1,764	12.6	( 10.4 - 15.1 )	1,861
All other races	18.9	( 13.9 - 25.1 )	249	22.0	( 15.1 - 30.9 )	145	15.0	( 7.8 - 27.0 )	101
Multiple races	25.8	( 17.0 - 37.0 )	268	35.8	( 21.6 - 53.0 )	134	15.6	( 10.1 - 23.4 )	133

Note: There were 72 students who were excluded from the analysis for QN40.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN41: Percentage of students who had at least one drink of alcohol on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	35.0	( 30.4 - 40.0)	5,314	37.8	( 33.5 - 42.4)	2,553	32.4	( 26.8 - 38.4)	2,743
<b>Age</b>									
15 or younger	26.4	( 21.3 - 32.2)	2,211	28.1	( 22.3 - 34.7)	1,014	24.5	( 19.2 - 30.7)	1,186
16 or 17	39.1	( 35.9 - 42.5)	2,513	41.6	( 37.6 - 45.8)	1,204	36.9	( 31.0 - 43.2)	1,305
18 or older	46.5	( 39.1 - 53.9)	588	50.6	( 40.8 - 60.4)	334	41.7	( 34.3 - 49.5)	252
<b>Grade</b>									
9th	24.9	( 19.9 - 30.7)	1,665	27.3	( 21.5 - 34.1)	818	22.2	( 16.8 - 28.7)	842
10th	36.0	( 30.7 - 41.7)	1,499	36.6	( 30.1 - 43.6)	693	35.8	( 28.6 - 43.7)	800
11th	39.6	( 34.8 - 44.5)	1,132	43.5	( 38.7 - 48.4)	509	36.2	( 28.8 - 44.3)	623
12th	43.7	( 37.9 - 49.6)	973	48.7	( 41.9 - 55.5)	508	39.2	( 33.0 - 45.8)	465
<b>Race/Ethnicity</b>									
Black*	27.8	( 23.8 - 32.2)	843	32.0	( 27.9 - 36.4)	370	24.5	( 18.3 - 31.9)	472
Hispanic/Latino	36.2	( 28.0 - 45.4)	427	38.7	( 26.7 - 52.2)	210	33.7	( 24.6 - 44.1)	213
White*	38.8	( 33.4 - 44.5)	3,476	41.1	( 34.3 - 48.3)	1,677	36.6	( 31.7 - 41.8)	1,796
All other races	24.7	( 17.2 - 34.2)	224	26.7	( 16.2 - 40.7)	129	-	-	93
Multiple races	37.1	( 24.4 - 51.9)	258	38.1	( 16.7 - 65.4)	129	37.4	( 28.2 - 47.5)	128

Note: There were 388 students who were excluded from the analysis for QN41.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.



2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN42: Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	18.7	( 14.9 - 23.2 )	5,604	21.8	( 17.5 - 26.8 )	2,702	15.7	( 11.7 - 20.9 )	2,884
<b>Age</b>									
15 or younger	13.1	( 9.2 - 18.3 )	2,311	14.1	( 9.9 - 19.8 )	1,059	11.8	( 7.8 - 17.5 )	1,241
16 or 17	21.0	( 18.3 - 24.0 )	2,671	24.7	( 20.9 - 28.9 )	1,286	17.5	( 13.6 - 22.4 )	1,381
18 or older	27.2	( 20.0 - 35.8 )	620	31.0	( 22.0 - 41.6 )	356	22.4	( 15.7 - 31.0 )	262
<b>Grade</b>									
9th	11.8	( 8.0 - 17.0 )	1,759	13.2	( 8.9 - 19.2 )	861	9.9	( 6.4 - 15.1 )	893
10th	19.5	( 16.0 - 23.5 )	1,580	21.9	( 16.8 - 27.9 )	733	17.3	( 13.0 - 22.6 )	841
11th	21.6	( 16.2 - 28.2 )	1,196	24.6	( 17.1 - 34.1 )	547	18.7	( 13.1 - 26.0 )	649
12th	24.5	( 18.7 - 31.5 )	1,021	30.2	( 23.0 - 38.6 )	535	19.2	( 13.3 - 27.0 )	486
<b>Race/Ethnicity</b>									
Black*	10.0	( 7.4 - 13.4 )	921	11.8	( 7.4 - 18.2 )	404	8.5	( 4.5 - 15.5 )	516
Hispanic/Latino	17.5	( 12.9 - 23.2 )	459	18.5	( 12.4 - 26.7 )	228	15.9	( 10.1 - 24.1 )	227
White*	22.9	( 18.0 - 28.8 )	3,622	26.9	( 20.5 - 34.5 )	1,756	19.0	( 14.8 - 24.1 )	1,863
All other races	15.0	( 10.1 - 21.7 )	243	16.2	( 10.4 - 24.3 )	141	13.6	( 7.2 - 24.4 )	100
Multiple races	26.5	( 14.2 - 44.1 )	267	31.0	( 13.9 - 55.7 )	133	22.5	( 11.9 - 38.6 )	133

Note: There were 98 students who were excluded from the analysis for QN42.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN43: Among students who reported current alcohol use, the percentage who usually got the alcohol they drank from someone who gave it to them during the past 30 days

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	37.0	( 34.0 - 40.1 )	1,958	33.1	( 28.2 - 38.5 )	995	41.0	( 36.8 - 45.4 )	953
<b>Age</b>									
15 or younger	41.7	( 35.7 - 48.0 )	642	41.1	( 31.9 - 51.0 )	291	42.1	( 34.4 - 50.3 )	345
16 or 17	37.5	( 32.2 - 43.2 )	1,037	32.9	( 27.1 - 39.4 )	534	42.2	( 34.4 - 50.4 )	501
18 or older	27.5	( 19.3 - 37.5 )	277	22.3	( 15.3 - 31.5 )	169	34.7	( 20.9 - 51.6 )	107
<b>Grade</b>									
9th	36.8	( 31.1 - 42.8 )	464	33.7	( 25.1 - 43.5 )	230	39.5	( 31.0 - 48.8 )	230
10th	41.2	( 35.2 - 47.5 )	545	40.0	( 30.8 - 49.9 )	262	42.5	( 35.2 - 50.2 )	283
11th	39.4	( 33.0 - 46.0 )	467	35.6	( 24.9 - 48.0 )	226	43.1	( 32.7 - 54.1 )	241
12th	31.6	( 25.9 - 37.8 )	458	24.7	( 18.9 - 31.6 )	264	39.3	( 30.2 - 49.1 )	194
<b>Race/Ethnicity</b>									
Black*	40.7	( 31.9 - 50.1 )	250	40.3	( 28.2 - 53.8 )	125	41.0	( 30.3 - 52.7 )	124
Hispanic/Latino	34.6	( 23.5 - 47.7 )	156	-	-	83	-	-	70
White*	36.5	( 33.7 - 39.4 )	1,345	30.6	( 24.1 - 37.9 )	674	42.9	( 36.8 - 49.1 )	670
All other races	-	-	76	-	-	52	-	-	24
Multiple races	-	-	99	-	-	48	-	-	51

Note: There were 3744 students who were excluded from the analysis for QN43.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN44: Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	4.1	( 3.1 - 5.3 )	5,589	4.7	( 3.8 - 5.8 )	2,693	3.5	( 2.2 - 5.5 )	2,877
<b>Age</b>									
15 or younger	3.4	( 2.1 - 5.7 )	2,305	4.3	( 2.8 - 6.6 )	1,061	2.7	( 1.2 - 5.7 )	1,233
16 or 17	4.1	( 3.1 - 5.4 )	2,663	4.1	( 2.9 - 5.9 )	1,279	4.1	( 2.4 - 6.9 )	1,379
18 or older	5.6	( 3.5 - 8.8 )	619	7.2	( 4.5 - 11.5 )	352	3.6	( 1.7 - 7.8 )	265
<b>Grade</b>									
9th	2.8	( 1.6 - 5.0 )	1,748	3.8	( 2.1 - 6.5 )	858	2.1	( 0.8 - 5.0 )	885
10th	5.0	( 3.1 - 7.8 )	1,577	4.4	( 2.9 - 6.6 )	732	5.6	( 2.8 - 10.9 )	839
11th	3.9	( 2.7 - 5.7 )	1,195	4.1	( 2.1 - 7.6 )	541	3.8	( 2.1 - 6.8 )	654
12th	4.8	( 3.0 - 7.5 )	1,022	7.0	( 4.7 - 10.3 )	537	2.8	( 1.1 - 6.6 )	485
<b>Race/Ethnicity</b>									
Black*	4.6	( 2.8 - 7.5 )	914	5.2	( 3.3 - 8.1 )	395	4.2	( 1.8 - 9.5 )	518
Hispanic/Latino	6.3	( 4.4 - 8.9 )	456	7.0	( 3.2 - 14.6 )	228	5.1	( 2.6 - 10.0 )	224
White*	3.1	( 2.3 - 4.2 )	3,621	3.7	( 2.8 - 4.9 )	1,759	2.6	( 1.6 - 4.1 )	1,859
All other races	4.9	( 2.2 - 10.4 )	241	6.3	( 2.7 - 14.0 )	138	3.2	( 0.6 - 14.8 )	101
Multiple races	7.3	( 3.9 - 13.2 )	266	6.8	( 2.4 - 18.1 )	133	8.0	( 3.5 - 17.1 )	132

Note: There were 113 students who were excluded from the analysis for QN44.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN45: Percentage of students who used marijuana one or more times during their life

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	37.0	( 33.2 - 41.0 )	5,535	43.3	( 39.4 - 47.3 )	2,658	31.2	( 26.9 - 36.0 )	2,861
<b>Age</b>									
15 or younger	26.4	( 21.8 - 31.5 )	2,283	32.5	( 27.1 - 38.4 )	1,044	21.0	( 16.3 - 26.8 )	1,229
16 or 17	42.8	( 38.4 - 47.2 )	2,636	48.1	( 42.7 - 53.6 )	1,261	37.9	( 33.2 - 42.8 )	1,372
18 or older	48.2	( 44.4 - 52.0 )	614	54.5	( 47.9 - 61.0 )	352	40.3	( 35.3 - 45.6 )	260
<b>Grade</b>									
9th	24.4	( 21.4 - 27.8 )	1,738	30.1	( 26.5 - 34.1 )	847	19.3	( 14.8 - 24.8 )	887
10th	39.3	( 34.4 - 44.5 )	1,558	46.7	( 42.2 - 51.1 )	718	32.3	( 26.3 - 38.9 )	834
11th	44.0	( 37.6 - 50.6 )	1,186	46.7	( 38.4 - 55.2 )	540	41.6	( 34.7 - 48.8 )	646
12th	45.0	( 41.2 - 48.8 )	1,008	53.4	( 48.4 - 58.3 )	528	37.2	( 32.7 - 41.8 )	480
<b>Race/Ethnicity</b>									
Black*	39.0	( 34.0 - 44.3 )	903	49.2	( 42.9 - 55.5 )	393	30.7	( 25.0 - 37.1 )	509
Hispanic/Latino	36.6	( 27.3 - 46.9 )	442	45.2	( 33.4 - 57.6 )	220	27.0	( 18.9 - 36.8 )	219
White*	36.6	( 33.0 - 40.4 )	3,603	40.8	( 37.0 - 44.7 )	1,742	32.6	( 27.5 - 38.3 )	1,858
All other races	22.6	( 15.2 - 32.2 )	238	31.0	( 18.9 - 46.2 )	135	11.7	( 6.1 - 21.0 )	101
Multiple races	38.4	( 31.7 - 45.5 )	261	40.3	( 26.2 - 56.3 )	129	37.7	( 26.1 - 51.0 )	131

Note: There were 167 students who were excluded from the analysis for QN45.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN46: Percentage of students who tried marijuana for the first time before age 13 years

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	8.1	( 7.2 - 9.1 )	5,563	12.1	( 10.3 - 14.3 )	2,671	4.4	( 3.5 - 5.6 )	2,876
<b>Age</b>									
15 or younger	7.8	( 6.2 - 9.7 )	2,291	11.0	( 8.5 - 14.0 )	1,046	5.3	( 3.6 - 7.5 )	1,235
16 or 17	8.4	( 6.5 - 10.6 )	2,649	13.4	( 9.9 - 18.0 )	1,271	3.7	( 2.7 - 4.9 )	1,375
18 or older	8.0	( 6.1 - 10.5 )	621	10.9	( 7.8 - 14.9 )	353	4.5	( 1.8 - 10.8 )	266
<b>Grade</b>									
9th	8.3	( 6.0 - 11.4 )	1,747	11.5	( 8.6 - 15.2 )	853	5.6	( 3.1 - 10.0 )	889
10th	9.1	( 7.6 - 10.8 )	1,567	13.6	( 11.3 - 16.2 )	721	4.7	( 3.2 - 7.1 )	840
11th	8.2	( 5.9 - 11.2 )	1,192	13.0	( 8.2 - 20.0 )	543	3.7	( 2.4 - 5.5 )	649
12th	6.3	( 4.8 - 8.3 )	1,013	10.2	( 7.8 - 13.2 )	529	2.9	( 1.6 - 5.1 )	484
<b>Race/Ethnicity</b>									
Black*	9.7	( 8.0 - 11.8 )	910	15.8	( 11.9 - 20.6 )	394	4.8	( 3.2 - 7.2 )	515
Hispanic/Latino	9.4	( 6.0 - 14.2 )	447	9.9	( 5.8 - 16.5 )	221	8.6	( 5.2 - 14.0 )	223
White*	6.5	( 5.7 - 7.4 )	3,614	9.9	( 8.2 - 11.8 )	1,749	3.3	( 2.4 - 4.6 )	1,862
All other races	9.6	( 6.0 - 15.0 )	239	16.4	( 9.5 - 26.9 )	137	0.8	( 0.2 - 3.2 )	100
Multiple races	14.0	( 8.5 - 22.3 )	263	17.5	( 7.8 - 34.8 )	130	11.0	( 5.7 - 20.1 )	132

Note: There were 139 students who were excluded from the analysis for QN46.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN47: Percentage of students who used marijuana one or more times during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	19.8	( 16.7 - 23.3 )	5,542	25.5	( 21.5 - 29.8 )	2,663	14.5	( 11.4 - 18.3 )	2,863
<b>Age</b>									
15 or younger	13.6	( 11.0 - 16.8 )	2,292	17.2	( 13.5 - 21.5 )	1,049	10.5	( 7.6 - 14.3 )	1,234
16 or 17	22.5	( 18.8 - 26.8 )	2,640	29.5	( 23.4 - 36.5 )	1,267	16.0	( 12.1 - 20.9 )	1,369
18 or older	28.6	( 24.2 - 33.3 )	608	33.2	( 27.0 - 39.9 )	346	22.9	( 17.8 - 29.0 )	260
<b>Grade</b>									
9th	11.6	( 9.7 - 13.7 )	1,745	15.3	( 12.5 - 18.6 )	850	8.1	( 5.7 - 11.4 )	891
10th	20.7	( 17.1 - 24.8 )	1,565	26.5	( 21.4 - 32.4 )	725	14.9	( 10.8 - 20.3 )	835
11th	25.4	( 20.8 - 30.6 )	1,184	30.6	( 23.5 - 38.8 )	540	20.3	( 15.3 - 26.6 )	644
12th	24.7	( 21.1 - 28.8 )	1,003	32.8	( 27.8 - 38.2 )	522	17.7	( 14.0 - 22.0 )	479
<b>Race/Ethnicity</b>									
Black*	21.4	( 17.1 - 26.3 )	906	31.0	( 25.8 - 36.7 )	393	13.4	( 9.0 - 19.4 )	512
Hispanic/Latino	17.7	( 11.8 - 25.8 )	445	22.5	( 12.9 - 36.4 )	221	13.0	( 7.4 - 21.9 )	221
White*	19.1	( 16.3 - 22.1 )	3,606	22.9	( 19.1 - 27.2 )	1,748	15.3	( 12.0 - 19.4 )	1,855
All other races	16.9	( 11.0 - 25.0 )	238	23.2	( 13.4 - 37.1 )	136	9.2	( 4.3 - 18.8 )	100
Multiple races	18.6	( 12.5 - 26.9 )	259	23.6	( 12.5 - 40.1 )	128	13.6	( 8.3 - 21.4 )	131

Note: There were 160 students who were excluded from the analysis for QN47.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN48: Percentage of students who used marijuana on school property one or more times during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	4.0	( 2.9 - 5.4 )	5,606	5.7	( 4.0 - 8.0 )	2,703	2.4	( 1.5 - 3.9 )	2,885
<b>Age</b>									
15 or younger	3.3	( 2.2 - 4.9 )	2,314	3.9	( 2.2 - 6.8 )	1,061	2.9	( 1.6 - 5.0 )	1,242
16 or 17	3.9	( 2.5 - 5.9 )	2,672	6.0	( 3.5 - 10.1 )	1,288	1.9	( 1.0 - 3.7 )	1,380
18 or older	6.5	( 4.4 - 9.6 )	618	9.1	( 5.4 - 14.9 )	353	3.3	( 1.3 - 8.1 )	263
<b>Grade</b>									
9th	2.0	( 1.4 - 2.9 )	1,767	2.4	( 1.4 - 4.3 )	865	1.6	( 0.8 - 3.3 )	897
10th	4.0	( 2.5 - 6.1 )	1,580	4.8	( 2.9 - 7.7 )	733	3.2	( 1.7 - 6.0 )	841
11th	6.5	( 4.4 - 9.7 )	1,194	9.5	( 5.3 - 16.5 )	546	3.6	( 1.7 - 7.7 )	648
12th	4.0	( 2.9 - 5.5 )	1,020	6.9	( 4.4 - 10.5 )	533	1.5	( 0.6 - 3.8 )	485
<b>Race/Ethnicity</b>									
Black*	4.0	( 2.3 - 7.1 )	926	6.6	( 3.1 - 13.6 )	404	1.9	( 0.9 - 3.9 )	521
Hispanic/Latino	7.1	( 4.8 - 10.3 )	454	7.4	( 4.0 - 13.1 )	227	6.9	( 4.5 - 10.2 )	223
White*	3.4	( 2.3 - 5.0 )	3,627	4.9	( 3.5 - 6.8 )	1,762	2.0	( 0.9 - 4.4 )	1,862
All other races	5.5	( 2.1 - 13.7 )	242	7.3	( 2.2 - 21.9 )	139	3.2	( 0.6 - 14.8 )	101
Multiple races	3.7	( 1.7 - 7.9 )	265	2.3	( 0.9 - 5.9 )	131	5.3	( 1.9 - 14.3 )	133

Note: There were 96 students who were excluded from the analysis for QN48.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN49: Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	5.5	( 4.4 - 7.0)	5,674	7.4	( 6.1 - 8.9)	2,750	3.7	( 2.5 - 5.4)	2,902
<b>Age</b>									
15 or younger	4.5	( 3.2 - 6.2)	2,342	5.3	( 3.8 - 7.4)	1,081	3.5	( 2.1 - 5.7)	1,248
16 or 17	5.5	( 4.3 - 6.9)	2,698	7.8	( 6.1 - 10.1)	1,305	3.2	( 2.2 - 4.6)	1,387
18 or older	8.9	( 6.0 - 13.1)	632	10.9	( 7.3 - 15.9)	363	6.5	( 3.2 - 12.6)	267
<b>Grade</b>									
9th	4.2	( 2.7 - 6.3)	1,788	5.2	( 3.4 - 7.9)	880	3.2	( 1.8 - 5.6)	902
10th	4.9	( 3.5 - 6.8)	1,592	5.8	( 3.7 - 9.1)	742	3.9	( 2.4 - 6.4)	844
11th	6.2	( 4.7 - 8.1)	1,210	8.8	( 6.3 - 12.0)	558	3.6	( 2.1 - 6.1)	652
12th	7.5	( 5.3 - 10.6)	1,034	10.8	( 7.9 - 14.7)	543	4.1	( 2.0 - 8.1)	489
<b>Race/Ethnicity</b>									
Black*	2.8	( 1.7 - 4.5)	935	4.3	( 2.4 - 7.7)	412	1.5	( 0.7 - 3.2)	522
Hispanic/Latino	11.2	( 7.6 - 16.1)	467	14.9	( 8.9 - 24.0)	234	6.7	( 3.3 - 13.1)	228
White*	5.9	( 4.8 - 7.3)	3,655	7.4	( 6.0 - 9.0)	1,781	4.5	( 3.2 - 6.2)	1,871
All other races	7.6	( 4.0 - 13.9)	248	10.1	( 5.8 - 17.1)	143	4.0	( 0.9 - 15.8)	102
Multiple races	9.0	( 4.5 - 16.9)	269	14.4	( 7.1 - 27.0)	135	3.3	( 1.0 - 10.7)	133

Note: There were 28 students who were excluded from the analysis for QN49.

N = Number of students.

\*Non-Hispanic.



2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN51: Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	11.7	( 10.6 - 12.9 )	5,617	12.1	( 10.3 - 14.2 )	2,716	11.4	( 10.0 - 12.9 )	2,882
<b>Age</b>									
15 or younger	14.1	( 11.8 - 16.8 )	2,313	13.2	( 10.8 - 16.0 )	1,064	15.0	( 11.9 - 18.7 )	1,238
16 or 17	10.9	( 8.6 - 13.7 )	2,675	11.9	( 8.9 - 15.6 )	1,292	10.0	( 7.0 - 14.2 )	1,378
18 or older	7.6	( 5.5 - 10.6 )	627	10.5	( 6.8 - 16.1 )	359	4.0	( 1.9 - 8.2 )	266
<b>Grade</b>									
9th	13.9	( 12.0 - 16.1 )	1,762	12.1	( 9.9 - 14.9 )	862	15.4	( 12.0 - 19.7 )	896
10th	13.8	( 11.2 - 16.9 )	1,579	14.2	( 10.7 - 18.7 )	733	13.5	( 9.2 - 19.4 )	840
11th	9.7	( 7.4 - 12.7 )	1,203	10.1	( 7.8 - 13.0 )	555	9.4	( 5.8 - 14.9 )	648
12th	8.1	( 6.1 - 10.6 )	1,025	11.6	( 8.4 - 15.9 )	540	4.8	( 3.1 - 7.3 )	484
<b>Race/Ethnicity</b>									
Black*	9.4	( 7.2 - 12.2 )	925	10.4	( 6.8 - 15.7 )	405	8.5	( 5.8 - 12.2 )	519
Hispanic/Latino	13.4	( 10.7 - 16.8 )	461	13.9	( 8.5 - 21.9 )	231	12.7	( 7.6 - 20.2 )	227
White*	12.1	( 10.4 - 14.2 )	3,622	12.2	( 10.2 - 14.4 )	1,763	12.1	( 9.8 - 14.8 )	1,856
All other races	11.2	( 5.8 - 20.5 )	244	10.9	( 6.3 - 18.2 )	141	11.7	( 3.5 - 33.0 )	101
Multiple races	20.0	( 15.6 - 25.4 )	266	17.6	( 9.9 - 29.4 )	132	23.3	( 14.6 - 35.1 )	133

Note: There were 85 students who were excluded from the analysis for QN51.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN52: Percentage of students who used heroin one or more times during their life

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	2.5	( 1.8 - 3.6)	5,257	3.3	( 2.3 - 4.6)	2,555	1.7	( 0.9 - 3.2)	2,681
<b>Age</b>									
15 or younger	2.8	( 1.7 - 4.5)	2,170	2.9	( 1.8 - 4.8)	1,000	2.4	( 1.1 - 4.8)	1,157
16 or 17	2.3	( 1.6 - 3.2)	2,492	3.4	( 2.3 - 5.1)	1,213	1.2	( 0.4 - 3.1)	1,274
18 or older	2.7	( 1.7 - 4.1)	593	3.6	( 2.0 - 6.4)	341	1.5	( 0.4 - 4.8)	250
<b>Grade</b>									
9th	2.5	( 1.4 - 4.6)	1,685	2.7	( 1.0 - 7.0)	833	2.3	( 1.1 - 5.0)	846
10th	2.7	( 1.6 - 4.4)	1,420	3.2	( 2.3 - 4.5)	663	2.2	( 0.7 - 6.4)	752
11th	2.3	( 1.4 - 3.8)	1,137	3.7	( 1.9 - 7.1)	522	0.9	( 0.2 - 3.1)	615
12th	2.4	( 1.5 - 3.8)	965	3.4	( 2.2 - 5.0)	509	1.0	( 0.3 - 3.3)	454
<b>Race/Ethnicity</b>									
Black*	2.7	( 1.3 - 5.3)	799	2.7	( 1.2 - 6.0)	354	2.6	( 0.9 - 7.5)	444
Hispanic/Latino	3.1	( 1.6 - 5.9)	425	4.5	( 1.8 - 10.6)	209	1.4	( 0.5 - 3.8)	211
White*	1.9	( 1.3 - 2.9)	3,467	2.9	( 1.7 - 4.7)	1,693	1.0	( 0.5 - 1.9)	1,771
All other races	3.1	( 1.0 - 9.5)	230	4.3	( 1.3 - 13.3)	134	-	-	93
Multiple races	2.8	( 0.9 - 8.3)	245	5.4	( 1.7 - 16.0)	123	0.0	( 0.0 - 0.4)	121

Note: There were 445 students who were excluded from the analysis for QN52.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN53: Percentage of students who used methamphetamines one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	3.4	( 2.5 - 4.5 )	5,668	4.6	( 3.5 - 6.1 )	2,744	2.2	( 1.3 - 3.8 )	2,902
<b>Age</b>									
15 or younger	3.0	( 2.0 - 4.3 )	2,342	4.2	( 3.1 - 5.8 )	1,081	1.9	( 1.0 - 3.5 )	1,248
16 or 17	3.2	( 2.3 - 4.5 )	2,695	4.1	( 2.7 - 6.0 )	1,302	2.4	( 1.2 - 4.9 )	1,387
18 or older	5.2	( 3.4 - 7.7 )	629	7.3	( 4.3 - 12.0 )	360	2.6	( 1.1 - 6.2 )	267
<b>Grade</b>									
9th	2.4	( 1.2 - 4.8 )	1,789	3.2	( 1.6 - 6.4 )	882	1.7	( 0.8 - 3.6 )	901
10th	3.6	( 2.4 - 5.4 )	1,589	4.4	( 2.8 - 6.8 )	738	2.9	( 1.3 - 6.4 )	845
11th	4.3	( 3.1 - 6.0 )	1,205	6.0	( 3.7 - 9.6 )	553	2.7	( 1.3 - 5.9 )	652
12th	3.4	( 2.3 - 4.9 )	1,034	5.3	( 3.6 - 7.8 )	543	1.7	( 0.6 - 4.3 )	489
<b>Race/Ethnicity</b>									
Black*	2.3	( 1.2 - 4.5 )	931	2.9	( 1.3 - 6.3 )	407	1.8	( 0.6 - 5.5 )	523
Hispanic/Latino	6.7	( 3.9 - 11.3 )	465	6.7	( 3.0 - 14.2 )	231	6.3	( 2.9 - 13.1 )	229
White*	3.2	( 2.4 - 4.2 )	3,659	4.4	( 3.1 - 6.1 )	1,783	2.0	( 1.2 - 3.2 )	1,873
All other races	4.3	( 1.7 - 10.4 )	246	5.8	( 2.3 - 14.0 )	143	1.9	( 0.4 - 9.7 )	100
Multiple races	6.3	( 2.3 - 15.9 )	269	11.6	( 4.7 - 25.8 )	135	0.5	( 0.1 - 3.9 )	133

Note: There were 34 students who were excluded from the analysis for QN53.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN54: Percentage of students who used ecstasy one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	5.4	( 4.3 - 6.8 )	5,658	6.7	( 5.3 - 8.3 )	2,740	4.1	( 2.9 - 5.9 )	2,897
<b>Age</b>									
15 or younger	4.2	( 3.0 - 5.9 )	2,336	4.9	( 3.3 - 7.2 )	1,079	3.4	( 2.2 - 5.3 )	1,245
16 or 17	5.7	( 4.8 - 6.8 )	2,692	7.3	( 5.7 - 9.2 )	1,299	4.1	( 2.9 - 5.9 )	1,387
18 or older	8.1	( 5.3 - 12.2 )	628	9.0	( 5.1 - 15.4 )	361	6.8	( 3.7 - 12.2 )	265
<b>Grade</b>									
9th	3.2	( 2.2 - 4.7 )	1,786	3.2	( 2.0 - 5.2 )	881	3.2	( 2.1 - 4.9 )	899
10th	5.7	( 4.0 - 8.0 )	1,587	7.0	( 4.7 - 10.2 )	736	4.4	( 2.4 - 8.2 )	845
11th	6.5	( 5.0 - 8.5 )	1,201	7.9	( 5.2 - 12.0 )	550	5.2	( 3.1 - 8.6 )	651
12th	7.1	( 4.8 - 10.5 )	1,034	9.7	( 6.2 - 14.9 )	545	4.1	( 2.1 - 7.6 )	487
<b>Race/Ethnicity</b>									
Black*	2.6	( 1.6 - 4.4 )	926	3.4	( 2.0 - 5.8 )	405	2.0	( 0.8 - 4.6 )	520
Hispanic/Latino	7.5	( 4.3 - 12.5 )	465	6.2	( 3.0 - 12.2 )	232	7.6	( 3.9 - 14.4 )	229
White*	6.0	( 4.5 - 8.0 )	3,655	7.5	( 5.7 - 9.8 )	1,782	4.6	( 3.1 - 6.8 )	1,870
All other races	6.7	( 4.1 - 10.7 )	246	10.2	( 6.3 - 16.2 )	143	1.6	( 0.2 - 10.4 )	100
Multiple races	10.5	( 5.5 - 19.2 )	268	12.2	( 5.4 - 25.2 )	134	8.9	( 3.0 - 23.5 )	133

Note: There were 44 students who were excluded from the analysis for QN54.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN55: Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	3.8	( 2.7 - 5.4)	5,678	5.3	( 3.6 - 7.6)	2,753	2.3	( 1.4 - 3.8)	2,904
<b>Age</b>									
15 or younger	3.6	( 2.4 - 5.2)	2,346	4.0	( 2.7 - 5.8)	1,083	3.0	( 1.9 - 4.6)	1,251
16 or 17	3.7	( 2.5 - 5.6)	2,698	5.5	( 3.5 - 8.5)	1,306	2.0	( 1.0 - 3.9)	1,386
18 or older	4.9	( 2.6 - 8.9)	632	7.7	( 3.6 - 15.6)	363	1.3	( 0.3 - 5.9)	267
<b>Grade</b>									
9th	3.7	( 1.9 - 6.9)	1,793	4.1	( 2.2 - 7.4)	884	3.3	( 1.5 - 7.2)	903
10th	3.8	( 2.6 - 5.5)	1,592	4.8	( 2.8 - 8.2)	740	2.9	( 1.5 - 5.4)	846
11th	4.0	( 2.9 - 5.5)	1,207	7.1	( 4.6 - 10.7)	556	1.0	( 0.5 - 1.9)	651
12th	3.8	( 2.1 - 6.6)	1,036	5.6	( 2.7 - 11.2)	545	1.6	( 0.5 - 5.6)	489
<b>Race/Ethnicity</b>									
Black*	3.7	( 1.9 - 7.2)	933	4.6	( 2.1 - 9.7)	409	2.9	( 1.3 - 6.4)	523
Hispanic/Latino	4.4	( 1.9 - 10.1)	468	3.3	( 1.4 - 7.5)	235	5.5	( 1.7 - 16.3)	229
White*	3.2	( 2.3 - 4.5)	3,661	4.9	( 3.0 - 7.7)	1,785	1.6	( 0.9 - 2.6)	1,873
All other races	8.4	( 4.9 - 14.1)	247	9.0	( 5.5 - 14.3)	143	7.4	( 2.7 - 18.9)	101
Multiple races	4.4	( 1.1 - 15.9)	269	8.5	( 2.4 - 25.5)	135	0.0	( - - -)	133

Note: There were 24 students who were excluded from the analysis for QN55.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN56: Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	2.2	( 1.6 - 3.1 )	5,664	3.1	( 2.1 - 4.5 )	2,742	1.3	( 0.7 - 2.4 )	2,904
<b>Age</b>									
15 or younger	2.1	( 1.3 - 3.3 )	2,337	2.3	( 1.1 - 4.8 )	1,077	1.6	( 0.8 - 3.2 )	1,250
16 or 17	2.1	( 1.3 - 3.5 )	2,696	3.2	( 2.1 - 4.9 )	1,303	1.1	( 0.3 - 3.5 )	1,388
18 or older	2.9	( 1.7 - 4.9 )	629	4.6	( 2.5 - 8.2 )	361	0.8	( 0.2 - 3.1 )	266
<b>Grade</b>									
9th	2.0	( 1.2 - 3.4 )	1,786	2.5	( 1.0 - 5.7 )	880	1.6	( 0.8 - 3.2 )	902
10th	2.2	( 1.2 - 3.9 )	1,594	2.8	( 1.6 - 4.8 )	741	1.6	( 0.6 - 4.5 )	847
11th	2.4	( 1.3 - 4.1 )	1,205	3.6	( 1.7 - 7.4 )	553	1.2	( 0.3 - 3.9 )	652
12th	2.2	( 1.1 - 4.2 )	1,031	3.5	( 1.9 - 6.6 )	541	0.5	( 0.1 - 2.4 )	488
<b>Race/Ethnicity</b>									
Black*	2.5	( 1.4 - 4.4 )	932	3.4	( 1.7 - 6.6 )	409	1.7	( 0.6 - 4.7 )	522
Hispanic/Latino	4.4	( 2.3 - 8.4 )	465	4.4	( 1.8 - 10.4 )	233	4.5	( 1.8 - 10.6 )	229
White*	1.7	( 1.1 - 2.6 )	3,655	2.6	( 1.6 - 4.4 )	1,780	0.7	( 0.3 - 1.5 )	1,872
All other races	3.0	( 1.1 - 7.5 )	247	5.4	( 2.0 - 13.6 )	143	0.0	( - - - )	102
Multiple races	0.7	( 0.3 - 2.1 )	268	1.4	( 0.5 - 4.2 )	134	0.0	( 0.0 - 0.3 )	133

Note: There were 38 students who were excluded from the analysis for QN56.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN57: Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	30.2	( 27.3 - 33.2 )	5,643	37.2	( 33.5 - 41.1 )	2,730	23.4	( 20.4 - 26.7 )	2,895
<b>Age</b>									
15 or younger	31.2	( 26.8 - 35.8 )	2,334	37.9	( 32.6 - 43.5 )	1,077	25.3	( 21.6 - 29.5 )	1,246
16 or 17	29.7	( 27.2 - 32.4 )	2,681	36.5	( 32.3 - 41.0 )	1,294	23.1	( 18.9 - 27.8 )	1,383
18 or older	28.8	( 21.5 - 37.5 )	626	37.8	( 28.7 - 47.8 )	358	17.9	( 11.1 - 27.5 )	266
<b>Grade</b>									
9th	27.8	( 23.2 - 32.9 )	1,786	33.8	( 28.8 - 39.3 )	880	22.4	( 18.2 - 27.3 )	901
10th	35.3	( 31.5 - 39.3 )	1,578	42.5	( 36.9 - 48.2 )	731	27.8	( 22.4 - 33.9 )	841
11th	29.0	( 25.3 - 33.1 )	1,201	35.1	( 30.5 - 40.1 )	551	23.1	( 16.9 - 30.8 )	650
12th	28.3	( 22.0 - 35.7 )	1,030	38.2	( 30.6 - 46.4 )	540	19.2	( 13.5 - 26.5 )	488
<b>Race/Ethnicity</b>									
Black*	26.0	( 23.6 - 28.6 )	922	36.1	( 31.1 - 41.4 )	401	17.8	( 13.6 - 22.9 )	520
Hispanic/Latino	44.0	( 36.8 - 51.5 )	464	48.5	( 39.7 - 57.5 )	234	38.9	( 29.3 - 49.4 )	227
White*	31.2	( 27.5 - 35.2 )	3,647	37.5	( 32.9 - 42.4 )	1,776	25.0	( 21.3 - 29.2 )	1,868
All other races	31.1	( 25.1 - 37.7 )	248	30.7	( 20.6 - 43.1 )	143	31.5	( 23.4 - 40.8 )	102
Multiple races	25.7	( 16.5 - 37.7 )	266	30.3	( 18.6 - 45.3 )	133	18.2	( 10.6 - 29.6 )	132

Note: There were 59 students who were excluded from the analysis for QN57.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN58: Percentage of students who ever had sexual intercourse

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	51.1	( 46.2 - 56.0)	5,311	54.2	( 48.7 - 59.6)	2,529	48.2	( 43.2 - 53.1)	2,766
<b>Age</b>									
15 or younger	33.7	( 28.9 - 39.0)	2,204	38.3	( 32.2 - 44.7)	1,003	29.9	( 24.8 - 35.6)	1,191
16 or 17	59.8	( 55.0 - 64.5)	2,520	61.3	( 56.2 - 66.2)	1,195	58.3	( 52.4 - 64.0)	1,322
18 or older	70.9	( 62.7 - 77.8)	585	70.4	( 58.6 - 80.0)	330	71.4	( 61.9 - 79.2)	253
<b>Grade</b>									
9th	33.8	( 28.5 - 39.6)	1,672	38.2	( 32.3 - 44.4)	811	30.2	( 24.8 - 36.4)	857
10th	49.0	( 44.0 - 54.0)	1,504	52.3	( 47.0 - 57.5)	690	45.3	( 38.3 - 52.5)	808
11th	61.3	( 52.9 - 69.2)	1,127	63.6	( 56.4 - 70.3)	506	59.3	( 48.4 - 69.4)	621
12th	68.0	( 61.6 - 73.8)	970	69.2	( 58.0 - 78.5)	501	66.8	( 61.1 - 72.2)	469
<b>Race/Ethnicity</b>									
Black*	64.6	( 57.8 - 70.8)	855	70.6	( 65.3 - 75.5)	360	59.8	( 50.6 - 68.3)	494
Hispanic/Latino	55.4	( 46.8 - 63.6)	412	61.0	( 48.6 - 72.2)	204	49.3	( 36.3 - 62.4)	205
White*	43.7	( 38.4 - 49.1)	3,486	46.0	( 39.2 - 53.1)	1,678	41.5	( 36.7 - 46.4)	1,805
All other races	39.7	( 29.3 - 51.1)	224	45.6	( 30.1 - 62.0)	131	-	-	90
Multiple races	51.3	( 37.5 - 65.0)	255	52.5	( 30.3 - 73.9)	124	48.5	( 35.8 - 61.4)	130

Note: There were 391 students who were excluded from the analysis for QN58.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.



2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN59: Percentage of students who had sexual intercourse for the first time before age 13 years

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	7.5	( 6.5 - 8.7)	5,271	10.1	( 8.4 - 12.0)	2,508	5.1	( 4.3 - 6.2)	2,747
<b>Age</b>									
15 or younger	7.8	( 5.9 - 10.4)	2,177	10.4	( 7.5 - 14.4)	991	5.5	( 3.8 - 7.9)	1,178
16 or 17	7.2	( 5.6 - 9.3)	2,512	10.3	( 7.8 - 13.4)	1,188	4.4	( 3.0 - 6.4)	1,319
18 or older	7.9	( 4.4 - 13.6)	580	8.5	( 4.6 - 15.1)	328	7.1	( 2.9 - 16.5)	250
<b>Grade</b>									
9th	8.8	( 6.2 - 12.1)	1,661	11.4	( 7.7 - 16.7)	807	6.5	( 4.4 - 9.5)	850
10th	6.8	( 5.0 - 9.2)	1,484	9.0	( 6.1 - 13.1)	678	4.3	( 2.6 - 6.8)	801
11th	7.6	( 5.6 - 10.4)	1,129	10.3	( 7.4 - 14.1)	507	5.2	( 2.7 - 9.9)	622
12th	6.2	( 3.7 - 10.4)	959	8.7	( 4.9 - 15.1)	495	4.0	( 2.0 - 7.8)	464
<b>Race/Ethnicity</b>									
Black*	11.7	( 9.2 - 14.8)	847	15.9	( 11.4 - 21.6)	356	8.5	( 6.1 - 11.7)	490
Hispanic/Latino	11.2	( 8.0 - 15.5)	410	12.7	( 8.4 - 18.9)	203	9.4	( 5.3 - 16.3)	203
White*	4.3	( 3.0 - 6.0)	3,461	6.5	( 4.7 - 9.0)	1,664	2.2	( 1.1 - 4.2)	1,794
All other races	8.4	( 4.4 - 15.4)	222	11.5	( 5.7 - 21.8)	130	-	-	90
Multiple races	15.1	( 9.3 - 23.6)	254	18.9	( 10.1 - 32.7)	124	8.3	( 3.8 - 17.4)	129

Note: There were 431 students who were excluded from the analysis for QN59.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN60: Percentage of students who had sexual intercourse with four or more people during their life

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	15.7	( 13.4 - 18.2 )	5,297	19.2	( 16.0 - 22.9 )	2,521	12.2	( 10.2 - 14.6 )	2,761
<b>Age</b>									
15 or younger	6.8	( 5.5 - 8.3 )	2,200	9.8	( 7.7 - 12.4 )	1,002	4.0	( 2.6 - 6.1 )	1,189
16 or 17	19.3	( 16.4 - 22.5 )	2,513	23.6	( 18.8 - 29.2 )	1,189	15.2	( 12.9 - 17.7 )	1,321
18 or older	29.1	( 20.9 - 39.1 )	582	28.6	( 21.4 - 37.1 )	329	29.7	( 19.4 - 42.6 )	251
<b>Grade</b>									
9th	7.2	( 5.4 - 9.5 )	1,672	10.8	( 7.9 - 14.6 )	812	4.1	( 2.6 - 6.4 )	856
10th	12.9	( 9.7 - 16.9 )	1,496	14.5	( 9.9 - 20.7 )	684	10.6	( 7.8 - 14.2 )	807
11th	21.5	( 18.0 - 25.6 )	1,128	26.0	( 19.9 - 33.3 )	506	17.4	( 12.4 - 23.8 )	622
12th	25.0	( 19.8 - 31.1 )	963	29.0	( 21.0 - 38.5 )	498	21.4	( 16.9 - 26.8 )	465
<b>Race/Ethnicity</b>									
Black*	25.4	( 21.7 - 29.5 )	848	35.1	( 29.2 - 41.6 )	357	17.6	( 15.0 - 20.6 )	490
Hispanic/Latino	13.7	( 9.9 - 18.7 )	413	16.7	( 10.3 - 26.0 )	206	9.9	( 6.5 - 15.0 )	204
White*	10.5	( 8.9 - 12.5 )	3,480	11.8	( 9.5 - 14.6 )	1,672	9.4	( 6.9 - 12.6 )	1,805
All other races	9.6	( 5.5 - 16.4 )	222	11.7	( 5.6 - 22.6 )	130	-	-	90
Multiple races	17.6	( 10.7 - 27.5 )	254	20.2	( 9.9 - 36.7 )	123	12.5	( 5.9 - 24.4 )	130

Note: There were 405 students who were excluded from the analysis for QN60.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN61: Percentage of students who had sexual intercourse with one or more people during the past three months

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	36.6	( 32.1 - 41.4 )	5,300	37.5	( 32.5 - 42.8 )	2,523	35.7	( 31.0 - 40.7 )	2,762
<b>Age</b>									
15 or younger	20.1	( 17.3 - 23.4 )	2,198	21.7	( 17.0 - 27.4 )	1,003	18.6	( 15.1 - 22.7 )	1,186
16 or 17	45.0	( 39.6 - 50.5 )	2,517	44.1	( 39.0 - 49.4 )	1,190	45.6	( 39.1 - 52.2 )	1,324
18 or older	55.3	( 50.0 - 60.5 )	583	55.2	( 46.9 - 63.2 )	329	55.4	( 47.9 - 62.7 )	252
<b>Grade</b>									
9th	21.1	( 17.4 - 25.3 )	1,673	22.1	( 16.5 - 29.0 )	814	20.3	( 16.5 - 24.7 )	855
10th	32.1	( 28.8 - 35.5 )	1,494	32.6	( 28.8 - 36.7 )	684	31.0	( 26.7 - 35.6 )	805
11th	46.8	( 38.6 - 55.2 )	1,130	47.3	( 40.5 - 54.1 )	507	46.4	( 35.3 - 57.9 )	623
12th	53.9	( 48.7 - 59.0 )	965	54.9	( 47.5 - 62.1 )	497	52.9	( 47.5 - 58.3 )	468
<b>Race/Ethnicity</b>									
Black*	44.7	( 37.6 - 52.1 )	847	46.9	( 40.8 - 53.0 )	356	43.0	( 33.8 - 52.8 )	490
Hispanic/Latino	38.2	( 30.0 - 47.1 )	414	37.7	( 26.8 - 50.0 )	207	38.5	( 26.3 - 52.4 )	204
White*	31.6	( 26.7 - 37.1 )	3,482	32.5	( 26.7 - 38.8 )	1,672	30.8	( 26.0 - 36.2 )	1,807
All other races	30.9	( 23.0 - 40.1 )	223	35.5	( 24.3 - 48.4 )	131	-	-	90
Multiple races	42.4	( 29.3 - 56.7 )	254	41.8	( 20.3 - 67.0 )	124	41.1	( 30.6 - 52.4 )	129

Note: There were 402 students who were excluded from the analysis for QN61.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN62: Among students who had sexual intercourse during the past three months, the percentage who drank alcohol or used drugs before last sexual intercourse

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	19.3	( 15.3 - 24.0 )	1,739	24.1	( 18.8 - 30.3 )	814	14.6	( 11.1 - 19.0 )	916
<b>Age</b>									
15 or younger	20.9	( 15.1 - 28.2 )	454	26.7	( 17.4 - 38.6 )	206	15.1	( 9.9 - 22.3 )	244
16 or 17	17.3	( 12.6 - 23.2 )	986	23.4	( 17.3 - 30.7 )	443	11.9	( 7.7 - 18.0 )	540
18 or older	23.5	( 19.1 - 28.5 )	298	23.6	( 15.6 - 34.2 )	165	23.3	( 14.7 - 34.9 )	132
<b>Grade</b>									
9th	17.0	( 9.8 - 28.0 )	345	21.0	( 11.7 - 34.8 )	171	13.3	( 5.8 - 27.7 )	173
10th	19.8	( 14.4 - 26.4 )	442	27.4	( 18.7 - 38.4 )	194	12.4	( 8.0 - 18.8 )	245
11th	21.4	( 12.5 - 34.2 )	463	26.2	( 15.2 - 41.2 )	202	17.0	( 8.7 - 30.4 )	261
12th	18.1	( 14.2 - 22.8 )	469	21.7	( 15.2 - 30.0 )	238	14.8	( 10.4 - 20.5 )	231
<b>Race/Ethnicity</b>									
Black*	15.3	( 9.7 - 23.3 )	359	17.4	( 10.7 - 26.8 )	163	13.5	( 8.0 - 21.9 )	195
Hispanic/Latino	15.1	( 8.8 - 24.6 )	143	-	-	69	-	-	72
White*	22.7	( 18.4 - 27.6 )	1,042	30.0	( 23.6 - 37.3 )	481	15.4	( 11.3 - 20.8 )	560
All other races	-	-	67	-	-	44	-	-	22
Multiple races	-	-	90	-	-	43	-	-	46

Note: There were 3963 students who were excluded from the analysis for QN62.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN63: Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	60.7	( 58.3 - 63.1 )	1,729	65.5	( 62.4 - 68.5 )	810	56.0	( 52.4 - 59.6 )	911
<b>Age</b>									
15 or younger	64.9	( 57.9 - 71.4 )	448	67.7	( 58.5 - 75.8 )	204	62.4	( 53.4 - 70.7 )	241
16 or 17	60.3	( 56.6 - 63.9 )	983	65.6	( 60.4 - 70.4 )	442	55.3	( 49.5 - 60.9 )	538
18 or older	57.4	( 50.7 - 63.8 )	297	63.2	( 53.2 - 72.1 )	164	50.8	( 41.7 - 59.9 )	132
<b>Grade</b>									
9th	59.7	( 52.9 - 66.2 )	342	62.5	( 54.2 - 70.2 )	170	57.3	( 45.9 - 67.9 )	171
10th	63.6	( 57.4 - 69.4 )	439	63.9	( 56.8 - 70.4 )	194	62.8	( 50.9 - 73.4 )	243
11th	61.1	( 56.1 - 65.9 )	461	68.5	( 60.7 - 75.3 )	201	54.3	( 43.3 - 64.8 )	260
12th	58.7	( 53.4 - 63.8 )	467	65.5	( 57.3 - 72.9 )	236	52.2	( 45.5 - 58.8 )	231
<b>Race/Ethnicity</b>									
Black*	57.2	( 53.2 - 61.0 )	357	62.5	( 55.0 - 69.4 )	162	52.6	( 46.2 - 58.8 )	194
Hispanic/Latino	59.8	( 50.1 - 68.8 )	142	-	-	69	-	-	71
White*	61.8	( 57.2 - 66.1 )	1,037	65.3	( 59.2 - 70.9 )	479	58.2	( 52.2 - 64.0 )	557
All other races	-	-	66	-	-	43	-	-	22
Multiple races	-	-	89	-	-	43	-	-	46

Note: There were 3973 students who were excluded from the analysis for QN63.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QNOWT: Percentage of students who were overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)\*\*

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	14.6	( 12.4 - 17.0 )	5,378	13.9	( 11.9 - 16.2 )	2,661	15.2	( 12.3 - 18.6 )	2,717
<b>Age</b>									
15 or younger	14.7	( 11.6 - 18.3 )	2,190	15.2	( 11.1 - 20.4 )	1,032	14.2	( 11.1 - 18.0 )	1,158
16 or 17	13.9	( 11.6 - 16.7 )	2,580	12.5	( 10.1 - 15.4 )	1,274	15.3	( 12.0 - 19.3 )	1,306
18 or older	16.6	( 13.3 - 20.4 )	608	15.4	( 11.1 - 20.9 )	355	18.1	( 11.4 - 27.5 )	253
<b>Grade</b>									
9th	14.9	( 11.2 - 19.5 )	1,670	16.0	( 11.2 - 22.5 )	841	13.9	( 10.5 - 18.1 )	829
10th	13.7	( 10.9 - 17.1 )	1,512	12.5	( 9.2 - 16.8 )	723	14.8	( 11.4 - 19.2 )	789
11th	13.0	( 11.1 - 15.2 )	1,158	11.1	( 8.0 - 15.3 )	535	14.8	( 11.9 - 18.4 )	623
12th	16.7	( 12.8 - 21.4 )	1,003	15.8	( 12.6 - 19.6 )	537	17.5	( 11.1 - 26.5 )	466
<b>Race/Ethnicity</b>									
Black*	19.3	( 15.7 - 23.6 )	901	14.7	( 11.3 - 18.8 )	396	23.3	( 19.0 - 28.1 )	505
Hispanic/Latino	15.4	( 11.5 - 20.2 )	421	14.6	( 10.2 - 20.5 )	215	16.1	( 9.2 - 26.7 )	206
White*	11.9	( 10.3 - 13.6 )	3,489	13.2	( 11.0 - 15.9 )	1,742	10.5	( 9.0 - 12.3 )	1,747
All other races	12.9	( 8.4 - 19.1 )	230	13.8	( 8.4 - 21.9 )	136	-	-	94
Multiple races	13.6	( 8.0 - 22.3 )	258	16.3	( 6.4 - 35.8 )	132	10.6	( 5.5 - 19.6 )	126

Note: There were 324 students who were excluded from the analysis for QNOWT.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

\*\*Based on reference data from the 2000 CDC Growth Charts.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QNOBESE: Percentage of students who were obese (i.e., at or above the 95th percentile for body mass index, by age and sex)\*\*

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	13.4	( 11.1 - 16.0)	5,378	16.8	( 14.3 - 19.7)	2,661	10.1	( 7.5 - 13.3)	2,717
<b>Age</b>									
15 or younger	11.2	( 8.6 - 14.4)	2,190	12.6	( 10.2 - 15.4)	1,032	9.9	( 6.8 - 14.3)	1,158
16 or 17	14.0	( 11.2 - 17.3)	2,580	18.2	( 14.8 - 22.1)	1,274	9.8	( 7.3 - 13.1)	1,306
18 or older	17.6	( 11.8 - 25.4)	608	22.6	( 15.5 - 31.7)	355	11.3	( 5.6 - 21.7)	253
<b>Grade</b>									
9th	12.4	( 9.0 - 16.9)	1,670	13.6	( 10.6 - 17.4)	841	11.3	( 7.2 - 17.4)	829
10th	10.8	( 8.5 - 13.7)	1,512	14.5	( 11.3 - 18.4)	723	7.0	( 4.5 - 10.9)	789
11th	16.1	( 10.5 - 23.8)	1,158	20.9	( 13.0 - 32.0)	535	11.2	( 7.4 - 16.5)	623
12th	14.5	( 10.9 - 19.1)	1,003	18.7	( 14.2 - 24.2)	537	10.6	( 6.5 - 16.8)	466
<b>Race/Ethnicity</b>									
Black*	18.5	( 15.0 - 22.7)	901	21.2	( 16.3 - 27.0)	396	16.3	( 12.2 - 21.6)	505
Hispanic/Latino	12.8	( 8.3 - 19.4)	421	16.6	( 11.3 - 23.7)	215	9.0	( 3.3 - 22.5)	206
White*	10.7	( 8.8 - 12.9)	3,489	14.4	( 12.1 - 17.0)	1,742	7.0	( 5.0 - 9.6)	1,747
All other races	12.5	( 6.1 - 23.6)	230	19.3	( 9.1 - 36.3)	136	-	-	94
Multiple races	15.0	( 9.9 - 22.0)	258	21.0	( 12.9 - 32.4)	132	7.9	( 3.7 - 16.1)	126

Note: There were 324 students who were excluded from the analysis for QNOBESE.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

\*\*Based on reference data from the 2000 CDC Growth Charts.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN65: Percentage of students who described themselves as slightly or very overweight

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	28.0	( 26.1 - 30.1 )	5,647	23.0	( 20.5 - 25.6 )	2,744	32.9	( 30.4 - 35.4 )	2,882
<b>Age</b>									
15 or younger	26.9	( 24.2 - 29.7 )	2,332	20.8	( 17.8 - 24.1 )	1,081	32.1	( 27.7 - 36.9 )	1,238
16 or 17	27.4	( 25.3 - 29.6 )	2,684	21.8	( 18.6 - 25.4 )	1,299	32.9	( 30.3 - 35.5 )	1,380
18 or older	33.5	( 26.8 - 40.9 )	629	31.7	( 24.0 - 40.6 )	363	35.7	( 27.8 - 44.5 )	264
<b>Grade</b>									
9th	26.0	( 23.2 - 29.0 )	1,785	21.1	( 17.9 - 24.7 )	881	30.3	( 26.4 - 34.5 )	898
10th	28.1	( 24.8 - 31.6 )	1,578	21.6	( 18.3 - 25.3 )	737	34.3	( 28.9 - 40.2 )	836
11th	27.0	( 22.1 - 32.6 )	1,201	22.2	( 15.1 - 31.5 )	554	31.8	( 27.0 - 37.1 )	647
12th	31.7	( 27.9 - 35.9 )	1,034	26.9	( 21.7 - 32.7 )	545	36.5	( 31.3 - 42.0 )	487
<b>Race/Ethnicity</b>									
Black*	29.7	( 24.8 - 35.0 )	926	22.6	( 17.0 - 29.3 )	408	35.7	( 30.6 - 41.1 )	517
Hispanic/Latino	31.6	( 28.3 - 35.1 )	465	29.1	( 23.9 - 35.0 )	234	34.9	( 28.3 - 42.1 )	226
White*	26.9	( 24.8 - 29.1 )	3,643	22.4	( 19.8 - 25.3 )	1,781	31.3	( 28.1 - 34.7 )	1,859
All other races	26.4	( 17.9 - 37.1 )	246	22.5	( 11.9 - 38.2 )	142	30.9	( 17.1 - 49.2 )	101
Multiple races	31.4	( 22.0 - 42.7 )	269	23.7	( 10.9 - 44.1 )	134	37.5	( 30.5 - 45.2 )	134

Note: There were 55 students who were excluded from the analysis for QN65.

N = Number of students.

\*Non-Hispanic.



2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN66: Percentage of students who were trying to lose weight

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	46.2	( 44.0 - 48.4 )	5,645	29.8	( 27.6 - 32.1 )	2,738	61.8	( 58.8 - 64.6 )	2,888
<b>Age</b>									
15 or younger	47.2	( 44.2 - 50.3 )	2,330	28.8	( 23.8 - 34.2 )	1,077	63.0	( 59.8 - 66.1 )	1,240
16 or 17	45.3	( 42.7 - 47.9 )	2,685	30.0	( 27.0 - 33.1 )	1,299	59.9	( 56.2 - 63.4 )	1,383
18 or older	46.5	( 42.9 - 50.3 )	628	31.8	( 24.4 - 40.3 )	361	65.1	( 57.9 - 71.6 )	265
<b>Grade</b>									
9th	45.7	( 42.8 - 48.7 )	1,781	28.3	( 23.8 - 33.3 )	878	60.9	( 55.6 - 66.0 )	897
10th	46.5	( 43.4 - 49.7 )	1,579	31.7	( 27.5 - 36.2 )	734	61.5	( 58.2 - 64.7 )	840
11th	42.7	( 38.7 - 46.7 )	1,204	24.7	( 20.8 - 29.0 )	555	60.5	( 54.5 - 66.2 )	649
12th	50.2	( 46.9 - 53.4 )	1,033	34.7	( 29.0 - 40.8 )	543	64.7	( 57.5 - 71.3 )	488
<b>Race/Ethnicity</b>									
Black*	42.9	( 39.6 - 46.3 )	924	26.0	( 21.3 - 31.4 )	404	57.1	( 50.6 - 63.3 )	519
Hispanic/Latino	49.3	( 44.5 - 54.2 )	464	42.6	( 34.3 - 51.5 )	233	55.7	( 49.9 - 61.4 )	226
White*	48.2	( 45.4 - 51.0 )	3,646	31.0	( 28.9 - 33.1 )	1,779	65.0	( 60.4 - 69.4 )	1,864
All other races	48.9	( 38.7 - 59.3 )	247	37.7	( 26.2 - 50.7 )	142	62.6	( 46.9 - 76.1 )	102
Multiple races	37.1	( 27.3 - 48.1 )	268	20.1	( 10.4 - 35.4 )	134	57.0	( 49.9 - 63.7 )	133

Note: There were 57 students who were excluded from the analysis for QN66.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN67: Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	61.9	( 59.3 - 64.5 )	5,591	55.9	( 52.4 - 59.2 )	2,699	67.5	( 63.7 - 71.1 )	2,875
<b>Age</b>									
15 or younger	66.3	( 63.5 - 69.0 )	2,307	57.1	( 52.4 - 61.7 )	1,060	74.0	( 69.9 - 77.7 )	1,236
16 or 17	59.8	( 56.6 - 62.9 )	2,663	55.3	( 50.1 - 60.4 )	1,283	64.0	( 59.7 - 68.1 )	1,377
18 or older	56.4	( 51.3 - 61.4 )	619	54.5	( 48.3 - 60.7 )	355	58.8	( 50.3 - 66.8 )	262
<b>Grade</b>									
9th	65.1	( 61.5 - 68.5 )	1,764	56.5	( 50.9 - 61.9 )	867	72.3	( 67.5 - 76.6 )	891
10th	63.3	( 59.6 - 66.8 )	1,569	59.2	( 54.3 - 64.0 )	724	67.5	( 61.8 - 72.7 )	840
11th	60.5	( 52.1 - 68.3 )	1,192	55.9	( 46.7 - 64.7 )	546	64.9	( 55.1 - 73.6 )	646
12th	57.2	( 53.2 - 61.0 )	1,021	50.1	( 46.0 - 54.2 )	535	63.6	( 58.0 - 68.8 )	485
<b>Race/Ethnicity</b>									
Black*	58.0	( 50.7 - 64.9 )	914	56.0	( 45.7 - 65.7 )	399	59.6	( 53.8 - 65.2 )	514
Hispanic/Latino	64.9	( 58.1 - 71.2 )	461	66.6	( 58.7 - 73.7 )	232	62.7	( 51.0 - 73.0 )	225
White*	64.1	( 61.7 - 66.5 )	3,618	55.2	( 52.5 - 57.8 )	1,757	72.8	( 68.4 - 76.8 )	1,858
All other races	54.8	( 48.3 - 61.2 )	241	41.5	( 32.0 - 51.7 )	138	71.3	( 59.3 - 81.0 )	100
Multiple races	59.6	( 51.4 - 67.2 )	267	54.3	( 39.0 - 68.7 )	132	66.9	( 54.8 - 77.2 )	134

Note: There were 111 students who were excluded from the analysis for QN67.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN68: Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	36.2	( 34.0 - 38.6 )	5,614	26.1	( 23.9 - 28.3 )	2,713	45.8	( 41.7 - 50.0 )	2,884
<b>Age</b>									
15 or younger	38.7	( 35.6 - 42.0 )	2,318	28.0	( 23.8 - 32.7 )	1,067	47.8	( 43.5 - 52.2 )	1,240
16 or 17	33.6	( 29.0 - 38.6 )	2,673	23.0	( 20.0 - 26.3 )	1,288	43.8	( 36.8 - 51.0 )	1,382
18 or older	38.2	( 32.7 - 44.1 )	621	31.1	( 23.5 - 39.8 )	357	47.2	( 40.6 - 53.9 )	262
<b>Grade</b>									
9th	35.3	( 32.7 - 38.0 )	1,770	26.0	( 22.3 - 30.1 )	867	43.3	( 38.5 - 48.2 )	897
10th	39.3	( 36.2 - 42.6 )	1,574	27.5	( 22.5 - 33.0 )	729	51.4	( 45.9 - 56.8 )	840
11th	30.7	( 24.4 - 37.8 )	1,198	20.3	( 15.5 - 26.1 )	550	40.9	( 32.9 - 49.4 )	648
12th	40.0	( 36.0 - 44.1 )	1,025	30.7	( 24.3 - 37.9 )	540	48.6	( 41.5 - 55.7 )	485
<b>Race/Ethnicity</b>									
Black*	26.2	( 23.4 - 29.2 )	916	21.6	( 16.6 - 27.7 )	399	30.0	( 26.0 - 34.3 )	516
Hispanic/Latino	37.6	( 32.8 - 42.5 )	458	34.1	( 26.3 - 42.9 )	232	41.4	( 33.9 - 49.3 )	223
White*	41.6	( 39.6 - 43.7 )	3,635	28.5	( 26.2 - 30.9 )	1,766	54.4	( 50.8 - 57.9 )	1,866
All other races	35.1	( 29.6 - 41.0 )	245	19.8	( 12.1 - 30.8 )	140	53.5	( 42.1 - 64.5 )	102
Multiple races	34.7	( 26.2 - 44.4 )	269	21.1	( 12.2 - 33.8 )	134	50.8	( 39.4 - 62.1 )	134

Note: There were 88 students who were excluded from the analysis for QN68.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN70: Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	5.1	( 4.1 - 6.4 )	5,607	4.1	( 2.9 - 5.7 )	2,710	6.0	( 4.7 - 7.6 )	2,880
<b>Age</b>									
15 or younger	4.5	( 3.1 - 6.5 )	2,318	4.2	( 2.4 - 7.1 )	1,071	4.6	( 2.9 - 7.4 )	1,235
16 or 17	4.8	( 3.8 - 6.0 )	2,666	3.4	( 2.5 - 4.6 )	1,284	6.1	( 4.4 - 8.5 )	1,380
18 or older	8.0	( 4.8 - 12.9 )	621	6.3	( 3.6 - 10.8 )	354	10.1	( 5.2 - 18.5 )	265
<b>Grade</b>									
9th	4.1	( 2.7 - 6.0 )	1,768	3.6	( 2.2 - 5.9 )	869	4.5	( 2.6 - 7.7 )	893
10th	5.0	( 3.8 - 6.5 )	1,574	5.1	( 3.4 - 7.6 )	731	4.9	( 3.1 - 7.7 )	838
11th	5.4	( 4.2 - 7.1 )	1,195	2.9	( 1.4 - 6.0 )	547	7.9	( 5.5 - 11.2 )	648
12th	6.4	( 4.5 - 9.0 )	1,024	4.7	( 2.8 - 7.8 )	536	7.5	( 5.0 - 11.0 )	487
<b>Race/Ethnicity</b>									
Black*	5.1	( 3.5 - 7.5 )	917	3.7	( 1.7 - 7.9 )	401	6.3	( 4.0 - 9.9 )	515
Hispanic/Latino	6.3	( 4.2 - 9.3 )	455	7.3	( 3.9 - 13.4 )	231	5.0	( 2.8 - 8.6 )	221
White*	5.0	( 4.1 - 6.2 )	3,635	4.1	( 2.9 - 5.8 )	1,767	5.9	( 4.7 - 7.3 )	1,865
All other races	5.0	( 2.1 - 11.5 )	243	2.6	( 1.0 - 6.5 )	138	8.0	( 2.3 - 24.1 )	102
Multiple races	2.5	( 1.5 - 4.3 )	267	1.0	( 0.3 - 3.7 )	132	4.2	( 2.5 - 6.8 )	134

Note: There were 95 students who were excluded from the analysis for QN70.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN71: Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	4.8	( 4.2 - 5.6)	5,594	3.5	( 2.5 - 4.8)	2,696	6.1	( 5.0 - 7.3)	2,881
<b>Age</b>									
15 or younger	4.9	( 3.8 - 6.4)	2,314	3.6	( 2.4 - 5.4)	1,066	6.0	( 3.9 - 9.1)	1,237
16 or 17	4.3	( 3.4 - 5.4)	2,657	2.7	( 1.7 - 4.0)	1,273	5.8	( 4.1 - 8.0)	1,381
18 or older	6.4	( 4.0 - 10.1)	621	5.6	( 3.1 - 9.9)	356	7.4	( 3.6 - 14.5)	263
<b>Grade</b>									
9th	5.2	( 3.9 - 6.8)	1,768	4.3	( 2.6 - 7.2)	867	5.9	( 3.9 - 8.8)	896
10th	4.3	( 3.0 - 6.3)	1,567	3.0	( 1.9 - 4.8)	724	5.6	( 3.7 - 8.4)	838
11th	4.5	( 3.4 - 6.0)	1,192	1.6	( 0.8 - 3.1)	544	7.3	( 4.8 - 11.0)	648
12th	5.3	( 3.8 - 7.2)	1,022	4.9	( 3.0 - 8.0)	536	5.6	( 3.3 - 9.1)	485
<b>Race/Ethnicity</b>									
Black*	5.0	( 3.6 - 6.7)	916	4.1	( 2.0 - 8.2)	399	5.7	( 3.5 - 9.2)	516
Hispanic/Latino	8.8	( 5.4 - 14.0)	451	9.2	( 4.2 - 19.0)	225	8.2	( 4.9 - 13.4)	221
White*	4.3	( 3.3 - 5.7)	3,629	2.6	( 1.8 - 3.6)	1,761	6.0	( 4.5 - 8.0)	1,865
All other races	4.8	( 2.1 - 10.8)	242	3.3	( 1.2 - 8.5)	137	6.4	( 2.0 - 18.6)	102
Multiple races	2.2	( 1.1 - 4.5)	268	0.0	( 0.0 - 0.1)	133	4.5	( 2.2 - 9.1)	134

Note: There were 108 students who were excluded from the analysis for QN71.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN72: Percentage of students who drank 100% fruit juices one or more times during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	78.1	( 76.2 - 79.9 )	5,633	79.7	( 76.8 - 82.3 )	2,729	76.8	( 74.6 - 78.9 )	2,885
<b>Age</b>									
15 or younger	75.5	( 73.2 - 77.7 )	2,329	77.4	( 72.1 - 81.9 )	1,079	74.4	( 70.0 - 78.3 )	1,238
16 or 17	79.1	( 76.6 - 81.5 )	2,678	80.0	( 75.9 - 83.5 )	1,292	78.3	( 74.1 - 82.1 )	1,381
18 or older	82.1	( 77.0 - 86.2 )	624	84.2	( 77.7 - 89.1 )	357	79.4	( 72.8 - 84.7 )	266
<b>Grade</b>									
9th	75.8	( 72.9 - 78.4 )	1,780	78.1	( 72.1 - 83.1 )	878	74.2	( 69.5 - 78.4 )	896
10th	76.9	( 73.8 - 79.8 )	1,577	78.2	( 72.9 - 82.8 )	731	75.8	( 72.3 - 79.1 )	840
11th	79.0	( 74.0 - 83.2 )	1,203	78.3	( 71.4 - 83.9 )	555	79.6	( 73.8 - 84.4 )	648
12th	82.2	( 78.9 - 85.2 )	1,027	85.5	( 81.7 - 88.6 )	538	79.4	( 74.8 - 83.3 )	487
<b>Race/Ethnicity</b>									
Black*	82.1	( 78.1 - 85.4 )	920	84.7	( 79.5 - 88.8 )	401	79.9	( 74.9 - 84.1 )	519
Hispanic/Latino	85.5	( 80.5 - 89.5 )	459	85.0	( 76.8 - 90.7 )	231	87.0	( 78.0 - 92.7 )	224
White*	75.4	( 72.7 - 78.0 )	3,641	77.3	( 73.8 - 80.5 )	1,774	73.6	( 70.2 - 76.7 )	1,864
All other races	72.0	( 61.1 - 80.7 )	247	72.1	( 54.5 - 84.7 )	142	71.9	( 60.1 - 81.3 )	102
Multiple races	76.3	( 70.9 - 81.0 )	271	72.6	( 64.4 - 79.6 )	136	82.9	( 69.8 - 91.0 )	134

Note: There were 69 students who were excluded from the analysis for QN72.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN73: Percentage of students who ate fruit one or more times during the past seven days

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	82.5	( 80.4 - 84.4 )	5,204	83.1	( 80.8 - 85.1 )	2,527	82.1	( 79.5 - 84.4 )	2,659
<b>Age</b>									
15 or younger	82.9	( 80.2 - 85.3 )	2,149	82.2	( 77.7 - 86.0 )	995	83.9	( 80.5 - 86.8 )	1,144
16 or 17	81.1	( 77.8 - 83.9 )	2,464	82.3	( 78.1 - 85.9 )	1,194	79.8	( 75.5 - 83.4 )	1,265
18 or older	86.0	( 83.0 - 88.5 )	589	87.1	( 81.1 - 91.4 )	337	84.6	( 76.8 - 90.1 )	250
<b>Grade</b>									
9th	81.7	( 78.6 - 84.4 )	1,671	82.8	( 78.1 - 86.7 )	827	81.3	( 77.1 - 84.9 )	839
10th	83.9	( 81.0 - 86.4 )	1,398	82.0	( 77.8 - 85.5 )	650	85.8	( 80.7 - 89.7 )	745
11th	80.7	( 76.6 - 84.3 )	1,124	81.6	( 77.2 - 85.4 )	516	79.8	( 74.1 - 84.5 )	608
12th	84.2	( 80.0 - 87.6 )	963	86.3	( 81.3 - 90.2 )	508	81.9	( 74.4 - 87.6 )	453
<b>Race/Ethnicity</b>									
Black*	76.6	( 73.3 - 79.6 )	787	79.8	( 75.6 - 83.5 )	347	73.7	( 66.6 - 79.7 )	439
Hispanic/Latino	87.2	( 83.5 - 90.2 )	415	85.1	( 78.0 - 90.3 )	205	89.0	( 82.4 - 93.3 )	207
White*	84.9	( 82.1 - 87.3 )	3,444	84.4	( 81.4 - 87.0 )	1,682	85.3	( 81.8 - 88.2 )	1,759
All other races	83.4	( 72.9 - 90.3 )	227	79.0	( 60.8 - 90.1 )	131	-	-	93
Multiple races	87.2	( 80.1 - 92.0 )	243	89.1	( 73.3 - 96.1 )	122	85.2	( 77.3 - 90.7 )	121

Note: There were 498 students who were excluded from the analysis for QN73.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN74: Percentage of students who ate green salad one or more times during the past seven days

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	56.4	( 52.2 - 60.5 )	5,228	51.6	( 47.2 - 56.1 )	2,541	61.2	( 56.7 - 65.5 )	2,667
<b>Age</b>									
15 or younger	53.4	( 50.0 - 56.8 )	2,159	46.7	( 42.2 - 51.3 )	997	59.3	( 55.3 - 63.1 )	1,150
16 or 17	56.5	( 51.1 - 61.7 )	2,479	52.0	( 46.4 - 57.6 )	1,206	61.1	( 54.6 - 67.2 )	1,268
18 or older	64.4	( 55.0 - 72.9 )	588	61.6	( 50.1 - 71.9 )	337	68.1	( 59.8 - 75.4 )	249
<b>Grade</b>									
9th	53.4	( 49.8 - 57.0 )	1,678	46.6	( 41.6 - 51.7 )	828	59.4	( 55.6 - 63.1 )	845
10th	52.6	( 45.0 - 60.1 )	1,409	47.1	( 37.7 - 56.7 )	657	58.2	( 49.8 - 66.2 )	747
11th	58.1	( 51.3 - 64.7 )	1,133	55.2	( 50.3 - 60.0 )	523	61.2	( 51.4 - 70.2 )	610
12th	63.0	( 55.5 - 69.9 )	961	59.4	( 48.8 - 69.2 )	507	67.0	( 60.2 - 73.2 )	452
<b>Race/Ethnicity</b>									
Black*	41.7	( 34.5 - 49.2 )	789	39.2	( 31.5 - 47.4 )	349	44.0	( 36.8 - 51.4 )	439
Hispanic/Latino	58.8	( 52.3 - 65.0 )	421	53.6	( 44.0 - 63.0 )	207	64.0	( 55.3 - 71.9 )	209
White*	63.2	( 59.6 - 66.8 )	3,455	57.2	( 52.3 - 62.0 )	1,688	69.2	( 65.7 - 72.4 )	1,765
All other races	65.2	( 55.2 - 73.9 )	228	60.7	( 48.1 - 72.1 )	133	-	-	92
Multiple races	56.3	( 48.3 - 63.9 )	247	47.8	( 38.3 - 57.4 )	124	68.1	( 60.0 - 75.1 )	122

Note: There were 474 students who were excluded from the analysis for QN74.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.



2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN75: Percentage of students who ate potatoes one or more times during the past seven days

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	67.2	( 64.2 - 70.0 )	5,225	67.9	( 63.3 - 72.3 )	2,540	66.5	( 63.4 - 69.4 )	2,665
<b>Age</b>									
15 or younger	69.1	( 64.5 - 73.3 )	2,158	67.8	( 60.5 - 74.4 )	997	70.3	( 66.2 - 74.1 )	1,149
16 or 17	65.9	( 62.7 - 68.9 )	2,476	67.0	( 61.8 - 71.8 )	1,204	64.7	( 60.8 - 68.4 )	1,267
18 or older	66.3	( 59.7 - 72.3 )	589	71.0	( 58.8 - 80.8 )	338	60.2	( 49.1 - 70.3 )	249
<b>Grade</b>									
9th	69.2	( 64.0 - 74.0 )	1,678	69.7	( 63.6 - 75.2 )	829	68.9	( 63.6 - 73.8 )	844
10th	65.6	( 61.3 - 69.6 )	1,407	64.8	( 59.7 - 69.5 )	655	66.8	( 60.4 - 72.6 )	747
11th	67.5	( 64.6 - 70.3 )	1,131	66.3	( 59.1 - 72.8 )	522	68.8	( 63.7 - 73.6 )	609
12th	65.5	( 59.2 - 71.2 )	961	71.0	( 60.0 - 80.0 )	508	59.7	( 50.8 - 68.0 )	451
<b>Race/Ethnicity</b>									
Black*	59.6	( 54.7 - 64.3 )	789	62.9	( 56.1 - 69.3 )	350	56.5	( 50.4 - 62.4 )	438
Hispanic/Latino	63.4	( 55.7 - 70.5 )	420	65.5	( 55.8 - 74.0 )	207	61.1	( 50.6 - 70.7 )	209
White*	72.2	( 68.0 - 76.1 )	3,455	72.3	( 64.9 - 78.5 )	1,688	72.2	( 67.2 - 76.7 )	1,764
All other races	63.4	( 53.6 - 72.3 )	228	53.2	( 40.4 - 65.6 )	132	-	-	93
Multiple races	56.3	( 39.8 - 71.5 )	246	55.9	( 46.7 - 64.6 )	124	58.9	( 35.0 - 79.3 )	121

Note: There were 477 students who were excluded from the analysis for QN75.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN76: Percentage of students who ate carrots one or more times during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	36.5	( 33.6 - 39.5 )	5,215	37.0	( 32.2 - 42.0 )	2,530	36.2	( 33.6 - 38.8 )	2,665
<b>Age</b>									
15 or younger	36.9	( 32.9 - 41.0 )	2,152	36.7	( 31.4 - 42.2 )	992	37.4	( 33.7 - 41.2 )	1,148
16 or 17	33.7	( 29.9 - 37.8 )	2,476	32.5	( 26.5 - 39.2 )	1,202	34.8	( 30.2 - 39.8 )	1,269
18 or older	45.1	( 39.3 - 51.0 )	585	51.4	( 43.2 - 59.5 )	335	37.1	( 31.4 - 43.1 )	248
<b>Grade</b>									
9th	37.9	( 33.9 - 42.0 )	1,670	36.8	( 31.0 - 43.0 )	823	39.0	( 35.4 - 42.8 )	842
10th	34.5	( 29.7 - 39.5 )	1,408	33.4	( 26.3 - 41.2 )	656	35.7	( 31.5 - 40.2 )	747
11th	32.7	( 29.2 - 36.4 )	1,134	31.8	( 24.9 - 39.6 )	523	33.6	( 30.0 - 37.3 )	611
12th	40.9	( 36.5 - 45.5 )	956	47.3	( 41.3 - 53.4 )	503	34.7	( 29.4 - 40.5 )	451
<b>Race/Ethnicity</b>									
Black*	21.1	( 18.2 - 24.3 )	789	19.9	( 12.7 - 29.8 )	348	22.1	( 16.9 - 28.3 )	440
Hispanic/Latino	40.3	( 32.3 - 48.9 )	419	36.8	( 28.8 - 45.5 )	206	43.4	( 32.1 - 55.4 )	209
White*	42.4	( 38.4 - 46.5 )	3,450	43.0	( 37.5 - 48.6 )	1,683	41.9	( 38.1 - 45.8 )	1,764
All other races	51.6	( 34.9 - 68.0 )	228	55.0	( 40.5 - 68.8 )	132	-	-	93
Multiple races	39.7	( 31.1 - 48.9 )	243	48.9	( 36.5 - 61.5 )	122	30.8	( 16.9 - 49.3 )	120

Note: There were 487 students who were excluded from the analysis for QN76.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN77: Percentage of students who ate other vegetables one or more times during the past seven days

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	82.6	( 81.4 - 83.8 )	5,222	81.6	( 79.2 - 83.7 )	2,535	83.9	( 82.2 - 85.5 )	2,667
<b>Age</b>									
15 or younger	81.5	( 77.4 - 84.9 )	2,154	79.9	( 73.4 - 85.1 )	994	83.4	( 79.8 - 86.5 )	1,148
16 or 17	82.8	( 80.4 - 85.0 )	2,478	81.8	( 79.3 - 84.0 )	1,203	83.8	( 79.5 - 87.4 )	1,270
18 or older	85.5	( 79.9 - 89.7 )	588	84.8	( 78.7 - 89.3 )	337	86.4	( 79.9 - 91.0 )	249
<b>Grade</b>									
9th	81.3	( 77.3 - 84.7 )	1,674	78.6	( 71.8 - 84.1 )	826	84.2	( 80.9 - 87.0 )	843
10th	81.1	( 78.3 - 83.7 )	1,407	81.6	( 76.4 - 85.9 )	655	81.0	( 74.5 - 86.1 )	747
11th	84.3	( 80.7 - 87.4 )	1,131	82.8	( 78.7 - 86.2 )	520	86.0	( 79.5 - 90.6 )	611
12th	85.0	( 80.8 - 88.4 )	962	85.3	( 81.0 - 88.7 )	508	84.6	( 78.6 - 89.1 )	452
<b>Race/Ethnicity</b>									
Black*	78.2	( 75.3 - 80.8 )	789	78.0	( 73.7 - 81.8 )	349	78.3	( 75.3 - 81.1 )	439
Hispanic/Latino	76.9	( 65.9 - 85.1 )	418	74.1	( 64.0 - 82.1 )	205	79.1	( 65.6 - 88.2 )	209
White*	85.5	( 83.5 - 87.3 )	3,455	83.9	( 80.5 - 86.8 )	1,686	87.0	( 84.4 - 89.2 )	1,766
All other races	86.8	( 78.1 - 92.4 )	228	84.2	( 75.0 - 90.5 )	132	-	-	93
Multiple races	82.2	( 70.3 - 90.0 )	245	83.3	( 65.6 - 92.8 )	124	84.1	( 72.6 - 91.4 )	120

Note: There were 480 students who were excluded from the analysis for QN77.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QNFRVG: Percentage of students who ate fruits and vegetables five or more times per day during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	16.9	( 15.2 - 18.7 )	5,147	18.3	( 16.0 - 20.9 )	2,492	15.5	( 13.4 - 17.9 )	2,641
<b>Age</b>									
15 or younger	17.6	( 15.5 - 20.0 )	2,125	18.8	( 16.7 - 21.1 )	981	16.9	( 13.7 - 20.6 )	1,136
16 or 17	16.5	( 13.6 - 19.9 )	2,444	18.1	( 14.5 - 22.2 )	1,182	14.8	( 11.9 - 18.4 )	1,258
18 or older	16.0	( 12.5 - 20.2 )	576	18.0	( 13.3 - 24.0 )	328	13.4	( 6.5 - 25.5 )	247
<b>Grade</b>									
9th	18.0	( 15.3 - 21.0 )	1,649	19.3	( 15.8 - 23.5 )	812	16.9	( 13.9 - 20.3 )	833
10th	16.5	( 12.4 - 21.5 )	1,391	18.2	( 13.1 - 24.8 )	646	14.8	( 10.8 - 19.9 )	742
11th	15.5	( 12.7 - 18.6 )	1,118	14.4	( 11.3 - 18.2 )	513	16.5	( 12.4 - 21.7 )	605
12th	16.8	( 14.1 - 19.9 )	947	20.7	( 15.6 - 26.9 )	496	12.8	( 9.1 - 17.7 )	449
<b>Race/Ethnicity</b>									
Black*	20.2	( 16.7 - 24.1 )	773	21.5	( 17.4 - 26.2 )	337	19.0	( 14.1 - 25.0 )	436
Hispanic/Latino	25.0	( 19.7 - 31.2 )	409	25.3	( 16.8 - 36.2 )	203	23.8	( 16.6 - 33.0 )	204
White*	14.0	( 11.9 - 16.4 )	3,419	15.5	( 12.3 - 19.2 )	1,664	12.6	( 10.7 - 14.7 )	1,753
All other races	19.1	( 12.1 - 28.9 )	225	25.6	( 15.1 - 40.2 )	130	-	-	92
Multiple races	22.0	( 15.7 - 30.0 )	239	22.4	( 13.5 - 34.6 )	120	21.6	( 13.8 - 32.2 )	119

Note: There were 555 students who were excluded from the analysis for QNFRVG.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QNFRUIT: Percentage of students who ate fruits two or more times per day during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	27.6	( 24.9 - 30.6 )	5,182	27.0	( 23.0 - 31.5 )	2,516	28.3	( 25.7 - 30.9 )	2,651
<b>Age</b>									
15 or younger	31.1	( 28.8 - 33.5 )	2,142	27.5	( 24.0 - 31.4 )	993	34.1	( 30.3 - 38.2 )	1,140
16 or 17	25.2	( 21.0 - 29.8 )	2,454	26.4	( 21.0 - 32.7 )	1,188	23.8	( 20.0 - 28.0 )	1,262
18 or older	26.6	( 21.6 - 32.3 )	584	27.7	( 22.7 - 33.3 )	334	25.1	( 16.8 - 35.8 )	249
<b>Grade</b>									
9th	31.3	( 27.6 - 35.2 )	1,665	28.3	( 23.7 - 33.4 )	824	34.1	( 29.5 - 39.0 )	836
10th	27.1	( 22.7 - 31.9 )	1,394	26.7	( 20.6 - 33.9 )	648	27.4	( 22.6 - 32.9 )	743
11th	22.4	( 17.6 - 28.2 )	1,122	22.0	( 15.9 - 29.7 )	515	22.9	( 17.2 - 29.7 )	607
12th	28.2	( 24.2 - 32.6 )	957	31.1	( 26.4 - 36.2 )	503	25.4	( 20.1 - 31.4 )	452
<b>Race/Ethnicity</b>									
Black*	30.3	( 25.0 - 36.3 )	780	32.0	( 25.4 - 39.5 )	342	28.8	( 22.5 - 36.0 )	438
Hispanic/Latino	40.0	( 32.5 - 48.0 )	411	45.3	( 31.7 - 59.6 )	205	34.2	( 27.7 - 41.3 )	204
White*	24.9	( 21.7 - 28.5 )	3,436	22.8	( 18.1 - 28.3 )	1,676	27.0	( 24.5 - 29.7 )	1,757
All other races	31.7	( 20.4 - 45.6 )	227	37.1	( 25.8 - 50.0 )	131	-	-	93
Multiple races	25.4	( 17.7 - 34.9 )	243	22.1	( 11.7 - 37.8 )	122	28.9	( 21.7 - 37.4 )	121

Note: There were 520 students who were excluded from the analysis for QNFRUIT.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QNVEG: Percentage of students who ate vegetables three or more times per day during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	9.1	( 7.8 - 10.7)	5,198	8.9	( 7.2 - 11.1)	2,520	9.3	( 7.7 - 11.2)	2,659
<b>Age</b>									
15 or younger	9.1	( 7.5 - 11.1)	2,144	8.5	( 6.5 - 11.0)	987	9.7	( 7.2 - 13.1)	1,146
16 or 17	9.6	( 7.5 - 12.2)	2,469	9.6	( 7.2 - 12.6)	1,199	9.5	( 7.1 - 12.6)	1,265
18 or older	7.5	( 5.0 - 11.1)	583	7.8	( 4.9 - 12.2)	333	7.1	( 3.4 - 14.4)	248
<b>Grade</b>									
9th	9.1	( 7.5 - 11.1)	1,664	7.9	( 5.7 - 10.9)	819	10.3	( 7.9 - 13.2)	841
10th	8.5	( 6.2 - 11.6)	1,406	10.0	( 6.6 - 14.7)	654	7.2	( 5.2 - 10.0)	747
11th	9.6	( 7.0 - 13.1)	1,128	8.9	( 6.2 - 12.5)	520	10.4	( 6.4 - 16.3)	608
12th	9.1	( 6.7 - 12.3)	954	9.2	( 6.1 - 13.5)	502	8.8	( 6.1 - 12.5)	450
<b>Race/Ethnicity</b>									
Black*	9.3	( 7.0 - 12.4)	785	6.3	( 3.1 - 12.2)	346	12.1	( 9.3 - 15.5)	438
Hispanic/Latino	8.8	( 5.8 - 13.0)	417	8.4	( 4.9 - 13.8)	204	7.6	( 4.0 - 14.1)	209
White*	8.3	( 6.5 - 10.6)	3,442	9.2	( 7.2 - 11.5)	1,678	7.6	( 5.3 - 10.6)	1,762
All other races	17.5	( 9.8 - 29.4)	227	21.5	( 12.2 - 35.0)	132	-	-	92
Multiple races	13.0	( 6.3 - 24.7)	242	12.8	( 5.1 - 28.3)	122	13.7	( 6.1 - 27.8)	119

Note: There were 504 students who were excluded from the analysis for QNVEG.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN78: Percentage of students who drank a can, bottle, or glass of soda or pop one or more times per day during the past seven days

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	32.5	( 29.7 - 35.5 )	5,208	36.4	( 32.7 - 40.3 )	2,532	28.8	( 25.8 - 32.0 )	2,656
<b>Age</b>									
15 or younger	31.3	( 26.9 - 36.1 )	2,151	34.2	( 28.1 - 40.8 )	994	29.0	( 24.3 - 34.1 )	1,145
16 or 17	33.9	( 30.6 - 37.4 )	2,467	38.5	( 33.7 - 43.6 )	1,198	29.3	( 25.3 - 33.7 )	1,264
18 or older	31.3	( 26.0 - 37.1 )	588	35.0	( 27.9 - 42.8 )	339	26.4	( 20.7 - 33.0 )	247
<b>Grade</b>									
9th	31.8	( 26.7 - 37.3 )	1,670	34.0	( 28.3 - 40.3 )	825	29.9	( 24.0 - 36.5 )	840
10th	35.8	( 32.3 - 39.5 )	1,400	40.2	( 35.7 - 44.9 )	653	31.3	( 26.7 - 36.3 )	742
11th	30.2	( 25.5 - 35.2 )	1,130	34.7	( 26.6 - 43.8 )	520	25.5	( 20.5 - 31.2 )	610
12th	32.4	( 26.5 - 39.0 )	961	37.5	( 30.4 - 45.2 )	509	27.6	( 22.0 - 34.0 )	450
<b>Race/Ethnicity</b>									
Black*	29.4	( 24.3 - 35.1 )	788	28.8	( 23.0 - 35.4 )	348	29.9	( 24.5 - 36.0 )	439
Hispanic/Latino	24.7	( 19.9 - 30.3 )	415	30.9	( 24.2 - 38.6 )	202	19.3	( 11.7 - 30.3 )	208
White*	35.3	( 31.9 - 38.8 )	3,446	40.9	( 36.3 - 45.6 )	1,687	29.7	( 26.7 - 33.0 )	1,756
All other races	30.7	( 21.2 - 42.2 )	227	37.0	( 24.1 - 52.1 )	131	-	-	93
Multiple races	26.6	( 18.1 - 37.3 )	246	28.6	( 19.2 - 40.4 )	124	21.6	( 11.8 - 36.2 )	121

Note: There were 494 students who were excluded from the analysis for QN78.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN80: Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	46.0	( 43.9 - 48.2 )	5,629	56.7	( 54.0 - 59.4 )	2,723	36.0	( 33.1 - 39.1 )	2,884
<b>Age</b>									
15 or younger	51.0	( 46.4 - 55.6 )	2,323	60.5	( 54.8 - 65.9 )	1,073	43.1	( 38.0 - 48.5 )	1,237
16 or 17	42.5	( 38.0 - 47.1 )	2,678	55.5	( 49.3 - 61.6 )	1,291	30.0	( 26.6 - 33.7 )	1,381
18 or older	44.3	( 40.4 - 48.4 )	626	51.4	( 45.5 - 57.2 )	358	35.5	( 27.9 - 43.9 )	266
<b>Grade</b>									
9th	51.4	( 46.2 - 56.5 )	1,774	60.1	( 53.7 - 66.1 )	872	43.7	( 37.6 - 50.0 )	896
10th	44.6	( 39.4 - 49.9 )	1,579	57.7	( 51.2 - 63.9 )	733	31.6	( 26.4 - 37.3 )	840
11th	44.9	( 41.0 - 48.8 )	1,198	55.2	( 50.0 - 60.3 )	551	34.6	( 29.5 - 40.1 )	647
12th	41.2	( 37.2 - 45.4 )	1,030	52.4	( 48.0 - 56.8 )	541	31.2	( 24.7 - 38.5 )	487
<b>Race/Ethnicity</b>									
Black*	39.2	( 36.9 - 41.6 )	921	53.0	( 48.3 - 57.7 )	403	27.7	( 23.7 - 32.1 )	517
Hispanic/Latino	36.2	( 29.8 - 43.1 )	461	43.0	( 32.3 - 54.5 )	231	29.8	( 18.4 - 44.5 )	225
White*	51.4	( 48.9 - 53.9 )	3,636	61.3	( 58.6 - 64.0 )	1,769	41.8	( 38.2 - 45.5 )	1,864
All other races	44.2	( 32.7 - 56.3 )	245	51.1	( 38.9 - 63.1 )	141	35.4	( 20.6 - 53.6 )	101
Multiple races	42.1	( 35.0 - 49.5 )	271	44.3	( 34.5 - 54.7 )	136	40.9	( 33.1 - 49.2 )	134

Note: There were 73 students who were excluded from the analysis for QN80.

N = Number of students.

\*Non-Hispanic.



2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN81: Percentage of students who watched three or more hours per day of TV on an average school day

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	36.2	( 31.7 - 41.0)	5,609	37.1	( 33.5 - 40.9)	2,711	35.4	( 29.4 - 42.0)	2,876
<b>Age</b>									
15 or younger	37.0	( 32.0 - 42.3)	2,312	39.0	( 34.2 - 44.1)	1,063	35.4	( 28.7 - 42.6)	1,236
16 or 17	35.8	( 30.7 - 41.3)	2,669	35.5	( 30.2 - 41.1)	1,289	36.2	( 29.3 - 43.9)	1,374
18 or older	35.3	( 27.5 - 44.0)	626	37.8	( 31.6 - 44.5)	358	32.2	( 20.6 - 46.4)	266
<b>Grade</b>									
9th	37.2	( 32.2 - 42.6)	1,761	37.4	( 33.0 - 42.0)	862	37.0	( 29.2 - 45.4)	893
10th	38.6	( 32.8 - 44.8)	1,576	41.6	( 33.9 - 49.7)	730	36.1	( 29.2 - 43.5)	840
11th	33.7	( 28.1 - 39.8)	1,195	35.9	( 30.4 - 41.8)	551	31.5	( 24.5 - 39.4)	644
12th	34.5	( 27.4 - 42.5)	1,030	32.8	( 28.1 - 37.9)	542	36.4	( 25.9 - 48.3)	486
<b>Race/Ethnicity</b>									
Black*	54.6	( 50.3 - 58.9)	918	49.7	( 43.0 - 56.4)	402	58.7	( 54.6 - 62.7)	515
Hispanic/Latino	37.3	( 29.5 - 45.7)	458	40.1	( 28.8 - 52.6)	228	34.7	( 20.2 - 52.6)	225
White*	26.4	( 23.6 - 29.3)	3,623	30.8	( 27.9 - 34.0)	1,760	22.0	( 17.9 - 26.8)	1,860
All other races	23.9	( 16.7 - 33.1)	246	24.7	( 13.8 - 40.3)	142	22.9	( 17.1 - 29.9)	101
Multiple races	43.4	( 35.8 - 51.2)	270	46.7	( 33.5 - 60.4)	135	41.1	( 33.1 - 49.5)	134

Note: There were 93 students who were excluded from the analysis for QN81.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN82: Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	23.5	( 21.9 - 25.2 )	5,575	28.2	( 25.8 - 30.7 )	2,690	19.1	( 16.7 - 21.6 )	2,864
<b>Age</b>									
15 or younger	26.0	( 23.4 - 28.9 )	2,297	30.9	( 26.6 - 35.6 )	1,057	21.8	( 19.0 - 25.0 )	1,228
16 or 17	21.7	( 19.5 - 24.1 )	2,654	26.0	( 23.2 - 28.9 )	1,277	17.7	( 14.0 - 22.0 )	1,371
18 or older	22.5	( 18.2 - 27.5 )	622	28.6	( 22.9 - 35.1 )	355	15.0	( 9.3 - 23.2 )	265
<b>Grade</b>									
9th	26.3	( 23.2 - 29.6 )	1,748	31.9	( 27.9 - 36.0 )	858	21.5	( 17.0 - 26.8 )	885
10th	24.9	( 21.7 - 28.4 )	1,571	29.8	( 25.5 - 34.4 )	726	19.8	( 16.4 - 23.8 )	839
11th	19.4	( 17.0 - 21.9 )	1,185	22.2	( 18.9 - 25.9 )	545	16.6	( 11.8 - 22.8 )	640
12th	21.9	( 17.7 - 26.7 )	1,024	27.1	( 23.0 - 31.7 )	537	17.0	( 11.1 - 25.1 )	485
<b>Race/Ethnicity</b>									
Black*	26.5	( 23.3 - 29.9 )	910	29.8	( 25.4 - 34.5 )	397	23.7	( 19.8 - 28.1 )	512
Hispanic/Latino	21.3	( 17.5 - 25.8 )	452	29.7	( 24.0 - 36.0 )	225	11.9	( 8.8 - 16.0 )	223
White*	21.3	( 18.8 - 24.0 )	3,608	26.3	( 22.6 - 30.5 )	1,752	16.3	( 13.8 - 19.2 )	1,853
All other races	37.4	( 28.5 - 47.2 )	245	47.6	( 35.1 - 60.4 )	140	24.6	( 13.1 - 41.5 )	102
Multiple races	29.1	( 19.2 - 41.6 )	268	28.1	( 14.2 - 48.0 )	134	27.9	( 19.8 - 37.8 )	133

Note: There were 127 students who were excluded from the analysis for QN82.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN86: Percentage of students who had ever been told by a doctor or nurse that they had asthma

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	21.8	( 20.0 - 23.7)	5,564	22.3	( 20.0 - 24.7)	2,679	21.3	( 19.0 - 23.8)	2,867
<b>Age</b>									
15 or younger	23.3	( 21.0 - 25.9)	2,294	24.9	( 20.8 - 29.4)	1,054	22.0	( 20.0 - 24.2)	1,228
16 or 17	21.9	( 19.7 - 24.2)	2,650	21.8	( 19.6 - 24.3)	1,270	21.9	( 17.8 - 26.6)	1,377
18 or older	17.0	( 13.3 - 21.4)	618	17.4	( 11.7 - 25.1)	354	16.4	( 11.1 - 23.6)	262
<b>Grade</b>									
9th	23.5	( 21.0 - 26.2)	1,744	24.9	( 20.9 - 29.3)	855	22.2	( 19.7 - 24.9)	883
10th	20.5	( 16.9 - 24.6)	1,570	22.0	( 17.8 - 26.8)	724	19.1	( 14.7 - 24.5)	841
11th	22.5	( 18.5 - 27.1)	1,184	20.3	( 16.4 - 24.8)	540	24.7	( 18.3 - 32.4)	644
12th	19.7	( 16.0 - 24.0)	1,022	21.3	( 16.4 - 27.2)	536	18.2	( 14.1 - 23.3)	485
<b>Race/Ethnicity</b>									
Black*	24.8	( 21.3 - 28.7)	918	26.8	( 21.3 - 33.1)	399	23.3	( 18.6 - 28.6)	518
Hispanic/Latino	23.5	( 17.6 - 30.7)	448	29.1	( 21.0 - 38.8)	223	18.1	( 11.8 - 26.5)	222
White*	19.9	( 17.9 - 22.0)	3,600	19.8	( 17.6 - 22.2)	1,746	19.9	( 17.5 - 22.5)	1,851
All other races	24.2	( 15.8 - 35.2)	241	26.3	( 13.2 - 45.6)	137	21.8	( 12.7 - 34.8)	101
Multiple races	21.5	( 15.8 - 28.6)	266	15.2	( 7.6 - 27.9)	132	28.8	( 20.0 - 39.4)	133

Note: There were 138 students who were excluded from the analysis for QN86.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN87: Percentage of students who had been told by a doctor or nurse that they had asthma and who still have asthma

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	10.8	( 9.3 - 12.4 )	5,535	9.3	( 7.6 - 11.3 )	2,659	12.2	( 10.6 - 14.1 )	2,859
<b>Age</b>									
15 or younger	11.9	( 9.7 - 14.5 )	2,282	10.5	( 7.8 - 14.1 )	1,048	13.3	( 10.9 - 16.1 )	1,223
16 or 17	10.3	( 8.3 - 12.6 )	2,640	8.8	( 7.3 - 10.7 )	1,262	11.6	( 8.7 - 15.4 )	1,375
18 or older	9.4	( 7.0 - 12.5 )	611	7.8	( 4.1 - 14.3 )	348	11.3	( 6.7 - 18.3 )	261
<b>Grade</b>									
9th	12.4	( 10.6 - 14.4 )	1,732	10.2	( 7.5 - 13.7 )	848	14.3	( 12.5 - 16.4 )	879
10th	9.5	( 6.9 - 13.0 )	1,566	9.3	( 6.2 - 13.7 )	721	9.8	( 6.9 - 13.6 )	840
11th	10.6	( 7.8 - 14.2 )	1,179	8.1	( 5.6 - 11.6 )	536	12.9	( 8.9 - 18.2 )	643
12th	10.4	( 7.7 - 13.9 )	1,014	9.3	( 6.2 - 13.8 )	530	11.4	( 7.9 - 16.1 )	483
<b>Race/Ethnicity</b>									
Black*	12.5	( 10.0 - 15.6 )	914	11.1	( 8.0 - 15.1 )	396	13.8	( 10.9 - 17.2 )	517
Hispanic/Latino	10.0	( 4.9 - 19.4 )	444	10.4	( 4.4 - 22.7 )	222	9.7	( 4.0 - 21.9 )	220
White*	9.9	( 8.5 - 11.5 )	3,584	8.3	( 6.5 - 10.5 )	1,735	11.5	( 9.9 - 13.4 )	1,846
All other races	13.5	( 6.9 - 24.8 )	238	13.5	( 5.3 - 30.7 )	134	13.7	( 7.1 - 24.9 )	101
Multiple races	11.2	( 7.3 - 16.8 )	265	5.7	( 2.5 - 12.4 )	131	17.4	( 9.7 - 29.1 )	133

Note: There were 167 students who were excluded from the analysis for QN87.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN88: Percentage of students who would describe their grades in school as mostly D's or F's during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	6.2	( 5.0 - 7.7)	5,681	7.4	( 5.9 - 9.3)	2,754	5.1	( 3.8 - 6.7)	2,907
<b>Age</b>									
15 or younger	5.6	( 4.5 - 6.9)	2,345	7.0	( 5.3 - 9.1)	1,085	4.4	( 3.2 - 6.2)	1,248
16 or 17	6.5	( 4.6 - 9.0)	2,702	7.0	( 4.9 - 9.9)	1,304	5.9	( 4.0 - 8.8)	1,392
18 or older	7.1	( 4.3 - 11.5)	633	9.7	( 5.1 - 17.6)	364	3.7	( 1.6 - 8.6)	267
<b>Grade</b>									
9th	6.0	( 4.5 - 8.0)	1,791	6.8	( 4.8 - 9.4)	882	5.3	( 3.5 - 7.8)	904
10th	8.2	( 6.1 - 11.1)	1,594	10.0	( 7.6 - 13.0)	744	6.6	( 4.1 - 10.2)	844
11th	5.3	( 3.2 - 8.7)	1,211	6.3	( 3.4 - 11.2)	555	4.3	( 2.2 - 8.3)	656
12th	5.0	( 3.5 - 7.1)	1,035	6.5	( 3.9 - 10.9)	545	3.6	( 1.8 - 6.9)	488
<b>Race/Ethnicity</b>									
Black*	8.7	( 6.1 - 12.2)	939	10.0	( 6.5 - 15.3)	411	7.5	( 5.5 - 10.2)	527
Hispanic/Latino	7.0	( 4.7 - 10.3)	469	5.4	( 3.1 - 9.2)	234	8.4	( 4.8 - 14.3)	230
White*	4.6	( 3.5 - 6.0)	3,657	5.8	( 4.2 - 8.1)	1,784	3.3	( 2.2 - 5.0)	1,870
All other races	8.1	( 4.9 - 13.1)	250	11.0	( 6.2 - 18.6)	146	4.4	( 1.4 - 12.6)	101
Multiple races	7.3	( 4.1 - 12.8)	268	9.3	( 4.6 - 17.9)	134	5.5	( 2.4 - 12.1)	133

Note: There were 21 students who were excluded from the analysis for QN88.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN89: Percentage of students who rode in a car or other vehicle driven by someone who had been recklessly speeding one or more times during the past 30 days

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	51.5	( 48.5 - 54.5 )	5,266	51.0	( 46.3 - 55.8 )	2,561	51.8	( 48.6 - 55.0 )	2,685
<b>Age</b>									
15 or younger	47.9	( 44.9 - 50.9 )	2,173	44.8	( 39.7 - 50.1 )	1,003	49.9	( 46.4 - 53.5 )	1,158
16 or 17	53.6	( 50.7 - 56.6 )	2,495	53.6	( 49.7 - 57.5 )	1,214	53.7	( 49.5 - 57.8 )	1,276
18 or older	54.5	( 45.2 - 63.4 )	596	56.9	( 45.6 - 67.6 )	343	51.2	( 41.5 - 60.8 )	251
<b>Grade</b>									
9th	46.8	( 43.9 - 49.8 )	1,688	43.2	( 39.5 - 46.9 )	833	49.7	( 45.7 - 53.6 )	849
10th	51.7	( 48.1 - 55.3 )	1,418	49.0	( 43.4 - 54.5 )	663	54.7	( 47.6 - 61.5 )	750
11th	54.3	( 51.4 - 57.3 )	1,143	57.9	( 52.9 - 62.7 )	525	50.7	( 46.4 - 55.0 )	618
12th	54.8	( 46.3 - 62.9 )	968	56.2	( 45.0 - 66.8 )	512	53.3	( 46.1 - 60.4 )	454
<b>Race/Ethnicity</b>									
Black*	49.0	( 45.5 - 52.5 )	807	51.4	( 46.6 - 56.2 )	357	46.8	( 41.2 - 52.6 )	449
Hispanic/Latino	46.3	( 38.9 - 54.0 )	423	46.2	( 35.0 - 57.7 )	208	46.7	( 36.6 - 57.2 )	211
White*	52.4	( 48.8 - 55.9 )	3,468	50.6	( 44.1 - 57.1 )	1,694	54.1	( 50.3 - 57.9 )	1,771
All other races	52.2	( 44.4 - 59.9 )	232	50.3	( 39.6 - 60.9 )	137	-	-	92
Multiple races	55.0	( 45.4 - 64.3 )	246	56.3	( 46.0 - 66.0 )	124	55.7	( 41.7 - 68.8 )	121

Note: There were 436 students who were excluded from the analysis for QN89.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN90: Percentage of students who drove a car or other vehicle under the influence of drugs other than tobacco one or more times during the past 30 days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	14.7	( 12.0 - 18.0 )	5,269	17.4	( 14.2 - 21.1 )	2,563	12.1	( 9.4 - 15.4 )	2,688
<b>Age</b>									
15 or younger	8.7	( 7.1 - 10.8 )	2,175	9.3	( 7.3 - 11.8 )	1,004	8.1	( 6.1 - 10.8 )	1,160
16 or 17	16.3	( 13.3 - 19.8 )	2,497	18.2	( 14.2 - 22.9 )	1,215	14.2	( 10.3 - 19.2 )	1,278
18 or older	26.4	( 21.4 - 32.1 )	595	32.7	( 23.9 - 43.0 )	343	18.1	( 12.8 - 24.9 )	250
<b>Grade</b>									
9th	8.2	( 6.0 - 11.3 )	1,692	9.9	( 7.0 - 13.8 )	835	6.5	( 4.4 - 9.5 )	851
10th	12.3	( 9.9 - 15.1 )	1,419	12.8	( 9.3 - 17.3 )	664	11.9	( 8.8 - 15.8 )	750
11th	19.8	( 14.6 - 26.2 )	1,143	22.1	( 17.0 - 28.1 )	524	17.4	( 10.0 - 28.7 )	619
12th	21.5	( 17.8 - 25.7 )	968	27.7	( 21.4 - 34.9 )	512	15.3	( 11.7 - 19.7 )	454
<b>Race/Ethnicity</b>									
Black*	15.3	( 10.7 - 21.5 )	806	20.1	( 15.7 - 25.3 )	356	11.0	( 5.6 - 20.7 )	449
Hispanic/Latino	18.4	( 13.1 - 25.3 )	425	19.3	( 12.9 - 27.9 )	209	16.5	( 10.3 - 25.2 )	212
White*	13.5	( 11.1 - 16.2 )	3,471	15.3	( 12.1 - 19.1 )	1,695	11.7	( 9.0 - 15.0 )	1,773
All other races	13.4	( 9.9 - 18.1 )	232	16.9	( 9.4 - 28.5 )	137	-	-	92
Multiple races	19.6	( 8.9 - 37.7 )	246	23.8	( 8.0 - 52.8 )	124	15.5	( 8.4 - 26.6 )	121

Note: There were 433 students who were excluded from the analysis for QN90.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN91: Percentage of students who have ever been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging, during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	14.4	( 13.0 - 15.8 )	5,627	9.7	( 8.1 - 11.6 )	2,715	18.6	( 17.0 - 20.3 )	2,894
<b>Age</b>									
15 or younger	16.1	( 12.8 - 20.0 )	2,322	10.2	( 6.9 - 14.7 )	1,067	20.9	( 17.0 - 25.5 )	1,244
16 or 17	12.8	( 11.5 - 14.3 )	2,681	8.6	( 6.5 - 11.1 )	1,293	16.8	( 15.0 - 18.8 )	1,384
18 or older	14.8	( 12.0 - 18.0 )	622	12.4	( 8.7 - 17.3 )	354	17.8	( 12.1 - 25.3 )	266
<b>Grade</b>									
9th	15.6	( 12.0 - 20.1 )	1,772	9.2	( 6.1 - 13.7 )	867	21.2	( 16.4 - 27.0 )	899
10th	15.6	( 13.3 - 18.3 )	1,583	9.8	( 7.6 - 12.7 )	734	21.2	( 17.6 - 25.4 )	843
11th	11.5	( 9.2 - 14.3 )	1,204	8.1	( 5.6 - 11.4 )	551	15.0	( 11.9 - 18.6 )	653
12th	14.1	( 12.2 - 16.2 )	1,024	12.2	( 9.0 - 16.2 )	536	15.5	( 11.6 - 20.5 )	487
<b>Race/Ethnicity</b>									
Black*	9.1	( 7.8 - 10.5 )	929	3.4	( 1.7 - 6.8 )	404	13.8	( 11.8 - 16.2 )	524
Hispanic/Latino	16.1	( 12.9 - 20.0 )	455	13.1	( 8.9 - 19.0 )	225	19.3	( 13.5 - 26.6 )	227
White*	16.4	( 15.1 - 17.9 )	3,636	11.9	( 10.0 - 14.1 )	1,768	20.9	( 19.1 - 22.8 )	1,865
All other races	16.1	( 11.8 - 21.5 )	245	13.2	( 7.7 - 21.5 )	141	19.7	( 11.4 - 31.9 )	101
Multiple races	17.5	( 13.1 - 23.1 )	270	12.9	( 5.7 - 26.9 )	135	23.2	( 16.5 - 31.8 )	134

Note: There were 75 students who were excluded from the analysis for QN91.

N = Number of students.

\*Non-Hispanic.



2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN92: Percentage of students who have seen other students being bullied in their school

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	62.5	( 59.6 - 65.3 )	5,253	61.1	( 56.7 - 65.3 )	2,553	63.9	( 61.2 - 66.4 )	2,682
<b>Age</b>									
15 or younger	65.2	( 61.4 - 68.8 )	2,171	65.8	( 61.6 - 69.7 )	1,004	64.6	( 58.8 - 70.0 )	1,156
16 or 17	60.0	( 56.5 - 63.5 )	2,488	55.7	( 50.2 - 61.1 )	1,208	64.4	( 60.0 - 68.5 )	1,276
18 or older	63.5	( 57.6 - 69.0 )	592	66.7	( 58.5 - 74.1 )	340	59.3	( 48.9 - 68.9 )	250
<b>Grade</b>									
9th	65.0	( 61.3 - 68.6 )	1,686	65.6	( 62.1 - 68.9 )	833	64.3	( 58.0 - 70.2 )	847
10th	64.0	( 59.0 - 68.7 )	1,419	61.0	( 52.8 - 68.6 )	663	67.4	( 62.0 - 72.3 )	751
11th	58.8	( 54.8 - 62.6 )	1,139	53.3	( 44.4 - 62.0 )	522	64.4	( 58.6 - 69.8 )	617
12th	61.9	( 56.9 - 66.6 )	962	64.8	( 55.6 - 73.1 )	507	58.6	( 51.2 - 65.7 )	453
<b>Race/Ethnicity</b>									
Black*	58.3	( 53.5 - 62.9 )	805	57.4	( 49.5 - 65.0 )	356	59.1	( 52.7 - 65.1 )	448
Hispanic/Latino	59.7	( 50.9 - 68.0 )	420	50.8	( 40.7 - 60.9 )	208	68.1	( 52.1 - 80.7 )	208
White*	65.4	( 62.7 - 68.1 )	3,461	64.4	( 59.8 - 68.7 )	1,688	66.5	( 64.1 - 68.8 )	1,770
All other races	58.6	( 49.7 - 66.9 )	231	58.7	( 42.2 - 73.5 )	135	-	-	93
Multiple races	59.2	( 47.0 - 70.3 )	246	52.9	( 31.3 - 73.5 )	123	68.0	( 55.2 - 78.6 )	122

Note: There were 449 students who were excluded from the analysis for QN92.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN93: Percentage of students whose property such as their car, clothing, or books had been stolen or deliberately damaged on school property one or more times during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	28.5	( 26.5 - 30.5 )	5,681	30.7	( 27.9 - 33.7 )	2,750	26.2	( 23.5 - 29.1 )	2,910
<b>Age</b>									
15 or younger	32.2	( 28.2 - 36.5 )	2,347	34.7	( 29.2 - 40.7 )	1,084	30.0	( 25.8 - 34.6 )	1,251
16 or 17	25.9	( 23.7 - 28.3 )	2,700	28.6	( 24.9 - 32.7 )	1,302	23.3	( 20.8 - 25.9 )	1,392
18 or older	26.4	( 22.3 - 31.1 )	632	27.8	( 23.0 - 33.2 )	363	24.6	( 16.6 - 34.9 )	267
<b>Grade</b>									
9th	32.0	( 27.2 - 37.2 )	1,793	33.7	( 27.2 - 40.9 )	881	30.4	( 25.3 - 36.1 )	906
10th	29.7	( 26.4 - 33.3 )	1,592	30.5	( 25.8 - 35.8 )	742	28.7	( 24.6 - 33.2 )	845
11th	24.4	( 21.2 - 28.0 )	1,213	29.2	( 23.9 - 35.2 )	556	19.7	( 15.5 - 24.8 )	657
12th	26.0	( 20.9 - 31.8 )	1,033	28.6	( 23.6 - 34.2 )	544	23.8	( 16.5 - 33.0 )	487
<b>Race/Ethnicity</b>									
Black*	26.4	( 20.7 - 32.9 )	939	29.2	( 22.9 - 36.4 )	412	23.9	( 16.9 - 32.8 )	526
Hispanic/Latino	27.8	( 23.7 - 32.2 )	465	28.1	( 21.1 - 36.2 )	232	27.4	( 20.6 - 35.5 )	228
White*	28.8	( 26.4 - 31.3 )	3,659	31.2	( 27.9 - 34.6 )	1,782	26.4	( 23.9 - 29.1 )	1,874
All other races	35.6	( 25.8 - 46.6 )	250	37.7	( 25.1 - 52.3 )	145	32.2	( 23.2 - 42.9 )	102
Multiple races	34.1	( 25.6 - 43.8 )	269	31.5	( 20.1 - 45.8 )	135	36.8	( 23.2 - 53.0 )	134

Note: There were 21 students who were excluded from the analysis for QN93.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN94: Percentage of students who usually talk with teacher or other adult in this school when they feel sad, empty, hopeless, angry, or anxious

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	1.0	( 0.6 - 1.5 )	5,208	0.9	( 0.5 - 1.6 )	2,533	1.1	( 0.6 - 1.8 )	2,656
<b>Age</b>									
15 or younger	0.4	( 0.2 - 0.7 )	2,158	0.2	( 0.1 - 0.6 )	997	0.5	( 0.2 - 1.3 )	1,148
16 or 17	1.5	( 0.8 - 2.7 )	2,466	1.2	( 0.5 - 2.7 )	1,202	1.7	( 0.9 - 3.2 )	1,261
18 or older	1.1	( 0.4 - 2.8 )	582	1.6	( 0.6 - 4.7 )	333	0.3	( 0.0 - 2.5 )	247
<b>Grade</b>									
9th	0.8	( 0.3 - 1.9 )	1,673	0.3	( 0.1 - 0.9 )	827	1.2	( 0.4 - 3.6 )	840
10th	1.2	( 0.5 - 2.9 )	1,408	1.5	( 0.5 - 4.1 )	659	0.8	( 0.3 - 2.2 )	745
11th	1.1	( 0.5 - 2.4 )	1,126	0.8	( 0.2 - 3.7 )	517	1.3	( 0.6 - 2.8 )	609
12th	0.8	( 0.3 - 2.0 )	954	1.3	( 0.4 - 3.6 )	503	0.4	( 0.0 - 2.7 )	449
<b>Race/Ethnicity</b>									
Black*	1.8	( 1.0 - 3.3 )	796	1.7	( 0.7 - 4.4 )	352	1.9	( 0.7 - 4.5 )	443
Hispanic/Latino	0.8	( 0.2 - 3.6 )	421	0.3	( 0.0 - 2.0 )	207	1.3	( 0.2 - 8.2 )	209
White*	0.6	( 0.4 - 1.1 )	3,432	0.7	( 0.3 - 1.4 )	1,677	0.6	( 0.3 - 1.0 )	1,753
All other races	0.8	( 0.2 - 3.4 )	229	0.4	( 0.1 - 2.2 )	136	-	-	90
Multiple races	0.0	( - - - )	242	0.0	( - - - )	121	0.0	( - - - )	120

Note: There were 494 students who were excluded from the analysis for QN94.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN95: Percentage of students who have taken a prescription drug (such as OxyContin, Percocet, Vicodin, Adderall, Ritalin, or Xanax) without a doctor's prescription one or more times during their life

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	20.5	( 18.2 - 23.1 )	5,651	20.6	( 17.4 - 24.3 )	2,739	20.2	( 17.7 - 23.0 )	2,893
<b>Age</b>									
15 or younger	16.3	( 13.1 - 20.0 )	2,333	14.9	( 10.4 - 20.8 )	1,075	17.1	( 13.3 - 21.7 )	1,247
16 or 17	22.7	( 19.8 - 25.9 )	2,687	22.5	( 18.6 - 26.9 )	1,302	22.9	( 20.1 - 25.9 )	1,380
18 or older	25.0	( 20.9 - 29.5 )	629	28.3	( 22.3 - 35.2 )	361	20.7	( 15.6 - 26.9 )	266
<b>Grade</b>									
9th	14.3	( 11.8 - 17.2 )	1,782	13.1	( 8.9 - 18.9 )	876	15.1	( 11.4 - 19.9 )	901
10th	22.5	( 19.3 - 26.0 )	1,585	21.8	( 17.4 - 26.9 )	737	23.0	( 19.1 - 27.4 )	842
11th	23.9	( 20.7 - 27.4 )	1,201	23.1	( 18.7 - 28.2 )	553	24.6	( 20.8 - 28.9 )	648
12th	23.6	( 20.3 - 27.2 )	1,034	27.2	( 22.5 - 32.5 )	545	19.9	( 16.1 - 24.4 )	487
<b>Race/Ethnicity</b>									
Black*	12.4	( 10.1 - 15.0 )	926	13.5	( 9.8 - 18.3 )	407	11.4	( 8.3 - 15.6 )	518
Hispanic/Latino	19.3	( 12.7 - 28.1 )	463	15.0	( 8.0 - 26.2 )	232	23.8	( 16.4 - 33.3 )	228
White*	25.1	( 22.3 - 28.1 )	3,648	24.5	( 21.0 - 28.5 )	1,777	25.6	( 21.7 - 29.9 )	1,868
All other races	14.5	( 9.5 - 21.5 )	246	20.0	( 12.0 - 31.4 )	142	7.3	( 3.0 - 16.5 )	101
Multiple races	23.8	( 16.8 - 32.7 )	268	25.0	( 17.9 - 33.7 )	135	23.4	( 11.7 - 41.2 )	132

Note: There were 51 students who were excluded from the analysis for QN95.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN96: Percentage of students whose partner was three or more years older the last time they had sexual intercourse

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	10.1	( 8.5 - 12.1 )	5,221	6.0	( 4.3 - 8.2 )	2,537	14.0	( 11.7 - 16.7 )	2,665
<b>Age</b>									
15 or younger	7.3	( 5.6 - 9.5 )	2,154	5.5	( 4.0 - 7.6 )	992	8.5	( 6.0 - 11.9 )	1,150
16 or 17	11.8	( 8.7 - 15.8 )	2,474	7.0	( 4.1 - 11.7 )	1,203	16.7	( 12.6 - 21.9 )	1,267
18 or older	12.2	( 9.0 - 16.3 )	591	4.0	( 1.9 - 8.3 )	341	23.0	( 16.9 - 30.4 )	248
<b>Grade</b>									
9th	7.6	( 5.4 - 10.8 )	1,672	5.8	( 3.9 - 8.4 )	824	9.3	( 6.1 - 14.0 )	842
10th	11.0	( 9.2 - 13.1 )	1,403	6.2	( 3.8 - 10.0 )	654	15.2	( 11.9 - 19.1 )	745
11th	12.3	( 8.3 - 17.9 )	1,134	6.9	( 2.7 - 16.6 )	522	17.9	( 12.9 - 24.3 )	612
12th	10.5	( 8.8 - 12.4 )	963	4.9	( 3.3 - 7.1 )	509	16.1	( 12.8 - 20.0 )	452
<b>Race/Ethnicity</b>									
Black*	15.3	( 12.1 - 19.0 )	789	9.7	( 7.3 - 12.8 )	349	20.2	( 14.8 - 27.0 )	439
Hispanic/Latino	12.3	( 8.2 - 18.3 )	423	3.5	( 1.3 - 8.9 )	208	20.2	( 11.7 - 32.7 )	210
White*	6.9	( 5.7 - 8.5 )	3,450	3.9	( 2.6 - 5.7 )	1,684	9.9	( 7.6 - 12.9 )	1,763
All other races	6.2	( 4.4 - 8.7 )	227	4.6	( 1.2 - 16.1 )	134	-	-	91
Multiple races	22.8	( 12.7 - 37.4 )	243	19.7	( 5.4 - 51.1 )	120	23.1	( 16.5 - 31.3 )	122

Note: There were 481 students who were excluded from the analysis for QN96.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN97: Percentage of students who usually talk with teacher or other adult in this school when they have questions about sexually transmitted diseases (STD), HIV, AIDS, or pregnancy prevention

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	3.2	( 2.5 - 4.1 )	5,199	3.0	( 2.2 - 3.9 )	2,530	3.3	( 2.2 - 4.9 )	2,649
<b>Age</b>									
15 or younger	3.8	( 2.5 - 5.7 )	2,148	3.6	( 2.3 - 5.7 )	993	3.8	( 2.0 - 7.1 )	1,142
16 or 17	3.0	( 2.0 - 4.4 )	2,458	2.4	( 1.6 - 3.6 )	1,196	3.5	( 1.9 - 6.4 )	1,258
18 or older	2.0	( 0.8 - 5.2 )	591	3.2	( 1.1 - 8.9 )	340	0.6	( 0.1 - 2.5 )	249
<b>Grade</b>									
9th	3.9	( 2.6 - 5.9 )	1,666	4.2	( 2.8 - 6.3 )	824	3.7	( 1.8 - 7.5 )	836
10th	3.8	( 2.5 - 5.7 )	1,402	2.9	( 1.5 - 5.6 )	655	4.6	( 2.7 - 7.9 )	742
11th	2.7	( 1.4 - 5.2 )	1,124	2.3	( 0.8 - 6.2 )	516	3.2	( 1.3 - 7.7 )	608
12th	1.9	( 0.9 - 3.6 )	960	2.0	( 0.9 - 4.2 )	507	1.2	( 0.3 - 4.2 )	451
<b>Race/Ethnicity</b>									
Black*	3.7	( 2.1 - 6.2 )	783	2.9	( 1.4 - 6.1 )	347	4.3	( 2.3 - 8.1 )	435
Hispanic/Latino	4.8	( 3.0 - 7.5 )	419	4.4	( 1.6 - 11.7 )	206	5.3	( 2.1 - 12.7 )	208
White*	2.5	( 1.9 - 3.3 )	3,437	2.7	( 1.9 - 3.9 )	1,680	2.4	( 1.6 - 3.6 )	1,754
All other races	4.4	( 2.0 - 9.4 )	229	4.4	( 2.0 - 9.3 )	134	-	-	92
Multiple races	6.4	( 2.7 - 14.3 )	244	4.3	( 1.3 - 13.2 )	122	9.0	( 2.6 - 26.5 )	121

Note: There were 503 students who were excluded from the analysis for QN97.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN98: Percentage of students who skipped meals to lose weight or keep from gaining weight during the past 30 days

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	21.1	( 19.2 - 23.1 )	5,142	14.1	( 12.2 - 16.3 )	2,485	27.3	( 24.6 - 30.3 )	2,638
<b>Age</b>									
15 or younger	20.0	( 16.7 - 23.8 )	2,119	10.6	( 8.6 - 13.1 )	970	26.9	( 22.5 - 31.8 )	1,136
16 or 17	21.4	( 19.2 - 23.8 )	2,440	14.7	( 11.9 - 18.1 )	1,182	27.9	( 23.5 - 32.8 )	1,255
18 or older	23.0	( 19.0 - 27.5 )	581	19.8	( 12.6 - 29.8 )	332	26.8	( 21.0 - 33.6 )	247
<b>Grade</b>									
9th	19.8	( 15.6 - 24.7 )	1,638	11.6	( 8.9 - 15.0 )	803	26.1	( 20.5 - 32.6 )	829
10th	23.1	( 18.9 - 27.8 )	1,387	16.0	( 11.1 - 22.4 )	644	30.0	( 25.0 - 35.6 )	738
11th	19.6	( 15.4 - 24.7 )	1,124	12.2	( 9.6 - 15.5 )	515	27.2	( 19.5 - 36.5 )	609
12th	22.6	( 18.7 - 27.1 )	950	17.5	( 11.6 - 25.5 )	498	27.0	( 21.9 - 32.7 )	450
<b>Race/Ethnicity</b>									
Black*	16.9	( 14.5 - 19.7 )	776	10.9	( 8.3 - 14.3 )	339	22.1	( 18.7 - 25.9 )	436
Hispanic/Latino	26.8	( 22.5 - 31.6 )	406	20.3	( 11.7 - 32.9 )	201	32.1	( 24.6 - 40.7 )	200
White*	21.8	( 19.8 - 23.8 )	3,418	14.5	( 12.4 - 16.9 )	1,661	28.7	( 26.2 - 31.4 )	1,754
All other races	25.2	( 18.8 - 33.0 )	221	16.9	( 8.9 - 29.8 )	129	-	-	89
Multiple races	17.5	( 11.8 - 25.0 )	241	13.0	( 5.9 - 26.1 )	120	22.8	( 17.4 - 29.4 )	120

Note: There were 560 students who were excluded from the analysis for QN98.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN99: Percentage of students who drank a can, bottle, or glass of any other sweetened beverage one or more times per day during the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	38.9	( 36.2 - 41.7 )	5,147	43.5	( 39.4 - 47.7 )	2,491	34.6	( 31.5 - 38.0 )	2,635
<b>Age</b>									
15 or younger	39.6	( 33.7 - 45.8 )	2,129	44.2	( 35.7 - 53.0 )	983	36.2	( 31.1 - 41.7 )	1,133
16 or 17	40.5	( 37.2 - 43.8 )	2,442	45.7	( 41.9 - 49.6 )	1,180	35.1	( 29.7 - 40.9 )	1,257
18 or older	31.7	( 25.4 - 38.7 )	574	35.1	( 28.5 - 42.4 )	327	27.4	( 17.1 - 40.9 )	245
<b>Grade</b>									
9th	38.9	( 33.6 - 44.5 )	1,653	44.1	( 36.5 - 52.1 )	817	34.5	( 29.5 - 39.9 )	830
10th	44.6	( 39.8 - 49.6 )	1,380	50.2	( 44.2 - 56.1 )	641	39.5	( 33.7 - 45.6 )	734
11th	38.0	( 32.9 - 43.4 )	1,117	41.0	( 31.5 - 51.2 )	508	34.9	( 29.2 - 41.1 )	609
12th	33.6	( 26.7 - 41.3 )	949	38.8	( 32.2 - 45.9 )	499	28.6	( 19.6 - 39.7 )	448
<b>Race/Ethnicity</b>									
Black*	41.9	( 36.5 - 47.5 )	773	43.6	( 33.2 - 54.6 )	339	40.4	( 35.9 - 45.0 )	433
Hispanic/Latino	29.3	( 22.6 - 37.1 )	416	28.7	( 23.2 - 35.0 )	204	28.9	( 18.8 - 41.5 )	207
White*	38.5	( 34.1 - 43.0 )	3,410	44.6	( 40.0 - 49.3 )	1,663	32.5	( 27.1 - 38.4 )	1,744
All other races	28.8	( 22.3 - 36.2 )	218	33.0	( 24.3 - 43.0 )	124	-	-	91
Multiple races	48.0	( 40.2 - 55.9 )	244	52.9	( 38.4 - 66.8 )	123	44.4	( 33.9 - 55.4 )	120

Note: There were 555 students who were excluded from the analysis for QN99.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.



2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN100: Percentage of students who ate breakfast on seven of the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	34.2	( 31.2 - 37.2 )	5,632	35.9	( 32.6 - 39.4 )	2,725	32.5	( 29.4 - 35.7 )	2,885
<b>Age</b>									
15 or younger	40.2	( 36.7 - 43.8 )	2,326	44.8	( 40.4 - 49.1 )	1,074	36.4	( 32.0 - 41.1 )	1,239
16 or 17	30.9	( 27.8 - 34.1 )	2,678	32.8	( 29.8 - 36.0 )	1,291	28.9	( 24.3 - 34.0 )	1,381
18 or older	28.2	( 23.5 - 33.5 )	626	24.4	( 18.9 - 30.9 )	359	33.1	( 25.3 - 41.8 )	265
<b>Grade</b>									
9th	39.7	( 35.3 - 44.2 )	1,775	43.9	( 39.4 - 48.5 )	872	35.9	( 30.7 - 41.4 )	897
10th	34.0	( 30.7 - 37.4 )	1,579	36.6	( 32.0 - 41.4 )	732	31.3	( 27.4 - 35.5 )	841
11th	30.1	( 25.1 - 35.5 )	1,200	31.7	( 26.9 - 36.9 )	552	28.5	( 21.0 - 37.3 )	648
12th	30.7	( 25.7 - 36.2 )	1,029	28.8	( 23.2 - 35.2 )	543	32.6	( 25.8 - 40.3 )	484
<b>Race/Ethnicity</b>									
Black*	25.3	( 22.3 - 28.5 )	921	26.3	( 21.1 - 32.3 )	403	24.5	( 19.8 - 29.8 )	517
Hispanic/Latino	36.0	( 31.2 - 41.1 )	460	38.2	( 31.9 - 45.0 )	230	34.4	( 27.3 - 42.3 )	225
White*	39.4	( 36.2 - 42.8 )	3,638	41.8	( 38.3 - 45.4 )	1,771	37.1	( 33.3 - 41.1 )	1,864
All other races	30.7	( 21.1 - 42.2 )	247	28.5	( 20.2 - 38.6 )	142	32.9	( 20.1 - 48.8 )	102
Multiple races	27.7	( 18.3 - 39.5 )	270	31.4	( 14.4 - 55.5 )	136	24.3	( 15.1 - 36.7 )	133

Note: There were 70 students who were excluded from the analysis for QN100.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN101: Percentage of students who ate dinner at home with their family on three or more of the past seven days

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	75.0	( 73.5 - 76.6 )	5,193	74.2	( 70.9 - 77.2 )	2,522	75.9	( 73.8 - 78.0 )	2,651
<b>Age</b>									
15 or younger	81.4	( 79.2 - 83.5 )	2,145	82.6	( 80.3 - 84.7 )	991	80.7	( 77.3 - 83.8 )	1,142
16 or 17	72.0	( 69.3 - 74.6 )	2,460	70.3	( 65.3 - 74.9 )	1,194	73.7	( 70.2 - 76.9 )	1,261
18 or older	67.4	( 60.6 - 73.6 )	586	67.2	( 56.5 - 76.4 )	336	67.7	( 60.7 - 73.9 )	248
<b>Grade</b>									
9th	79.6	( 75.8 - 83.0 )	1,662	80.4	( 76.0 - 84.2 )	821	79.1	( 74.0 - 83.4 )	836
10th	78.5	( 73.9 - 82.5 )	1,398	78.3	( 72.3 - 83.3 )	650	79.1	( 73.9 - 83.5 )	743
11th	71.6	( 68.5 - 74.5 )	1,130	70.0	( 64.4 - 75.1 )	521	73.3	( 69.0 - 77.3 )	609
12th	68.5	( 64.1 - 72.7 )	955	66.4	( 56.9 - 74.7 )	504	70.5	( 63.2 - 76.8 )	449
<b>Race/Ethnicity</b>									
Black*	69.5	( 65.1 - 73.5 )	783	64.5	( 57.6 - 70.9 )	345	73.8	( 70.5 - 76.9 )	437
Hispanic/Latino	72.2	( 64.4 - 78.9 )	415	66.7	( 55.9 - 75.9 )	204	77.0	( 67.6 - 84.4 )	207
White*	78.9	( 76.5 - 81.1 )	3,432	80.4	( 77.2 - 83.2 )	1,676	77.4	( 73.7 - 80.7 )	1,753
All other races	71.5	( 58.8 - 81.5 )	228	65.9	( 48.8 - 79.6 )	132	-	-	93
Multiple races	73.3	( 58.3 - 84.3 )	246	74.9	( 58.1 - 86.5 )	124	74.3	( 55.8 - 86.9 )	121

Note: There were 509 students who were excluded from the analysis for QN101.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN102: Percentage of students who, when they eat out, never or rarely choose foods that are low in fat, sugar, or calories, compared to the other foods available at that restaurant

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	60.8	( 58.3 - 63.3 )	5,134	67.3	( 64.8 - 69.6 )	2,482	54.5	( 51.4 - 57.6 )	2,632
<b>Age</b>									
15 or younger	59.4	( 55.4 - 63.3 )	2,115	67.2	( 61.1 - 72.8 )	972	52.6	( 48.5 - 56.6 )	1,131
16 or 17	61.4	( 57.0 - 65.7 )	2,436	67.7	( 62.7 - 72.2 )	1,176	55.3	( 50.6 - 59.9 )	1,255
18 or older	62.7	( 57.0 - 68.0 )	582	66.1	( 57.3 - 73.9 )	334	58.3	( 49.1 - 67.0 )	246
<b>Grade</b>									
9th	60.6	( 57.1 - 64.0 )	1,638	65.9	( 60.1 - 71.2 )	805	55.7	( 52.7 - 58.7 )	827
10th	62.3	( 58.6 - 65.8 )	1,385	68.5	( 63.8 - 72.8 )	641	56.0	( 50.8 - 61.1 )	739
11th	61.9	( 56.4 - 67.2 )	1,115	69.2	( 61.9 - 75.7 )	509	54.5	( 48.5 - 60.3 )	606
12th	58.4	( 54.4 - 62.4 )	952	65.5	( 59.2 - 71.2 )	503	51.5	( 46.2 - 56.7 )	447
<b>Race/Ethnicity</b>									
Black*	70.8	( 67.3 - 74.1 )	775	73.4	( 69.5 - 76.9 )	339	68.6	( 64.0 - 72.8 )	435
Hispanic/Latino	58.7	( 52.9 - 64.3 )	406	65.7	( 52.9 - 76.5 )	198	53.4	( 46.5 - 60.1 )	204
White*	55.7	( 53.0 - 58.3 )	3,407	63.8	( 60.2 - 67.2 )	1,661	47.8	( 44.9 - 50.7 )	1,743
All other races	60.7	( 51.0 - 69.6 )	218	71.6	( 60.2 - 80.8 )	123	-	-	92
Multiple races	65.8	( 52.2 - 77.2 )	242	70.9	( 61.3 - 78.9 )	121	58.7	( 38.0 - 76.8 )	120

Note: There were 568 students who were excluded from the analysis for QN102.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN103: Percentage of students who watch TV, play video games, or use a computer for something that is not school work three or more hours per day on an average Saturday or Sunday

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	52.1	( 49.0 - 55.1 )	5,201	51.8	( 48.3 - 55.2 )	2,522	52.6	( 48.1 - 57.0 )	2,658
<b>Age</b>									
15 or younger	54.9	( 50.8 - 59.0 )	2,141	56.3	( 51.1 - 61.4 )	984	54.5	( 49.9 - 58.9 )	1,144
16 or 17	50.8	( 46.7 - 54.9 )	2,472	49.7	( 46.0 - 53.5 )	1,200	51.8	( 45.0 - 58.6 )	1,267
18 or older	48.4	( 44.0 - 52.8 )	586	47.9	( 39.4 - 56.5 )	337	48.9	( 41.3 - 56.6 )	247
<b>Grade</b>									
9th	55.0	( 50.1 - 59.8 )	1,658	53.6	( 48.5 - 58.7 )	815	56.7	( 50.2 - 62.9 )	837
10th	54.8	( 51.4 - 58.1 )	1,405	56.7	( 51.0 - 62.2 )	653	53.2	( 47.2 - 59.1 )	747
11th	50.0	( 44.6 - 55.4 )	1,131	47.7	( 43.3 - 52.1 )	521	52.4	( 41.4 - 63.2 )	610
12th	47.0	( 42.2 - 51.8 )	959	48.3	( 42.6 - 54.1 )	507	45.8	( 37.0 - 54.8 )	450
<b>Race/Ethnicity</b>									
Black*	58.6	( 52.9 - 64.0 )	785	53.5	( 47.3 - 59.5 )	346	63.2	( 52.7 - 72.5 )	438
Hispanic/Latino	51.4	( 43.0 - 59.8 )	415	57.8	( 49.3 - 65.9 )	202	45.3	( 34.1 - 57.1 )	208
White*	49.1	( 45.2 - 53.0 )	3,439	50.1	( 45.7 - 54.5 )	1,677	48.2	( 43.0 - 53.3 )	1,759
All other races	55.3	( 42.0 - 67.8 )	229	54.5	( 40.9 - 67.5 )	133	-	-	93
Multiple races	52.7	( 42.6 - 62.6 )	247	60.7	( 42.9 - 76.1 )	124	45.7	( 36.5 - 55.1 )	122

Note: There were 501 students who were excluded from the analysis for QN103.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN104: Percentage of students who most of the time or always wear sunscreen with an SPF of 15 or higher when they are outside for more than one hour on a sunny day

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	8.5	( 7.1 - 10.1 )	5,173	5.4	( 3.9 - 7.5 )	2,507	11.4	( 9.5 - 13.7 )	2,648
<b>Age</b>									
15 or younger	8.9	( 7.3 - 10.9 )	2,132	5.5	( 3.7 - 8.1 )	980	11.8	( 9.3 - 15.0 )	1,139
16 or 17	8.4	( 6.6 - 10.8 )	2,455	6.1	( 3.9 - 9.4 )	1,191	10.8	( 8.3 - 14.1 )	1,262
18 or older	7.3	( 5.2 - 10.2 )	584	3.3	( 1.8 - 5.8 )	335	12.5	( 8.7 - 17.7 )	247
<b>Grade</b>									
9th	9.7	( 8.1 - 11.6 )	1,652	5.3	( 3.6 - 7.6 )	814	13.6	( 10.4 - 17.7 )	832
10th	6.3	( 4.1 - 9.7 )	1,394	5.2	( 1.7 - 14.8 )	646	7.4	( 5.4 - 10.1 )	743
11th	9.4	( 7.0 - 12.3 )	1,127	6.0	( 3.8 - 9.3 )	518	12.8	( 9.2 - 17.6 )	609
12th	8.0	( 5.5 - 11.4 )	954	5.3	( 3.4 - 8.3 )	503	10.6	( 6.8 - 16.3 )	450
<b>Race/Ethnicity</b>									
Black*	4.6	( 3.1 - 6.8 )	780	2.7	( 1.2 - 5.8 )	345	6.2	( 4.3 - 9.1 )	434
Hispanic/Latino	6.6	( 4.2 - 10.2 )	414	1.6	( 0.7 - 3.7 )	203	10.9	( 6.0 - 19.1 )	207
White*	10.3	( 8.3 - 12.7 )	3,422	6.5	( 4.2 - 9.9 )	1,665	14.0	( 11.3 - 17.3 )	1,754
All other races	11.3	( 6.2 - 19.8 )	228	9.1	( 3.4 - 21.9 )	132	-	-	93
Multiple races	10.4	( 5.0 - 20.5 )	245	11.9	( 3.8 - 31.6 )	122	9.2	( 4.7 - 17.4 )	122

Note: There were 529 students who were excluded from the analysis for QN104.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN105: Percentage of students who get eight or more hours of sleep on an average school night

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	28.8	( 25.4 - 32.5 )	5,577	29.1	( 25.7 - 32.7 )	2,696	28.6	( 24.3 - 33.4 )	2,860
<b>Age</b>									
15 or younger	35.2	( 30.5 - 40.3 )	2,299	35.9	( 30.4 - 42.0 )	1,060	35.0	( 28.4 - 42.2 )	1,226
16 or 17	26.3	( 23.6 - 29.2 )	2,655	28.1	( 24.3 - 32.2 )	1,279	24.6	( 21.0 - 28.5 )	1,371
18 or older	18.9	( 15.0 - 23.6 )	621	15.9	( 11.9 - 20.9 )	356	22.8	( 16.2 - 31.1 )	263
<b>Grade</b>									
9th	37.7	( 32.4 - 43.3 )	1,748	35.4	( 30.0 - 41.2 )	858	40.0	( 32.5 - 47.9 )	884
10th	28.8	( 25.0 - 33.0 )	1,569	34.3	( 29.7 - 39.2 )	729	23.6	( 19.9 - 27.7 )	834
11th	23.1	( 20.1 - 26.3 )	1,191	23.9	( 19.5 - 29.0 )	545	22.2	( 19.6 - 25.1 )	646
12th	21.3	( 17.1 - 26.1 )	1,021	18.9	( 15.5 - 22.9 )	538	23.4	( 16.0 - 32.8 )	481
<b>Race/Ethnicity</b>									
Black*	23.6	( 18.9 - 29.1 )	913	22.4	( 17.8 - 27.7 )	401	24.7	( 18.8 - 31.6 )	511
Hispanic/Latino	33.3	( 26.3 - 41.1 )	457	33.9	( 24.3 - 45.0 )	227	32.1	( 22.5 - 43.5 )	225
White*	32.0	( 28.3 - 35.9 )	3,605	33.1	( 29.7 - 36.8 )	1,752	30.9	( 25.8 - 36.4 )	1,850
All other races	23.9	( 14.9 - 35.9 )	243	23.0	( 13.7 - 35.9 )	139	24.4	( 12.5 - 42.3 )	101
Multiple races	23.7	( 16.0 - 33.7 )	267	22.8	( 11.2 - 41.1 )	134	25.5	( 15.8 - 38.4 )	132

Note: There were 125 students who were excluded from the analysis for QN105.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN106: Percentage of students who consider themselves to have a disability

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	11.4	( 10.2 - 12.6 )	5,119	10.5	( 8.5 - 12.9 )	2,470	12.0	( 10.6 - 13.6 )	2,633
<b>Age</b>									
15 or younger	11.8	( 10.3 - 13.6 )	2,108	10.6	( 8.5 - 13.2 )	965	12.5	( 9.3 - 16.5 )	1,132
16 or 17	10.8	( 8.9 - 13.0 )	2,431	9.5	( 6.9 - 12.8 )	1,175	12.1	( 9.9 - 14.8 )	1,254
18 or older	12.0	( 8.5 - 16.5 )	578	13.5	( 9.5 - 18.9 )	329	9.9	( 5.6 - 17.0 )	247
<b>Grade</b>									
9th	13.4	( 10.7 - 16.5 )	1,631	10.9	( 8.5 - 14.0 )	797	15.2	( 10.9 - 20.7 )	829
10th	11.7	( 9.3 - 14.6 )	1,390	13.8	( 10.1 - 18.5 )	648	9.2	( 7.0 - 11.8 )	737
11th	9.1	( 6.4 - 12.6 )	1,111	7.6	( 4.8 - 11.7 )	505	10.6	( 7.2 - 15.3 )	606
12th	10.1	( 7.4 - 13.7 )	943	9.0	( 6.3 - 12.7 )	495	11.3	( 7.4 - 16.8 )	447
<b>Race/Ethnicity</b>									
Black*	10.4	( 7.3 - 14.7 )	775	7.8	( 4.9 - 12.3 )	339	12.7	( 8.7 - 18.3 )	435
Hispanic/Latino	14.5	( 10.1 - 20.4 )	406	14.7	( 7.9 - 25.6 )	199	14.4	( 8.8 - 22.5 )	205
White*	11.0	( 9.6 - 12.6 )	3,392	10.9	( 8.3 - 14.2 )	1,647	11.0	( 9.0 - 13.5 )	1,742
All other races	18.4	( 11.4 - 28.2 )	224	19.2	( 11.6 - 30.0 )	130	-	-	91
Multiple races	13.4	( 7.7 - 22.5 )	241	9.4	( 3.9 - 21.1 )	118	14.3	( 4.0 - 40.3 )	122

Note: There were 583 students who were excluded from the analysis for QN106.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN107: Percentage of students who are alone without a parent or adult three or more hours per day on an average school day

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	26.4	( 23.8 - 29.1 )	5,183	27.3	( 24.5 - 30.3 )	2,510	25.4	( 22.0 - 29.1 )	2,653
<b>Age</b>									
15 or younger	18.9	( 15.9 - 22.3 )	2,136	19.9	( 15.7 - 24.9 )	980	18.0	( 14.6 - 21.9 )	1,143
16 or 17	30.0	( 28.1 - 31.9 )	2,458	30.1	( 27.3 - 33.1 )	1,193	29.7	( 26.1 - 33.7 )	1,261
18 or older	34.7	( 27.5 - 42.7 )	587	35.2	( 28.0 - 43.1 )	336	34.0	( 23.4 - 46.6 )	249
<b>Grade</b>									
9th	17.7	( 14.8 - 20.9 )	1,652	18.8	( 15.0 - 23.3 )	810	16.8	( 13.6 - 20.6 )	836
10th	27.4	( 21.5 - 34.3 )	1,401	29.9	( 21.1 - 40.4 )	651	24.6	( 19.7 - 30.2 )	745
11th	30.0	( 27.4 - 32.7 )	1,124	27.7	( 21.5 - 34.8 )	517	32.4	( 25.3 - 40.4 )	607
12th	34.2	( 28.7 - 40.2 )	959	36.0	( 30.6 - 41.7 )	506	32.5	( 23.6 - 42.8 )	451
<b>Race/Ethnicity</b>									
Black*	34.8	( 31.1 - 38.7 )	785	34.3	( 29.9 - 39.1 )	345	35.2	( 28.2 - 42.9 )	439
Hispanic/Latino	25.2	( 19.0 - 32.7 )	415	28.0	( 19.8 - 37.8 )	202	21.7	( 14.6 - 31.0 )	208
White*	22.1	( 18.9 - 25.7 )	3,428	23.4	( 19.8 - 27.5 )	1,670	20.8	( 16.8 - 25.4 )	1,755
All other races	27.0	( 19.9 - 35.5 )	227	32.1	( 19.3 - 48.3 )	132	-	-	92
Multiple races	28.1	( 19.1 - 39.3 )	245	29.3	( 20.1 - 40.6 )	123	24.0	( 13.3 - 39.4 )	121

Note: There were 519 students who were excluded from the analysis for QN107.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.



2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN108: Percentage of students who last saw a doctor or nurse for a check-up or physical exam when they were not sick or injured during the past 12 months

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	64.1	( 61.7 - 66.3 )	5,528	63.8	( 61.1 - 66.4 )	2,661	64.3	( 60.6 - 67.8 )	2,848
<b>Age</b>									
15 or younger	65.0	( 61.2 - 68.5 )	2,271	66.4	( 62.1 - 70.5 )	1,040	63.7	( 58.7 - 68.3 )	1,220
16 or 17	62.8	( 59.5 - 66.0 )	2,641	60.4	( 55.6 - 64.9 )	1,267	65.2	( 60.7 - 69.4 )	1,369
18 or older	65.9	( 56.7 - 74.0 )	614	68.4	( 59.0 - 76.5 )	353	62.8	( 51.3 - 73.0 )	259
<b>Grade</b>									
9th	61.9	( 57.6 - 66.0 )	1,721	64.1	( 58.4 - 69.4 )	842	59.7	( 53.4 - 65.8 )	875
10th	64.9	( 60.7 - 68.9 )	1,565	63.7	( 58.7 - 68.3 )	720	66.1	( 61.6 - 70.4 )	840
11th	64.0	( 59.5 - 68.3 )	1,182	61.8	( 56.7 - 66.7 )	540	66.1	( 59.8 - 71.9 )	642
12th	66.0	( 60.2 - 71.4 )	1,013	65.3	( 57.5 - 72.3 )	534	67.2	( 60.7 - 73.2 )	477
<b>Race/Ethnicity</b>									
Black*	63.7	( 58.6 - 68.5 )	896	61.0	( 54.9 - 66.8 )	387	65.9	( 59.7 - 71.5 )	508
Hispanic/Latino	56.9	( 52.0 - 61.7 )	453	52.7	( 46.0 - 59.3 )	224	62.0	( 53.9 - 69.5 )	224
White*	66.1	( 62.8 - 69.3 )	3,582	67.7	( 62.6 - 72.4 )	1,738	64.6	( 60.8 - 68.3 )	1,842
All other races	60.3	( 49.7 - 70.1 )	239	59.3	( 44.9 - 72.3 )	138	-	-	99
Multiple races	54.4	( 43.5 - 64.9 )	268	49.6	( 30.6 - 68.6 )	134	58.4	( 51.1 - 65.3 )	133

Note: There were 174 students who were excluded from the analysis for QN108.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN109: Percentage of students who last saw a dentist for a check-up, exam, teeth cleaning, or other dental work during the past 12 months

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	68.7	( 65.6 - 71.7 )	5,600	69.1	( 64.7 - 73.1 )	2,701	68.4	( 64.5 - 72.0 )	2,879
<b>Age</b>									
15 or younger	73.3	( 69.4 - 76.8 )	2,308	73.5	( 68.1 - 78.2 )	1,058	73.1	( 68.2 - 77.5 )	1,238
16 or 17	66.0	( 61.2 - 70.5 )	2,667	67.0	( 60.9 - 72.6 )	1,283	65.2	( 57.5 - 72.1 )	1,379
18 or older	65.0	( 55.4 - 73.5 )	623	65.2	( 57.1 - 72.5 )	359	64.8	( 50.7 - 76.7 )	262
<b>Grade</b>									
9th	67.8	( 63.3 - 72.0 )	1,754	68.4	( 61.4 - 74.6 )	857	67.4	( 62.7 - 71.8 )	892
10th	72.1	( 67.3 - 76.4 )	1,580	70.2	( 62.6 - 76.8 )	733	73.9	( 68.9 - 78.4 )	842
11th	65.5	( 58.5 - 72.0 )	1,191	69.8	( 62.6 - 76.2 )	545	61.4	( 48.7 - 72.7 )	646
12th	69.8	( 63.1 - 75.6 )	1,027	68.6	( 62.4 - 74.2 )	541	70.8	( 62.9 - 77.7 )	484
<b>Race/Ethnicity</b>									
Black*	59.4	( 54.7 - 63.9 )	919	62.0	( 54.4 - 69.1 )	400	57.2	( 51.1 - 63.0 )	518
Hispanic/Latino	55.0	( 47.8 - 62.1 )	459	54.2	( 46.8 - 61.3 )	229	56.8	( 45.8 - 67.2 )	226
White*	76.4	( 73.2 - 79.4 )	3,616	76.0	( 71.6 - 79.9 )	1,754	76.8	( 73.2 - 80.1 )	1,859
All other races	59.9	( 52.0 - 67.4 )	246	57.4	( 44.7 - 69.3 )	141	62.5	( 54.6 - 69.8 )	102
Multiple races	57.0	( 45.6 - 67.7 )	268	53.6	( 35.6 - 70.8 )	135	59.3	( 49.1 - 68.8 )	132

Note: There were 102 students who were excluded from the analysis for QN109.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN110: Percentage of students who have ever been tested for HIV, the virus that causes AIDS

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	14.7	( 13.0 - 16.5 )	5,140	10.9	( 9.0 - 13.1 )	2,475	18.1	( 15.7 - 20.9 )	2,647
<b>Age</b>									
15 or younger	9.5	( 7.7 - 11.7 )	2,114	6.4	( 4.8 - 8.6 )	964	11.6	( 9.0 - 14.9 )	1,139
16 or 17	16.5	( 13.8 - 19.5 )	2,444	12.9	( 10.0 - 16.5 )	1,177	20.1	( 17.1 - 23.5 )	1,263
18 or older	22.5	( 18.4 - 27.2 )	580	14.2	( 10.2 - 19.5 )	333	33.1	( 22.3 - 46.1 )	245
<b>Grade</b>									
9th	9.2	( 6.7 - 12.3 )	1,631	7.1	( 5.4 - 9.3 )	795	10.7	( 7.0 - 16.1 )	831
10th	11.2	( 8.2 - 15.3 )	1,398	6.4	( 4.3 - 9.2 )	648	15.6	( 11.1 - 21.4 )	745
11th	19.7	( 16.4 - 23.4 )	1,115	16.4	( 13.0 - 20.5 )	508	23.0	( 18.6 - 28.2 )	607
12th	20.3	( 17.7 - 23.2 )	951	14.0	( 9.4 - 20.5 )	500	26.6	( 20.4 - 33.8 )	450
<b>Race/Ethnicity</b>									
Black*	20.1	( 15.8 - 25.1 )	778	15.4	( 10.4 - 22.2 )	339	24.2	( 19.9 - 29.0 )	438
Hispanic/Latino	24.8	( 19.5 - 30.9 )	408	21.7	( 16.2 - 28.5 )	197	28.1	( 18.7 - 39.9 )	207
White*	11.1	( 9.3 - 13.3 )	3,407	8.1	( 6.5 - 9.9 )	1,653	14.1	( 11.0 - 17.8 )	1,751
All other races	12.3	( 7.8 - 19.0 )	223	6.8	( 2.3 - 17.9 )	127	-	-	93
Multiple races	11.2	( 6.4 - 19.1 )	244	3.8	( 1.7 - 8.6 )	122	16.0	( 10.1 - 24.4 )	121

Note: There were 562 students who were excluded from the analysis for QN110.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN111: Percentage of students who strongly agree or agree that they feel alone in their life

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	18.7	( 17.2 - 20.3 )	5,160	18.3	( 16.9 - 19.8 )	2,500	18.8	( 16.3 - 21.6 )	2,642
<b>Age</b>									
15 or younger	19.1	( 15.8 - 22.9 )	2,120	16.8	( 13.1 - 21.3 )	973	20.4	( 16.2 - 25.3 )	1,134
16 or 17	18.1	( 15.0 - 21.7 )	2,457	17.0	( 14.4 - 19.9 )	1,190	19.1	( 15.0 - 24.1 )	1,264
18 or older	19.9	( 15.4 - 25.3 )	581	25.8	( 19.1 - 33.7 )	336	12.4	( 8.0 - 18.7 )	244
<b>Grade</b>									
9th	20.5	( 17.4 - 23.9 )	1,641	18.9	( 15.2 - 23.2 )	806	21.7	( 18.0 - 26.0 )	829
10th	17.5	( 15.0 - 20.4 )	1,400	13.5	( 10.1 - 17.9 )	650	21.0	( 17.2 - 25.4 )	745
11th	18.2	( 14.5 - 22.7 )	1,121	18.1	( 14.2 - 22.8 )	514	18.4	( 13.4 - 24.7 )	607
12th	18.0	( 14.0 - 22.8 )	955	22.5	( 17.8 - 27.9 )	505	12.8	( 8.9 - 18.1 )	448
<b>Race/Ethnicity</b>									
Black*	20.8	( 16.6 - 25.6 )	781	18.0	( 14.4 - 22.4 )	344	23.2	( 17.1 - 30.7 )	437
Hispanic/Latino	20.0	( 16.2 - 24.6 )	412	20.0	( 12.9 - 29.7 )	201	18.9	( 13.3 - 26.2 )	206
White*	16.9	( 15.1 - 18.7 )	3,417	17.7	( 15.4 - 20.3 )	1,663	16.0	( 14.1 - 18.1 )	1,751
All other races	25.6	( 16.4 - 37.6 )	223	22.9	( 13.3 - 36.6 )	130	-	-	90
Multiple races	21.0	( 11.8 - 34.6 )	244	16.7	( 6.7 - 36.0 )	123	22.9	( 12.8 - 37.6 )	120

Note: There were 542 students who were excluded from the analysis for QN111.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN112: Percentage of students who strongly agree or agree that they feel good about themselves

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	76.7	( 74.7 - 78.7 )	5,580	82.5	( 79.8 - 84.9 )	2,690	71.3	( 68.0 - 74.5 )	2,869
<b>Age</b>									
15 or younger	76.5	( 72.7 - 79.9 )	2,299	84.2	( 79.3 - 88.1 )	1,052	70.0	( 63.3 - 76.0 )	1,234
16 or 17	75.9	( 73.5 - 78.1 )	2,658	81.1	( 77.5 - 84.2 )	1,282	70.9	( 66.8 - 74.6 )	1,371
18 or older	80.6	( 74.8 - 85.3 )	621	82.8	( 76.2 - 87.9 )	355	77.8	( 69.2 - 84.6 )	264
<b>Grade</b>									
9th	77.3	( 74.0 - 80.3 )	1,749	83.9	( 77.5 - 88.8 )	855	71.4	( 64.8 - 77.2 )	888
10th	76.9	( 72.8 - 80.6 )	1,574	83.7	( 80.2 - 86.7 )	730	70.1	( 63.2 - 76.1 )	839
11th	73.5	( 71.2 - 75.7 )	1,187	80.2	( 74.8 - 84.6 )	543	67.0	( 62.4 - 71.3 )	644
12th	79.2	( 74.0 - 83.6 )	1,023	81.6	( 75.8 - 86.3 )	537	77.3	( 71.1 - 82.5 )	484
<b>Race/Ethnicity</b>									
Black*	82.5	( 78.9 - 85.6 )	915	84.8	( 80.3 - 88.5 )	398	80.6	( 74.3 - 85.7 )	516
Hispanic/Latino	79.5	( 74.6 - 83.6 )	454	82.2	( 73.4 - 88.6 )	226	76.5	( 69.0 - 82.7 )	223
White*	73.8	( 71.4 - 76.1 )	3,606	81.4	( 78.2 - 84.2 )	1,749	66.5	( 63.3 - 69.5 )	1,854
All other races	70.8	( 58.5 - 80.6 )	245	81.6	( 68.2 - 90.2 )	141	56.9	( 34.2 - 77.1 )	101
Multiple races	76.7	( 68.5 - 83.3 )	268	87.3	( 77.5 - 93.2 )	134	64.0	( 47.8 - 77.5 )	133

Note: There were 122 students who were excluded from the analysis for QN112.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN113: Percentage of students who strongly agree or agree that their teachers really care about them and give them a lot of encouragement

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	54.5	( 52.2 - 56.8 )	5,587	55.2	( 51.8 - 58.6 )	2,692	53.9	( 50.9 - 56.8 )	2,873
<b>Age</b>									
15 or younger	53.8	( 49.0 - 58.6 )	2,304	54.5	( 49.2 - 59.6 )	1,056	53.2	( 48.0 - 58.2 )	1,235
16 or 17	54.3	( 51.4 - 57.1 )	2,663	56.5	( 50.2 - 62.6 )	1,282	52.4	( 47.6 - 57.1 )	1,375
18 or older	57.3	( 52.2 - 62.3 )	618	53.2	( 45.1 - 61.2 )	353	62.5	( 56.0 - 68.5 )	263
<b>Grade</b>									
9th	57.8	( 52.9 - 62.7 )	1,748	60.3	( 54.7 - 65.6 )	854	55.9	( 50.4 - 61.2 )	888
10th	48.3	( 42.1 - 54.5 )	1,579	51.5	( 44.5 - 58.4 )	732	45.0	( 38.4 - 51.8 )	841
11th	53.5	( 49.1 - 57.9 )	1,188	53.8	( 46.3 - 61.1 )	543	53.3	( 47.1 - 59.4 )	645
12th	58.6	( 53.7 - 63.4 )	1,024	55.4	( 48.7 - 61.9 )	537	61.5	( 56.0 - 66.7 )	485
<b>Race/Ethnicity</b>									
Black*	50.9	( 47.7 - 54.0 )	917	48.8	( 43.8 - 53.7 )	399	52.6	( 47.0 - 58.3 )	517
Hispanic/Latino	58.2	( 46.9 - 68.7 )	454	51.3	( 38.4 - 64.0 )	225	65.6	( 49.4 - 78.8 )	224
White*	56.1	( 52.3 - 59.9 )	3,613	59.2	( 53.8 - 64.4 )	1,754	53.1	( 48.2 - 58.0 )	1,856
All other races	56.1	( 48.4 - 63.5 )	243	58.3	( 46.6 - 69.1 )	139	53.3	( 41.0 - 65.2 )	101
Multiple races	53.0	( 44.4 - 61.4 )	266	50.6	( 39.9 - 61.3 )	132	53.9	( 42.0 - 65.4 )	133

Note: There were 115 students who were excluded from the analysis for QN113.

N = Number of students.

\*Non-Hispanic.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN114: Percentage of students who strongly agree or agree that drugs are a problem at their school

	Total			Male			Female		
	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N	Percentage	95% confidence interval	N
Total	53.4	( 49.4 - 57.4 )	5,165	52.3	( 47.2 - 57.3 )	2,502	54.4	( 50.9 - 57.9 )	2,643
<b>Age</b>									
15 or younger	51.5	( 45.6 - 57.3 )	2,125	50.3	( 44.5 - 56.1 )	974	52.3	( 45.3 - 59.2 )	1,138
16 or 17	54.3	( 49.4 - 59.1 )	2,453	52.1	( 45.2 - 59.0 )	1,190	56.4	( 52.5 - 60.2 )	1,259
18 or older	55.9	( 50.7 - 60.9 )	585	57.3	( 51.6 - 62.7 )	337	54.0	( 47.1 - 60.9 )	246
<b>Grade</b>									
9th	50.9	( 44.9 - 56.8 )	1,638	49.3	( 43.4 - 55.2 )	804	52.4	( 44.9 - 59.7 )	828
10th	53.0	( 46.2 - 59.6 )	1,403	50.9	( 41.3 - 60.4 )	652	54.8	( 48.3 - 61.1 )	746
11th	56.3	( 49.3 - 63.0 )	1,120	56.2	( 45.8 - 66.0 )	514	56.4	( 50.3 - 62.3 )	606
12th	54.6	( 50.5 - 58.7 )	959	53.6	( 48.1 - 59.0 )	507	55.2	( 50.4 - 60.0 )	450
<b>Race/Ethnicity</b>									
Black*	51.0	( 44.2 - 57.8 )	784	53.6	( 42.1 - 64.8 )	344	48.8	( 43.3 - 54.2 )	439
Hispanic/Latino	54.9	( 48.4 - 61.2 )	412	47.8	( 39.2 - 56.6 )	200	60.5	( 49.6 - 70.5 )	207
White*	55.4	( 50.2 - 60.4 )	3,415	53.5	( 46.9 - 59.9 )	1,665	57.2	( 52.2 - 62.1 )	1,747
All other races	52.7	( 43.1 - 62.0 )	224	53.3	( 36.6 - 69.2 )	130	-	-	91
Multiple races	41.3	( 31.0 - 52.4 )	246	30.5	( 17.4 - 47.7 )	123	50.9	( 37.1 - 64.6 )	122

Note: There were 537 students who were excluded from the analysis for QN114.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.

2009 YOUTH RISK BEHAVIOR SURVEY RESULTS

North Carolina High School Survey  
Summary Table - Weighted Data

QN115: Percentage of students who strongly agree or agree that gangs are a problem at their school

	Percentage	Total 95% confidence interval	N	Percentage	Male 95% confidence interval	N	Percentage	Female 95% confidence interval	N
Total	36.4	( 29.9 - 43.4 )	5,116	38.1	( 30.3 - 46.6 )	2,466	34.6	( 28.1 - 41.8 )	2,629
<b>Age</b>									
15 or younger	36.9	( 29.6 - 44.8 )	2,101	39.0	( 32.5 - 45.9 )	962	34.8	( 25.9 - 45.0 )	1,126
16 or 17	35.7	( 27.9 - 44.4 )	2,434	37.3	( 27.0 - 49.0 )	1,172	34.2	( 27.4 - 41.7 )	1,257
18 or older	37.3	( 30.1 - 45.1 )	579	38.4	( 30.0 - 47.6 )	331	35.8	( 25.1 - 48.2 )	246
<b>Grade</b>									
9th	39.2	( 32.7 - 46.0 )	1,623	40.4	( 34.0 - 47.1 )	795	38.1	( 30.3 - 46.5 )	822
10th	35.8	( 25.7 - 47.5 )	1,386	36.5	( 26.9 - 47.3 )	641	34.9	( 23.5 - 48.2 )	740
11th	35.3	( 24.9 - 47.3 )	1,110	41.2	( 24.6 - 60.2 )	505	29.3	( 21.6 - 38.5 )	605
12th	34.5	( 28.8 - 40.7 )	951	33.8	( 25.4 - 43.4 )	500	34.9	( 26.2 - 44.9 )	449
<b>Race/Ethnicity</b>									
Black*	49.3	( 43.2 - 55.5 )	778	52.4	( 38.0 - 66.4 )	339	46.6	( 38.7 - 54.7 )	438
Hispanic/Latino	40.6	( 33.8 - 47.8 )	406	34.1	( 26.4 - 42.7 )	196	47.4	( 39.6 - 55.3 )	205
White*	29.3	( 22.5 - 37.2 )	3,382	31.6	( 25.0 - 39.0 )	1,642	27.1	( 19.6 - 36.2 )	1,737
All other races	38.5	( 27.6 - 50.6 )	220	41.2	( 26.1 - 58.2 )	127	-	-	90
Multiple races	36.5	( 25.3 - 49.5 )	245	35.0	( 20.2 - 53.5 )	123	35.8	( 21.1 - 53.7 )	121

Note: There were 586 students who were excluded from the analysis for QN115.

N = Number of students.

\*Non-Hispanic.

- = Less than 100 students in the subgroup.