


# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Among students who rode a bicycle, the percentage who never or rarely wore a bicycle helmet



QN6 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who never or rarely wore a seat belt when riding in a car




QN8 - Weighted Data  
\*Non-Hispanic.  
Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who ever rode in a car driven by someone who had been drinking alcohol



QN9 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who ever carried a weapon, such as a gun, knife, or club



QN10 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who have ever been in a physical fight



QN11 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who were ever in a physical fight in which they were hurt and had to be treated by a doctor or nurse



QN12 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who had ever been bullied on school property



QN13 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who ever seriously thought about killing themselves



QN14 - Weighted Data

\*Non-Hispanic.


Missing bars indicate less than 100 students in the subgroup.



# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who ever made a plan about how they would kill themselves



QN15 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who smoked a whole cigarette for the first time before age 11 years



QN18 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who smoked cigarettes on one or more of the past 30 days



QN19 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who smoked cigarettes on 20 or more of the past 30 days



QNFRIG - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who ever had a drink of alcohol, other than a few sips




QN25 - Weighted Data  
\*Non-Hispanic.  
Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who had their first drink of alcohol other than a few sips before age 11 years



QN26 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who ever used marijuana



QN27 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who tried marijuana for the first time before age 11 years



QN28 - Weighted Data

\*Non-Hispanic.


Missing bars indicate less than 100 students in the subgroup.



# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who ever used any form of cocaine, including powder, crack, or freebase



QN29 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who ever sniffed glue, breathed the contents of spray cans, or inhaled any paints or sprays to get high



QN30 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who ever used steroid pills or shots without a doctor's prescription



QN31 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who described themselves as slightly or very overweight



QN36 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who were trying to lose weight



QN37 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who had ever exercised to lose weight or to keep from gaining weight



QN38 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who had ever eaten less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight



QN39 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who had ever gone without eating for 24 hours or more to lose weight or to keep from gaining weight



QN40 - Weighted Data

\*Non-Hispanic.


Missing bars indicate less than 100 students in the subgroup.



# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who had ever taken diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight



QN41 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who had ever vomited or taken laxatives to lose weight or to keep from gaining weight



QN42 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days



QN43 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who watched three or more hours per day of TV on an average school day



QN44 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who played video or computer games or used a computer for something that was not school work three or more hours per day on an average school day



QN45 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who played on one or more sports teams during the past 12 months



QN47 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who had ever been taught in school about AIDS or HIV infection



QN48 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who had ever been told by a doctor or nurse that they had asthma



QN49 - Weighted Data

\*Non-Hispanic.


Missing bars indicate less than 100 students in the subgroup.



# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who had been told by a doctor or nurse that they had asthma and who still have asthma



QN50 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who would describe their grades in school as mostly D's or F's during the past 12 months



QN51 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who have ever ridden in a car or other vehicle driven by someone who had been recklessly speeding



QN52 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who were threatened or injured by someone with a weapon such as a gun, knife, or club on school property during the past 12 months



QN53 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who did not go to school because they felt they would be unsafe at school or on their way to or from school during the past 30 days



QN54 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students whose property, such as their clothing or books, had been stolen or deliberately damaged on school property during the past 12 months



QN55 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who have ever been electronically bullied, such as through e-mail, chat rooms, instant messaging, Web sites, or text messaging



QN56 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who have seen other students being bullied in their school




QN57 - Weighted Data  
\*Non-Hispanic.  
Missing bars indicate less than 100 students in the subgroup.



# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who ever felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months



QN58 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who usually talk with teacher or other adult in this school when they feel sad, empty, hopeless, angry, or anxious



QN59 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who ever tried to quit smoking cigarettes during the past 12 months



QN60 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who usually got the alcohol they drank from someone who gave it to them during the past 30 days



QN61 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who used marijuana during the past 30 days



QN62 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who used marijuana on school property during the past 30 days



QN63 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who have ever taken a prescription drug (such as OxyContin, Percocet, Vicodin, Adderall, Ritalin, or Xanax) without a doctor's prescription



QN64 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who have been offered, sold, or given an illegal drug on school property during the past 12 months



QN65 - Weighted Data

\*Non-Hispanic.


Missing bars indicate less than 100 students in the subgroup.



# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who have ever been taught about abstaining from sexual activity



QN66 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who have ever been taught about chlamydia, gonorrhea, syphilis, human papillomavirus, or genital warts



QN67 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who usually talk with teacher or other adult in this school when they have questions about sexually transmitted diseases (STD), HIV, AIDS, or pregnancy prevention



QN68 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who skipped meals to lose weight or keep from gaining weight during the past 30 days



QN69 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who ate breakfast on seven of the past seven days



QN70 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who ate dinner prepared at home with their family on three or more of the past seven days



QN71 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who watch TV, play video games, or use a computer for something that is not school work three or more hours per day on an average Saturday or Sunday



QN72 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who usually walk or ride their bike to school one or more days per week



QN73 - Weighted Data

\*Non-Hispanic.


Missing bars indicate less than 100 students in the subgroup.



# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who most of the time or always wear sunscreen with an SPF of 15 or higher when they are outside for more than one hour on a sunny day



QN74 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who get eight or more hours of sleep on an average school night



QN75 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who consider themselves to have a disability



QN76 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who are alone without a parent or adult three or more hours on an average school day



QN77 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who participate in school activities other than sports, such as band, drama, clubs, or student government



QN78 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who last saw a doctor or nurse for a check-up or physical exam when they were not sick or injured during the past 12 months



QN79 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who last saw a dentist for a check-up, exam, teeth cleaning, or other dental work during the past 12 months



QN80 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who strongly agree or agree that they feel alone in their life



QN81 - Weighted Data

\*Non-Hispanic.


Missing bars indicate less than 100 students in the subgroup.



# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who strongly agree or agree that they feel good about themselves



QN82 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who strongly agree or agree that their teachers really care about them and give them a lot of encouragement



QN83 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who strongly agree or agree that drugs are a problem at their school



QN84 - Weighted Data


\*Non-Hispanic.

Missing bars indicate less than 100 students in the subgroup.

# 2009 Youth Risk Behavior Survey Results

## North Carolina (Region 3) Middle School Survey

Percentage of students who strongly agree or agree that gangs are a problem at their school



QN85 - Weighted Data  
\*Non-Hispanic.  
Missing bars indicate less than 100 students in the subgroup.